PATCHING

{PATCHING HOUSE}
SUSSEX

1911 - 1914

FORM A.
BRITISH RAINFALL.
24 JAN 1912

REG

Kept at Patching, ... oring

in the County of Suss ... 9 a m

... 5 in.

by Mrs Food...

Ground ft. 10 1/2 in.

Sea Level 130 ft.

NOTE.—Rain should be measured ... nstructions for the measurement of rain and particulars as to the Britis ... rs," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.58	0.01		0.01	0.03	0.01		0.13		1
2	0.13			0.10	0.31						0.38	0.39	2
3		0.01			0.24				0.04		0.18	0.26	3
4	0.05		0.03	0.08	0.01					0.11	0.26	0.18	4
5	0.01			0.19						0.82	0.09	0.01	5
6	0.32		0.03	0.01						0.03	0 05	0.59	6
7	0.14									0.31	0.98	0.22	7
8	0 05		0.20								0.91	0 31	8
9	0 09			0.01							0 18	0.09	9
10		0.10 0.[illegible]	0.17	0 03 ~~0.10~~								0.47	10
11	0.40		0.04		0.03						1.33		11
12			0.96						0 03		0.06	0.02	12
13			0.04		0.12				0.23	0.04		0.26	13
14		0.09	0.01		0.23							0 44	14
15		0.03	0 02								0 08	0 02	15
16						0.40					0.66	0.14	16
17						0.03					1.32	0.17	17
18			0.08	0.02							0.80	0 45	18
19		0.14				0.04			0 25	0.21	0.03	0.09	19
20	0.03		0 04					0.21	0.13	0.04		0 76	20
21	0 02	0.31						0.34		1 00		0.39	21
22	0.27	0.02	0.04			0.18		0.12		0.39		0.60	22
23	0.01	0.17	0.02			0 82			0.37	0.45	0.08	0 25	23
24	0 02	0.23				0.07	0.01	0.02				0 48	24
25	0.02	0.03		0.11	0.11	0 06	0.16		0.10	0.02		0.03	25
26		0.01	0 04	0.38	0 05	0.01	0.04			0.18		0.37	26
27		0.49	0.40	0.06				0.03	0.05	0 30	0.01	0 25	27
28		0.18		0.18				0.09				0.01	28
29				0.05		0 15	0.15		0.42	0 35			29
30				0.11		0.14		0.40	0.02	0.30		0.02	30
31												0.01	31
Total	1,56	1,79	212	1,91	1.11	1,90	37	1,24	1,65	455	7,53	7,28	TOTAL for year
No. of Rain Days	14	13	15	14	9	10	5	8	11	15	18	~~27~~ 28	33.01 ✓ 160

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Hmade

REG

FORM A.
BRITISH RAINFALL.
24 JAN 1912

Kept at Patching Worthing

in the County of Sussex 2

by Mrs Food

Nearest Railway Station Goring

Time of Observation 9 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 1/2 in.

" " " Sea Level 130 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.58	0.01		0.01	0.03	0.01		0.13		1
2	0.13			0.10	0.31						0 38	0.39	2
3		0.01			0.24				0.04		0 18	0.26	3
4	0.05		0.03	0.08	0.01					0.11	0 26	0.18	4
5	0.01			0.19						0.82	0.09	0.01	5
6	0.32		0.03	0.01						0.03	0 05	0.59	6
7	0.14									0.31	0.98	0.22	7
8	0 05		0.20								0.91	0 31	8
9	0 09			0.01							0 18	0.09	9
10		0.10 0.~~20~~	0.17	0 03 ~~0.10~~								0.47	10
11	0.40		0.04		0.03						1.33		11
12			0.96						0 03		0.06	0.02	12
13			0.04		0.12				0.23	0.04		0.26	13
14		0.09	0.01		0.23							0 44	14
15		0.03	0 02								0 08	0 02	15
16						0.40					0.66	0.14	16
17						0.03					1.32	0.17	17
18			0.08	0.02							0.80	0 45	18
19		0.14				0.04			0.25	0.21	0.03	0.09	19
20	0.03		0 04					0.21	0.13	0.04		0 76	20
21	0 02	0.31						0.34		1 00		0.39	21
22	0.27	0 02	0.04			0.18		0.12		0.39		0.60	22
23	0.01	0.17	0.02			0 82			0.37	0.45	0.08	0 25	23
24	0 02	0.23				0.07	0.01	0.02				0 48	24
25	0.02	0.03		0.11	0.11	0.06	0.16		0.10	0.02		0.03	25
26		0.01	0 04	0.38	0 05	0.01	0.04			0.18		0.37	26
27		0.49	0.40	0.06				0.03	0.05	0 30	0.01	0 25	27
28		0.18		0.18				0.09				0.01	28
29				0.05		0 15	0.15		0.42	0 35			29
30				0.11		0.14		0.40	0.02	0.30		0 02	30
31												0.01	31
Total	1,56	1,79	212	1,91	411	1,90	37	1,24	1,65	455	7,53	7,28	TOTAL for year
No. of Rain Days	14	13	15	14	9	10	5	8	11	15	18	~~27~~ 28	33.01 160

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Entd. 27.XI.14

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

30 APR 1914

Kept at The Gardens, Patching House (Patching

in the County of Sussex

by Mrs L. C. Joad per C. Hack.

Lat. .... Long. ....

Time of Observation 9 A.M

Nearest Railway Station Goring by Sea

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	/	0.07	0.04	0.03	0.39	0.30	/	0.01	0.92	/	0.25	1
2	\	/	0.30	0.10	/	0.02	0.30	/	/	/	/	/	2
3	0.02	/	\	/	/	0.21	0.01	0.52	0.02	/	/	0.01	3
4	0.27	/	0.60	/	/	0.62	/	0.03	/	/	/	/	4
5	0.32	0.07	0.14	/	/	0.01	/	0.40	/	/	0.19	0.01	5
6	0.65	0.14	\	/	0.11	0.01	/	0.43	/	/	0.12	0.01	6
7	—	0.22	0.06	/	0.32	0.55	/	0.14	/	/	/	0.06	7
8	0.72	0.41	0.16	/	/	0.22	/	0.18	/	/	/	0.01	8
9	0.09	0.05	0.12	0.07	/	0.02	0.04	0.21	/	/	/	0.16	9
10	—	0.10	\	/	/	/	/	0.35	/	/	0.03	0.37	10
11	0.05	0.58	\	/	0.02	/	/	/	/	/	0.01	0.17	11
12	\	0.09	0.04	/	0.15	0.12	/	0.38	/	/	/	0.01	12
13	\	0.03	0.02	/	/	/	/	0.06	/	/	0.02	0.22	13
14	—	\	0.01	/	0.08	/	0.61	0.21	/	0.08	/	0.03	14
15	0.02	0.14	0.16	/	0.09	0.51	/	0.01	/	/	/	0.27	15
16	0.14	0.01	0.26	/	0.12	0.09	/	0.22	/	0.10	0.07	/	16
17	0.47	\	0.36	/	0.12	/	/	0.15	/	/	0.12	0.15	17
18	0.11	0.01	0.38	/	/	/	/	0.21	/	0.03	0.02	0.26	18
19	0.08	0.09	0.25	/	/	0.02	0.04	0.33	/	/	/	/	19
20	0.03	0.01	0.71	/	/	/	/	0.01	/	0.71	0.01	/	20
21	0.01	0.25	0.21	/	0.07	/	0.01	0.21	/	0.09	0.09	/	21
22	0.13	0.67	0.08	/	/	/	/	0.25	/	0.01	/	0.06	22
23	0.39	0.24	0.38	/	/	/	/	0.55	/	0.12	0.16	0.03	23
24	0.05	0.11	0.01	/	/	/	/	0.38	/	0.05	0.01	0.18	24
25	\	0.01	0.01	/	/	0.28	/	0.98	/	0.12	0.33	0.58	25
26	0.22	0.08	/	/	/	0.04	/	0.13	/	0.50	0.45	0.26	26
27	/	0.03	/	/	/	0.05	/	/	/	0.25	/	0.58	27
28	/	0.06	/	/	/	0.01	0.22	0.15	0.16	0.81	0.38	0.12	28
29	/	0.04	/	/	/	/	0.11	0.35	1.66	0.02	0.05		29
30	/		/	/	0.23	/	0.10	0.24	1.22	/	/		30
31	/		0.10		0.14		0.27	0.18		/			31
Total	3.78	3.22	4.38	.21	1.48	3.17	2.01	7.26	3.07	3.81	2.06	3.80	YEAR'S TOTAL 38.25
Rain Days.													

W.7,000, XI. 13

Jd

FORM A.
BRITISH RAINFALL.

30 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Patching House, Patching

in the County of Sussex 2

by Mrs L. C. Joad

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Goring by Sea

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	/	0.72	0.14	0.09	/	0.14	/	/	0.13	0.01	0.20	0.15	1
2	/	0.13	/	/	0.15	/	0.08	/	/	0.34	0.11	0.05	2
3	0.10	/	0.07	0.34	0.31	/	/	/	/	/	/	0.19	3
4	0.46	/	0.13	/	0.18	/	0.01	/	1.44	0.10	0.11	0.02	4
5	0.09	0.08	0.02	/	/	0.24	0.06	/	0.02	0.02	0.28	0.01	5
6	/	0.02	0.07	/	0.12	0.16	0.42	/	/	0.75	0.23	0.26	6
7	/	0.23	0.16	/	08 0.88	0.01	0.06	/	0.01	0.28	0.17	0.01	7
8	/	0.18	0.01	/	0.20	0.04	/	0.05	/	0.18	/	0.05	8
9	/	0.07	/	/	0.17	0.01	0.04	0.05	0.14	/	0.03	0.02	9
10	0.04	/	/	0.02	/	0.03	0.51	/	/	0.02	0.50	0.01	10
11	1.01	/	/	0.45	0.01	/	/	/	/	0.64	0.16	/	11
12	/	/	/	/	0.93	/	/	/	/	/	1.28	/	12
13	0.30	/	0.03	/	/	0.01	/	/	0.18	/	0.16	/	13
14	0.33	/	0.18	/	/	/	0.52	/	0.05	0.04	0.18	/	14
15	0.33	0.12	/	0.36	/	/	0.35	/	0.10	/	/	0.02	15
16	0.26	/	0.34	0.15	/	/	0.01	/	/	/	0.01	/	16
17	0.17	0.03	0.49	0.16	/	/	0.26	/	/	/	0.03	/	17
18	0.01	/	0.10	0.17	/	/	0.06	/	/	/	0.09	/	18
19	0.22	/	0.10	/	0.01	0.07	0.05	/	0.70	/	/	/	19
20	0.35	/	0.09	0.18	/	/	/	/	/	0.52	/	/	20
21	0.01	/	0.17	0.23	/	0.50	/	/	/	0.83	0.80	/	21
22	0.38	/	0.31	/	/	/	/	0.04	0.23	0.09	/	0.02	22
23	/	/	0.14	/	/	0.05	/	0.14	/	/	/	0.92	23
24	0.16	/	/	0.06	/	/	/	0.27	/	/	/	/	24
25	/	0.01	/	0.30	/	/	/	/	/	/	/	/	25
26	/	/	0.15	/	/	/	/	0.07	/	0.78	/	0.25	26
27	/	/	0.17	0.03	/	/	/	/	/	0.04	/	/	27
28	0.11	/	0.25	0.09	/	/	/	/	/	0.14	/	/	28
29	0.10		0.06	0.41	0.57	/	/	0.19	/	0.13	/	/	29
30	0.55		/	0.15	/	/	/	0.83	/	0.10	/	/	30
31	0.03		0.12 [illegible]		/		/	2.30		0.20		/	31
Total	5.01	1.59	3.30	3.19	2.73	1.24	2.43	3.94	3.00	5.21	4.34	1.98	YEAR'S TOTAL 37.96
Rain Days.	20	10	22	16	11	11	13	9	10	19	16	14	171

W.7,000, XI. 13

√

REGISTER OF RAINFALL IN 1914

Kept at Patching House, Worthing
in the County of Sussex 2
by Mrs L. C. Joad.
From, Charles Hack for the above

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Goring by Sea
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

FORM A.
BRITISH RAINFALL.
7 - APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.09				0.27			0.17	0.12	1
2							0.08	0.01			0.21	0.15	2
3			0.05	0.02	0.27		0.03					0.04	3
4			0.01	0.29		0.06	0.06	0.13			0.45	0.47	4
5	0.14		0.11	0.45	0.03		0.20						5
6		0.15	0.10	0.25	0.11		0.06	0.09				0.62	6
7		0.28	0.26	0.20	0.02		0.20 ~~[illegible]~~					0.29	7
8	0.06	0.52	0.30	0.14		0.16	0.02	0.12				0.13	8
9	0.10		0.52	0.14				0.02	0.08			2.14	9
10		0.09		0.22	0.23				0.11		0.02		10
11		0.50	0.60	0.02	0.04	0.04			0.25		0.10	0.75	11
12		0.08	0.18				0.50		0.63	0.05	0.02	0.48	12
13		0.42	0.13						0.25		0.13	0.72	13
14		0.15	0.21							0.54	0.20	0.63	14
15	0.09	0.08	0.25					0.46		0.02	0.86		15
16		0.10					0.09		0.20				16
17		0.52	0.18						0.05			0.20	17
18		0.05	0.17									0.30	18
19		0.19	0.81				0.27				0.23	0.12	19
20		0.21	0.08			0.03						0.31	20
21		0.47	0.07							0.10		0.01	21
22		0.05	0.26	~~0.26~~	0.06	0.07	0.03	0.05		0.28			22
23			0.30			0.71				0.10			23
24			0.05								0.15		24
25	0.03	0.04	0.28				0.02	0.16		0.43	0.03	0.04	25
26								0.13		0.09	0.08	0.61	26
27										0.47	0.13	0.40	27
28				~~[illegible]~~	0.05					0.60	0.26	0.46	28
29	0.20		0.07								0.15	0.03	29
30		✕	0.14	0.50						0.10	1.02	0.39	30
31	0.02	✕		✕	0.10	✕	0.06		✕	0.04	✕		31
Total	·64	3·90	5·13	2·32	·91	1·07	1·62	144	1·57	2 82	4·21	9·41	YEAR'S TOTAL 35·04
Rain Days.	7	17	23	11	9	6	13	10	7	12	17	23	155

W. 8,000. X. 14.

PATCHAM
{BRIGHTON W.W}
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTE

Kept at Brighton Corporation Patcha
in the County of Su
by The Brighton Corporation

fice Pattern
Zambra
0 in.
e Ground 1 ft. 6 in.
Sea Level 207 ft.
Name Preston Park
Distance 1½ mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.75			.03				.05		1
2	Snow .05			.08	25						.37	.37	2
3	–				.34			.02			.16	.35	3
4	12	.03	02	Snow 19						.14	.19	.19	4
5	02			Do .09						.92	.05	.06	5
6	26		07					.02			.01	.55	6
7	05		02							27	1.21	.28	7
8	08		25							.01	.77	.25	8
9	14		.05	.03							.46	.08	9
10	02	.10	.10	.06							.02	.41	10
11	63	—	04		.16						1.45	.03	11
12	02		Snow & R .96								.03	.03	12
13			Do 11		.12				.60	.06		.22	13
14		.08			.20							.49	14
15		04	St Rain .17								.15	.08	15
16			01			.58					.75	.15	16
17		01				.03					.81	.16	17
18		12	.10	.01		01					1.30	.40	18
19		.05		.01		.06			.21	.32	.05	.13	19
20	.04		.02					.26	.19	.03		.82	20
21	.03	27						.05		.76		.37	21
22	.21	.02	.17			.10		.04		.45	.01	.55	22
23	02	.19	.05			1.10			.47	.86	.05	.25	23
24	02	33	.04			.34	.02	02		.40		.31	24
25		.03	Snow 10	.13		.08	.01		.10	.04		.03	25
26			St Rain .16	33	.28	.19		.01		.28	Snow .29	.37	26
27		.65	.37	.07					.04	49	04	.22	27
28		.17		.18				.03		.02	02	.01	28
29				02		.15	54	02	.38	.51			29
30				02		.16			.04	.23		02	30
31													31
Total	1.77	2.09	28.1	1.97	1.25	2.70	.60	47	2.03	5.79	8.24	7.18	TOTAL for year 36.90
No. of Rain Days	16	14	19	14	6	11	4	9	8	17	22	28	168

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brighton Corporation Waterworks Patcham Works

in the County of Sussex 3

by The Brighton Corporation Waterworks.

RAIN GAUGE
Pattern Met. office Pattern Negretti & Zambra's make
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 207 ft.

Time of Observation 9

Nearest Railway Station
Name Preston Park
Distance 1½ mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.75			.03				.05		1
2	Snow .05			.08	25						.37	.37	2
3	-				.34			.02			.16	.35	3
4	12	.03	02	Snow 19						.14	.19	.19	4
5	02			do 09						.92	.05	.06	5
6	26		07					.02			.01	.55	6
7	05		02							27	1.21	.28	7
8	08		25							.01	.77	.25	8
9	14		.05	.03							.46	.08	9
10	02	.10	.10	.06							.02	.41	10
11	63		04		.16						1.45	.03	11
12	02		Snow & R .96								.03	.03	12
13			do 11		.12				.60	.06		.22	13
14		.08			.20							.49	14
15		04	St Rain .17								.15	.08	15
16			.01			.58					.75	.15	16
17		01				.03					.81	.16	17
18		12	.10	.01		.01					1.30	.40	18
19		05		.01		.06			.21	.32	.05	.13	19
20	.04		.02					.26	.19	.03		.82	20
21	.03	27						.05		.76		.37	21
22	.21	.02	.17			.10		.04		.45	.01	.55	22
23	02	.19	.05			1.10			.47	.86	.05	.25	23
24	02	33	.04			.34	.02	02		.40		.31	24
25		.03	Snow 10	.13		.08	.01		.10	.04		.03	25
26			St Rain .16	33	.28	.19		.01		.28	Snow .29	.37	26
27		.65	.37	.07					.04	49	04	.22	27
28		.17		.18				.03		.02	02	.01	28
29				02		.15	54	02	.38	.51			29
30				02		.16			.04	.23		02	30
31													31
Total	1.77	2.09	28.1	1.97	1.25	270	.60	47	2.03	5.79	8.24	7.18	TOTAL for year 36.90
No. of Rain Days	16	14	19	14	6	11	4	9	8	17	22	28	168

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
4 - JAN 1913

[illegible]

Kept at Brighton Corporation Waterworks / Patcham Works
in the County of Sussex 3
by Jas: Johnston

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 - in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 207.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04	. ~~04~~	04	.37	.12	.02	.05	.76		.23	1
2		Snow .04	36			.04	.20						2
3	.02	Snow 05	08			.23	.01	.59	15				3
4	.35	S rain .12	49			.13		.12			.26		4
5	.29	S & rain .10	09			.13		38			12	.02	5
6	61	.11			.07	01		1 07	02		02	08	6
7	.	.01			.29	66		.30				10	7
8	72	30	16		.01	04	02	09				05	8
9	12	06	08			15	08	13				15	9
10		08	06					42			.17	42	10
11	05	55	01		.01	01		02			.01	16	11
12		08	04		.10	08		42		.01	.01	06	12
13		03	02				.06	01			06	37	13
14	.01				.08			09		10		07	14
15	02	11	11		.12	57		02		01	02	32	15
16	16	01	19		.16	03		23		09	02	01	16
17	31		26		.03	.16		10			11	47	17
18	14		46		.02	.01		09		06	02	47	18
19	04	09	.37			.02	.09	29			01		19
20	06	01	.76					02		63	03		20
21	02	28	.62		.10		.01	18		.34	06		21
22	08	71	.14				.02	33		.02		03	22
23	46	19	.38					32		.08	11	12	23
24	03	.14	.01					40		.10		16	24
25	09	.01	.02			.26		93		.05	.47	57	25
26		.09				.01		13		.56	1.10	26	26
27		.02				.05		01		25	.01	60	27
28		.08				.03	.23	09	.21	80	.71	29	28
29		.03					.20	96	1.78	.12	S rain 02		29
30					.41		.03	73	1.18	.35	S Rain 03		30
31	02		02		.01		.30	21	.	01			31
Total	3 60	3. 30	4.77	–	1.45	2.99	1.37	8.70	3.29	4.34	3.37	4.95	YEAR'S TOTAL 42·13
Rain Days.	20	25	23		14	20	13	30	6	18	21	22	212

W. 7,500, XI. ·12

ex 7-6

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

8- JAN 1914

Kept at Brighton Corporation Waterworks
Patcham Works
in the County of Sussex. 3
by Mr James Johnston Waterworks Engineer

Lat. Long.
Time of Observation 9. Am
Nearest Railway Station Preston Park
Diameter of Rain Gauge .5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.56	.12	.18		.10			.05	.04	.06	.11	1
2	.06	.13	.01				.07			.51	08	03	2
3	.02	.01	09	35	.29					.01		10	3
4	.36		14	01	.04		02		1.32	.20	.15	01	4
5	.29	.05	05			27	08		.26	.02	.14	02	5
6		.04	10	02	16	24	34		.02	29	.11	26	6
7		.26	.09		06	06	03			17	.12	02	7
8		.10	.04		19	08		.21		20	.04	08	8
9		.13		02	22	02	12	.05	12		05	03	9
10	02			07	01	04	2.08			18	86		10
11	1.03			.67						67	14	02	11
12	.01	01			.67					02	80	03	12
13	.59		03					02	.21		15		13
14	.37		13	03			1.60	04	05	.03	20		14
15	.26		36	33			.23		02				15
16	.19	Snow	.54	19			.02		09			02	16
17	.09	.05		12			30				.04	03	17
18	.04		06	21			05		02		.15		18
19	22		07		16	.05	11		61		.01		19
20	.73		.06	26	03	.09				.56	.03		20
21	.02		.14	20						.75	.80		21
22	.30		.26				.03	05	.13	.03			22
23			.17			.03		08				89	23
24	09			.06				19			.07		24
25	01	.03		.17								02	25
26			.10	01				.14		.55		31	26
27			.10	.06						.03		01	27
28	.08		.31	07				03		10			28
29	18		.06	.34	.58			08		05			29
30	.66			.16				.33		10			30
31	.01		.09					.88		.15			31
Total	5.69	1.37	3.12	3.53	2.41	.98	5.08	2.10	2.90	4.66	4.00	1.89	YEAR'S TOTAL 37.73
Rain Days.	~~24~~	11	23	21	11	10	14	12	12	21	19	17	195

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Brighton Corporation Waterworks

Kept at Patcham

in the County of Sussex 3

by Mr. J. Johnston Ex. M. Q.

Lat. 50° 52' Long. 0. 9. 30

Time of Observation 9 Am

Nearest Railway Station Preston Park

Diameter of Rain Gauge ·5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·47

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				09			09	15			.17	13	1
2	.02			03		02	05				13	14	2
3	—		08	11	31		05	02					3
4	02		01	44			01	14			33	50	4
5	.14		10	57	.04	01	19	02					5
6		09	01	31	08	10		05				66	6
7	03	38	26	15	07	13	15					31	7
8	10	65	51	11		23	12	09				16	8
9	09		68	10		02		03	.18		02	1.73	9
10	11	07	Snow 02	19	29				09		02	03	10
11		51	48	07	06				28	—	06	66	11
12		07	13				.56		64	.01	03	68	12
13	Sleet 01	60	23			.09			29	.01	12	47	13
14	02	13	16				05		03	38	27	59	14
15		12	35					.19	01	02	96		15
16		14	01				19		.14		01		16
17		59	08				02		.16	—		23	17
18		10	35				01					36	18
19		31	S & Rain .99				29			.03	31	33	19
20		11	05			.09	03					42	20
21		55	.08							.10		02	21
22		10	.15		.05	.07	07	02		49			22
23			32	01		.66	02	01		03	—		23
24			06								16		24
25	09		24					.13		.46	03	02	25
26	02		30					.29		.10	14	60	26
27	03	01									30	53	27
28	04	05					.18			50	40	47	28
29	15		05							67	14	.02	29
30	03	X	17	11						12	1.18	28	30
31	03	X		X	34	X	02		X	.01	X	.04	31
Total	.93	4.58	5.77	2.29	1.14	1.42	2.10	1.14	1.82	2.93	4.68	9.28	YEAR'S TOTAL 38.08
Rain Days.	16	18	26	13	8	10	18	12	9	14	19	24	187

W. 8,000. X. 14.

Excd LaN

564

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept Brighton Corporation Waterworks Patcham Wks
in the County of Sussex 3
by

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Preston Park
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 207.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.47	.33	.01			02			1.31	15	13	.30	1
2	.42	.18	.39	.16		.01		12	.03	22		.19	2
3	38		13	32	.08			.06	.05	.01		.60	3
4	.08		01	02				03				.38	4
5	.15	42		04				19		01	.15	.60	5
6	1.03	38	05	49			.47	01				.14	6
7	.43	41	09	05		09	15					.27	7
8	.04	39	02				35				.05	.04	8
9	.05	27		20		17		06			.65	1.10	9
10	.34											.80	10
11	.02	01	05							.13	1.05	.04	11
12	.07	19		.34	34						.87	01	12
13	.03	62			2.25				05				13
14	.15	03					.20	.03	11		Snow Rain	.60	14
15	.14	03			09		.79	39			15	.35	15
16	.01	67			07		1.56	22				.158	16
17		39			1.06		.07	36				03	17
18	02	12			25						.08	.02	18
19		05											19
20	29			05	.16							.13	20
21	19									74		.05	21
22	23	.05	12	08			1.17			.14		19	22
23	02	.11	.17				.08		02	.23		99	23
24			02						30	.64		75	24
25			04	02		02	.24				01	46	25
26		.13				.06	.02		01			.97	26
27		02					12			.65		.05	27
28		06				29			1.77	.25			28
29						02		.18		.06	57	04	29
30	24	X								.35	37	.04	30
31	03	X		X		X		17	X	.80	X	.23	31
Total	4.83	4.86	1.10	1.77	4.30	.68	5.22	1.82	3.65	4.38	3.98	9.52	YEAR'S TOTAL 46.11
Rain Days.	23	21	12	11	8	8	12	12	9	14	11	28	169

W. 8,000. X. 15.

Esc 82 553

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

9 JAN 1917

✓ Brighton Corporation Waterworks

Kept at Patcham Works

in the County of Sussex

by Jas: Wheeler

Lat.
Long.
Time of Observation 9 Am
Nearest Railway Station Preston Park
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 207·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	07	03	04		.24	06			07	04	46		1
2	64	07	54		.21	02	03		01.	84	04		2
3	03	25	16			02	04		11	54	66		3
4	30	06			.02	65			34	11	31		4
5	04	01			.24	.10			01	06	56		5
6	03	06	5 09	.09	.05	04	43			05	30		6
7	02	07	5 .79		.25	.13				06	61	.04	7
8		08	5 .01		.40					01	03	60	8
9			5 .02		.24							13	9
10		61	04	07	.02	.48	.10				04	43	10
11	.02	23		17		18						16	11
12	.05	11	06	06	09	17	.12			.04			12
13		27	17	03	03	01	.05	04		03		02	13
14		55	13	04	19			07		02		14	14
15		25	12	02	01			04				02	15
16	04	04	31	34			07	06					16
17	48	31	01	09				04	.41	90			17
18	02	10		03				14	30	15	.82	06	18
19	22		.14	33		05		06	08	01	1.06	11	19
20	15		08	11		07					57	61	20
21	05		40				.19				03	46	21
22	03	5 01	05			02				.06	04	74	22
23	04	5 19	5 R 05			11	02	04		.07	03	03	23
24	07				.14	02		03		.43	07	42	24
25	02	5 53	.14					63	.03	.31	06		25
26	07	5 83				12		09	.41	.22		08	26
27	02	04	.75			02		03	.16	34			27
28	02	5 R 70	.09			48		10	.34	25		45	28
29		35				34		76	18	55		65	29
30		X			.35	01		04		59		01	30
31		X		X		X		03	X	03	X		31
Total	2.27	5.55	4.09	1.28	2.38	3.10	1.05	2.20	2.35	5.61	5.69	5.16	YEAR'S TOTAL 40.73
Rain Days.	22	24	22	12	15	21	9	16	13	24	17	19	214
	12 ✓	21 ✓	19 ✓	9 ✓	11 ✓	14 ✓	7 ✓	13 ✓	10 ✓	19 ✓	14 ✓	15 ✓	164 ✓

W. 8,000, VIII. 16

50

528

FORM A.
BRITISH RAINFALL.

REGISTER OF RAIN~~FALL IN~~ 1917

Kept at Brighton Corporation Waterworks Patcham Wks

in the County of Sussex

by Jas: Johnston

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Preston Park

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 207.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				S+R 20				1.53	.10		.17	.04	1
2				S+R .15				.06			.09		2
3	.03			S+R .08			.66	.19		12	.02		3
4		S .16	S+R. 27				.05	.23		26			4
5	.41		04	19		.02			.27	20	.04		5
6			.28	06		39			.24	01	17	.02	6
7	32						.25		.01	45		.13	7
8	10			S+R .11			.18	.07		40	.35	39	8
9			S 14	S+R .02			.15	02		03	.05	63	9
10	22		16	S+R 08		26	.01	13			01		10
11	.27		18	S+R 62				06	.04	56			11
12	05		07	S+R. 13				19		33	.02		12
13	03		26	01	.15			.04	05	31		.01	13
14	.02			17				.17					14
15					02			13		35		.05	15
16	Snow 06	.19		.09	08					37		S+R 1.14	16
17		.04		.21	25		.48		.41	21			17
18	.01	05		.11	11		.26	.17	41				18
19	.02	36	07		02	.18	02		.21				19
20		.21	S+R 03		.27	02			01				20
21	S 03		S 03		.15	03				01		.03	21
22	02		S 02			.37		.16		33			22
23		33			19			10		01		.05	23
24		22				03	24			31	07		24
25		16	.04			.10	.11	.02		02			25
26			S+R. 05			.01		.46	09		89	S 03	26
27					03			1.23				S 02	27
28		01	08			1.45		72				S+R 06	28
29			.04		.02		.08	10		41		.14	29
30		X	.41			.03	56	.48		11		04	30
31	S .06	X	.08	X		X	.18	.01	X	06	X	S. 13	31
Total	1.65 ✓	1.73 ✓	2.25 ✓	2.23 ✓	1.19 ✓	2.89 ✓	3.23 ✓	6.27 ✓	1.84 ✓	4.86 ✓	1.88 ✓	2.91 ✓	YEAR'S TOTAL 32.93 ✓
Rain Days.	15 ✓	10 ✓	18 ✓	15 ✓	11 ✓	12 ✓	.14 ✓	22 ✓	.11 ✓	21 ✓	11 ✓	.16 ✓	176 ✓
	8 ✓	9 ✓	15 ✓	13 ✓	7 ✓	6 ✓	12 ✓	19 ✓	9 ✓	16 ✓	8 ✓	11 ✓	133 ✓

W. 8,000, IX. 17.

Ed H

55

REGISTER OF RAINFALL IN 1918

Brighton Corporation Waterworks

Kept at Patcham Works

in the County of Sussex

by Jas. Johnston

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Preston Park

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 207.00 ft.

FORM A. BRITISH RAINFALL. 24.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			5 09								17	.15	1
2		.04		03				.32			34	25	2
3		02	13	05	.34			10		02	35	03	3
4		05	04	03				07	12		58	05	4
5		11	06		05			19		03		02	5
6	19	30		.18	22			45	03			06	6
7	5 .04	08		.16	37			07	13	03	10	01	7
8		02							16	05	07	13	8
9	5 03			09		13	.26		46	24		44	9
10				07		04	31		38	52	01	29	10
11	.03						18		08	25	07	09	11
12		.12			.24		02		05	05		03	12
13	5 .28	.03			15		17		.25			05	13
14	20		.13		.03	11	24		.55	.61		09	14
15	1.75			.16		10	03		.01			21	15
16	~~S leet~~ 49			07			06		.24				16
17	SR .30			13		02	78	03				34	17
18	.39			01		39	02		75			08	18
19	07		.21	01		53	05	02	01	05			19
20	03	.26		71		05	53	01	28	20			20
21	20	.02	.02	87			19		.34	05	02	06	21
22	16			01	37		51		70			34	22
23	.18			05			62	.08	04			13	23
24		.25				.04	14		34		13	02	24
25	02			03				.23		06			25
26	.01						31		15	04	21	.13	26
27		.08	.04	.08			13	.28	25		12	06	27
28		5 05		07		.05				05	18	06	28
29			01						1.28		04	01	29
30		X	68					.01	.11	23		04	30
31		X	02	X		X			X	.10	X	.	31
Total	4.27	1.43	1.43	2.81	1.77	1.46	4.45	1.86	6.71	2.28	2.39	3.07	YEAR'S TOTAL 33.93
Rain Days.	17	14	11	19	8	10	18	13	23	17	14	26	190
W. Days	12	10	8	13	7	9	15	9	20	14	12	20	149

6,500. XII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

JAN 20

Kept at Brighton Corporation Waterworks Patcham
in the County of Sussex
by Jas. Johnston M. Inst. C.E.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Preston Park
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 207.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	Snow in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	.04		02	04		11			.14	04	.72	1
2	11		06		02		08		02	.09	06	.11	2
3	30		59		07				11		02	.27	3
4	28	.07	.50			.03	08	07	05		12	06	4
5	01	S&R .39.	88				09		04		16	41	5
6	30		.09				01				.01	07	6
7	.02		.42										7
8	.32		.13								02		8
9	.53		.16	14	.08				02		.30		9
10	.79		.13	.05							02	.27	10
11	.22		.28	.45	.14		.01					.31	11
12	10		.03	.01			.11			.03	Snow 07	.01	12
13	04	.02	.08	23								.03	13
14	.53			43			.05		30			.34	14
15	13	.03	.18	.06								1.05	15
16	.31	.70									.08	.03	16
17		S&R. .27	.02								10	.09	17
18		.05	07		.02			.04	02		12	.04	18
19	09	.68	1.26			08	.54	.40	02		.30	.02	19
20	71	08	09			.78	.07	.16				.05	20
21	06	46					.05				03	.05	21
22		03	Snow 02				.24		.68		04	.23	22
23							.04		.19		.03	.03	23
24		02		.18		.06	.09		.02	.18	13	.06	24
25	08							.76		.01		.05	25
26	03	.23	14	.30			01	.06	07		69	.50	26
27	Snow 1.01		04	S&R. .64				.37			S&R. .31	.04	27
28			Snow .30	02				.63			.60	51	28
29	S&R .07			.03				1.03		27	09	19	29
30	Snow .02	✕	.02	.25		03		48		07	27	65	30
31	Snow 09	✕	S&R 03	✕		✕		41	✕	03	✕	30	31
TOTAL	6.54	3.07	5.52	2.81	.37	.98	1.58	4.01	1.54	.82	3.41	6.29	YEAR'S TOTAL 36.94
Days with ·01 in. or more	25	14	23	14	6	5	15	11	12	8	23	28	184
Days with ·04 in.	21	10	18	10	4	3	12	10	7	5	17	23	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

470

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Brighton Corporation Waterwork

Kept at Patcham

in the County of Sussex.

by

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Preston Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 207.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	22			04	09		35			36	03	.29	1
2			19	10	05		01	23	12	08		09	2
3	.04	02	02	01				04	01	16		.04	3
4		12		05			62			13		.07	4
5		01	19				38	19	06			02	5
6			09		34		34					01	6
7	.10			20	02		16						7
8				10	04		59					07	8
9	30	04	02	02	02	06							9
10	93	21	19	06		12	18				01	Snow	10
11	38	02	12	34	.03	05	33					08	11
12	08	04	04	33		73	01						12
13	21	03	30	01							08		13
14		03	57	47		03	.02		.04	.21	47		14
15	12	02	02	20		04			68	33	09	01	15
16			11	02	06				25			02	16
17	05			05	29		01		40			08	17
18	07			02	17	02		.79	55			11	18
19	09			18					03			05	19
20	13	12		07		86		02	04			01	20
21				04			58		34			22	21
22	01			45					01			52	22
23				01			51	.14				84	23
24	03		.08								02	23	24
25		02	03	13	02		25					02	25
26	08		14	05			07				04	.06	26
27	38	.03	01	36		.12	08				99	.33	27
28	43	04	20	21	17		30				10	.10	28
29	65		10	15	.03						38	17	29
30	07	X				.01	03		33		34	.29	30
31	.02	X	09	X		X			X	75	X	.31	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	4 39	.75	2 51	3 47	1 23	2 04	4 62	1 41	2.86	2.02	2.45	3.92	31.67
Days with ·01 in. or more	.21	14	.19	26	.13	.10	19	6	.13	7	.11	.25	184
Days with ·04 in. or more	18	6	14	19	8	7	14	5	10	7	8	17	~~126~~ 133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PATCHAM

UPPER BOEDALE

SUSSEX

1911- 1916

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

REC

Kept at Upper Roed

in the County of Sus

by G Berry H

ted Howarth

5 in.

Ground 1 ft. — in.

Sea Level 385 ft.

Seckly

Name Preston Park

Distance 1½ Direction SW

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·71			·12						1
2									·02			·35	2
3						·00							3
4		·03	·02								·75		4
5								·00					5
6					·52								6
7	·56									1·41			7
8				·38			·00						8
9									·00			1·82	9
10						·00							10
11		·12	·43								3·60		11
12								·00					12
13					·23								13
14	·89									·07			14
15				·15			·00						15
16									·50			1·31	16
17						·55							17
18		·26	1·29								2·64		18
19								·00					19
20					·13								20
21	·08									1·65			21
22				·04			·00						22
23									1·03			2·74	23
24						1·29							24
25		·77	·54								·11		25
26								·41					26
27					·00								27
28	·25	·51								2·24			28
29				·73			·46						29
30				·00		·42					·29	1·10	30
31	·00		·50		·00		·00	·00	·60	·66		·03	31
Total	1·78	1·69	2·78	2·01	·88	2·26	·58	·41	2·15	6·03	7·39	7·35	TOTAL for year
No. of Rain Days.										Total for year			36·31

35·31.

W. 8,000, X. '11.

✓

REC 1

Kept at Upper Brea

in the County of Sussex 3

by G Berry Hamlin

ted Howard

5 in.

GAUGE Height of top above Ground 1 ft. — in.

" " " Sea Level 385 ft.

Time of Observation Weekly

Nearest Railway Station Name Preston Park

Distance 1½ Direction SW

FORM A2. BRITISH RAINFALL. 5 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·71			·12						1
2									·02			·35	2
3						·00							3
4		·03	·02								·75		4
5								·00					5
6					·52								6
7	·56									1·41			7
8				·38			·00						8
9									·00			1·82	9
10						·00							10
11		·12	·43								3·60		11
12								·00					12
13					·23								13
14	·89									·07			14
15				·15			·00						15
16									·50			1·31	16
17						·55							17
18		·26	1·29								2·64		18
19								·00					19
20					·13								20
21	·08									1·65			21
22				·04			·00						22
23									1·03			2·74	23
24						1·29							24
25		·77	·54								·11		25
26								·41					26
27					·00								27
28	·25	·51								2·24			28
29				·73			·46						29
30				·00		·42					·29	1·10	30
31	·00		·50		·00		·00	·00	·60	·66		·03	31
Total	1·78	1·69	2·78	2·01	·88	2·26	·58	·41	2·15	6·03	7·39	7·35	TOTAL for year
No. of Rain Days.										Total for year			36·31

35·31.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 17

Kept at Upper Predale, Patcham.
in the County of Sussex 3 3
by G B Hamlin

Lat. N 50° 51′ Long. W 0° 8′
Time of Observation
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17			·39							1
2											—		2
3		·06						·86					3
4					·03								4
5										·88			5
6	1·26			—			·26						6
7									·07			·54	7
8						1·49							8
9			·91								·37		9
10		·76						1·90					10
11					·36								11
12										—			12
13	·79			·01			·15						13
14									—			1·24	14
15						·91							15
16			·48								·38		16
17		·75						·86					17
18					·44								18
19										·28			19
20	·74			—			·09						20
21									—			1·32	21
22						·25							22
23			2·76								·32		23
24		1·31						1·58					24
25					·07								25
26										1·76			26
27	·64			—			—						27
28									·16			2·11	28
29		·17				·37							29
30			·06	—		—			2·44		1·76		30
31	—		·05		·43		·49	2·32		1·42		—	31
Total	3·43	3·05	4·43	·01	1·33	3·41	·99	7·52	2·67	4·34	2·83	5·21	YEAR'S TOTAL 39·22
Rain Days.					WEEKLY		GAUGE						

W. 7,500, XI. 12

1

made

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Upper Roedale Patcham

in the County of Sussex

3

by G Berry Hamlin

Lat. 50° 5-1′ Long. W 0° 8′
Time of Observation Weekly
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·46	·12								·04		1
2								—					2
3					·28								3
4	·49									·35			4
5				·65			·21						5
6									1·28			·62	6
7						·56							7
8		·68	·47								·95		8
9								·99					9
10					·55								10
11	1·30			·69						1·89			11
12							2·36						12
13									·24			·12	13
14						·09							14
15		·05	·59								2·75		15
16								·05					16
17					·68								17
18	1·56									·06			18
19				·90			2·22						19
20									·64			·07	20
21						·10							21
22		·05	1·09								1·19		22
23								·12	—				23
24													24
25	1·38									1·43			25
26				·62			·03						26
27									·11			1·18	27
28		·04				—							28
29			·59								·09		29
30				·59		—		1·84	—				30
31	·94		—		·54		—			1·74	—	—	31
Total	5·67	1·28	2·86	3·45	2·23	·75	4·82	3·00	2·27	4·87	5·02	1·99	YEAR'S TOTAL 38·21
Rain Days.						Weekly							

W. 7,500, XI. 12

Gauge British Association Pattern

FORM A.
BRITISH RAINFALL.

16 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Up Roedale, Patcham
in the County of Sussex 3
by G Berry Hamlin

Lat. N 50° 51' Long. W 0° 8'
Time of Observation Weekly
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·13					1
2					—								2
3	·03									—			3
4				·47			·14						4
5									—			1·06	5
6						·24							6
7		·52	·49								·70		7
8								·29					8
9					·47								9
10	·54									—			10
11				1·18			·49						11
12									1·00			4·13	12
13						·28							13
14		1·80	2·24								·48		14
15								·24					15
16					·32								16
17	·02									·60			17
18				—			·86						18
19									·54			1·86	19
20						·11							20
21		1·77	2·05								1·03		21
22								·03					22
23					·10								23
24	·05									·56			24
25				—			·46						25
26									—			·99	26
27						·84							27
28		·24	1·03								·93		28
29								·34					29
30				·09	—	—			—		1·03		30
31	·39		·17		·15		—	—		1·67		1·35	31
Total	1·03	4·33	5·98	1·74	1·04	1·47	1·95	1·03	1·54	2·83	4·17	9·39	YEAR'S TOTAL 36·50
Rain Days.						Weekly							

W.7,000, XI. 13

561

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Up Roedale Patcham
in the County of Sussex 3
by Mr G B Hamlin

Lat. N 50° 51' Long. W 0° 8'
Time of Observation ~~7~~ weekly
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 385 ft.

13 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·02								1
2	1·73									·38			2
3				·50			·02						3
4									·90			1·50	4
5						·01							5
6		1·28	·59								·86		6
7								·47					7
8					·07								8
9	1·86									nil			9
10				·75			·81						10
11									nil			3·06	11
12						·23							12
13		1·85	·12								2·38		13
14								·23					14
15					2·50								15
16	·70									nil			16
17				·33			2·15						17
18									·17			1·10	18
19						nil							19
20		1·21	nil								·22		20
21													21
22					1·55			·90					22
23	·76									·78			23
24				·12			1·22						24
25									·40			3·00	25
26						·05							26
27		·30	·36								nil		27
28		·05						nil					28
29					·01								29
30	·29	×		nil		·33			1·20		·92		30
31	nil	×	nil	×	nil	×	·37	·31	×	2·17	×	1·26	31
Total	4·74	4·69	1·07	1·70	4·15	·62	4·57	1·91	2·67	3·33	4·38	9·92	YEAR'S TOTAL 43·75
Rain Days.						Weekly							

W. 8,000. X. 14.

M. M. Scale

Exd

550

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

14 JUN 1917

Kept at Upper Roedale Patcham

in the County of Sussex

by G B Hamlin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	M.M.												1
2									3·8			nil	2
3						9·0							3
4			14·6								35·8		4
5		14·2						nil					5
6					23·3								6
7										27·8			7
8	24·3			3·8			11·3						8
9									6·9			18·6	9
10						30·2							10
11			23·1								29·0		11
12		24·9						nil					12
13					21·1								13
14										3·3			14
15	2·6			8·5			6·1						15
16									trace			21·6	16
17						11·5							17
18			19·2								49·6		18
19		38·8						7·0					19
20					5·3								20
21										24·5			21
22	25·5			21·0			6·4						22
23									22·7			56·4	23
24						6·1							24
25			22·6								51·2		25
26		14·8						15·6					26
27					2·0								27
28										44·7			28
29	3·4	33·8		nil			nil						29
30		X		nil		17·4			28·1		nil	40·4	30
31	nil	X	21·1	X	7·5	X	nil	22·7	X	25·1	X	nil	31
Total	55·8 ✓	126·5 ✓	100·6 ✓	33·3 ✓	59·2 ✓	74·2 ✓	23·8 ✓	45·3	61·5 ✓	125·4 ✓	165·6 ✓	137·0 ✓	YEAR'S TOTAL 1008·2 ✓
Rain Days.													M·M

W. 8,000, VIII. 16

N made

30.1.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGI… 9*11*

PETWORTH
{PARK GARDENS}
SUSSEX
1911-20

Kept at *The Garden…*
in the County of *Sus…*
by *E W Kill*

…op *5* in.
…above Ground *1* ft. *—* in.
„ Sea Level *182* ft.
9 a.m
…on { Name *Petworth*
Distance *1½ m* Direction *S*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–		·25				3			3		1
2	4	–		10	·40						20	29	2
3	–	–		4	24			5			27	6	3
4	2	–	1							8	43	·55	4
5	2	1								41	1	2	5
6	·44	–	·12								3	1·15	6
7	2	–								15	·44	40	7
8	5	–	·12								36	53	8
9	12	–									5	23	9
10	–	13	·19									1·22	10
11	·48	–	2		19						1·35		11
12	–	–	·20						6		9	6	12
13	–	–	60		9				·13			·56	13
14	–	4			12					9		·80	14
15	–	–	1								16	3	15
16	–	1				60					1 00	14	16
17	–	–				2					40	40	17
18	–	16	5			4					39	48	18
19	–	2				9			37	·24	3	20	19
20	4	1	4					·13	8			98	20
21	1	29						·82	5	80		21	21
22	10	–	10			·38				12		64	22
23	–	·24	2			·50			·15	·51	3	46	23
24	1	14				4	2	3		1·15		43	24
25	–	3		4	·40	12	35		4			6	25
26	–	–	2	·30	4	4	4	9		44		34	26
27	–	30	·42	·23					3	8	1	19	27
28	–	38		·33							5		28
29	–	X		5		10	11		·15	28			29
30	–	X		5		1		·28		60			30
31	–	X		X		X			X		X		31
Total	1·35	~~[illegible]~~ 1·76	~~[illegible]~~ 1·92	1·42	~~[illegible]~~ 1·51	1·94	·55	1·43	1·06	5·01	5·93	10·49	TOTAL for year ~~34·70~~ 34·70
No. of Rain Days.	~~12~~	~~12~~	~~14~~	~~9~~	~~7~~	~~11~~	~~4~~	~~9~~	~~9~~	~~13~~	~~19~~	~~25~~	~~142~~ 142

W. 8,000, X. '11.

N made

30.1.12

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Gardens Petworth Pk

in the County of Sussex 2

by E W Hill

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 182 ft.

Time of Observation 9. a. m Petworth

Nearest Railway Station
Name Petworth
Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–		·25				3			3		1
2	4	–		10	·40						20	29	2
3	–	–		4	24			5			~~24~~ 27	6	3
4	2	–	1							8	43	·55	4
5	2	1								41	1	2	5
6	·44	–	·12								3	1·15	6
7	2	–								15	·44	40	7
8	5	–	·12								36	53	8
9	12	–									5	23	9
10	–	13	·19									1·22	10
11	·48	–	2		19						1·35		11
12	–	–	·20						6		9	6	12
13	–	–	60		9				·13			·56	13
14	–	4			12					9		·80	14
15	–	–	1								16	3	15
16	–	1				60					100	14	16
17	–	–				2					40	40	17
18	–	16	5	–		4					39	48	18
19	–	2				9			·37	·24	3	20	19
20	4	1	4					·13	8			98	20
21	1	29						·82	5	80		21	21
22	10	–	10			·38				12		64	22
23	–	·24	2			·50			·15	·51	3	46	23
24	1	14				4	2	3		1·15		43	24
25	–	3		4	·40	12	35		4			6	25
26	–	–	2	·30	4	4	4	9		44		34	26
27	–	30	·42	·23					3	8	1	19	27
28	–	38		·33							5		28
29	–	X		5		10	11		·15	28			29
30	–	X		5		1		·28		60			30
31	–	X		X		X			X		X		31
Total	1·35	~~[illegible]~~ 1·76	~~[illegible]~~ 1·92	1·42	~~[illegible]~~ 1·51	1·94	·55	1·43	1·06	5·01	5·93	10·49	TOTAL for year 34·70
No. of Rain Days.	12	12	14	9	7	11	4	9	9	13	19	25	142

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Kept at The Gardens Petworth Park

in the County of Sussex 2q

by C W Full

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 182 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Petworth
Distance 1½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	32	–	–	40	6	–	2	68	–	38	1
2	–	–	55	–	–	3	22	–	–	–	–	–	2
3	2	–	3	–	–	26	–	45	–	–	–	–	3
4	14	6	1·24	–	–	11	–	1	–	–	20	–	4
5	22	–	26	–	–	–	–	48	–	–	3	3	5
6	56	23	1	–	4	–	–	26	–	–	–	41	6
7	–	–	2	–	18	48	–	1	4	–	–	12	7
8	50	66	35	–	–	5	–	9	–	–	–	1	8
9	–	14	9	–	–	4	3	4	–	–	6	21	9
10	2	11	24	–	–	–	–	4	–	–	1	35	10
11	8	44	4	–	–	–	–	25	–	–	–	359	11
12	2	9	3	–	6	13	12	1	–	–	6	–	12
13	–	3	–	–	–	–	50	42	–	–	–	15	13
14	2	–	7	–	6	–	–	2	–	6	–	–	14
15	–	3	22	–	9	50	–	9	–	–	–	25	15
16	14	–	24	–	11	–	–	–	–	6	10	–	16
17	48	–	22	–	–	4	–	16	–	–	3	16	17
18	9	–	9	–	–	–	–	20	–	4	–	11	18
19	6	5	53	–	–	–	6	14	–	–	–	–	19
20	4	–	–	–	–	4	–	1·15	–	40	2	–	20
21	2	11	24	–	14	–	–	12	–	13	4	–	21
22	10	61	4	–	–	–	–	9	–	–	–	3	22
23	53	21	26	–	–	–	–	16	–	6	20	8	23
24	16	4	–	–	–	6	–	31	–	–	–	25	24
25	11	–	–	–	–	50	–	12	–	3	26	96	25
26	–	6	–	–	–	4	–	100	–	42	50	50	26
27	–	3	–	–	–	12	3	15	–	35	56	60	27
28	–	5	–	–	–	3	45	–	22	1.03	4	18	28
29	–	4	–	–	–	7	6	26	2.40	14	–	–	29
30	–	X	–	–	25	2	3	–	1·40	23	–	–	30
31	–	X	4	X	10	X	44	–	X	–	X	–	31
Total	331	299	519	0.00	103	292	200	6·06	438	363	211	513	TOTAL for year 3875
No. of Rain Days.	19	18	22	000	9	18	14	25	5	13	14	19	173

6.06

W. 8,000, X. '11.

cord for auth 10.11.14

made

FORM A.
BRITISH RAINFALL.

9 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Gardens Petworth Park

in the County of Sussex

by E. W. Pull

Lat. 50 59 N Long. 0 5 4 W
Time of Observation 9 a.m
Nearest Railway Station Petworth
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	38	15	3	13	4	–	–	30	4	40	15	1
2	4	22	–	4	–	–	8	–	2	10	11	3	2
3	8	–	5	14	39	–	–	–	–	–	–	31	3
4	64	–	12	1	43	–	–	–	1.08	30	11	2	4
5	45	6	4	–	2	10	4	–	16	10	21	3	5
6	4	5	13	–	3	15	9	–	–	1.28	9	23	6
7	–	48	4	–	34	5	15	–	–	94	24	–	7
8	–	4	–	–	25	3	–	66	–	31	–	4	8
9	–	4	–	–	5	2	5	–	15	–	5	–	9
10	3	–	–	3	–	–	32	–	–	–	44	–	10
11	1.23	–	–	43	–	–	–	–	–	60	23	–	11
12	–	–	–	–	54	–	–	–	–	–	62	–	12
13	·28	–	4	–	–	–	–	–	4	3	14	2	13
14	·35	1	24	–	–	–	44	2	4	3	24	–	14
15	·20	9	24	61	–	–	30	–	3	–	4	–	15
16	16	–	40	24	–	–	–	–	54	–	–	–	16
17	15	1	2	15	–	–	23	–	–	–	4	–	17
18	10	–	32	24	–	–	4	–	–	–	8	–	18
19	1	–	4	–	–	74	74	–	29	–	–	–	19
20	40	–	34	16	–	41	–	–	–	62	4	–	20
21	46	–	33	9	–	–	–	–	–	41	73	–	21
22	–	–	24	–	–	3	3	13	16	3	–	3	22
23	–	–	8	–	–	–	–	15	–	–	–	92	23
24	6	–	–	8	–	–	–	–	–	–	3	–	24
25	–	–	–	20	–	–	–	–	–	–	–	–	25
26	–	–	11	16	–	–	–	11	–	64	–	25	26
27	–	–	22	5	–	–	–	–	–	5	2	–	27
28	10	–	38	10	–	–	–	–	–	16	–	–	28
29	5	×	74	45	52	–	–	20	–	19	–	–	29
30	86	×	–	7	–	–	–	74	–	33	–	–	30
31	3	×	8	×	–	×	–	85	×	3	×	–	31
Total	5·81	1·41	4·16	3·28	2·43	0·90	2·14	2·86	2·84	6·22	3·89	2·03	YEAR'S TOTAL 38·27
Rain Days.	21	10	22	19	10	9	12	8	11	19	19	11	171

W.7,000, XI. 13

Slipmade 2/3/15

Ex LMcc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at The Gardens Petworth Park

in the County of Sussex 2

by E. W. Pull

Lat. 50·59 N Long. 0·57·W

Time of Observation 9 a.m

Nearest Railway Station Petworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~[illegible]~~ ft. 1 ~~in.~~

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	3	–	–	–	14	–	–	23	12	1
2	–	–	2	–	–	3	2	2	–	–	8	26	2
3	–	–	5	5	34	–	8	15	–	–	–	3	3
4	2	2	2	43	10	–	2	27 ~~24~~	–	–	40	38	4
5	·10	–	4	49	13	3	26	2	–	–	–	–	5
6	–	23	3	22	6	4	–	–	–	–	–	45	6
7	2	1·08	13	18	2	3	14	16	–	–	–	41	7
8	3	·82	44	3	–	6	–	2	–	–	–	6	8
9	8	–	1·23	21	–	4	–	–	14	–	–	1·45	9
10	4	43	2	13	12	–	–	–	20	–	–	–	10
11	–	40	61	–	3	2	–	–	11	–	11	63	11
12	–	14	10	–	–	–	42	–	28	5	–	81	12
13	–	48	26	–	–	–	–	3	21	9	12	1·10	13
14	–	48	35	–	–	9	5	24	–	56	34	33	14
15	–	·10	25	–	–	–	3	–	–	3	54	2	15
16	–	2	–	–	–	–	4	–	15	–	–	–	16
17	–	65	22	–	–	–	2	–	24	–	–	61	17
18	–	3	30	–	–	–	–	–	–	–	–	63	18
19	–	14	43	–	–	1	35	–	–	–	15	16	19
20	–	49	26	–	–	–	–	–	–	–	–	34	20
21	–	65	9	–	–	4	–	7	6	20	–	8	21
22	–	2	11	–	15	2	4	–	–	23	–	–	22
23	–	3	33	–	3	–	–	–	–	–	–	–	23
24	–	–	4	–	–	–	–	–	–	–	18	–	24
25	3	–	20	–	–	–	–	·10	–	40	4	6	25
26	–	–	3	–	–	–	–	14	–	10	28	44	26
27	3	2	4	–	–	–	2	–	–	–	13	61	27
28	2	3	14	–	5	–	–	–	–	33	49	63	28
29	15	X	–	–	–	–	2	–	–	31	28	–	29
30	2	X	–	11	–	–	–	–	–	11	1.20	97	30
31	4	X	–	X	–	X	12	–	X	3	X	3	31
Total	58	6.89	6·10	1·88 ~~1·86~~	1·06	·44	1·66	1·42	1·42	2·44	4·54	11·54	YEAR'S TOTAL 40·01
Rain Days.	12	20	26	10	10	11	15	12	8	12	15	24	1·45

W. 8,000. X. 14.

cwd 23.11.16 W1142 532

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at Petworth Park (Gdns)
in the County of Sussex 2
by E.W.Full

Lat. 50 59 N Long. 0 54" W
Time of Observation 9 a.m
Nearest Railway Station Petworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·14	05	–	–	–	10	01	·24	05	05	·50	1
2	·81	·28	13	10	–	–	–	22	25	06	–	·22	2
3	·30	–	06	10	15	–	–	02	–	–	–	·54	3
4	08	–	–	–	–	–	–	17	–	–	–	·65	4
5	03	·44	–	–	–	–	–	12	–	–	–	52	5
6	·50	·14	–	80	–	–	100	02	–	–	–	14	6
7	·25	68	02	–	–	–	12	–	–	–	–	·34	7
8	04	100	–	–	–	–	06	03	–	–	02	02	8
9	04	12	–	05	–	10	–	02	–	–	45	·45	9
10	·24	–	–	–	–	–	–	–	–	–	–	30	10
11	05	–	04	–	–	–	–	–	–	·12	·90	13	11
12	05	28	–	20	40	–	–	06	–	–	·46	–	12
13	03	43	–	–	1·63	–	–	–	06	–	–	–	13
14	02	02	–	–	–	–	05	15	03	–	–	90	14
15	13	–	–	–	05	–	24	23	–	–	03	64	15
16	02	1·40	–	–	12	–	1·12	–	–	–	–	01	16
17	–	60	–	–	100	–	–	01	–	–	–	–	17
18	–	30	–	–	30	–	–	–	–	–	04	–	18
19	–	10	–	–	03	–	06	–	–	01	–	–	19
20	·30	–	–	02	02	–	–	–	–	01	–	·12	20
21	06	04	–	02	04	–	–	–	–	·30	–	04	21
22	1·65	12	06	–	–	–	·90	–	–	–	–	24	22
23	–	05	06	–	–	02	12	–	25	30	–	65	23
24	–	–	–	–	–	–	·10	–	30	41	–	80	24
25	–	–	03	03	–	–	19	–	–	–	–	24	25
26	–	13	–	–	–	06	25	–	–	–	–	86	26
27	–	–	–	–	–	12	02	–	–	·41	–	06	27
28	–	12	–	–	–	12	–	–	·68	·54	–	–	28
29	–		–	–	–	30	–	04	–	03	48	04	29
30	·15		–	–	–	04	–	–	–	48	64	04	30
31	–		–		–		–	·56		1·30		53	31
Total	5·14	4·08	0.45	1.32	3·44	·46	4·36	1.69	1·84	4·05	3.43	9.43	YEAR'S TOTAL 43.65
Rain Days.	20	19	8	8	10	7	14	14	7	13	9	25	154

578

✓

REGISTER OF RAINFALL IN 19/6

FORM A. BRITISH RAINFALL.

9 JAN 1917

Kept at The Gardens Petworth Park
in the County of Sussex
by E. W. Pull

Lat. 50 59" N Long. 0 54" W
Time of Observation 9 a.m
Nearest Railway Station Petworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	14	1	1		24	2			34	6	30		1
2	35	19	10		48		2		8	1·03	3		2
3	3	1·11	12		1		5		24	63	1·10		3
4	35	4				54			14	4	50		4
5	3	6			·15	14				10	95		5
6	1	13	4	3		22	47			14	90		6
7			45		21	6	6			4	1·00		7
8					30							50	8
9					35	10						20	9
10		53	6	5		·45	9					15	10
11	5	8		11	1	13						23	11
12	3	8	6	1	6	6	11			5			12
13		·24	5			2		12	4	4			13
14		·61	26	10	10					6		8	14
15		6	44					22					15
16	2	6	33	15			10	46					16
17	23	14		14				26	30	44			17
18	1	8	3	6				46	24	8	60	15	18
19	44		16	16		8		8	13		38		19
20	15		31	6							4	90	20
21			23				13					30	21
22			1							6		96	22
23	1	13				3		2		13	10	10	23
24					23	6		1		50	19	45	24
25		·91	20					45	8	6	6		25
26	4	·24	2			9		26	25	62			26
27		30	1·15	20				14	18	41			27
28		46	5			6		9	30	15		20	28
29		24	2		·45	45		·90	20	56		36	29
30		X								34			30
31		X		X		X		2	X	16	X		31
Total	1·92	5·46	4·13	1·07	2·89	2·84	1·03	3·82	2·55	6·36	6·15	4·58	YEAR'S TOTAL 4310
Rain Days.	15	21	21	11	12	16	8	14	13	22	13	13	149

W. 8,000, VIII. 16

499

FORM A.
BRITISH RAINFALL.

28 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Gardens Petworth Park

in the County of Sussex

by E. W. Pull

Lat. 50 59" N Long. 0 57" W

Time of Observation 9 a.m

Nearest Railway Station Petworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			8	12				127	4		6		1
2				55				6			3		2
3				25			88	34		11	16		3
4		11	14			5	9	25		32	1	2	4
5	30		4	38		11		81	44	23	6		5
6			20						10	1	14		6
7	35						18			38	11	4	7
8	21			10			21	19		26		44	8
9			12		4		2	6	2	3	20	25	9
10	10		28	23		4		12			11	3	10
11	10		24	25					1				11
12	4			3				2		39			12
13	4		15					6	2	23			13
14				22				9		14			14
15							2	5					15
16		16		20	3		10	1				45	16
17				15	25		24	3		22			17
18		4		5	13		20	4	33	1.14			18
19		20	16					5	40	11			19
20		6			40				14				20
21									3		1		21
22			6			11		14					22
23		25			13			28				5	23
24		5				10	2			12			24
25		6	5										25
26			4					63	8	16	48		26
27					3			185		4			27
28						1.94		32					28
29		×	6		14	8	5	5				12	29
30		×	34				48	21				5	30
31		×	10	×		×	15	3	×	63	×		31
Total	1.14	93	2.09	2.53	1.45	2.46	3.04	6.99	1.64	4.61	1.37	1.48	YEAR'S TOTAL 30.06
Rain Days.	7	8	15	13	8	9	13	24	11	17	11	9	143

W. 8,000, IX. 17.

2.65

32

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at The Gardens Petworth Pk

in the County of Sussex

by E. W. Pull

Lat. 50-59" N Long. 0-54" W

Time of Observation 9. a.m

Nearest Railway Station Petworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 182 ft.

1. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		2						2			42	4	1
2		2		4				34			35	25	2
3		3	4	9	44			4		3	38		3
4		23	8	3				23			1.01	5	4
5		9	10		8			10		18		3	5
6	9	18		30	14				5	2		4	6
7	1	12		10	28				30	6	15	5	7
8		12								4	14	6	8
9	1	2		11		12	44		45	22		65	9
10				11		4	35		35	10		36	10
11	2			2			64		11	32	6	9	11
12		10			15		36					3	12
13	28				8		20		25			3	13
14	33		14		2	4	12		24	16		8	14
15	1.44			22		12	64		3			18	15
16	49		3	12		8			30	8			16
17	22			15			6	2				40	17
18	55					58			95			9	18
19	13		9			4	12			2		2	19
20	4	16		60		2	21		35	4			20
21	25	2		28	16		60		32	9		4	21
22	13				3		40		27			25	22
23	5						66					2	23
24		30		3			4	9	11		9		24
25				12			11						25
26							1.15	16	3	5	9	15	26
27		22	9	5			12		8	2	10	2	27
28			38	4				11			15		28
29		X							1.26			2	29
30		X	45						4	5	6	3	30
31		X	12	X		X			X	8	X		31
Total	4.34	1.63	1.55	2.41	1.41	1.04	6.31 6.31	1.11	5.82	1.56	3.03	2.98	YEAR'S TOTAL 33.55 33.55
Rain Days.	15	14	10	19	9	8	14	9	18	19	12	24	170

W, 6,500, VII. 18. w w c

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens Petworth Park

in the County of Sussex

by E. W. Pull

Lat. 50 59 N Long 0 35 4 W

Time of Observation 9 A.M.

Nearest Railway Station Petworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	4					.14			3	3	.98	1
2	.26		2		.14		.11		11			11	2
3	.36		.54		2		.41		4			.29	3
4	34	3	.36			5	.16		6		.11	9	4
5	–	.34	.91				3				.15	30	5
6	.31		.10		5							4	6
7	.11		.56										7
8	.38		.14										8
9	.43		9	8	.18						.15		9
10	.48		.14	4								.41	10
11	.56		13	.28	4		.20					8	11
12	5						.10			3	3	3	12
13	4			.83									13
14	.64			.44			6		.55			.11	14
15	.25	6	4	5								1.01	15
16	8	.61										1	16
17		.36									9	-	17
18		7	.24					4			5	3	18
19	.10	38	1.21			.11	.50	.15			9		19
20	.51	8	.12			5 38	2	.25					20
21	6	41					2					3	21
22	~~7~~	3					.16		.46		2	19	22
23									.12	1	5	~~7~~	23
24							2	2		.22	.20	12	24
25		4						33				8	25
26		19	.12						11		.20	.61	26
27	.49		4	.63				.64			2	4	27
28	2		38					.94			.54	34	28
29	3	X		.14				.34		16	6	.14	29
30		X		24		4		.54		2	38	1.20	30
31	9	X		X		X			X		X	13	31
Total	6.11	2.94	5.14	2.49	.46	.81	1.96	3.31	1.45	.47	2.14	6.40	Year's Total 34.01
Days with ·01 in. or more	~~22~~	~~13~~	~~14~~	~~9~~	~~5~~	~~4~~	~~13~~	~~9~~	~~4~~	~~6~~	~~16~~	~~23~~	~~144~~

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

W W.D cmd. per auth.

446

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Gardens Petworth Pk
in the County of Sussex
by E W Pull

Lat. 50° 59 N Long. 0 - 57 W
Time of Observation 9 a.m
Nearest Railway Station Petworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12			.10	.21		.46	*		.16		.41	1
2	5		3	2	8		2	.19	9	.41		.23	2
3	14									.16			3
4		9					.75	.39		.39		15	4
5			17	5			.78	7		.37		5	5
6			26		20		21			5			6
7	7			11			.26						7
8				2	9		.39						8
9	19	2		5	.11	9	16						9
10	92	1.2	7	13		24	.26						10
11	44		5	.48		2	.55					.22	11
12	3	12	2	32		48					4		12
13	17		26								4		13
14		4	56	.66					.16		.70		14
15		2	2	11					.91	11	.15		15
16				2					.20	31			16
17					19				1.31				17
18	13				11			.77	.18				18
19	7			.39		4			4			.16	19
20	8	12		27		.58			.24			6	20
21				7			.80					.30	21
22	3			27								.62	22
23							.44	.18				.43	23
24	2		18	3	3						4	.37	24
25			5		2		.45						25
26	7		25			1	2				10	40	26
27	1.04			32		7	9				.50	3	27
28	59		14		6		9				.35	.41	28
29	1.06		5									45	29
30	8	X				6	5				.34	40	30
31	1.2	X	16	X		X			X		X	10	31
TOTAL	5.42	~~.58~~ .53	2.27	~~3.39~~ 3.42	1.10	1.59	5.78	1.60	3.13	1.96	2.29	4.79	YEAR'S TOTAL 33.88 ~~33.42~~
Days with ·01 in. or more	20	7	15	18	10	9	17	5	8	8	9	14	143
Days with ·04 in. or more	14	5	12	14	8	7	15	5	~~7~~ 8x	8	9	14	12

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PEVENSEY BAY

(No 1 PUMPING STATION)

SUSSEX

1913 - 20

S. made

REGIST

FORM A.
BRITISH RAINFALL.

28 MAR 1914

Kept at Pumping Sta

in the County of Sussex

by Eastbourne R.

ing Wertham

in.

d 1 ft. – in.

evel 7 ft.

IMPORTANT NOTE.—R … esult entered to the previous day. If an Observer … rule, he is earnestly requested to add the reading at … the space provided for it at the end of this para … of rain, the selection and placing of ra … Rainfall Organization are given in "*Rul* … ation to Dr. H. R. Mill, 62, Camden S

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·09		·05 ·005				·11	·17	·07	1
2							·08		·09	·01	·12	·06	2
3				·32	·11							·17	3
4							·002		·89	·13	·12		4
5						·28	·01		·21	·11	·21	·01	5
6					·02	·11	·34		·03	·42	·37	·15	6
7					·01	·03	·12			·15	·16		7
8					·06	·04		·11		·76	·10	·01	8
9					·09				·11		·02	·02	9
10				·01			·28			·02	·49		10
11				·50						·52			11
12					·18						·65	·01	12
13								·03	·005		·16		13
14				·02			·46		·27	·03	·10		14
15				·37			·16		·25				15
16				·17					·26				16
17							·18				·06	·015	17
18				·18			·13				·12		18
19					·05		·09		·19				19
20				·10		·35				·40	·01		20
21				·15	·03					·63	·63		21
22									·04				22
23							·015					·74	23
24				·02		·04					·04		24
25				·24									25
26								·19		·98	·01	·41	26
27										·13			27
28				·03				·06		·19			28
29				·18	·07			·03					29
30				·30	·09			·44		·04		·01	30
31								1·06 ·06					31
Total				2·68	·71	·90 ·990	2·02 ·202	·92	2·39 ~~2·39~~	× 4·66	3·54	1·81 ·181	YEAR'S TOTAL
Rain Days.				15	10	7	1·80 11	1·92 7	2·34 10	16	18	1·12	

W.7,000, XI. 13

S. made

REGIST

FORM A.
BRITISH RAINFALL.

28 MAR 1914

Kept at Pumping Station Pevensey Bay

in the County of Sussex

by Eastbourne R.D.C.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Pevensey & Westham

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09		·05 ·005				·11	·17	·07	1
2							·08		·09	·01	·12	·06	2
3				·32	·11							·17	3
4							·002		·89	·13	·12		4
5						·28	·01		·21	·11	·21	·01	5
6					·02	·11	·34		·03	·42	·37	·15	6
7					·01	·03	·12			·15	·16		7
8					·06	·04		·11		·76	·10	·01	8
9					·09				·11		·02	·02	9
10				·01			·28			·02	·49		10
11				·50						·52			11
12					·18						·65	·01	12
13								·03	·005		·16		13
14				·02			·46		·27	·03	·10		14
15				·37			·16		·25				15
16				·17					·26				16
17							·18				·06	·015	17
18				·18			·13				·12		18
19					·05		·09		·19				19
20				·10		·35				·40	·01		20
21				·15	·03					·63	·63		21
22									·04				22
23							·015					·74	23
24				·02		·04					·09		24
25				·24									25
26								·19		·98	·91	·41	26
27										·13			27
28				·03				·06		·19			28
29				·18	·07			·03					29
30				·30	·09			·44		·04		·01	30
31								1·06 ·06					31
Total				2·68	·71	·90 ·990	2·02 ·202	·992	2·39 ~~2·39~~	×4·66	3·54	1·81 ~~·181~~	YEAR'S TOTAL
Rain Days.				15	10	7	1·81 11	1·92 7	2·34 10	16	18	1·12	

W.7,000, XI. 13

ExLMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 FEB 1915

Kept at Pumping Station, Pevensey Bay
in the County of Sussex
by Eastbourne R. D. C.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Pevensey & Westham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	Nil	·03	Nil	Nil	Nil	·10	·03	Nil	Nil	·05	Nil	1
2	·01	"	Nil	"	"	"	·33	Nil	"	"	·11	·16	2
3	Nil	"	·16	·05	·23	"	Nil	"	"	"	Nil	Nil	3
4	"	"	·04	·26	Nil	"	"	·10	"	"	·31	·52	4
5	·15	"	·16	·35	·01	"	·16	·06	"	"	Nil	Nil	5
6	Nil	"	Nil	·09	·02	·07	Nil	·11	"	"	"	·33	6
7	·05	·46	·16	·03	·01	·17	·07	Nil	"	"	"	·32	7
8	·12	·29	~~Nil~~	·02	·03	·19	·03	"	"	"	"	·09	8
9	·16	Nil	·54	·11	Nil	Nil	Nil	"	·09	"	"	1·04	9
10	·06	·05	Nil	·12	·09	"	"	"	·06	"	·01	·09	10
11	Nil	·36	·50	·06	·01	"	"	"	·19	"	·04	·42	11
12	"	·06	·11	Nil	Nil	·09	·28	"	·28	"	·01	·32	12
13	"	·35	·21	"	"	·05	Nil	"	·19	·06	·16	·59	13
14	"	·08	·14	"	"	·06	"	·005	Nil	·45	·14	·25	14
15	"	·04	·41	"	"	Nil	·03	·05	·03	·01	·82	Nil	15
16	"	·38	Nil	"	"	"	·12	Nil	·09	Nil	Nil	"	16
17	"	·34	·18	"	"	"	Nil	"	·22	"	"	·06	17
18	"	·08	·10	"	"	"	"	"	Nil	"	"	·28	18
19	"	·19	·55	"	"	"	·11	"	"	·07	·21	·40	19
20	"	·08	·12	"	"	·21	·06	"	"	·05	Nil	·43	20
21	"	·64	·03	"	"	Nil	Nil	"	"	·05	"	·06	21
22	"	·04	Nil	"	"	·49	·39	·10	"	·06	"	Nil	22
23	"	Nil	·65	"	"	·12	·08	Nil	"	·01	"	"	23
24	"	"	·02	"	"	Nil	Nil	"	"	Nil	·12	"	24
25	·10	"	·12	"	"	"	"	·06	"	·30	·005	"	25
26	·02	"	·01	"	"	"	·02	·32	"	·08	·18	·34	26
27	Nil	"	·03	"	"	"	Nil	Nil	"	Nil	·10	·36	27
28	·03	·03	Nil	"	"	"	"	"	"	·38	·48	·30	28
29	·15	–	Nil	"	"	"	"	"	"	·42	·06	·06	29
30	·02	X	·11	·02	"	"	"	"	"	·08	1·35	·08	30
31	Nil	X	Nil	X	·31	X	"	"	X	Nil	X	·07	31
Total	·87	3·47	4·79	1·11	·71	1·45	1·78	·835	1·15	2·02	4·155	6·57	YEAR'S TOTAL 28·910
Rain Days.	11	16	23	10	8	9	13	9	8	13	17	22	159

W. 8,000. X. 14.

ent by obs 30.vi.16

619

FORM A2.
BRITISH RAINFALL.

18 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Pumping Station, Pevensey Bay
in the County of Sussex
by Eastbourne R.D.C.

Rain Gauge { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. = in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station { Name Pevensey & Westham
Distance 2½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·13	·03	-	-	-	-	-	·36	·01	·12	·22	1
2	·72	·29	·18	·10	·02	-	-	·01	·04	·05	-	·20	2
3	·27	-	·04	·28	·16	-	-	·02	·09	-	-	·49	3
4	·06	-	-	·04	-	-	-	-	-	-	-	·35	4
5	·03	·20	-	·23	-	-	-	·04	-	-	-	·52	5
6	·58	·19	·07	·30	-	-	·03	-	-	-	-	·18	6
7	·55	·23	·04	·01	-	-	·05	-	-	-	-	·32	7
8	·10	·16	·06	-	-	-	·28	-	-	-	·05	·04	8
9	·02	·26	-	·12	-	·22	·08	-	-	-	·79	1·01	9
10	·35	-	-	-	-	·29	-	-	-	-	-	·78	10
11	-	·05	·03	-	-	-	-	-	-	-	·86	·03	11
12	·06	·21	-	·19	·20	-	-	-	-	·04	·61	-	12
13	·01	·72	-	-	1·08	-	-	-	·05	-	-	-	13
14	·09	·08	-	-	-	-	·41	·16	·03	-	-	·40	14
15	·16	-	-	-	·10	-	·32	·10	-	-	·27	·25	15
16	-	·50	-	·06	·19	-	·97	·10	-	-	-	-	16
17	-	·48	-	-	1·01	-	-	-	-	-	-	·16	17
18	-	·10	-	-	·11	-	-	-	-	-	·02	·03	18
19	-	-	-	-	-	-	-	-	-	-	-	-	19
20	·26	-	-	·02	·10	-	-	-	-	-	-	·16	20
21	·13	-	-	-	-	-	-	-	-	·16	-	·04	21
22	·05	-	·06	·01	-	-	·75	-	-	-	-	·20	22
23	·03	-	06	-	-	-	-	-	-	·08	-	·41	23
24	-	·07	~~·02~~	·02	-	-	·02	-	·23	1·04	-	·29	24
25	-	-	04 ~~·03~~	·03	-	-	·40	-	-	-	-	·34	25
26	-	·05	-	-	-	·18	-	-	-	-	-	·65	26
27	-	-	-	-	-	·20	·04	-	-	·34	-	·02	27
28	-	·06	-	-	-	·11	-	-	·69	·35	-	-	28
29	-		-	-	·05	-	-	·15	-	·05	·25	·01	29
30	·30		-	-	-	-	-	-	-	·55	·26	-	30
31	·07				-		-	·02		·79		·18	31
Total	4·31	3·78	·61	1·41	·302	1·00	3·35	·60	1·49	3·46	3·23	4·58	TOTAL for year 33·84
No. of Rain Days.	20	17	10	13	10	5	11	8	7	11	9	25	146

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Copy.

1916

Kept at

in the County of

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	~~Jan.~~	~~Feb.~~	~~March.~~	April.	May.	~~June.~~	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	March	June	August			March							
1	·03 ✓					·03 ✓							1
2	·19 ✓		·02 ✓			·18 ✓							2
3	·02 ✓		·02 ✓			·04 ✓							3
4													4
5			·04 ✓										5
6	·06 ✓					·07 ✓							6
7	·03 ✓					·04 ✓							7
8	·07 ✓					·06 ✓							8
9		·21 ✓											9
10		·28 ✓											10
11	·02 ✓					·03 ✓							11
12													12
13													13
14			·15 ✓										14
15			·10 ✓										15
16			·10 ✓										16
17													17
18													18
19													19
20													20
21													21
22	·05 ✓					·06 ~~·07~~							22
23	·06 ✓					·06							23
24	~~[illegible]~~					~~[illegible]~~							24
25	·03					·04 ~~[illegible]~~							25
26		·19 ✓											26
27		·25 ✓											27
28		·11 ✓											28
29			·16 ✓										29
30		X											30
31		X	·02 ✓	X		X			X		X		31
Total	~~·50~~	~~·94~~	~~·65~~			·61							YEAR'S TOTAL
Rain Days.	·56	1·04	·61			~~[illegible]~~							

Pevensey Pumping Station

Pevensey Bay Pumping Stations.

add to

W. 8,000. X. 15.

Esc JL

610

FORM A. BRITISH RAINFALL. 13. JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Pumping Station, Pevensey Bay,

in the County of Sussex

by Eastbourne R D C

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Pevensey & Westham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·02	–	–	·46	·02	–	–	–	·01	·89	–	1
2	·34	·03	·42	–	·18	–	–	–	–	·90	·03	–	2
3	–	·14	·13	–	–	–	·11	–	·12	·22	·35	–	3
4	·18	·05	–	–	–	·31	–	–	·35	·06	·44	–	4
5	·02	·01	–	·04	·20	·25	–	–	–	·06	·27	–	5
6	·02	·07	·01	·39	·06	·04	·23	–	–	·10	·22	–	6
7	·03	·02	·46	–	·22	·03	·08	–	–	·10	·24	·04	7
8	–	–	–	–	·31	–	–	–	–	–	–	·17	8
9	–	–	–	–	·30	–	–	–		–	–	·16	9
10	–	·23	–	·09	–	·19	·04	–	–	·01	–	·36	10
11	·01	·18	·03	·06	–	·21	–	–	–	–	–	·08	11
12	·06	·08	·07	·08	·22	·16	·12	–	–	·03	–	–	12
13	–	·16	·04	·01	·22	–	·05	·02	–	·02	–	·10	13
14	–	·37	–	–	·17	–	–	·24	–	–	–	·57	14
15	–	·30	·04	–	–	–	–	–	–	–	–	–	15
16	–	·06	·17	·19	–	–	·09	·02	–	–	–	–	16
17	·30	·16	–	·02	–	–	·05	–	·29	·61	·01	–	17
18	·07	·07	–	–	–	–	–	·11	·32	–	1·13	·01	18
19	·25	–	·07	·27	–	–	–	·01	·06	–	1·35	·15	19
20	·11	–	·01	·11	–	·06	–	–	–	–	·13	·43	20
21	·06	–	·43	·09	–	–	–	–	–	–	·04	·67	21
22	–	·08	·06	·03	–	·04	–	–	–	–	–	·50	22
23	·03	·11	·11	–	–	·09	·03	·07	–	–	·07	·10	23
24	–	–	·06	–	·06	–	–	·05	–	·31	·20	·36	24
25	–	·54	·16	–	–	·02	–	·46	–	·25	·08	–	25
26	–	·32	·03	–	–	·05	–	·01	–	·08	·01	·15	26
27	–	·15	·51	·02	–	·50	–	·45	·09	·58	–	–	27
28	–	·56	·03	–	–	·25	–	·09	·16	·48	–	·31	28
29	–	·13	–	–	–	·33	–	·51	·06	·69	–	·60	29
30	–		–	–	–	–	–	·06	–	·36	–	–	30
31	–		–		–		–	–		·55		–	31
Total	1·56	3·84	2·84	1·40	2·40	2·55	·80	2·13	1·45	5·42	5·46	4·76	YEAR'S TOTAL 34·61
Rain Days.	14	23	19	13	11	16	9	13	8	19	16	17	178

W. 8,000. X. 15.

Exd C J E

579

✓

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

23. JAN 1918

Kept at Pumping Station, Pevensey Bay
in the County of Sussex
by Eastbourne R.D.C

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Pevensey & Westham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·08	-	-	-	1·75	·06	-	·06	·01	1
2	-	-	-	·13	-	-	-	·05	-	·11	·06	-	2
3	-	-	-	·10	-	-	·55	·20	-	·22	·14	-	3
4	-	·03	·16	-	-	-	·29	·24	-	·51	-	-	4
5	·31	-	·03	·03	-	-	-	-	·62	·30	-	-	5
6	-	-	·05	·20	-	·94	-	-	·19	-	·33	·01	6
7	·41	-	-	-	-	-	·16	-	-	·37	-	·15	7
8	·05	-	-	·15	-	-	·11	·05	-	·46	·53	·06	8
9	-	-	·08	·04	-	-	-	-	-	·04	·02	·89	9
10	·12	-	·15	·04	-	·96	-	·07	-	·02	-	-	10
11	·17	·01	·22	·09	-	-	-	·11	-	·48	-	-	11
12	-	-	·15	·11	-	-	-	·21	-	·40	-	-	12
13	·04	-	-	-	·03	-	-	·04	·02	·29	-	-	13
14	-	-	-	·17	-	-	-	·12	-	·05	-	-	14
15	-	-	-	·01	-	-	-	·35	-	·05	-	-	15
16	·04	·07	-	·10	·15	-	-	-	-	·21	-	·70	16
17	-	-	-	·03	·17	-	·27	-	·27	·25	-	·09	17
18	-	-	-	·06	·06	-	·24	·05	·10	-	-	-	18
19	-	·14	·06	-	·02	·03	-	-	·20	-	·05	-	19
20	-	·15	·05	-	·63	·02	-	-	-	-	·01	-	20
21	·04	·01	·06	-	-	-	·22	-	-	·01	-	·04	21
22	-	-	·06	-	-	·44	-	·13	-	·31	-	-	22
23	-	·22	·02	-	·18	-	-	-	-	-	-	·02	23
24	-	·01	-	-	-	-	·20	·07	-	·35	-	-	24
25	-	·09	·05	-	-	-	·14	-	-	-	-	-	25
26	-	-	·02	-	-	·02	-	1·37	·03	-	·93	·02	26
27	-	-	-	-	-	·01	-	1·20	-	·05	-	·02	27
28	-	-	·05	-	-	1·65	·02	·76	-	-	-	·05	28
29	-	X	·06	-	-	-	·70	·09	-	·15	-	·07	29
30	·02	X	·08	-	·07	-	·34	·29	-	·30	·01	·02	30
31	·02	X	·20	X	-	X	·26	-	X	·03	X	·03	31
Total	1·22 ✓	·73 ✓	1·55 ✓	1·34 ✓	1·31 ✓	4·07 ✓	3·50 ✓	7·15 ✓	1·49 ✓	4·96 ✓	2·14 ✓	2·18 ✓	YEAR'S TOTAL 31·64 ✓
Rain Days.	10 ✓	9 ✓	18 ✓	15 ✓	8 ✓	8 ✓	13 ✓	19 ✓	8 ✓	22 ✓	10 ✓	15 ✓	155 ✓

W. 8,000, IX. 17.

8.11.19

Ext

wdly obs. Cor.ly sum stats

101

FORM A.
BRITISH RAINFALL
1.2.19

REGISTER OF RAINFALL IN 1918

Kept at Pumping Station, Pevensey Bay

in the County of Sussex

by Eastbourne R.D.C.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Pevensey & Westham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·	·05	·	·	·	·	·	·	·	·06	·05	1
2	·	·05	·	·	·	·	·	·31	·	·	·55	·23	2
3	·	·	·02	·13	·32	·	·	·20	·	·03	·41	·03	3
4	·	·06	·02	·04	·01	·	·	·07	·15	·	·47	·	4
5	·	·24	·	·	·08	·	·	·12	·	·02	·	·02	5
6	·16	·14	·	·14	·30	·	·	·50	·03	·02	·06	·04	6
7	·04	·10	·	·15	·13	·02	·	·03	·54	·03	·02	·	7
8	·	·02	·	·	·	·	·	·	·25 ~~2·50~~	·	·13	·02	8
9	·02	·	·	·08	·	·08	·05	·	·41	·18	·	·08	9
10	·	·	·	·03	·	·18	·11	·	·75	·05	·	·12	10
11	·	·	·	·	·	·	·09	·	·34	·41	·04	·08	11
12	·	·13	·	·	·12	·	·03	·	·15	·16	·	·02	12
13	·24	·	·	·	·18	·	·14	·	·17	·	·	·02	13
14	·15		·04	·	·	·05	·12	·	·30	·23	·	·08	14
15	·121	·	·	·05	·	·	·	·	·	·	·	·22	15
16	·26	·	·	·13	·	·	·17	·	·	·	·	·	16
17	·42	·	·	·05	·	·10	·15	·03	·	·	·	·23	17
18	·23	·	·	·	·	·19	·	·	·52	·13	·	·05	18
19	·10	·	·12	·	·	·09	·		·	·04	·	·	19
20	·01	·12	·	·50	·	·07	1·04	·	·38	·45	·	·	20
21	·21	·	·	·52	·	·	·	·	·13	·19	·	·04	21
22	·11	·	·	·01	·18	·	·36	·	·73	·	·	·16	22
23	·10	·	·	·	·	·	·60	·	·	·	·	·01	23
24	·	·16	·	·03	·	·02	·	·	·17	·	·04	·	24
25	·	·	·	·	·	·	·	·40	·	·03	·	·	25
26	·	·	·	·	·	·	·08	·	·17	·	·06	·14	26
27	·	·02	·01	·12	·	·	·16	·23	·31	·04	·07	·09	27
28	·	·	·28	·04	·05	·	·	·	·	·	·19	·04	28
29	·		·	·08	·	·	·	·	·88	·	·04	·	29
30			·34	·	·	·	·	·02	·02	·15	·	·15	30
31	·		·02		·		·	·		·06		·	31
Total	3·30 ~~2·21~~	1·04	·90	2·10	1·37	·80	3·10 ~~2·16~~	1·91	6·40 ~~8·65~~	2·22	2·14	1·92	27·20 ~~27·45~~ YEAR'S TOTAL ~~27·42~~
Rain Days.	15	10	9	16	9	9	13	10	19	17	13	22	162

W, 6,500, VII. 18. W W C

RURAL DISTRICT COUNCIL OF EASTBOURNE.

T.E. VARLEY KIRTLAN,
SOLICITOR.
CLERK TO THE COUNCIL.

NEXT MEETING FRIDAY..

TELEPHONE Nº 4 Y.

92, TERMINUS ROAD,
EASTBOURNE.

13th March 1919.

Dear Sir,

Rainfall Returns 1918.

I am obliged by your letter of 8th inst., and the trouble which you have taken in examining my returns.

The proper entries at both Pevensey and Pevensey Bay on January 15th 1918 should be 1.21 inches and the figure for Pevensey Bay on July 20th should be 1.04 inches.

The mistake arose through the man in charge of the works putting the decimal point in front of all his figures and I regret that you should have been troubled thereby.

Yours faithfully,

T.E. Varley Kirtlan

Clerk to the Council

Carle Salter Esq.,
British Rainfall Organization,
62, Camden Square,
LONDON N.W.1.

Ex MS

27 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at No. 1, Pumping Station Pevensey Bay
in the County of Sussex
by Eastbourne R.D.C.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Pevensey & Westham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·57	·02	-	-	·12	-	·03	-	-	·11	·01	·66	1
2	·18	-	·02	-	-	-	-	-	-	·05	·08	·29	2
3	·23	-	·65	-	·10	-	-	-	·07	-	-	·20	3
4	·29	-	·30	-	-	-	·04	·05	·03	-	·08	·16	4
5	·02	·30	1·04	-	-	-	-	-	-	-	·12	·45	5
6	·15	-	·05	-	-	-	-	-	-	-	-	·04	6
7	·06	-	·49	-	-	-	-	-	-	-	·24	-	7
8	·21	-	·09	-	-	-	-	-	-	-	-	-	8
9	·35	-	·06	-	-	-	-	-	-	-	·24	-	9
10	·37	-	·11	·03	-	-	-	-	-	-	-	·01	10
11	·27	-	·12	·34	·03	-	-	-	-	-	-	·15	11
12	·09	-	-	-	-	-	·13	-	-	·20	·02	-	12
13	-	-	-	·16	-	-	-	-	-	-	-	·03	13
14	·52	-	-	·33	-	-	·04	-	·04	-	-	·08	14
15	·16	-	·02	·15	-	-	-	-	-	-	·04	·12	15
16	·14	·55	-	-	-	-	-	-	-	-	·12	-	16
17	-	·31	·02	-	-	-	-	-	-	-	·19	·02	17
18	-	-	·04	-	-	-	-	-	-	-	·11	·03	18
19	·02	·20	·58	-	-	·01	·28	·18	-	-	·18	-	19
20	·44	·06	·15	-	-	·35	·24	·15	-	-	-	-	20
21	·10	·48	·02	-	-	-	·04	-	-	-	·03	·11	21
22	-	·07	·03	-	-	-	·22	-	·45	-	·04	·10	22
23	-	-	-	-	-	·02	-	-	·10	-	·02	·05	23
24	-	·07	-	·12	-	-	-	-	·02	·05	·59	·12	24
25	·03	·03	-	-	-	-	-	·19	-	-	-	·03	25
26	·08	·15	·10	·06	-	-	·06	-	·06	-	·40	·52	26
27	·22	-	·11	·67	-	-	-	·26	-	-	1·20	·01	27
28	-	-	·24	·42	-	-	-	·59	-	-	·45	·35	28
29	·03		-	-	-	-	-	·14	-	·21	·46	·18	29
30	-		-	·19	-	-	-	·58	-	·10	·11	·32	30
31	·06		-		-		-	-		·13			31
TOTAL	4·59	2·24	4·24	2·47	·25	·38	1·08	2·14	·77	·85	4·73	4·03	YEAR'S TOTAL 27·77
Days with ·01 in. or more	23	11	20	10	3	3	9	8	7	7	21	23	145.

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

509

3 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at No 1, Pumping Station, Pevensey Bay.
in the County of Sussex
by Eastbourne R. D. C.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Pevensey & Westham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·9	-	·03	·05	·05	-	·10	-	-	·25	-	·24	1
2	-	-	·13	·03	-	-	-	·58	·05	·05	-	·12	2
3	-	-	-	-	-	-	-	-	-	·02	-	·11	3
4	-	·07	-	·04	-	-	·60	·04	-	·02	-	·06	4
5	-	-	·01	-	·01	-	·24	·24	·05	·06	-	·09	5
6	-	-	·18	-	·12	-	·35	-	-	-	-	-	6
7	·11	-	-	·08	·12	-	·05	-	-	-	-	·06	7
8	·01	-	-	·11	·02	-	·50	-	-	-	-	-	8
9	·29	-	·02	-	-	·05	-	-	-	-	-	-	9
10	·95	·11	·06	·12	-	·05	·10	-	-	-	·02	-	10
11	·53	·04	·14	·26	-	-	·32	-	-	-	-	·03	11
12	·05	-	-	·10	·03	·21	-	-	-	-	-	-	12
13	·22	·06	·29	·02	-	-	-	-	-	·04	·02	-	13
14	-	-	·28	·32	-	·03	-	-	-	·25	·50	-	14
15	·03	·01	-	-	-	-	-	-	·75	·21	·13	-	15
16	-	-	·04	·06	·26	·02	-	-	·45	-	·01	·04	16
17	·02	-	-	·04	·12	-	·04	-	·48	-	-	-	17
18	·07	-	-	-	·08	-	-	·85	·42	-	-	·05	18
19	·08	-	-	·19	-	-	-	·01	·05	-	-	·04	19
20	·07	·13	-	·10	-	·63	-	·02	·56	-	-	·02	20
21	-	-	-	-	-	-	·09	-	·03	-	-	·66	21
22	-	-	-	·27	-	-	-	-	-	-	-	·43	22
23	-	-	-	-	-	-	·33	·02	-	-	-	·51	23
24	-	-	·07	-	-	-	-	-	-	-	-	·11	24
25	-	-	-	-	-	-	·19	-	-	-	-	-	25
26	·08	-	·16	·08	-	-	·02	-	-	-	·01	·03	26
27	·36	-	-	·15	-	·05	·16	-	-	-	·21	·25	27
28	·18	-	·04	·11	·22	-	·20	-	-	-	·25	·06	28
29	·50	-	·05	·14	-	-	-	-	-	-	·24	·09	29
30	·03		·04	-	-	-	·02	-	·14	-	·21	·28	30
31	·01		·05		-		-	-		·32			31
Total	3·68	·42	1·59	2·27	1·03	1·04	3·31	1·76	2·98	1·22	1·60	3·28	Year's Total 24·18
Days with ·01 in. or more	19	6	16	19	10	7	16	7	10	9	10	20	149
Days with ·04 in. or more	14	5	13	17	7	5	14	4	9	7	6	17	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

written 20.II.15

REGIS

FORM A.
BRITISH RAINFALL.

4 FEB 1915

PEVENSEY BAY

(Nº 2 PUMPING STATION)

SUSSEX

1914-20

Kept at Pumping Stat 9·30 am

in the County of Sussex nsey & Westham

5 in.

by Eastbourne R. Ground 1 ft. in.

Sea Level 12 ft.

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read in the space provided for it at the end of this ent of rain, the selection and placing tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	·02	Nil	Nil	Nil	·11	·02	Nil	Nil	·06	Nil	1
2	·01	„	Nil	„	„	„	·33	Nil	„	„	·12	·11	2
3	Nil	„	·13	·03	·15	„	Nil	„	„	„	Nil	Nil	3
4	„	„	·03	·24	Nil	„	„	·09	„	„	·32	·24	4
5	·14	„	·10	·34	·01	„	·28	·05	„	„	Nil	Nil	5
6	Nil	„	Nil	·09	·02	·06	Nil	·08	„	„	„	·32	6
7	·06	·45	·15	·02	·02	·18	·05	Nil	„	„	„	·30	7
8	·12	·30	·42	·03	·04	·24	·05	„	„	„	„	·08	8
9	·15	Nil	·65	·11	Nil	Nil	Nil	„	·08	„	„	1·02	9
10	·06	·05	Nil	·10	·09	„	„	„	·04	„	·01	·06	10
11	Nil	·39	·42	·05	·01	„	„	„	·19	„	·05	·50	11
12	„	·07	·10	Nil	Nil	·08	·23	„	·26	„	·01	·32	12
13	„	·42	·20	„	„	·05	Nil	„	·19	·05	·08	·44	13
14	„	·08	·12	„	„	·04	„	[illegible]	Nil	·41	·12	·30	14
15	„	·05	·34	„	„	Nil	·03	·07	·03	·02	·64	Nil	15
16	„	·36	Nil	„	„	„	·20	Nil	·08	Nil	Nil	„	16
17	„	·33	·16	„	„	„	Nil	„	·10	„	„	·05	17
18	„	·09	·10	„	„	„	„	„	Nil	„	„	·27	18
19	„	·17	·46	„	„	„	·10	„	„	·06	·20	·30	19
20	„	·09	·08	„	„	·17	·04	„	„	·04	Nil	·38	20
21	„	·64	·04	„	„	Nil	Nil	„	„	·05	„	·08	21
22	„	·05	Nil	„	„	·67	·32	·09	„	·05	„	Nil	22
23	„	Nil	·58	„	„	·09	·07	Nil	„	·01	„	„	23
24	„	„	·02	„	„	Nil	Nil	„	„	Nil	·11	„	24
25	·10	„	·14	„	„	„	„	·03	„	·23	·01	„	25
26	·02	„	·03	„	„	„	·02	·25	„	·07	·13	·34	26
27	Nil	„	·02	„	„	„	Nil	Nil	„	Nil	·09	·34	27
28	·04	·02	Nil	„	„	„	„	„	„	·36	·40	·22	28
29	·14	–	„	„	„	„	„	„	„	·41	·06	·05	29
30	·02	✕	·07	·03	„	„	„	„	„	·09	1·33	·07	30
31	Nil	✕	Nil	✕	·30	✕	„	„	✕	Nil	✕	·06	31
Total	·86	3·56	4·38	1·04	·64	1·58	1·83	·68	·97	1·85	3·74	5·85 ~~4·93~~	YEAR'S TOTAL 26·9[illegible] 26·9[illegible]
Rain Days.	11	16	23	10	8	9	13	8	8	13	17	22	158

158

W. 8,000. X. 14.

written 20-II-15

endly

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 FEB 1915

Kept at Pumping Station, Pevensey

in the County of Sussex

by Eastbourne R. D. C.

Lat. Long.

Time of Observation about 9·30 a.m.

Nearest Railway Station Pevensey & Westham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	·02	Nil	Nil	Nil	·11	·02	Nil	Nil	·06	Nil	1
2	·01	"	Nil	"	"	"	·33	Nil	"	"	·12	·11	2
3	Nil	"	·13	·03	·15	"	Nil	"	"	"	Nil	Nil	3
4	"	"	·03	·24	Nil	"	"	·09	"	"	·32	·24	4
5	·14	"	·10	·34	·01	"	·28	·05	"	"	Nil	Nil	5
6	Nil	"	Nil	·09	·02	·06	Nil	·08	"	"	"	·32	6
7	·06	·45	·15	·02	·02	·18	·05	Nil	"	"	"	·30	7
8	·12	·30	·42	·03	·04	·24	·05	"	"	"	"	·08	8
9	·15	Nil	·65	·11	Nil	Nil	Nil	"	·08	"	"	1·02 ~~[illegible]~~	9
10	·06	·05	Nil	·10	·09	"	"	"	·04	"	·01	·06	10
11	Nil	·39	·42	·05	01 ~~[illegible]~~	"	"	"	·19	"	·05	·50	11
12	"	·07	·10	Nil	Nil	·08	·23	"	·26	"	·01	·32	12
13	"	·42	·20	"	"	·05	Nil	"	·19	·05	·08	·44	13
14	"	·08	·12	"	"	·04	"	~~[illegible]~~	Nil	·41	·12	·30	14
15	"	·05	·34	"	"	Nil	·03	·07	·03	·02	·64	Nil	15
16	"	·36	Nil	"	"	"	·20	Nil	·08	Nil	Nil	"	16
17	"	·33	·16	"	"	"	Nil	"	·10	"	"	·05	17
18	"	·09	·10	"	"	"	"	"	Nil	"	"	·27	18
19	"	·17	·46	"	"	"	·10	"	"	·06	·20	·30	19
20	"	·09	·08	"	"	·17	·04	"	"	·04	Nil	·38	20
21	"	·64	·04	"	"	Nil	Nil	"	"	·05	"	·08	21
22	"	·05	Nil	"	"	·67	·32	·09	"	·05	"	Nil	22
23	"	Nil	·58	"	"	·09	·07	Nil	"	·01	"	"	23
24	"	"	·02	"	"	Nil	Nil	"	"	Nil	·11	"	24
25	·10	"	·14	"	"	"	"	·03	"	·23	01 ~~[illegible]~~	"	25
26	·02	"	·03	"	"	"	·02	·25	"	·07	·13	·34	26
27	Nil	"	·02	"	"	"	Nil	Nil	"	Nil	·09	·34	27
28	·04	·02	Nil	"	"	"	"	"	"	·36	·40	·22	28
29	·14	–	"	"	"	"	"	"	"	·41	·06	·05	29
30	·02	✕	·07	·03	"	"	"	"	"	·09	1·33	·07	30
31	Nil	✕	Nil	✕	·30	✕	"	"	✕	Nil	✕	·06	31
Total	·86	3·56	4·38	1·04	·64 ~~[illegible]~~	1·58	1·83	·68	·97	1·85	3·74 ~~[illegible]~~	5·85 ~~4·93~~	26·95 YEAR'S TOTAL 26·95
Rain Days.	11	16	23	10	8	9	13	8	8	13	17	22	15~~6~~ 158

W. 8,000. X. 14.

corr by obs. 30.01.16.

618

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

8 MAY 1916

Kept at *Pumping Station, Pevensey*

in the County of *Sussex*

by *Eastbourne R.D.C.*

Lat. ______ Long. ______

Time of Observation *about 9:30 am.*

Nearest Railway Station *Pevensey & Westham*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *–* in.

" " " " Sea Level *12* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	·11	·03	–	–	–	–	–	·34	·01	·11	·20	1
2	·60	·30	·19	·10	·02	–	–	·02	·04	·05	–	·21	2
3	·26	–	·02	·28	·16	–	–	·02	·02	–	–	·48	3
4	·08	–	–	·02	–	–	–	–	–	–	–	·35	4
5	·03	·19	–	·22	–	–	–	·04	–	–	–	·60	5
6	·50	·18	·06	·35	–	–	·03	–	–	–	–	·15	6
7	·38	·23	·03	·05	–	–	·05	–	–	–	–	·30	7
8	·06	·14	·07	–	–	–	·22	–	–	–	·04	·04	8
9	·02	·22	–	·11	–	·21	·21	–	–	–	·60	·99	9
10	·30	–	–	–	–	·28	–	–	–	–	–	·77	10
11	–	·07	·02	–	–	–	–	–	–	–	·83	·02	11
12	·07	·19	–	·21	·21	–	–	–	–	·05	·60	–	12
13	·01	·71	–	–	1·23	–	–	–	·05	–	–	–	13
14	·10	·05	–	–	–	–	·40	·15	·03	–	–	·46	14
15	·15	–	–	–	·10	–	·27	·10	–	–	·23	·24	15
16	–	·45	–	·05	·18	–	·82	·10	–	–	–	–	16
17	–	·45	–	–	1·03	–	–	–	–	–	–	·16	17
18	–	·11	–	–	·10	–	–	–	–	–	·02	·03	18
19	–	–	–	–	–	–	–	–	–	–	–	–	19
20	·25	–	–	·02	·10	–	–	–	–	–	–	·16	20
21	·11	–	–	–	–	–	–	–	–	·19	–	·04	21
22	·02	–	·05	·05	–	–	·66	–	–	–	–	·18	22
23	·03	–	·06	–	–	–	–	–	–	·09	–	·81	23
24	–	·09	–	·01	–	–	·04	–	·23	1·15	–	·23	24
25	–	–	·03	·02	–	–	·48	–	–	–	–	·35	25
26	–	·05	–	–	–	·19	–	–	–	–	–	·64	26
27	–	–	–	–	–	·25	·05	–	–	·33	–	·01	27
28	–	·06	–	–	–	·11	–	–	·63	·35	–	–	28
29	–	✗	–	–	·06	–	–	·16	–	·06	·22	·01	29
30	·25	✗	–	–	–	–	–	–	–	·55	·23	–	30
31	·02	✗	–	✗	–	✗	–	·02	✗	·48	✗	·18	31
Total	3·60	3·60	~~·50~~ ·56	1·49	3·19	~~·94~~ 1·04	3·23	~~·65~~ ·61	1·34	3·61	2·86	7·61	YEAR'S TOTAL ~~32·64~~ 32·76
Rain Days.	20	17	10	13	10	5	11	8	7	11	9	25	146

W. 8,000. X. 15.

Ex 82

609

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13. JAN 1917

Kept at Pumping Station, Pevensey
in the County of Sussex
by Eastbourne R D C

Lat. Long.
Time of Observation about 9.30 a.m.
Nearest Railway Station Pevensey & Westham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·02	–	–	·45	·03	–	–	–	·01	·69	–	1
2	·34	·02	·37	–	·22	–	–	–	–	·99	·08	–	2
3	–	·13	·11	–	–	–	·11	–	·14	·18	·29	–	3
4	·18	·05	–	–	–	·27	–	–	·31	·05	·40	–	4
5	·02	·02	–	·03	·20	·24	–	–	–	·06	·26	–	5
6	·02	·08	·03	·38	·05	·03	·22	–	–	·08	·24	–	6
7	·03	·01	·45	–	·23	·03	·07	–	–	·06	·29	·04	7
8	–	–	–	–	·30	–	–	–	–	–	–	·16	8
9	–	–	–	–	·31	–	–	–	–	–	–	·16	9
10	–	·22	–	·08	–	·15	·05	–	–	·01	–	·30	10
11	·01	·13	·04	06 ·[illegible]	–	·07	–	–	–	–	–	·11	11
12	·05	·08	·07	·05	·22	·15	·11	–	–	·03	–	–	12
13	–	·16	·03	·02	·21	–	·05	·02	–	·02	–	·08	13
14	–	·35	–	–	·15	–	–	·27	–	–	–	·56	14
15	–	·25	·03	–	–	–	–	–	–	–	–	–	15
16	–	·03	·15	·17	–	–	·08	·02	–	–	–	–	16
17	·26	·16	–	·05	–	–	·08	–	·29	·38	·01	–	17
18	·07	·05	–	–	–	–	–	·09	·21	–	1·12	·01	18
19	·29	–	·08	·21	–	–	–	·01	·13	–	1·13	·13	19
20	·10	–	·03	·10	–	·08	–	–	–	–	·13	·43	20
21	·06	–	·45	·09	–	–	–	–	–	–	·03	·67	21
22	–	·05	·05	·03	–	·04	–	–	–	–	–	·50	22
23	·03	·14	·10	–	–	·01	·02	·07	–	–	·08	·12	23
24	–	–	·03	–	·10	–	–	·05	–	·30	·20	·36	24
25	–	·44	·17	–	–	·02	–	·36	–	·30	·08	–	25
26	–	·52	·02	–	–	·07	–	·01	–	·08	·01	·14	26
27	–	·17	·66	·02	–	·57	–	·47	·08	·62	–	–	27
28	–	·62	·03	–	–	·24	–	·11	·19	·47	–	·30	28
29	–	·15	–	–	–	·27	–	·55	·08	·69	–	·60	29
30	–	✕	–	–	–	–	–	·06	–	·25	–	–	30
31	–	✕	–	✕	–	✕	–	–	✕	·34	✕	–	31
Total	1·56	3·85	2·90	1·29	2·44	2·27	·49	2·09	1·43	5·12	5·04	4·67	YEAR'S TOTAL 33·45
Rain Days.	14	23	19	13	11	16	9	13	8	19	16	17	178

W. 8,000. X. 15.

June 28th Entd

578

23. JAN. 1918

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Pumping Station, Levensey
in the County of Sussex
by Eastbourne R.D.C.

Lat. .... Long. ....
Time of Observation about 9-30 am
Nearest Railway Station Levensey & Westham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·07	-	-	-	1·70	·07	-	·08	·01	1
2	-	-	-	·12	-	-	-	·05	-	·12	·04	-	2
3	-	-	-	·07	-	-	·46	·24	-	·21	·13	-	3
4	-	·03	·26	-	-	-	·10	·24	-	·32	-	-	4
5	·25	.	·03	·03	-	-	-	-	·62	·30	-	-	5
6	-	-	·05	·20	-	·72	-	-	·25	-	·26	·01	6
7	·40	.	-	-	-	-	·15	-	-	·25	-	·16	7
8	·04	.	-	·14	-	-	·10	·05	-	·46	·50	·06	8
9	-	.	·07	·02	-	-	-	-	-	·05	·02	·91	9
10	·12	.	·15	·04	-	·10	-	·07	-	·02	-	-	10
11	·13	·01	·22	·05	-	-	-	·08	-	·42	-	-	11
12	-		-	·09	-	-	-	·22	-	·40	-	-	12
13	·03		·17	-	·04	-	-	·04	·02	·22	-	-	13
14	-	-	-	·15	-	-	-	·12	-	·10	-	-	14
15	-	-	-	·01	-	-	-	·23	-	·05	-	-	15
16	·04	·07	-	·09	·15	-	-	-	-	·20	-	·92	16
17	-	-	-	·03	·16	-	·27	-	·27	·25	-	·05	17
18	-	-	-	·06	·07	-	·20	·07	·10	-	-	-	18
19	-	·13	·05	-	·03	·09	-	-	·19	-	·01	-	19
20	-	·16	·06	-	·69	·02	-	-	-	-	·01	-	20
21	·04	·02	·03	-	-	-	·17	-	-	·02	-	·05	21
22	-	-	·05	-	-	·42	-	·14	-	·32	-	-	22
23	-	23	·02	-	·18	-	-	-	-	-	-	·03	23
24	-	·02	-	-	-	-	·24	·14	-	·31	-	-	24
25	-	·10	·06	-	-	-	·04	-	-	-	-	-	25
26	-	-	02	-	-	·02	-	1·25	·03	-	·86	·04	26
27	-	-	-	-	-	·03	-	1·38	-	·08	-	·01	27
28	-	-	·08	-	-	1·50 ~~-~~	·02	·64	-	-	-	·03	28
29	-	X	·05	-	-	-	·52	·09	-	·12	-	·06	29
30	·02	X	·08	-	·07	-	·37	·31	-	·20	·01	·04	30
31	·05	X	·11	X	-	X	·28	-	X	·03	X	·03	31
Total	1·12 √	·77 √	1·56 √	1·17 √	1·39	2·90 ~~1·55~~ √	2·92 √	7·06 √	1·55 √	4·45 √	1·92 √	2·44 √	YEAR'S TOTAL 29·22 ~~27·87~~ √
Rain Days.	10 √	9 √	18 √	15 √	8	8 √	13 √	19 √	8 √	22 √	10 √	15 √	155 √

W. 8,000, VIII. 16

RURAL DISTRICT COUNCIL OF EASTBOURNE.

T.E.Varley Kirtlan,
Solicitor.
Clerk to the Council.

Next meeting Friday ....

Telephone Nº 4 Y.

92, Terminus Road,
Eastbourne.

18th March 1918.

Dear Sir,

In reply to your letter of 14th inst., I quite agree with your opinion that the rainfall for Pevensey Pumping Station for 28th June last should be 1.50 inch and not .15 inch. You will of course appreciate that the man in charge of the works had no very extensive education of decimals and is liable to ignore the proper position of the point.

Yours faithfully,

T.E.Varley Kirtlan

Clerk to the Council.

Carle Salter Esq.,
British Rainfall Organization,
62, Camden Square,
LONDON N.W.

1917 record.

100

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Pumping Station, Pevensey

in the County of Sussex

by Eastbourne R.D.C.

Lat. Long.

Time of Observation about 9.30 a.m.

Nearest Railway Station Pevensey & Westham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·10								·09	·07	1
2		·05						·38			·60	·23	2
3			·03	·13	·42			·20		·03	·41	·03	3
4		·05	·02	·05	·01			·07	·53		·44		4
5		·22			·08			·12		·03		·02	5
6	·15	·13		·13	·32			·50	·03	·02	·06	·05	6
7	·03	·11		·16	·13			·03	·72	·03	·02		7
8		·03							·23		·14	·02	8
9	·02			·10		·08	·04		·44	·20		·09	9
10				·03		·18	·11		·76	·05		·17	10
11							·10		·31	·52	·04	·07	11
12		·13			·12		·02		·17	·17		·03	12
13	·23				·17		·15		·20			·02	13
14	·15		·04			·05	·13		·32	·24		·06	14
15	1·21			·05								·22	15
16	·25			·13			·17						16
17	·47			·06		·10	·16	·03				·23	17
18	·22					·23			·55	·13		·06	18
19	·10		·16			·11				·03			19
20	·01	·13		·49		·07	1·04		·33	·44			20
21	·20			·77					·13	·17		·04	21
22	·10			·01	·28		·35		·80			·15	22
23	·11						·61					·01	23
24		·15		·02		·02			·15		·04		24
25								·42		·02			25
26							·06		·15		·07	·14	26
27		·02	·01	·13			·26	·23	·30	·03	·06	·09	27
28			·27	·05	·09						·19	·04	28
29		X		·07					1·15		·05		29
30		X	·40						·03	·18		·15	30
31		X	·03	X		X			X	·06	X	·03	31
Total	3·29 ~~2·29~~	1·02	1·06	2·38	1·62	·84	3·20	1·98	7·30	2·35	2·21	2·02	YEAR'S TOTAL 29·27 ~~28·27~~
Rain Days.	15	10	9	16	9	8	13	9	19	17	13	23	161

W. 8,000, IX. 17.

540

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

27 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at No 2 Pumping Station, Pevensey
in the County of Sussex
by Eastbourne R D C

Lat. Long.
Time of Observation 9·30 a.m.
Nearest Railway Station Pevensey & Westham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	·01	-	-	·08	-	·03	-	-	·23	·01	·66	1
2	·18	-	·03	-	-	-	-	-	-	·10	·08	·29	2
3	·24	-	·70	-	·09	-	-	-	·07	-	-	·15	3
4	·34	-	·32	-	-	-	·04	·05	·03	-	·08	·12	4
5	·03	·42	1·10	-	-	-	-	-	-	-	·12	·43	5
6	·21	-	·04	-	-	-	-	-	-	-	-	·05	6
7	·09	-	·54	-	-	-	-	-	-	-	·17	-	7
8	·25	-	·09	-	-	-	-	-	-	-	-	-	8
9	·25	-	·05	-	-	-	-	-	-	-	·28	-	9
10	·36	-	·13		-	-	-	-	-	-	-	·06	10
11	·30	-	·15	·04	·05	-	-	-	-	-	-	·15	11
12	·05	-	-	·38	-	-	·15	-	-	·26	·02	-	12
13	-	-	-	-	-	-	-	-	-	-	-	·03	13
14	·52	-	-	·16	-	-	·04	-	·04	-	-	·08	14
15	·16	-	·02	·45	-	-	-	-	-	-	·04	·16	15
16	·11	·52	-	·05	-	-	-	-	-	-	·11	-	16
17	-	·34	·02	-	-	-	-	-	-	-	·15	·03	17
18	-	-	·04	-	-	-	-	-	-	-	·11	·03	18
19	·02	·28	·71	-	-	·01	·27	·24	-	-	·17	-	19
20	·45	·09	·15	-	-	·37	·23	·12	-	-	-	-	20
21	·07	·60	·03	-	-	-	·04	-	-	-	·03	·08	21
22	-	·06	·02	-	-	-	·24	-	·39	-	·04	·10	22
23	-	-	-	-	-	·02	-	-	·10	-	·03	·03	23
24	-	·07	-	·11	-	-	-	-	·01	·06	·44	·10	24
25	·05	·01	-	-	-	-	-	·19	-	-	-	·03	25
26	·08	·21 ~~·40~~	·10	·06	-	-	·06	-	·05	-	·40	·62	26
27	·33	-	·12	·66	-	-	-	·26	-	-	1·27	·01	27
28	-	-	·26	·38	-	-	-	·89	-	-	·50	·37	28
29	·03		-	-	-	-	-	·15	-	·22	·34	·18	29
30	-		-	·19	-	-	-	·39	-	·09	·14	·42	30
31	·06		-		-		-	-		·13			31
Total	4·71	2·61	4·62	2·48	·22	·40	1·10	2·29	·69	1·09	4·53	4·18	Year's Total 28·92
Days with ·01 in. or more	23	11	20	10	3	3	9	8	7	7	21	23	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5" Wd

508

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at No. 2, Pumping Station, Pevensey.
in the County of Sussex
by Eastbourne R. D. C.

Lat. Long.
Time of Observation 9-30 a.m.
Nearest Railway Station Pevensey & Westham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	·03	·05	·06	-	·10	-	-	·39	-	·24	1
2	-	-	·09	·02	-	-	-	·59	·05	-	-	·13	2
3	-	-	-	-	-	-	-	-	-	·02	-	·09	3
4	-	·08	-	·04	-	-	·75	·06	-	·02	-	·07	4
5	-	-	·01	-	·01	-	·24	·21	·04	·06	-	·09	5
6	-	-	·20	-	·13	-	·37	-	-	-	-	-	6
7	·11	-	-	·09	·01	-	·05	-	-	-	-	·05	7
8	-	-	-	·20	·02	-	·47	-	-	-	-	-	8
9	·29	-	·02	-	-	·06	-	-	-	-	-	-	9
10	·95	·09	·06	·14	-	·05	·10	-	-	-	·02	-	10
11	·46	·04	·16	·26	-	-	·33	-	-	-	-	·03	11
12	·05	-	-	·13	·04	·22	-	-	-	-	-	-	12
13	·18	·05	·28	·02	-	-	-	-	-	·04	·05	-	13
14	-	-	·42	·37	-	·03	-	-	-	·22	·42	-	14
15	·05	·01	-	-	-	-	-	-	·75	·24	·12	-	15
16	-	-	·05	·12	·35	·05	-	-	·49	-	-	·04	16
17	·02	-	-	·04	·12	-	·04	-	·53	-	-	-	17
18	·09	-	-	-	·08	-	-	·90	·37	-	-	·05	18
19	·05	-	-	·24	-	-	-	·03	·05	-	-	·04	19
20	·08	·13	-	·11	-	·64	-	·07	·82	-	-	·02	20
21	-	-	-	-	-	-	·10	-	·07	-	-	·64	21
22	-	-	-	·30	-	-	-	-	-	-	-	·42	22
23	-	-	-	-	-	-	·36	·02	-	-	-	·55	23
24	-	-	·07	-	-	-	-	-	-	-	-	·15	24
25	-	-	-	-	-	-	·21	-	-	-	-	-	25
26	·08	-	·14	·08	-	-	·02	-	-	-	·01	·03	26
27	·38	-	-	·09	-	·05	·16	-	-	-	·20	·27	27
28	·20	-	·05	·11	·25	-	·15	-	-	-	·34	·06	28
29	·57	-	·05	·13	-	-	-	-	-	-	·26	·11	29
30	·04		·04	-	-	-	·02	-	·15	-	·23	·26	30
31	-		·05		-		-	-		·32			31
Total	3·70	·40	1·72	2·54	1·07	1·10	3·47	1·88	3·32	1·31	1·65	3·34	Year's Total 25·50
Days with ·01 in. or more	17	6	16	19	10	9	16	7	10	8	9	20	145.
Days with ·04 in. or more	16	5	13	17	9	6	14	5	10	6	7	17	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PILT DOWN

SUSSEX

1919 - 20

FORM A. 2. METEOROLO ANIZATION.

REG 9.

Kept at Pilt Down

in the County of Suss

by A. C. Jeffely

Gauge in.

e Ground ft in.

Sea Level 150 ft.

IMPORTANT NOTE.—R measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1				6·0					2·9	·5	23·8	1
2	5·0		3·0		4·0		·7			2·3	2·5	·4	2
3	11·9	2·0	11·4				·9		12·5		1·0	6·6	3
4	5·7		11·3			1·2	6·8	·9	1·0		1·1	3·0	4
5		1·0	18·4				2·0		·5		6·3	12·0	5
6	3·1	8·0					2·0				·3	1·8	6
7	2·4		11·6								·2		7
8	7·9										·4		8
9	12·2		3·2	8·6	3·0						5·4		9
10	13·9		2·9	1·0							·3	4·5	10
11	3·5		5·9	7·9								3·8	11
12				1·0			9·5			1·3	·4		12
13	6·6			13·0								1·3	13
14	15·8			8·7					3·9		1·1	1·9	14
15	3·4			1·5			2·3					13·2	15
16	5·6	12·0									1·9		16
17		6·7									4·7	1·6	17
18								·2			2·0	1·1	18
19		8·5	19·1				5·0	2·8	·5		2·6	·3	19
20	9·4	6·7	3·6			15·2	5·2	4·2			·2	·4	20
21	2·0	15·5	1·4				·2				1·0	1·3	21
22		·3					3·9		9·4		·6	5·5	22
23							·5		9·2		·5	·3	23
24				3·3						2·1	3·0	3·5	24
25						·4		16·5					25
26	2·1	3·4		2·0			·6	·5	1·6		2·6	9·6	26
27	19·5		2·0	25·1			·8	8·3			4·9	·8	27
28								18·7			19·6	10·5	28
29	2·0		6·1	2·0				28·2		5·4		4·7	29
30				6·0		·4		22·6		1·4	7·1	26·7	30
31										·6		1·2	31
TOTAL	140·1	64·1	99·9	80·1	13·0	17·2	4·04	102·9	38·6	16·0	70·2	139·8	YEAR'S TOTAL 822·3
Days with 0·2 mm. or more	19	10	13	12	3	4	14	10	8	7	25	25	150

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLO ANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pilt Down

in the County of Sussex

by A. E. Jeffely

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1				6·0					2·9	·5	23·8	1
2	5·0		3·0		4·0		·7			2·3	2·5	·4	2
3	11·9	2·0	11·4				·9		12·5		1·0	6·6	3
4	5·7		11·3			1·2	6·8	·9	1·0		1·1	3·0	4
5		1·0	18·4				2·0		·5		6·3	12·0	5
6	3·1	8·0					2·0				·3	1·8	6
7	2·4		11·6								·2		7
8	7·9										·4		8
9	12·2		3·2	8·6	3·0						5·4		9
10	13·9		2·9	1·0							·3	4·5	10
11	3·5		5·9	7·9								3·8	11
12				1·0			9·5			1·3	·4		12
13	6·6			13·0								1·3	13
14	15·8			8·7					3·9		1·1	1·9	14
15	3·4			1·5			2·3					13·2	15
16	5·6	12·0									1·9		16
17		6·7									4·7	1·6	17
18								·2			2·0	1·1	18
19		8·5	19·1				5·0	2·8	·5		2·6	·3	19
20	9·4	6·7	3·6			15·2	5·2	4·2			·2	·4	20
21	2·0	15·5	1·4				·2				1·0	1·3	21
22		·3					3·9		9·4		·6	5·5	22
23							·5		9·2		·5	·3	23
24				3·3						2·1	3·0	3·5	24
25						·4		16·5					25
26	2·1	3·4		2·0			·6	·5	1·6		2·6	9·6	26
27	19·5		2·0	25·1			·8	8·3			4·9	·8	27
28								18·7			19·6	10·5	28
29	2·0		6·1	2·0				28·2		5·4		4·7	29
30				6·0		·4		22·6		1·4	7·1	26·7	30
31										·6		1·2	31
TOTAL	140·1	64·1	99·9	80·1	13·0	17·2	4·04	102·9	38·6	16·0	70·2	139·8	YEAR'S TOTAL 822·3
Days with 0·2 mm. or more	19	10	13	12	3	4	14	10	8	7	25	25	150

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

81 486

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Piltdown

in the County of Sussex

by J. Dennett & Son.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	~~mm.~~ inches	
1	2·1			3·4	2·0		6·5			10·2	·3	·14	1
2			6·0	·6				5·0	1·8	6·9		·15	2
3			·2							1·9		·03	3
4		2·4		2·2			17·0	5·3		·5		·05	4
5			1·0	·3			11·3	·5	1·0				5
6			3·2		6·5		7·2						6
7	·7			1·7	1·5		3·5						7
8				·8	1·4		11·8						8
9	4·3	·7			7·3		·4						9
10	18·0	4·1	2·7	2·5		3·2	4·2					·02	10
11	7·0	1·5	2·0	3·7		1·0	6·4					·05	11
12	1·3	·9		7·5	·8						·1		12
13	6·9	·4	7·7	·6		5·3					2·3		13
14		1·2	12·3	10·9		1·0			2·0	5·9	7·5		14
15	1·0		1·3	7·5					17·1	7·0	2·8		15
16	·2			·3	1·3				6·0				16
17	·6			1·9	4·5				11·5			·09	17
18	·9				2·1			22·7	9·0			·06	18
19	2·2			5·5					1·0			·03	19
20	1·6	3·0		2·5		16·6			2·9			·02	20
21							20·7		4·8			·28	21
22				11·3					·7			·44	22
23							6·8	·5				·40	23
24			1·5	·8								·06	24
25	·5		·7				11·6						25
26	2·0		3·5	1·5		·5	3·6				·5	·07	26
27	13·7			3·9		1·1	1·6				11·3	·29	27
28	9·8	·6	3·1	1·2	5·7		2·2				1·7	·03	28
29	11·2		1·9	3·0							5·2	·16	29
30	·8	╳		·6	·2		1·1		4·7		13·4	·32	30
31	·8	╳	3·0	╳		╳			╳	14·1	╳	·22	31
TOTAL	95·6	14·8	50·1 ~~50·3~~	74·2	33·3	28·7	115·9	34·0	62·5	46·5	45·1	2·91 73·9	YEAR'S TOTAL 674·6
Days with 0·2 mm. or more	20	9	15	23	11	7	16	5	12	7	9	20	154
	13	5	13	16	9	6	15	3	11	6	7	15	119

(44284). Wt. 13958—218/500. 10/19. Gp.132 (A.&E.W.

PIPPINGFORD PARK

SUSSEX

1911 – 13

R 11

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kent at Pippin
in the County of Sus
by P. Suth

5 in.
bove Ground 1 ft. in.
,, Sea Level 600 ft.
7. 30 A.M.
Name Forest-Row
Distance 4½ m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·00	·00	·42	·00	·00	·0	·02	·0	·0	·07	·0	1
2	·03	·00	·03	·07	·32	·00	·0	·0	·0	·0	·24	·41	2
3	·00	·01	·00	·00	·30	·00	·0	·0	·0	·0	·20	·15	3
4	·10	·01	·03	·05	·00	·40	·0	·0	·01	·39	·39	·25	4
5	·02	·01	·00	·28	·00	·00	·0	·0	·00	·81	·02	·31	5
6	·31	·00	·06	·00	·00	·00	·0	·0	·0	·00	·0	·42	6
7	·06	·00	·02	·00	·00	·00	·0	·0	·0	·47	·33	·64	7
8	·07	·00	·14	·00	·00	·00	·0	·0	·0	·00	·82	·28	8
9	·28	·00	·16	·03	·00	·00	·0	·0	·0	·0	·23	·08	9
10	·00	·07	·09	·06	·00	·00	·0	·0	·0	·0	·02	·84	10
11	·41	·00	·04	·00	·03	·00	·0	·0	·0	·0	1·43	·0	11
12	·02	·00	·74	·00	·00	·00	·0	·0	·01	·0	·05	·0	12
13	·00	·00	·15	·00	·15	·00	·0	·0	·64	·21	·06	·27	13
14	·00	·11	·08	·00	·18	·00	·0	·0	·00	·02	·0	·67	14
15	·00	·04	·26	·00	·00	·00	·0	·0	·0	·01	·15	·03	15
16	·00	·00	·02	·00	·00	·31	·0	·0	·0	·0	·46	·16	16
17	·00	·00	·09	·00	·00	·05	·0	·0	·0	·0	1·38	·19	17
18	·00	·13	·06	·00	·00	·02	·0	·0	·0	·0	1·24	·38	18
19	·00	·00	·00	·00	·01	·11	·0	·0	·15	·07	·16	·14	19
20	·01	·00	·05	·00	·00	·05	·0	·62	·23	·48	·0	·89	20
21	·03	·23	·00	·00	·00	·00	·0	·08	·02	·61	·0	·18	21
22	·03	·03	·46	·00	·00	·14	·0	·21	·0	·44	·0	·59	22
23	·00	·36	·00	·00	·00	·97	·0	·0	·42	·25	·03	·21	23
24	·00	·19	·00	·00	·00	·29	·04	·04	·06	·22	·0	·57	24
25	·02	·06	·12	·09	·00	·25	·0	·64	·10	·01	·02	·01	25
26	·00	·00	·15	·23	·05	·21	·0	·00	·00	·32	·09	·30	26
27	·00	·39	·22	·19	·00	·00	·0	·0	·11	·45	·06	·13	27
28	·00	·32	·01	·11	·00	·00	·0	·04	·00	·00	·0	·01	28
29	·00		·00	·09	·00	·15	·40	·0	·27	·64	·0	·0	29
30	·00		·00	·06	·00	·05	·0	·0	·06	·35	·0	·03	30
31	·00		·00		·01		·0	·0		·0	X	·0	31
Total	1·44	1·96	3·01	1·67	1·05	3·00	0·44	1·65	2·02	5·70	7·65	8·14	TOTAL for year
No. of Rain Days.	14	14	21	12	8	13	2	7	11	17	21	26	37·73

W. 8,000, X. '11.

166 Rain Days

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

11

Kept at Pippingford Park
in the County of Sussex 7 Nutley
by P. Sutherland

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 600 ft.
Time of Observation 7. 30. A.M.
Nearest Railway Station Name Forest-Row
Distance 4½ m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·00	·00	·42	·00	·00	·0	·02	·0	·0	·07	·0	1
2	·03	·00	·03	·07	·32	·00	·0	·0	·0	·0	·24	·41	2
3	·00	·01	·00	·00	·30	·00	·0	·0	·0	·0	·20	·15	3
4	·10	·01	·03	·05	·00	·40	·0	·0	·01	8 ·39	·39	·25	4
5	·02	·01	·00	·28	·00	·00	·0	·0	·00	·81	·02	·31	5
6	·31	·00	·06	·00	·00	·00	·0	·0	·0	·00	·0	·42	6
7	·06	·00	·02	·00	·00	·00	·0	·0	·0	·47	·53	·64	7
8	·07	·00	·14	·00	·00	·00	·0	·0	·0	·00	·82	·28	8
9	·25	·00	·16	·03	·00	·00	·0	·0	·0	·0	·23	·08	9
10	·00	·07	·09	·05	·00	·00	·0	·0	·0	·0	·02	·84	10
11	·41	·00	·04	·00	·03	·00	·0	·0	·0	·0	1·43	·0	11
12	0 ·02	·00	·74	·00	·00	·00	·0	·0	·01	·0	·05	·0	12
13	·00	·00	·15	·00	·15	·00	·0	·0	·64	·21	·06	·27	13
14	·00	·11	·08	·00	·18	·00	·0	·0	·00	·02	·0	·67	14
15	·00	·04	·26	·00	·00	·00	·0	·0	·0	01	·15	·03	15
16	·00	·00	·02	·00	·00	·31	·0	·0	·0	·0	·46	·16	16
17	·00	·00	·09	·00	·00	·05	·0	·0	·0	·0	1·38	·19	17
18	·00	·13	6 ·06	·00	·00	·02	·0	·0	·0	·0	1·24	·38	18
19	·00	·00	·00	·00	·01	·11	·0	·0	·15	·07	·16	·14	19
20	·01	·00	·05	·00	·00	05	·0	·62	·23	·48	·0	·89	20
21	·03	·23	·00	·00	·00	·00	·0	·08	·02	·61	·0	·18	21
22	03	·03	·46	·00	·00	·14	·0	·21	·0	·44	·0	·59	22
23	·00	·36	·00	·00	·00	·97	·0	·0	·42	·25	03	·21	23
24	·00	·19	·00	·00	·00	·29	·04	·04	·06	·22	·0	·57	24
25	·02	·06	·12	·09	·00	·25	·0	·64	·10	·01	·02	·01	25
26	·00	·00	·15	·23	05	·21	·0	·00	·00	·32	·09	·30	26
27	·00	·39	·22	·19	·00	·00	·0	·0	·11	·45	·06	·13	27
28	·00	·32	·01	·11	·00	·00	·0	·04	·00	·00	·0	·01	28
29	·00		·00	·09	·00	·15	·40	·0	·27	·64	·0	·0	29
30	·00		·00	06	·00	·05	·0	·0	·06	·35	·0	·03	30
31	·00		·00		01		·0	·0		·0	X	·0	31
Total	1·44	1·96	3·01	1·67	1·05	3·00	0·44	1·65	2·02	5·70	7·65	8·14	TOTAL for year
No. of Rain Days.	14	14	21	12	8	13	2	7	11	17	21	26	37·73 in

W. 8,000, X. '11.

166 Rain Days

Eg. DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Pippingford Park
in the County of Sussex 7
by F. Sutherland

Lat. Long.
Time of Observation 7. 30 A.M
Nearest Railway Station Forest-Row
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·19	·01	·0	·08	·07	·0	·03	1·02	·0	·24	1
2	·0	·02	·43	·0	·0	·05	·29	0	·0	·0	·0	·07	2
3	·0	·05	·03	·0	0	·28	08	·35	·02	·0	·0	·07	3
4	·28	0·0~~4~~	·84	·0	·06	·21	·0	·02	·02	·0	·06	01	4
5	·10	·03	·20	·0	·0	·02	·0	·23	·0	·0	·25	·05	5
6	·59	·11	·00	·0	04	·0	·0	·32	·0	·0	·03	·12	6
7	·0	·0	·0	·0	·21	·38	·0	·66	·0	·0	·0	·17	7
8	·46	·35	·31	·01	·0	·19	·0	·69	·0	·0	·0	·07	8
9	·00	·12	·02	·03	·0	·38	·08	·18	·0	·0	·0	·22	9
10	·0	·10	·0	·0	·0	·0	·0	·25	·0	·0	·12	·38	10
11	·04	·47	·01	·0	·0	·02	·0	·0	·02	·0	0	·27	11
12	·0	·11	·06	·0	·18	03	·0	·22	·0	·0	·03	04	12
13	·0	·02	·07	·0	·0	·0	·0	·0	·0	·0	·17	·21	13
14	·0	·0	03	·0	03	·0	·0	03	·0	·08	·0	·06	14
15	·02	05	·11	·0	·19	·68	·0	·17	·0	·0	·0	·38	15
16	·14	·02	·77	·0	·39	·03	·0	·18	·0	·11	·0	·00	16
17	·49	·0	·55	·0	·0	·07	·0	·10	·0	·0	·31	·24	17
18	·16	0	·60	·0	0	·0	·02	·15	·0	·07	·0	·20	18
19	·06	·16	·41	·0	·0	·0	08	·51	·0	·0	·02	·0	19
20	·04	·07	·58	·0	·0	03	·0	·21	·0	·50	05	·0	20
21	·0	·06	·65	·0	·0	·0	·0	·10	·0	·20	·08	·0	21
22	·06	·80	·75	·0	·0	·0	·0	·22	·0	·02	·0	·0	22
23	·37	·40	38	0	·25	03	·0	·68	·0	·11	19	·08	23
24	·07	·04	·0	·0	·0	·0	04	·44	·0	·0	·0	·16	24
25	·10	07	·0	0	·0	·34	·0	·97	·0	·0	·42	·57	25
26	·0	·02	·0	·0	·0	·13	·01	68	·0	47	·44	·36	26
27	·0	·04	·0	·0	·0	·0	0	·0	·0	·24	0	·51	27
28	·0	06	·0	·0	·0	·03	·46	06	·08	1·13	·76	·37	28
29	·0	·04	·0	·0	0	·0	·11	·31	1·70	·10	·09	·0	29
30	·0		·01	·0	·41	·30	·10	·60	2·12	54	·0	·0	30
31	·0				0		·43	·20		·0		·0	31
Total	2·97	3·21	5·80	0·05	1·77	3·28	1·77	8·53	3·99	4·59	3·02	4·73	YEARS TOTAL 43·71
Rain Days.	15.	23.	21.	3.	10.	19.	12.	26.	7.	13.	15.	23.	187

W. 7,500, XI. 12

Cor. by surr. stats. 15.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

9 APR 1914

Kept at Pippingford Park
in the County of Sussex 7
by George Weston

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Forest Row
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·47	·07	·39	·11	·00	00	00	06	03	10	00	1
2	·12	·18	01	·00	·00	·00	10	00	03	18	11	14	2
3	0	·00	10	·56	·35	·00	00	00	03	08	00	06	3
4	·47	·00	·09	03	·05	·00	02	00	11	14	17	22	4
5	·25	·05	·03	·00	·00	·20	11	00	68	03	14	01	5
6	·00	·02	·12	[illegible]	·02	·11	09	00	11	18	17	02	6
7	·00	18	·05	[illegible]	·00	·15	08	00	00	48	03	15	7
8	·00	·05	·02	[illegible]	·18	·08	0	00	00	36	17	01	8
9	·00	06	·01	·02	·15	·00	14	06	11	01	02	·06	9
10	·02	·00	·00	·07	·00	·02	37	01	00	00	58	03	10
11	·69	00	·00	·45	00	[illegible]	00	00	00	69	53	00	11
12	·00	·00	·00	·00	·13	·00	00	00	00	00	1·37	00	12
13	·35	·00	·06	00	·00	·00	00	03	10	00	11	03	13
14	·23	·01	·13	·09	·00	·00	1·92	03	15	14	38	00	14
15	·22	00	·24	·22	·00	·00	32	00	12	00	00	00	15
16	·22	00	·58	·33	·00	00	·00	00	21	00	00	03	16
17	·07	·06	·05	·03	·00	00	·24	00	00	00	02	00	17
18	·02	00	03	·85	·00	·00	17	00	00	00	15	04	18
19	·20	00	·18	·01	·02	·00	12	00	55	00	00	00	19
20	·61	00	·06	·10	·01	30	00	00	00	46	03	00	20
21	·04	00	23	·22	·00	00	00	00	00	92	72	00	21
22	32	00	·20	·00	·01	00	04	00	08	07	00	00	22
23	·00	00	·43	·00	·00	02	02	16	03	00	00	00	23
24	·09	00	·01	03	·00	05	00	01	00	00	05	·75	24
25	·00	02	·00	·18	·00	00	00	00	00	00	00	00	25
26	·00	00	·12	·02	·00	00	02	15	00	87	00	01	26
27	·06	01	·05	·01	·73	00	00	00	00	08	00	35	27
28	·14	00	36	·10	·00	00	00	00	00	24	00	00	28
29	·13		·06	·44	·08 ·088	00	00	17	00	24	02	00	29
30	·67		·00	·19	00	00	00	34	01	·26	00	00	30
31	·00		·04		·00		00	·98		39		00	31
Total	4·92	1·11	3·36	3·75	1·84	·93	3·76	1·94	2·38	5·85	4·87	1·91	YEAR'S TOTAL
Rain Days.	20	11	26	22	12	8	15	10	15 14	20	19	15	36·62 193

W. 7,500, XI. ·12

PRESTON

SUSSEX

1911

FORM A2.
BRITISH RAINFALL
23 JAN 1912

R 11

Kept at 45 Pres rological Office 8 in.

ove Ground 1 ft. 0 in.

in the County of ,, Sea Level 142.5 ft.

9.0 A.m.

by F. H. Phillip Name Preston Park

Distance ½ mile Direction W.

IMPORTANT NO nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.045	—	—	.716	—	—	.008	.010	—	—	.030	.010	1
2	.030	—	—	.060	.182	—	—	—	—	—	.300	.260	2
3	.010	—	—	—	.160	—	—	—	—	—	.065	.310	3
4	.090	.013	.010	.220	—	—	—	—	.010	.160	.105	.227	4
5	.010	—	—	.070	—	—	—	—	—	.675	.005	—	5
6	.210	—	.035	—	—	—	—	—	—	.045	.162	.500	6
7	.023	—	—	—	—	—	—	—	—	.240	.920	.098	7
8	.075	—	.160	—	—	—	—	—	—	—	.545	.158	8
9	.123	—	.007	.025	—	—	—	—	—	—	.420	.101	9
10	—	.082	.055	.061	—	—	—	—	—	—	—	.251	10
11	.432	—	.016	—	.014	—	—	—	—	—	1.145	.046	11
12	—	—	1.090	—	—	—	—	—	—	—	.007	.020	12
13	—	—	.075	—	.260	—	—	—	.302	.055	—	.190	13
14	—	.090	—	—	.073	—	—	—	—	—	—	.380	14
15	—	.020	.143	—	—	—	—	—	—	—	.080	.037	15
16	—	—	—	—	—	.500	—	—	—	—	.619	.125	16
17	—	.010	—	—	—	.035	.010	—	—	—	.750	.132	17
18	—	.075	.080	.010	—	—	—	—	—	—	.742	.375	18
19	—	.028	—	.010	—	.041	—	—	.145	.205	.033	.190	19
20	.025	—	.015		—	—	—	.286	.385	—	—	.660	20
21	.020	.130	—	—	—	—	—	.008	.010	1.070	—	.175	21
22	.198	—	.150	.012	—	.062	—	.052	—	.282	—	.475	22
23	—	.065	.044	—	—	1.040	—	—	.430	.878	.032	.250	23
24	.010	.235	.012	—	—	.075	.020	.048	—	.120	—	.235	24
25	—	.023	.200	.083	—	.080	.005	—	.035	.038	—	.016	25
26	—	—	.132	.280	.010	.075	—	.008	—	.165	.237	.300	26
27	—	.415	.327	.040	—	—	—	—	.037	.410	.025	.230	27
28	—	.080	—	.113	—	—	—	.015	—	—	.015	.010	28
29	—		—	.015	—	.162	.485	—	.350	.335	—	—	29
30	—		—	.015	—	.140	—	.007	.010	.105	—	.020	30
31	—		—		—	—	—	—		—		—	31
Total	1.301	1.266	2.551	1.730	.699	2.210	.528	.434	1.714	4.775	6.237	5.781	TOTAL for year 29.226
No. of Rain Days.	14	13	of Snow 17	15	6	10	5	8	10	15	~~20~~ 19	28	167 160

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at 45. Preston Drove, Preston, nr. Brighton

in the County of Sussex 3

by F. H. Phillips

RAIN GAUGE
Pattern Meteorological Office
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 142.5 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Preston Park
Distance ½ mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.045	—	—	.716	—	—	.008	.010	—	—	.030	.010	1
2	.030	—	—	.060	.182	—	—	—	—	—	.300	.260	2
3	.010	—	—	—	.160	—	—	—	—	—	.065	.310	3
4	.090	013	.010	.220	—	—	—	—	010	.160	.105	.227	4
5	.010	—	—	.070	—	—	—	—	—	.675	.005	—	5
6	.210	—	.035	—	—	—	—	—	—	.045	.162	.500	6
7	.023	—	—	—	—	—	—	—	—	.240	.920	.098	7
8	.075	—	.160	—	—	—	—	—	—	—	.545	.158	8
9	.123	—	.007	.025	—	—	—	—	—	—	.420	.101	9
10	—	.082	.055	.061	—	—	—	—	—	—	—	.251	10
11	.432	—	.016	—	.014	—	—	—	—	—	1.145	.046	11
12	—	—	1.090	—	—	—	—	—	—	—	.007	.020	12
13	—	—	.075	—	.260	—	—	—	.302	.055	—	.190	13
14	—	.090	—	—	.073	—	—	—	—	—	—	.380	14
15	—	.020	.143	—	—	—	—	—	—	—	.080	.037	15
16	—	—	—	—	—	.500	—	—	—	—	.619	.125	16
17	—	.010	—	—	—	.035	.010	—	—	—	.750	.132	17
18	—	.075	.080	.010	—	—	—	—	—	—	.742	.375	18
19	—	.028	—	.010	—	.041	—	—	.145	.205	.033	.190	19
20	.025	—	.015	—	—	—	—	.286	.385	—	—	.660	20
21	.020	.130	—	—	—	—	—	.008	.010	1.070	—	.175	21
22	.198	—	.150	.012	—	.062	—	.052	—	.282	—	.475	22
23	—	.065	.044	—	—	1.040	—	—	.430	.878	.032	.250	23
24	.010	.235	.012	—	—	.075	.020	.048	—	.120	—	.235	24
25	—	.023	.200	.083	—	.080	.005	—	.035	.038	—	.016	25
26	—	—	.132	.280	.010	.075	—	.008	—	.165	.237	.300	26
27	—	.415	.327	.040	—	—	—	—	.037	.410	.025	.230	27
28	—	.080	—	.113	—	—	—	.015	—	—	.015	.010	28
29	—		—	.015	—	.162	.485	—	.350	.335	—	—	29
30	—		—	.015	—	.140	—	.007	.010	.105	—	.020	30
31	—		—		—	—	—	—	—	—	—	—	31
Total	1.301	1.266	2.551	1.730	.699	2.210	.528	.434	1.714	4.775	6.237	5.781	TOTAL for year 29.226
No. of Rain Days.	14	13	of Snow 17	15	6	10	5	8	10	15	~~20~~ 19	28	167 160

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

PRES~~TON~~
ASHFORD RD
SUSSEX
1911 - 1915

RE 11

Kept at 47 Ashford … ard.

5 in.

Ground 5 ft. 3 in.

in the County of Sus…

Sea Level 315 ft.

by Charles B…

Name Preston Park

Distance 1 Mile Direction W

IMPORTANT NOT… the result entered to the previous day. If an Ob… versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	–	–	·71	–	–	·01	–	–	–	·04	·02	1
2	Snow ·03	–	–	·07	·20	–	–	–	–	–	·32	·30	2
3	·02	–	–	–	·25	–	–	–	–	–	·10	·21	3
4	·10	·01	·02	Snow ·09	–	–	–	–	–	·16	·18	·19	4
5	·02	·01	–	Snow ·10	–	–	–	–	–	·43	·01	·22	5
6	·27	–	·04	–	–	–	–	·01	–	·03	–	·24	6
7	·03	–	·01	–	–	–	–	–	–	·30	·97	·43	7
8	·06	–	·15	–	–	–	–	–	–	–	·64	·14	8
9	·18	–	·07	·03	–	–	–	–	–	–	·48	·08	9
10	–	·10	·08	·06	–	–	–	–	–	–	·09	·40	10
11	·49	–	·03	–	–	–	–	–	–	–	1·29	Trace	11
12	·02	–	Snow ·96	–	–	–	–	–	–	–	·04	·05	12
13	–	–	Snow ·05	–	·06	–	–	–	·32	·06	–	·23	13
14	–	·09	·02	–	·32	–	–	–	–	–	–	·42	14
15	–	·03	·13	–	–	–	–	–	–	–	·08	·06	15
16	–	·02	–	–	–	·48	–	–	–	–	·70	·15	16
17	–	·01	–	–	–	·03	–	–	–	–	·58	·14	17
18	–	·12	·09	·01	–	–	–	–	–	–	·96	·35	18
19	–	·06	–	·02	–	·05	–	–	·19	·07	·05	·13	19
20	·03	–	·02	–	–	–	–	·19	·43	·21	–	·71	20
21	·04	·23	–	–	–	–	–	·14	·02	1·26	–	·34	21
22	·13	·01	·16	·02	–	·07	–	·07	–	·38	·01	·53	22
23	·09	·16	·05	·01	–	1·05	–	–	·46	·76	·04	·20	23
24	·02	·28	·02	–	–	·06	·03	·04	–	·48	–	·33	24
25	–	·05	Snow ·13	·11	–	·12	–	·01	·05	·02	–	·02	25
26	–	–	·11	·32	–	·06	–	·01	–	·26	Snow ·15	·33	26
27	–	·46	·35	·11	–	–	–	–	·04	·41	·06	·22	27
28	–	·17	–	·14	–	–	–	·02	–	–	·02	·02	28
29	–		–	·03	–	·15	·46	–	·38	·43	–	Trace	29
30	–		–	·02	–	·19	–	–	·03	·19	–	·03	30
31	–		–		–		–	–	–	–		Trace	31
Total	1·58	1·81	2·29	1·85	·83	2·26	·50	·49	1·92	5·25	6·81	6·52	TOTAL for year ✓ 32·51
No. of Rain Days.	16	16	19	16	4	10	3	8	9	16	21	28	166

W. 8,000, X. '11.

RE 11

ard

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at 47 Ashford Rd. Preston Brighton

in the County of Sussex 3

by Charles Biddlesden

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 5 ft. 3 in.
„ „ „ Sea Level 315 ft.

Time of Observation 7 Am

Nearest Railway Station
Name Preston Park
Distance 1 Mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	–	–	·71	–	–	·01	–	–	–	·04	·02	1
2	Snow ·03	–	–	·07	·20	–	–	–	–	–	·32	·30	2
3	·02	–	–	–	·25	–	–	–	–	–	·10	·21	3
4	·10	·01	·02	Snow ·09	–	–	–	–	–	·16	·18	·19	4
5	·02	·01	–	Snow ·10	–	–	–	–	–	·43	·01	·22	5
6	·27	–	·04	–	–	–	–	·01	–	·03	–	·24	6
7	·03	–	·01	–	–	–	–	–	–	·30	·97	·43	7
8	·06	–	·15	–	–	–	–	–	–	–	·64	·14	8
9	·18	–	·04	·03	–	–	–	–	–	–	·48	·08	9
10	–	·10	·08	·06	–	–	–	–	–	–	·09	·40	10
11	·49	–	·03	–	–	–	–	–	–	–	1·29	Trace	11
12	·02	–	Snow ·96	–	–	–	–	–	–	–	·04	·05	12
13	–	–	Snow ·05	–	·06	–	–	–	·32	·06	–	·23	13
14	–	·09	·02	–	·32	–	–	–	–	–	–	·42	14
15	–	·03	·13	–	–	–	–	–	–	–	·08	·06	15
16	–	·02	–	–	–	·48	–	–	–	–	·70	·15	16
17	–	·01	–	–	–	·03	–	–	–	–	·58	·14	17
18	–	·12	·09	·01	–	–	–	–	–	–	·96	·35	18
19	–	·06	–	·02	–	·05	–	–	·19	·04	·05	·13	19
20	·03	–	·02	–	–	–	–	·19	·43	·21	–	·41	20
21	·04	·23	–	–	–	–	–	·14	·02	1·26	–	·34	21
22	·13	·01	·16	·02	–	·04	–	·04	–	·38	·01	·53	22
23	·09	·16	·05	·01	–	1·05	–	–	·46	·76	·04	·20	23
24	·02	·28	·02	–	–	·06	·03	·04	–	·48	–	·33	24
25	–	·05	Snow ·13	·11	–	·12	–	·01	·05	·02	–	·02	25
26	–	–	·11	·32	–	·06	–	·01	–	·26	Snow ·15	·33	26
27	–	·46	·35	·11	–	–	–	–	·04	·41	·06	·22	27
28	–	·17	–	·14	–	–	–	·02	–	–	·02	·02	28
29	–		–	·03	–	·15	·46	–	·38	·43	–	Trace	29
30	–		–	·02	–	·19	–	–	·03	·19	–	·03	30
31	–		–		–		–	–	–	–		Trace	31
Total	1·58	1·81	2·29	1·85	·83	2·26	·50	·49	1·92	5·25	6·81	6·52	TOTAL for year
No. of Rain Days.	16	16	19	16	4	10	3	8	9	16	21	28	32·51

166

W. 8,000, X. '11.

con 5·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at [illegible]
in the County of Sussex 3
by [illegible]

Lat. N 50° 51' Long. W 0° 8'
Time of Observation 9 a.m.
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 3 in.
" " " " Sea Level 307 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	trace		·05		·04	·32	·05		·15	·72		·25	1
2	trace	Snow ·02	·31			·05	·21			trace			2
3	·01	Snow ·02	·05			·20		·48	·03	trace			3
4	·27	Snow ·06	·58			·17		·10			·17		4
5	·15	Snow ·10	·09			·25		·28			·19	·04	5
6	·73	·10			·04			·65	trace		trace	·16	6
7					·32	·74		·27			trace	·05	7
8	·73	·35	·13		·01	·09	·06	·05				·03	8
9	·05	·05	·06	·01		·24	·08	·14				·08	9
10	trace	·06	·07					·29			·18	·42	10
11	·04	·47	trace		trace			trace				·13	11
12	trace	·09	·03		·05	·08		·40				·08	12
13		·02	·03				·03	trace			·05	·32	13
14			trace		·09			·08		·09		·06	14
15	·01	·14	·18		·10	·67		trace		trace		·28	15
16	·12	·01	·16		·10	·08		·17		·07	·01		16
17	·39		·30			·15		·09			·09	·15	17
18	·08		·45		·08		trace	·11		·05	·02	·40	18
19	·02	·09	·25			·01	·07	·11			·02		19
20	·05	·03	·62				trace	·11		·50	·03		20
21	·01	·18	·64		·06			·16		·46	·06		21
22	·09	·58	·07		·02		·01	·31		·06		·03	22
23	·42	·24	·35					·33		·10	·17	·13	23
24	·04	·11	·02					·27		·14		·12	24
25	·05	·03	·01			·31		·89		·05	·39	·43	25
26		·08						·10		·44	·36	·35	26
27		trace	·02							·20	·01	·60	27
28		·07				·04	·04	·03	·16	·87	·43	·30	28
29		·02					·13	·25	1·43	·03	·06		29
30					·43		·02	·64	1·35	·28	snow ·02		30
31			·04				·30	·18					31
Total	3·26 3·26	2·92	4·51 4·51	·01	1·34	3·40	1·00	6·29	3·12	4·06	3·56	4·71	YEAR'S TOTAL 37·38 37·38
Rain Days.	18	23	23	1	12	15	11	25	5	15	17	21	186

Ex D 30

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
27 JAN 1914

Kept at 74 Ashford Rd Preston Brighton

in the County of Sussex 3

by Charles Biddlesden

Lat. N 50° 51′ Long. W 0° 8′
Time of Observation 7 am
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 307 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·43	·10	·23		·11			·02	·03	·06	·12	1
2	·08	·10					·09			·20	·15	·04	2
3			·06	·28	·21					·01		·14	3
4	·31		·12		·04		·03		·70	·06	·14	Trace	4
5	·38	·04	·01			·17	·12		·39	·05	·21		5
6		·04	·12	·01	·04	·11	·28		·01	·18	20	·28	6
7		·26	·08		·12	·09	·04			·25	·06		7
8	Trace		·04		·19	·06		·44		·51	·10	·04	8
9		·26		·01	·18		·16		·15	·01	·02	·02	9
10	·01			·06		06	1·85				·71		10
11	·94			·61						·96	·65		11
12					·73						·92	·02	12
13	·65		·03				Trace	·02	·16		·06		13
14	·33		·11	·01			1·18	·04	Trace	·05	·35		14
15	·20	Trace	·38	·22			·35		·06			·01	15
16	·16		·56	·26			·04		·07		·02	·01	16
17	·09	snow ·05	·02	·19			·10				·04	·03	17
18	·02			·23			·19		·01		·17		18
19	·14		·12		·08	·01	·12		·49				19
20	·84		·04	·24	·03	·07				·46	·01		20
21	Trace		·14	·19						·80	·90		21
22	·33		·12				·02		·11	·03		Trace	22
23	Trace		·12			·01		·11				·91	23
24	·12			·04				·11			·05	Trace	24
25		·02		·13							·01		25
26	Trace		·09				Trace	·12		·84	·01	·23	26
27			·06	·02						·01	·01		27
28	·08		·37	·09						·10			28
29	·17		·05	·33	·47			·15		·04	·03		29
30	·62			·17				·44		·09			30
31	Trace		·06					1·20		·22			31
Total	5·52	1·20	2·80	3·32	2·09	·69	4·57	2·63	2·17	4·90	4·88	1·85	YEAR'S TOTAL 36·62
Rain Days.	19	8	22	19	10	9	14	9	11	20	23	12	176

W.7,000, XI. 13

Esc. W. 9.

REGISTER OF RAINFALL IN 1914

to 20. III ·14 Preston, Ashford Road

post Kept at 176a Hollingdean Terrace Brighton

in the County of Sussex 3

by Charles Biddlesden

Lat. N 50° 51′ Long. W 0° 8′
Time of Observation 7 Am
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 266 ft.

FORM A.
BRITISH RAINFALL.
21 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03			·07	·15			·09	·16	1
2	·01			·03		·01	·02				·20	·16	2
3			·09	·06	·29		·02	·08			Trace	·03	3
4			·01	·36			·01	·14			·33	·44	4
5	·16		·11	·45	·03	Trace	·22	·02			·01	·01	5
6		·08		·15	·06	·10		·05			·02	·60	6
7	·03	·37	·25	·09	·06	·04	·06					·27	7
8	·08	·56	·35	·07	·02	·03	·23	·05				·17	8
9	·10	Trace	·68	·06		·03		·01	·10			1·63	9
10	·16	·01		·15	·28						·02	·07	10
11		·45	·45	·09	·05	Trace			·36		·06	·63	11
12		·08	·13			·02	·59		·60		·01	·46	12
13	Trace	·48	·23			·14			·28	·04	·11	·49	13
14	Trace	·13	·16				·06	Trace	·02	·57	·12	·55	14
15		·13	·32					·21	·02	·04	·92	·02	15
16		·10					·10		·04		·01		16
17		·45	·04				·08		·21		~~·20~~	·14	17
18		·15	·05									·40	18
19		·26	1·22				·32			·01	·23	·24	19
20		·09	·18			·12	·01			·02		·40	20
21		·53	·10			Trace	Trace			·07		·01	21
22		·16	·08		·09	·16	·10	·01		·35			22
23			·30			·64	·02	·01		·05		·01	23
24			·03	·01							·16		24
25	·09		·24			Trace	·01	·07		·42	·02		25
26	·01		·25				Trace	·27		·01	·12	·49	26
27	·03									·13	·19	·53	27
28	·02	·04			·02		·25			·43	·41	·47	28
29	·10	~~·04~~	·06							·61		·01	29
30	·08	X	·12	·09						·12	1·79	·19	30
31	·03	X		X	·17	X	Trace		X		X	·18	31
Total	·90	4·07	5·45	1·62	1·07	1·29	2·17	1·07	1·63	2·87	4·22	8·76	YEAR'S TOTAL ~~35·12~~
Rain Days.	13	17	23	13	10	10	17	12	8	14	19	27	~~183~~

W. [illegible]

Snowden Rain Gauge Negretti No 3403 Graduate HRM 874

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
24 JAN 1916

Kept at 33 Ashford Rd Brighton
in the County of Sussex
by Mr C Biddlesden

Lat. N 50°51' Long. W 0°8'
Time of Observation 7 am
Nearest Railway Station Preston Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 312 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	28 ·46	·28					·04	·05	78 ·78		·27	·29	1
2	40 ·48	18 ·19	·31	10 ·10	02 ·02			10 ·12	·01	35 ·40		·16	2
3	20 ·27		06 ·13	33 ·40	·07	·01		04 ·05	05 ·05			·64	3
4	12 ·13		01 ·02	02 ·02				16 ·16				·43	4
5	18 ·18	·42		06 ·06		·01		01 ·16			·08	·61	5
6	08 ·77	·36	03 ·04	17 ·51			·29					·08	6
7	56 ·57	·36	·07	06 ·06		·02	04 ·15	01 ·01				·36	7
8	06 ·08	·36					53 ·53				·02		8
9	06 ·06	·14		·15		19 ·21		08 ·08			·66	1·39	9
10	26 ·33					02 ·02						·37	10
11	01 ·01	·01	07 ·07								·92	·75	11
12	·04	·15		01 ·26	·15			01 ·01			·89		12
13	06 ·06	·65			150 2·31				·02				13
14	05 ·12	·03					17 ·27	01 ·01	17 ·18			·53	14
15	03 ·15	04 ·04			·08		53 ·53	73 ·73			·09	·47	15
16		·48		02 ·03			107 1·25	19 ·19			Snow ·05	·05	16
17		50 ·53			76 1·00		18 ·18	06 ·06				·03	17
18		14 ·18			33 ·34						·04		18
19		02 ·02											19
20	05 ·30	02 ·02		04 ·04	11 ·14							·07	20
21	18 ·18									·42		·08	21
22	16 Snow ·16	·07	08 ·09	·10			82 1·15		·01	·15		·23	22
23	·01	Snow ·10	06 ·14				02 ·05		·01	·23		1·17	23
24		02 Snow ·02	05 ·05			01 ·01			36 ·36	·73		1·00	24
25			03 ·03	01 ·01			·29			·01		·34	25
26		·10				·07			·01			·96	26
27		07 ·07				·09	13 ·13			·23		·07	27
28		·05				·20			88 1·17	·60			28
29					05 ·05	10 ·11		23 ·23	·02	·08	·42	·05	29
30	·25	X								·36	·48	·01	30
31	03 ·03	X		X		X		·03	X	·70	X	·21	31
Total	4·64	4·63	·95	1·74	4·16	·75	4·86	1·89	2·62	3·91	3·92	10·35	YEAR'S TOTAL 44·42
Rain Days.	21	23	10	12	9	10	12	14	11	11	11	25	169

W. 8,000. X. 15. small figures in the corners are read over night and read again at 7 am

REG

PYECOMBE

SUSSEX

1911 – 1914

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Pyec

in the County of Su

by F S Mit

owdon

in.

round ft. 7 in.

ea Level 392 ft.

.a.m.

ame Hassocks

istance 2¼ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·75	—	—	—	·03	—	—	·06	·04	1
2	·03	—	—	·07	·35	—	—	—	—	—	·40	·26	2
3	—	—	—	·01	·35	—	—	·05	—	—	·35	·60	3
4	·03	—	—	·20	—	—	—	—	—	·19	·67	·20	4
5	·02	—	—	·20	—	—	—	—	—	1·01	·04	·07	5
6	·43	—	·10	·06	—	—	—	—	—	·03	·01	·60	6
7	·04	—	—	—	—	—	—	—	—	·16	·98	·35	7
8	·20	—	·24	—	—	—	—	—	—	—	·84	·21	8
9	·14	—	·02	·06	—	—	—	—	—	—	·35	·13	9
10	—	·10	·18	·04	—	—	—	—	—	—	—	·41	10
11	·47	—	·06	—	·10	—	—	—	—	—	1·45	·01	11
12	—	—	Snow ·76	—	—	—	—	—	—	—	·07	·01	12
13	—	—	Snow ·07	—	·15	—	—	—	·31	·06	—	·27	13
14	—	·10	·01	—	·16	—	—	—	—	—	·04	·49	14
15	—	—	·16	—	—	—	—	—	—	—	·14	·03	15
16	—	—	—	—	—	·52	—	—	—	—	1·09	·25	16
17	—	·01	·01	—	—	·06	—	—	—	—	·94	·19	17
18	—	·11	·01	·03	—	—	—	—	—	—	1·28	·50	18
19	—	—	—	—	—	·07	—	—	·19	·38	·02	·15	19
20	—	—	—	—	—	—	—	·24	·41	·06	—	·88	20
21	·04	·34	—	—	—	—	—	·01	—	·64	—	·34	21
22	·10	·01	·25	—	—	·23	—	·08	—	·49	—	·57	22
23	—	·25	—	—	—	1·30	—	—	·40	·54	·07	·40	23
24	·01	·30	—	—	—	·37	—	·08	—	·19	—	·30	24
25	—	—	·09	·14	—	·05	·02	—	·13	·07	—	·01	25
26	—	—	·09	·34	·02	·15	·01	—	—	·26	Snow ·15	·41	26
27	—	·64	·37	·04	—	·01	—	—	·08	·38	—	·18	27
28	—	·20	—	·15	—	—	—	·04	—	—	—	—	28
29	—	~~—~~	—	·09	—	·17	·40	·02	·27	·59	—	·01	29
30	—	~~—~~	—	·01	—	·08	—	·03	—	·31	—	·03	30
31	—	~~—~~	—		—		—	—		—		—	31
Total	1·56	2·06	2·42	2·19	1·13	3·01	·43	·58	1·79	5·36	8·95	7·90	TOTAL for year 37·38
No. of Rain Days.	12	10	15	15	6	11	3	9	7	16	19	29	152

W. 8,000, X. '11.

✓

REG

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Pyecombe

in the County of Sussex 3

by T S Mitchell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 392 ft.

Time of Observation 8·50 a.m.

Nearest Railway Station
Name Hassocks
Distance 2¼ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	—	·75	—	—	—	·03	—	—	·06	·04	1
2	·03	—	—	·07	·35	—	—	—	—	—	·40	·26	2
3	—	—	—	·01	·35	—	—	·05	—	—	·35	·60	3
4	·03	—	—	·20	—	—	—	—	—	·19	·67	·20	4
5	·02	—	—	·20	—	—	—	—	—	1·01	·04	·07	5
6	·43	—	·10	·06	—	—	—	—	—	·03	·01	·60	6
7	·04	—	—	—	—	—	—	—	—	·16	·98	·35	7
8	·20	—	·24	—	—	—	—	—	—	—	·84	·21	8
9	·14	—	·02	·06	—	—	—	—	—	—	·35	·13	9
10	—	·10	·18	·04	—	—	—	—	—	—	—	·41	10
11	·47	—	·06	—	·10	—	—	—	—	—	1·45	·01	11
12	—	—	Snow ·76	—	—	—	—	—	—	—	·07	·01	12
13	—	—	Snow ·07	—	·15	—	—	—	·31	·06	—	·27	13
14	—	·10	·01	—	·16	—	—	—	—	—	·04	·49	14
15	—	—	·16	—	—	—	—	—	—	—	·14	·03	15
16	—	—	—	—	—	·52	—	—	—	—	1·09	·25	16
17	—	·01	·01	—	—	·06	—	—	—	—	·94	·19	17
18	—	·11	·01	·03	—	—	—	—	—	—	1·28	·50	18
19	—	—	—	—	—	·07	—	—	·19	·38	·02	·15	19
20	—	—	—	—	—	—	—	·24	·41	·06	—	·88	20
21	·04	·34	—	—	—	—	—	·01	—	·64	—	·34	21
22	·10	·01	·25	—	—	·23	—	·08	—	·49	—	·57	22
23	—	·25	—	—	—	1·30	—	—	·40	·54	·07	·40	23
24	·01	·30	—	—	—	·37	—	·08	—	·19	—	·30	24
25	—	—	·09	·14	—	·05	·02	—	·13	·07	—	·01	25
26	—	—	·09	·34	·02	·15	·01	—	—	·26	Snow ·15	·41	26
27	—	·64	·37	·04	—	·01	—	—	·08	·38	—	·18	27
28	—	·20	—	·15	—	—	—	·04	—	—	—	—	28
29	—	~~—~~	—	·09	—	·17	·40	·02	·27	·59	—	·01	29
30	—	~~—~~	—	·01	—	·08	—	·03	—	·31	—	·03	30
31	—	~~—~~	—	/	—	/	—	—	/	—	/	—	31
Total	1·56	2·06	2·42	2·19	1·13	3·01	·43	·58	1·79	5·36	8·95	7·90	TOTAL for year 37·38
No. of Rain Days.	12	10	15	15	6	11	3	9	7	16	19	29	152 ✓

W. 8,000, X. '11.

Ex JS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Pyecombe

in the County of Sussex 3

by T J Mitchell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 392 ft.

Time of Observation 8"50. a.m.

Nearest Railway Station
Name Hassocks
Distance 2½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	—	·45	·28	—	·08	·93	—	·25	1
2	—	Snow ·03	·54	—	—	·23	·23	·54	—	—	—	—	2
3	·02	Snow ·03	·06	—	—	·13	—	—	·03	—	—	—	3
4	·32	Snow ·05	·56	—	—	·02	—	·06	·09	—	·25	·03	4
5	·53	·07	·19	—	—	—	—	·26	—	—	·09	—	5
6	·36	·14	—	—	·05	·01	—	·64	·03	—	—	·17	6
7	—	—	·02	—	·28	·56	—	·07	—	—	—	·19	7
8	·60	·16	·24	—	—	·12	—	·43	—	—	—	·08	8
9	·03	·20	·07	·05	—	·06	·05	—	—	—	—	·24	9
10	—	·09	·20	—	—	—	—	·74	—	—	·05	·33	10
11	·03	·46	—	—	·02	·05	—	·15	—	—	—	·18	11
12	·01	·17	·05	—	·26	·06	—	·16	—	—	—	·01	12
13	—	·03	·03	—	—	—	·02	·03	—	—	·04	·24	13
14	—	—	—	—	·08	—	—	·28	—	·10	—	·20	14
15	—	·10	·14	—	·15	·61	—	—	—	—	·03	·27	15
16	·16	·09	·15	—	·15	·15	—	·24	—	·11	·08	—	16
17	·25	—	·40	—	·02	·13	—	·15	—	—	·10	·36	17
18	·13	—	·48	—	—	·01	—	·06	—	·05	·02	·30	18
19	·05	·10	·37	—	—	—	·05	·33	—	—	—	—	19
20	·01	·01	·85	—	—	·01	·01	·03	—	·49	·04	—	20
21	·01	·19	·46	—	·10	—	—	·17	—	·26	·04	—	21
22	·10	·73	·20	—	—	—	·01	·29	—	·01	—	·01	22
23	·48	·17	·20	—	—	—	—	·43	—	·16	·18	·13	23
24	·04	·10	—	—	—	—	—	·56	—	·07	—	·21	24
25	·10	·01	—	—	—	·33	—	·50	—	·07	·38	·48	25
26	—	·09	—	—	—	·05	—	·09	—	·46	·44	·34	26
27	—	·01	—	—	—	·03	·01	—	—	·27	·01	·49	27
28	—	·09	—	—	—	·04	·18	·18	·20	·96	·81	·29	28
29	—	·03	·01	—	—	—	·25	1·40	1·87	·04	·03	—	29
30	—		—	—	·43	·01	·02	·28	1·35	·53	—	·01	30
31	—		—		—		·25	·19		—		—	31 ✓
Total	3·23	3·15	5·24	·05	1·54	3·06	1·36	8·26	3·65	4·51	2·59	4·81	41·45 TOTAL for year
No. of Rain Days.	18	24	21	1	10	20	12	26	7	15	16	22	192 ✓

W. 8,000, X. '11.

cor'd by ann. stats 11·11·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
8- JAN 1914

Kept at Pyecombe
in the County of Sussex 3
by J. S. Mitchell

Lat. 50°·55′ Long. 0°·10′ W
Time of Observation 8·50 a.m
Nearest Railway Station Hassocks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 392 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·06	·54	·23	·17	—	·24	—	—	·03	·06	·17	—	1
2	·05	·16	—	—	—	—	·06	—	—	·35	·17	·12	2
3	—	—	·08	·27	·34	—	—	—	—	—	—	·20	3
4	·50	—	·15	—	·01	—	·02	—	1·47	·28	·19	—	4
5	·21	·08	·03	—	—	·30	·06	—	·29	·02	·45	—	5
6	—	·03	—	·02	·10	·41	·29	—	·06	·26	·23	·21	6
7	—	·30	·17	—	·05	·06	·03	—	—	·27	·20	—	7
8	—	·07	·02	—	·19	·08	—	·38	—	·27	—	·04	8
9	—	·04	—	·01	·31	—	·08	—	·20	—	·04	·05	9
10	·15	—	—	·05	—	—	·88	·01	—	·05	·81	—	10
11	·74	—	—	·50	—	—	—	—	—	·77	·13	·03	11
12	—	—	—	—	·46	—	—	—	—	—	1·24	—	12
13	·56	—	·02	—	—	·01	—	·01	·21	—	·17	—	13
14	·46	—	·16	·08	—	—	3·20	·03	·07	·04	·22	—	14
15	·38	—	·26	·41	—	—	·25	—	·02	—	—	·04	15
16	·20	—	·48	·26	—	—	·01	—	·17	—	—	—	16
17	·06	·05	—	·06	—	—	·27	—	—	—	·04	—	17
18	—	—	·14	·29	—	—	·07	—	·01	—	·18	—	18
19	·20	—	·14	—	·13	·06	·10	—	·68	—	—	—	19
20	·48	—	·09	·19	·01	·08	—	—	—	·64	·05	—	20
21	—	—	·14	·14	—	—	—	—	—	·92	1·12	—	21
22	·29	—	·32	—	—	—	·03	·14	(·12) ~~·02~~	·02	—	—	22
23	·01	—	·34	—	—	·02	—	·02	—	—	—	—	23
24	·12	—	—	·05	—	—	—	—	—	—	·04	—	24
25	—	—	—	·20	—	—	—	—	—	—	—	—	25
26	—	—	·26	—	—	—	—	·17	—	·96	—	·28	26
27	—	—	·35	·05	—	—	—	—	—	·04	—	—	27
28	·11	—	·05	·09	—	—	—	—	—	·09	—	—	28
29	·16		·05	·36	·56	—	·02	·09	—	·24	—	—	29
30	·78		—	·18	—	—	—	·33	—	·30	—	—	30
31	—		·10		—		—	·84		·07		—	31
Total	5·52	1·27	3·58	3·38	2·16	1·26	5·37	2·02	3·33 ✓	5·65	5·45	·97	YEAR'S TOTAL 39·96 ✓
Rain Days.	19	8	21	19	10	9	15	10	12	19	17	8	167

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

Esc. W.G.

FORM A1. BRITISH RAINFALL. 2 - JAN 1915

Kept at Pyecombe

in the County of Sussex 3

by

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 392 ft.

Time of Observation 8.50. a.m

Nearest Railway Station
Name Hassocks
Distance 2½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·12	—	—	·04	·12	—				1
2	·	—	—	—	—	—	·07	—	—			·	2
3	·	—	·46	·08	·35	—	·06	—	—		·	'	3
4	·	—	·22	·50	—	·01	—	—	—		·63	·95	4
5	·21	—	—	·50	·04	—	·15	·17	—				5
6	—	·04	·01	·23	—	·15	—	·	—				6
7	·09	·60	·31	·20	·13	·06	·14	·	—				7
8	·10	·78	·61	·11	—	·20	·02	·29	—				8
9	·09	—	·80	·15	—	·06	—	—	·12				9
10	—	·14	—	·25	·16	·05	—	—	—			2·05	10
11	—	·60	·65	—	—	—	—	—	·35			·57	11
12	—	·37	·19	—	—	—	·50	—	·57				12
13	—	·56	·74	—	—	—	—	—	·20				13
14	—	·27	·41	—	—	—	·02	—	·02		·	1·68	14
15	·01	·10	·34	—	—	—	·01	·22	—	·	1·69		15
16	·01	·10	·12	—	—	—	·10		·16	·			16
17	—	·03	·26	—	—	—	—		·24	·			17
18	—	·83	·37	—	—	—	—		—	·		·95	18
19	—	·26	1·03	—	—	—	·32		—	·			19
20	—	·36	·08	—	—	·08	·		—	·			20
21	—	·66	·09	—	—	·	·		—	·		·37	21
22	—	—	·04	—	·07	·01	·08		—	1·14			22
23	—	—	·35	—	—	·90	—		—				23
24	—	—	·04		—	—	—		—				24
25	·06	—	·24	—	—	—	—	—	—	·57			25
26	—	—	·08	—	—	—	—	·40	—	·	·53	·65	26
27	—	—	—	—	—	—	·37		—	·		·62	27
28	·07	—	—	—	·01	—	—		—	·		·40	28
29	·17		·05	—	[illegible]	—	—		—	·	1·67	·	29
30	·01		·20	·06	—	—	—		—	1·35		·	30
31	·02		—		·27	—	·01		—			·46	31
Total	·84	5·70	6·58	2·20	1·03	1·52	1·89	1·20	1·66	3·06	4·52	8·64	TOTAL for year 38·84
No. of Rain Days	11	15	24	10	7	9	14	7	7	·			

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

√

[redacted]

RAPKYNS

SUSSEX

1911 - 1916, 18

9

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Rapky

in the County of

by W. W.

op 6 in.

above Ground ft. 8 in.

„ Sea Level ft.

on Name

Distance Direction

IMPORTANT N… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·25				·02			·03		1
2	·09			·14	·27						·10	·23	2
3					·17						·13	·15	3
4	·03										·24	·23	4
5	·			·07						·18	·02	·05	5
6	·37									·30	·01	·73	6
7	·05									·16	·50	·35	7
8	·10		·20								·35	·44	8
9	·18										·02	·08	9
10		·18	·13									·70	10
11	·31		·02								·96		11
12	·01		·52						·04		·09	·02	12
13			·09		·10				·50			·35	13
14		·12			·30							·66	14
15		·02	·07								·07	·01	15
16						·43					·77	·10	16
17			·02			·02					·65	·26	17
18		·15	·03								·52	·67	18
19						·15			·16	·25	·04	·16	19
20								·06	·04			·93	20
21	·02	·15						·50	·20	1·05		·19	21
22	·08	·03	·27			·11		·06		·12		·60	22
23		·18				·80			·19	·21	·02	·14	23
24		·18				·02	·01			1·25		·39	24
25		·04				·10		·02	·01	·05			25
26		·01	·02	·19		·09	·09			·22		·32	26
27		·33	·22	·09			·05		·10	·20	·03	·22	27
28		·20		·30				·08			·03	·02	28
29				·10		·07	·18		·15	·41			29
30				·02		·01		·09		·34			30
31													31
Total	1·26	1·59	1·59	1·16	·84	1·80	·33	·83	1·39	4·74	4·58	8·00	TOTAL for year 28·11
No. of Rain Days.	11	12	11	8	4	10	4	7	9	13	19	25	133

W. 8,000, X. '11.

9

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

Kent at Rapkyns ~~Horsham~~ Slinfold

in the County of Sussex 2

by W. W. Knight Esqre

RAIN GAUGE
- Pattern
- Diameter of top 6 in.
- Height of top above Ground ft. 8 in.
- " " " Sea Level ft.

Time of Observation

Nearest Railway Station
- Name
- Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			·25				·02			·03		1
2	·09			·14	·27						·10	·23	2
3					·17						·13	·15	3
4	·03										·24	·23	4
5				·07						·18	·02	·05	5
6	·37									·30	·01	·43	6
7	·05									·16	·50	·35	7
8	·10		·20								·35	·44	8
9	·18										·02	·08	9
10		·18	·13									·70	10
11	·31		·02								·96		11
12	·01		·52						·04		·09	·02	12
13			·09		·10				·50			·35	13
14		·12			·30							·66	14
15		·02	·07								·07	·01	15
16						·43					·77	·10	16
17			·02			·02					·65	·26	17
18		·15	·03								·52	·67	18
19						·15			·16	·25	·04	·16	19
20								·06	·04			·93	20
21	·02	·15						·50	·20	1·05		·19	21
22	·08	·03	·27			·11		·06		·12		·60	22
23		·18				·80			·19	·21	·02	·14	23
24		·18				·02	·01			1·25		·39	24
25		·04				·10		·02	·01	·05			25
26		·01	·02	·19		·09	·09			·22		·32	26
27		·33	·22	·09			·05		·10	·20	·03	·22	27
28		·20		·30				·08			·03	·02	28
29				·10		·07	·18		·15	·41			29
30				·02		·01		·09		·34			30
31													31
Total	1·26	1·59	1·59	1·16	·84	1·80	·33	·83	1·39	4·74	4·58	8·00	TOTAL for year
No. of Rain Days.	11	12	11	8	4	10	4	7	9	13	19	25	28·11 133

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
2 BRITISH RAINFALL.
JAN 1913

Kept at Rapkyns Horsham
in the County of Sussex 2
by W. W. Knight Esq

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name Horsham
Distance 3½ miles Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·02		·07	·10		·04	·75		·27	1
2			·38		·02	·06	·28						2
3	·02	·03	·03			·17		·38					3
4	·13		·70		·08	·08					·20		4
5	·19		·30					·39			13		5
6	·37	·15			·03			·38				·37	6
7			·03		·16	·42		·25				·05	7
8	·35	·48	·26			·03		·08				·02	8
9		·08	·10			·08	·01	·12				·09	9
10		·10	·01					·13			·09	·34	10
11	·13	·34	·03									·17	11
12		·06	·06		·09	·15		·25					12
13		·02	·02								·08	·06	13
14					·04			·03	·02	·02		·01	14
15	·02		·09		·10	·58						·40	15
16	·24		·20		·16	·21		·08	·03	·03	·03		16
17	·38		·32			·08		·12			·14	·10	17
18	·08		·26					·12	·02	·02		·12	18
19	·05	·09	·10			·01		·60					19
20	·04	·03	·45					·05	·30	·30			20
21		·07	·21		·11				·14	·14	·15		21
22	·08	·35	·01					·23				·01	22
23	·40	·16	·38					·32	·06	·06	·17	·08	23
24	·10	·04				·16	·02	·15				·18	24
25	·09					·30		·70			·23	·54	25
26		·02				·03		·70		·40	·35	·30	26
27						·11				·22		·31	27
28		·05				·10	·25	·10	·12	·60	·42	·11	28
29		·03					·05	·59	1·76	·23	·02		29
30					·25	·03		·55	1·26	·21			30
31			·03				·34	·20					31
Total	2·57	2·10	4·09	·02	1·04	2·67	1·05	6·52	3·18	2·98	1·91	3·53	TOTAL for year 31·66
No. of Rain Days.	16	17	22	1	10	18	7	23	4	12	12	19	161

W. 8,000, X. '11.

cor by B. 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
11 - JAN 1914

Kept at Krapkyn's Horsham
in the County of Sussex
by W. Duncan Knight Esqr

2

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Horsham
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·34	·08	·16	·04				·25		·12	·20	1
2	·13	·14					·02		·05	·05	·06		2
3	·02		·06	·20	·46					·13			3
4	·48				·34				·80	·09	·06	·23	4
5	·59	·04	·03			·10			·39		·18 ·08		5
6	·10	·07	·08		·04	·06	·31			·37	·05	·25	6
7		·30	·03		·25		·14			·42	·15		7
8		·06			·17			·05	·10	·20	·02	·02	8
9		·06			·07		·02			·01			9
10				·04			·02				·40		10
11	·80			·41						·49	·18		11
12					·45						·50		12
13	·21								·33		·17		13
14	·23		·11	·05			1·45		·14	·02	·20		14
15	·45	·10	·20	·25			·40		·12				15
16	·18		·48	·19			·03		·19				16
17	·07		·16	·03			·30						17
18			·16	·15							·07		18
19	·27		·10		·09	·09	·09		·19				19
20	·35		·35	·09	·13	·13				·54			20
21			·28							·38	·75		21
22	·32		·13	·21					·11	·02			22
23			·14									·73	23
24	·05	·02						·10			·03		24
25				·24							·03		25
26			·13	·09	·22			·05		·80		·17	26
27			·03	·05						·06			27
28	·11		·52	·06						·15			28
29	·05		·05	·32	·48			·07		·18			29
30	·38			·17				·20		·18			30
31			·06					·80		·05			31
Total	4·79	1·13	3·08	2·71	2·52	·38	2·78	1·27	2·67	4·01 4·03	2·97	1·60	YEAR'S TOTAL 29·91
Rain Days.	18	9	20	17	10	4	10	6	11	18	16	6	145

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

Ex. MG

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at 'Rapkyns' Horsham

in the County of Sussex 2

by W. D. Knight Esq^re

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Horsham

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·22			·07	·07	1
2							·06				·33	·20	2
3			·11	·02	·25								3
4			·02	·33	·08			·19			·26	·21	4
5	·07		·08	·42	·22	·05	·20	·03					5
6		·20		·13	·02	·03						·27	6
7		·55	·11	·11	·02	·02	·10					·23	7
8	·06	·65	·26	·02		·05	·07	·19				·05	8
9	·27		1·15	·23					·18			1·13	9
10	·08	·12		·10	·08	·06			·12			·02	10
11		·65	·46	·02					·18			·41	11
12		·16	·08				·55		·26		·02	·58	12
13		·37	·17			·02			·11	·04	·07	·93	13
14		·25	·25							·25	·10	·39	14
15		·05	·15				·13	·04			·70		15
16			·01										16
17		·46	·15				·02		·16			·18	17
18		·07	·23									·35	18
19		·08	·63				·25				·12	·16	19
20		·30	·35						·03			·25	20
21		·78	·07							·11		·03	21
22		·06			·32		·06			·22			22
23			·17		·12								23
24			·03								·25		24
25			·20							·28	·03		25
26			·03					·22		·09	·21	·65	26
27			·04								·07	·45	27
28			·10		·02					·07	·45	·46	28
29	·13									·29	·26		29
30	·02	X								·06	·72	·52	30
31		X		X	·10	X			X		X	·02	31
Total	·63	4·75	4·85	1·38	1·23	·23	1·44	·89	1·04	1·41	3·66	7·56	YEAR'S TOTAL 29·07
Rain Days.	6	15	23	9	10	6	9	6	7	9	15	22	137

W. 8,000. X. 14.

W M [illegible] [illegible] 23.11.16

545

FORM A. BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rapkyn's

in the County of Sussex 2

by W. Duncan Knight Esq

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Horsham

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55	·19	·01				·18		·31	·02	·05	45	1
2	·35	·17		·07				·10	·02	·11		·11	2
3	·32		·07	·19	·08			·10	·02			·44	3
4	·08							·41				·50	4
5	·02	·61						·07				·50	5
6	·47	·13	·12	·65			·73	·03				·22	6
7	·18	·36	·02				·18					·37	7
8	·02	·80					·04	·04					8
9	·02	·07		·19		·09		·05			·40	·62	9
10	·19											·33	10
11	·02		·03								·62	·02	11
12	·03	·18		·10	·36						·54		12
13	·03	·73			1·18			·10					13
14	·02	·05					·03	·09	·06			·32	14
15	·14				·04			·47			·07	·33	15
16		·63					·73	·06				·12	16
17		·53			1·06			·04					17
18		·13	·02		·10						·07		18
19		·10			·04					·03			19
20	·29				·03		·03					·13	20
21	·10									·12		·03	21
22	·80		·04				·61					·13	22
23		·04	·09				·11			·33		·27	23
24			·02				·15		·30	·32			24
25				·06		·02	·05					·45	25
26		·05				·25	·26					·62	26
27		·05				·02				·45		·05	27
28		·05				·13			·80	·37			28
29						·08	·22	·09		·02	·37		29
30	·10	X				·70				·26	·55	·04	30
31	·02	X		X		X		·37	X	1·20	X	30	31
Total	3·75	4·87	·42	1·26	2·89	1·29	3·31	2·02	1·51	3·23	2·67	6·35	YEAR'S TOTAL 33·59 33·5
Rain Days.	20	18	9	6	8	7	13	14	6	11	8	22	142

W. 8,000. X. 15.

3PR

532

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Rapkyns Slinfold
in the County of Sussex
by W. D. Knight. Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Horsham
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·02	·07	–	·06	–	–	–	·25	·04	·30	–	1
2	·25	·13	·05	–	·24	–	–	–	·11	·90	·02	–	2
3	–	·56	·15	–	–	–	–	–	·21	·40	·75	–	3
4	·17	·08	–	–	–	·35	–	–	·23	·01	·40	–	4
5	–	·02	–	–	·25	·08	–	–	–	·07	·67	–	5
6	·05	·08	·08	–	–	·18	·50	–	–	·07	·65	–	6
7	·02	·02	·43	–	·28	·30	·08	–	–	–	·95	·03	7
8	–	–	–	–	·24	·05	–	–	–	–	–	·43	8
9	–	–	·02	–	·30	·03	–	–	–	–	–	·11	9
10	–	·33	·05	·08	–	·45	·21	–	–	–	–	·15	10
11	·05	·18	–	·18	–	·13	–	–	–	–	–	·06	11
12	·04	·09	·02	·04	·10	·20	·06	–	–	–	–	–	12
13	–	·32	·32	·09	·15	·05	–	–	–	·09	–	–	13
14	–	·52	·22	–	·08	–	–	–	–	–	–	·06	14
15	–	·05	·15	–	–	–	–	·27	–	–	–		15
16	–	·03	·28	·14	–	–	·09	·58	–	–	–	–	16
17	·15	·17	–	·04	–	–	–	·06	·23	1·10	–	–	17
18	–	·09	–	·03	–	–	–	·23	·29	–	·62	·25	18
19	·20	–	·14	·14	–	·02	–	·01	·10		·60	–	19
20	·10	–	·15	·04	–	–	–	–	–	–	·07	·75	20
21	·02	–	·16	–	–	–	·15	–	–	–	–	·25	21
22	–	–	·01	–	–	–	–	–	–	–	·05	·64	22
23	·01	·14	–	–	–	–	–	–	–	–	·02	·15	23
24	–	–	–	–	·13	·02	–	–	–	·30	·11	·33	24
25	–	·60	·19	–	–	–	–	·36	–	·03	·06	–	25
26	·02	–	·04	–	–	·12	–	·03	·20	·30	–	–	26
27	–	·20	·68	·12	–	·05	–	·37	·10	·90	–	–	27
28	–	·40	·18	–	–	·05	–	·04	·12	·06	–	·13	28
29	–	·16	·01	–	–	·30	–	·83	·11	·40	–	·27	29
30	–	X	–	–	·10	–	–	·04	–	·23	–	–	30
31	–	X	–	X	–	X	–	–	X	·09	X	–	31
Total	1·23	4·19	3·40	·90	1·92	2·38	1·09	2·82	1·95	4·99	5·27	3·61	YEAR'S TOTAL 33·76
Rain Days.	13	21	21	10	11	16	6	11	11	16	14	14	164

W. 8,000, VIII. 16

17·111·19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4·1·19

Kept at Rapkyns Slinfold

in the County of W. Sussex

by W Duncan Knight

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	~~April.~~ May	~~May.~~ April	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1								·04			·30	·15	1
2								·36				·16	2
3		1	·05	·52	·08			·34		·02	·70		3
4		·17	·02		·02			·02	·18		·50		4
5		·10	·05	·05				·15	·56	·10		·05	5
6		·10		·12	·15			·12				·08	6
7	·15	·07		·13	·18				·16		·06		7
8		·12						·02	·10	·10	·15		8
9					·07	·17	·20		·43	·16		·42	9
10					·07		·30		·40	·16	·07	·41	10
11					·0		·45			·22		·12	11
12		·05			·07		·07						12
13	·21			·14					·18	·12		·04	13
14	17		·05			·06	·12		·22			·20	14
15	1.12					·20	·15						15
16					·25	1·10			·24				16
17	·50				·15		·70						17
18	·35				·12	·26			·65			·21	18
19	·16		·07		·09	·13	·08		·07				19
20	·05	·10	~~·10~~			·10	·20		·20	·10			20
21	·17	·02	~~·02~~		·50		·10		·21	·20			21
22	·16			·73	1·13		·30		·23				22
23	·05			·7	·61		·65	·09	·10		·17	·12	23
24		·28	~~·28~~			·02			·18				24
25					·49		·05	·23					25
26							·50				·40		26
27		·10	·02		·10			·12	·08		·11	·10	27
28		·05	·17								·11	·1	28
29									·96			·2	29
30		✕	·40							·10		(04)	30
31		✕	·10	✕		✕			✕	·05	✕		31
Total	3·03 ✓	1·16 ✓	·93 ✓	1·76 ✓	3·48 ✓	2·04 ✓	3·87 ✓	1·49 ✓	~~4·45~~ 5·15	1·33 ✓	2·27 ✓	2·14 ✓	YEAR'S TOTAL ~~27·95~~ 28·65
Rain Days.	11 ✓	11 ✓	9 ✓	7 ✓	16 ✓	8 ✓	14 ✓	10 ✓	18 ✓	11 ✓	10 ✓	14 ✓	139

W. 8,000, IX. 17.

Surrey

Rapkyns Horsham

March 19 1919

Dear Sir,

I am obliged by yours of the 17th & have no doubt your figures are correct for the Rainfall in Septr —
My gardener who attended to the matter is on the sick list & substitutes are not to be had —

Yours faithfully

W [illegible] Knight

POST CARD

ONE PENNY
POSTAGE

Carle Salter Esq

62 Camden Square

London N.W. 1

RIPSLEY
SUSSEX
1914 – 20

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

19 14

Long.

Kept at R

…rvation 9 a.m

…way Station Liphook

in the County

…Rain Gauge 5 in.

by W

…of Gauge above Ground 1 ft. — in.

" " Sea Level 400 ft.

IMPOR… 9 a.m. and the result entered to the previous day … almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .66

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03					.19			.23	.02	1
2						.01	.05	.06			.17	.30	2
3			.07	.02	.38		.11				.05	.03	3
4			.02	.29	.05		.03	.44			.48	.29	4
5	.06	.21	.07	.50	.14		.30	.24		.01	.03	.02	5
6		1.32	.03		.09	.06		.04				.51	6
7		.50	.21	.23	.06	.08	.32	.01				.36	7
8			.49	.06	.12	.02		.34				.05	8
9		.32	1.02	.29				.02	.26			2.25	9
10	.14	.47	.02	.10	.18				.22			.01	10
11		.16	.60		.01	.07	.25		.15		.10	.66	11
12		.69	.14		.06		.99		.36		.02	.71	12
13		.67	.35	.01	.04	.09			.21	.21	.15	.88	13
14			.31			.05				.35	.35	.44	14
15			.22				.09	.25			.44	.01	15
16		.69					.07		.16		.01		16
17			.13						.17			.53	17
18		.13	.31									.55	18
19		.45	.46				1.00				.15	.27	19
20		.71	.27			.02			.11	.02		.43	20
21		.01	.09					.23		.15			21
22					.12		.11	.03		.39		.05	22
23		.20	.17		.01	.01	.02	.01		.02			23
24			.05			.02					.25		24
25	.06		.11					.18		.32		.11	25
26								.18			.25	.83	26
27	.05		.02							.11	.11	.37	27
28	.01	.05	~~[illegible]~~		.30		.25			.09	.50	.74	28
29	.35		.19							.35	.30		29
30	.03		.15	.01						.22	.91	.64	30
31	.07				.05		.05			.08		.06	31
Total	.77	6.58	5.53	1.51	1.51	.53	3.64	2.22	1.64	2.32	4.50	11.12	YEAR'S TOTAL 41.87
Rain Days.	8	15	25	9	12	10	14	14	8	13	18	26	172

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

19 14

Long.

Kept at Ripsley (P.O. Liphook. Hants)

in the County of W. Sussex 9

by W. D. Branquet

Time of Observation 9. a. m

Nearest Railway Station Liphook

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .66

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03					.19			.23	.02	1
2						.01	.05	.06			.17	.30	2
3			.07	.02	.38		.11				.05	.03	3
4			.02	.29	.05		.03	.44			.48	.29	4
5	.06	.21	.07	.50	.14		.30	.24		.01	.03	.02	5
6		1.32	.03		.09	.06		.04				.51	6
7		.50	.21	.23	.06	.08	.32	.01				.36	7
8			.49	.06	.12	.02		.34				.05	8
9		.32	1.02	.29				.02	.26			2.25	9
10	.14	.47	.02	.10	.18				.22			.01	10
11		.16	.60		.01	.07	.25		.15		.10	.66	11
12		.69	.14		.06		.99		.36		.02	.71	12
13		.67	.35	.01	.04	.09			.21	.21	.15	.88	13
14			.31			.05				.35	.35	.44	14
15			.22				.09	.25			.44	.01	15
16		.69					.07		.16		.01		16
17			.13						.17			.53	17
18		.13	.31									.55	18
19		.45	.46				1.00				.15	.27	19
20		.71	.27			.02			.11	.02		.43	20
21		.01	.09					.23		.15			21
22					.12		.11	.03		.39		.05	22
23		.20	.17		.01	.01	.02	.01		.02			23
24			.05			.02					.25		24
25	.06		.11					.18		.32		.11	25
26								.18			.25	.83	26
27	.05		.02							.11	.11	.37	27
28	.01	.05	~~.14~~		.30		.25			.09	.50	.74	28
29	.35		.19							.35	.30		29
30	.03	╳	.15	.01						.22	.91	.64	30
31	.07	╳		╳	.05	╳	.05		╳	.08	╳	.06	31
Total	.77	6.58	5.53	1.51	1.51 ✓	.53 ✓	3.64	2.22	1.64	2.32	4.50	11.12	YEAR'S TOTAL 41.87 ✓
Rain Days.	8	15	25	9	12	10	14	14	8	13	18	26	172 ✓

W. 8,000. X. 14.

[illegible] 26 11-16 W. D. L

670

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ripsley

in the County of W. Sussex

by W. D. Branquet

9

Lat. .... Long. ....

Time of Observation 9 a. m

Nearest Railway Station Liphook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.66	.14	.07	.	.01	.	.	.05	.47	.10	.15	.50	1
2	.	.21	.24	.09	.	.01	.	~~.[illegible]~~	.18	.11	.	.21	2
3	.93	.	.15	.17	.08	.	.	.24	.04	.	.	.37	3
4	.02	.	.	.	.	.	.	.01	.	.	.	.60	4
5	.03	.65	.	.	.	.	.	.07	.	.	.	.55	5
6	.60	.16	.	.64	.	.	.90	.23	.	.	.	.36	6
7	.32	.45	.02	.	.05	.	.18	.01	.	.	.	.45	7
8	.04	1.00	.03	.05	.	.	.12	.	.	.	.	.01	8
9	.05	.06	.	.10	.	.19	.	.02	.	.	.43	.85	9
10	.25	.02	.	.	.	.	.	.01	.	.	.	.25	10
11	.08	.	.06	.	.	.	.	.12	.	.	.75	.01	11
12	.08	.50	.	.32	.41	.	.	.30	.	.05	.60	.01	12
13	.05	.25	.	.	1.45	.	.	.09	.09	.	.	.	13
14	.06	.	.	.	.	.	.15	.42	.07	.	.	.83	14
15	.18	.	.	.	.09	.	.05	.	.	.	.10	.40	15
16	.01	1.00	.	.	.25	.	1.07	.	.	.	.	.07	16
17	.	.52		.	1.11	.	.	.	.	.	.	.	17
18	.	.30	.03	.	.21	.	.	.	.	.	.05	.	18
19	.	.24	.	.	.	.	.04	.	.	.		.	19
20	.27	.	.	.05	.05	.	.	.	.	.		.12	20
21	.10	.	.	.	.02	.	.04	.	.	.30		.10	21
22	1.37	.	.10	.	.	.	1.12	.	.01	.02		.37	22
23	.01	.21	.14	.	.	.03	.15	.	.40	.37		.40	23
24	.	.16	.01	.	.	.	.05	.	.73	.35		44	24
25	.	.11	.	.09	.	.14	.03	.	.	.		24	25
26	.	..	.01	.	.	.20	.12	.	.	.		1.00	26
27	.	.05	.	.	.	.30	.	.	.05	.49		.07	27
28	.	.09	.	.	.	.18	.	.	.70	.16		.	28
29	.		.	.	.	.85	.07	.23	.	~~.[illegible]~~	.50	.07	29
30	.17	X	.	.	.	.02	.	.	,	x.29	.80	.05	30
31	.02	X	.	X	.	X	.	.43	X	1.10	X	.47	31
Total	5.30	6.12	.86	1.57	3.73	1.92	4.09	~~2.08~~ 2.23	2.74	3.49	3.38	8.80	YEAR'S TOTAL ~~44.02~~ 44.17
Rain Days.	21	19	11	8	11	9	14	14	10	16	8	26	162 162

W. 8,000. X. 15.

Exd 678

66a

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Ripsley
in the County of W. Sussex Sussex
by W. D. Bosanquet

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	.08	.	.	.	.	.	.	.48	.21	.46	.	1
2	.49	.12	.10	.	.50	.	.	.	.26	1.15	.18	.	2
3	.04	.90	.18	.	.20	.02	.03	.	.09	.73	.70	.	3
4	.27	.11	.	.	.	.40	.	.	.17	.02	.54	.	4
5	.04	.08	.02	.01	.20	.12	.	.	.	.	.87	.	5
6	.02	.20	.03	.04	.04	.04	.40	.	.	.15	.91	.	6
7	.	.02	.61	.	.08	.07	.25	.	.	.02	1.05	.04	7
8	.01	.	.	.	.38	.	.	.	.	.	.	.36	8
9	.	.	.01	.	.29	.02	.	.	.	.	.	.17	9
10	.	.43	.10	.05	.02	.13	.	.	.	.01	.02	.14	10
11	.07	.09	.07	.14	.	.10	.21	.	.	.	.	.03	11
12	.05	.09	.07	.10	.05	.07	.12	.02	.02	.07	.	.	12
13	.	.25	.09	.	.	.	.	.03	.	.	.	.	13
14	.	.48	.06	.10	.07	.	.	.10	.	.10	.	.04	14
15	.	.18	.66	.04	.	.	.	.62	.04	.	.	.	15
16	.03	.04	.20	.15	.	.	.10	.50	.	.02	.	.	16
17	.25	.24	.	.10	.	.	.	.54	.22	.88	.	.	17
18	.08	.06	.04	.07	.	.	.	.12	.25	.	.57	.06	18
19	.25	.	.13	.20	.	.07	.	.	.20	.09	.35	.10	19
20	.21	.	.68	.03	.	.	.	.	.	.04	.02	.74	20
21	.16	.	.	.01	.	.	.07	.	.	.	.	.40	21
22	.01	.	.31	.	.	.	.	.	.	.13	.01	.70	22
23	.	.30	.02	.	.	.22	.	.03	.	.05	.	.08	23
24	.02	.	.	.	.	.08	.	.02	.	.41	.30	.34	24
25	. .	.63	.13	.	.13	.	.	.18	.18	.05	.05	.	25
26	.01	.35	.04	.02	.	.05	.	.05	.34	.55	.04	.	26
27	.02	.	.90	.	.	.	.	.39	.06	.41	.	.	27
28		.45	.04	.	.	.	.	.	.33	.15	.	.33	28
29		.31	.03	.	.	.38	.	.69	.12	.42	.	.31	29
30			.	.	.	.	.	.07		.60	.	.	30
31			.		.		.	.02		.23		.04	31
Total	2.19	5.41	4.52	1.06	1.96	1.77	1.18	3.38	2.76	6.49	6.07	3.88	YEAR'S TOTAL 40.67
Rain Days.	19	21	23	14	11	14	7	15	14	23	15	16	192

631

Form A.
British Rainfall.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ripsley
in the County of W. Sussex
by W. D. Bosanquet

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	.13	.25	·	·	·	1.55	.43	·	.03	.02	1
2	·	·	.02	.13	·	·	·	.06	·	.03	.22	·	2
3	·	.01	·	.19	·	·	.86	.30	·	.16	.05	·	3
4	·	.15	.13	·	·	·	.07	.50	·	.25	·	·	4
5	.43	·	.08	.47	·	.02	·	·	.17	.35	.13	·	5
6	·	·	.30	·	·	.20	·	·	.08	.05	.10	·	6
7	.33	·	·	·	·	·	.10	·	·	.35	·	.08	7
8	.29	·	·	.10	·	·	.40	.11	·	.32	.20	.46	8
9	·	·	.12	.04	·	·	.09	.03	.03	.02	.09	.17	9
10	.18	·	.30	.26	·	·	·	.17	·	.02	·	.03	10
11	.05	·	.28	.20	·	·	·	.08	·	.42	.01	·	11
12	.05	·	.02	.04	·	·	·	.19	.06	.22	·	·	12
13	.06	·	.18	.12	·	·	·	.39	.03	·	·	.01	13
14	.02	·	·	.10	·	·	·	.22	·	·	·	·	14
15	·	·	·	·	·	·	.10	.09	·	.12	·	.05	15
16	.02	.16	·	.12	.07	·	.11	.04	·	1.28	·	.55	16
17	/	.01	·	.09	.29	·	.25	.16	.62	.15	·	·	17
18	.04	.04	.00	.02	.02	.02*	.25	.04	.43	·	.02	·	18
19	.01	.25	.17	·	·	·	·	.05	.21	·	·	·	19
20	.02	·	.08	·	.01	·	.01	.02	.02	·	·	·	20
21	.02	·	.04	·	·	·	·	·	·	.04	·	·	21
22	·	·	.05	·	·	.06	·	.20	·	.10	·	·	22
23	·	.23	·	·	.10	.04	·	.14	·	.02	·	.03	23
24	·	.11	·	·	·	.14	.12	.02	·	.38	.19	.02	24
25	·	.05	.07	·	·	·	.08	·	·	.07	·	·	25
26	·	·	.05	·	·	·	·	.36	.10	.01	.25	·	26
27	·	·	.01	·	.22	.02	·	1.72	·	·	·	·	27
28	·	·	.04	·	·	1.97	·	.28	·	·	·	.01	28
29	·		·	·	1.42	.13	.37	.08	·	51	·	.16	29
30	.01	X	.50	·	·	·	1.30	.15	·	·	.02	.01	30
31	.02	X	.10	X		X	.13	.06	X	.05	X	.05	31
Total	1.55	1.01	2.67	2.12	2.13	2.60	4.24	7.01	2.18	4.92	1.31	1.65	YEAR'S TOTAL 33.39
Rain Days.	15	9	20	14	7	9	15	26	11	22	12	14	174

W. 8,000, IX. 17.

146

FORM A.
BRITISH RAINFALL.
2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Ripsley
in the County of W. Sussex
by W. D. Bosanquet

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	01	.	.	.	.	.	.	.60	.	1
2	.	.05	.	10	.	.	.	.50	.	.	.46	.	2
3	.	.02	.04	.13	.49	.	.	.09	.	.03	.22	.35	3
4	.	.23	.10	.02	.	.	.	.04	.12	.	.91	.04	4
5	.	.12	.12	.	.14	.	.	.17	.	.16	.	.03	5
6	.14	.17	.	.32	.08	.	.	.06	.04	.04	.	.10	6
7	.	.	.	.06	.25	.	.	.	.18	.08	.11	.05	7
8	.	57	.	.	.	.	.	.	.20	.10	.27	.02	8
9	.	.	.	11	.	.10	.45	.	.61	.17	.02	.58	9
10	.03	.	.	15	.	.	.40	.	.26	.14	.07	.36	10
11	.	.	.	.04	.	.	.38	.	.	.30	.	.12	11
12	.	.15	.	.	.23	.	.23	.	.03	.	.	.	12
13	.23	. .	.14	.	.15	.	.19	.	.17	.	.	.05	13
14	.21	.	.	.	.04	.12	.06	.	.37	.16	.	.35	14
15	1.39	.	.	.50	.	.04	.24	.	.03	.	.	.18	15
16	.40	.	03	.13	.	.07	.	.	.78	.02	.	.	16
17	.20	.	.	.	.	.	.30	.	.	.	.	.27	17
18	.67	.	.	.	.	.40	.01	.	.70	.	.	.11	18
19	.15	.	.09	.01	.	.32	.29	.	.05	.05	.	.03	19
20	.05	.23	.02	.54	.	.03	.09	.	.42	.10	.	.	20
21	.21	.12	.	.15	.	.02	.62	.	.40	.09	.02	.06	21
22	.21	.02	.	.	.25	.	.41	.	.20	.	.	.23	22
23	.11	.	.	.	.12	.	.48	.	.02	.	.	.	23
24	.	.28	.	.02	.	.02	.11	.05	.15	.	.14	.	24
25	.01	.	.	.38	.	.	.20	.19	.	03	.	.	25
26	.	.01	.	.04	.	.	.30	.	.09	.01	.09	.17	26
27	.	.24	.06	.04	.	.	.17	.19	.	.	.12	.03	27
28	.	.	.36	.02	.	.	.	.02	.10	.	.	.04	28
29	.02		.03	.	.	.	.	.	.93	.	.	.03	29
30	.		.45	.	.	.	.	.	.06	.07	.10	.05	30
31	.03		.08		.		.	.		.21		.	31
Total	4.06	2.21	1.52	2.77 2.79	1.75	1.12	4.93	1.31	5.91	1.76	3.13	3.25	YEAR'S TOTAL 33.72
Rain Days.	16	13	12	19	9	9	18	9	22	17	13	22	179

Gd. M 384

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ripsley
in the County of W. Sussex
by W. D. Brangnet

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	.04	.06	.	.	.	.15	.	.	.02	.02	1.36	1
2	.55	.	.02	.	.11	.	.01	.	.09	.	.05	.06	2
3	.33	.	.56	.	.02	.	.15	.	.08	.	.02	.28	3
4	.29	.05	.56	.	.	.03	.13	.07	.15	.	.08	.10	4
5	.	.36	1.33	.	.	.	.06	.	.38	.	.18	.33	5
6	.43	.	.11	.03	.18	.	.	.	.	.	.	.72	6
7	.08	.	.60	.	.	.	.	.	.	.	-	.	7
8	.30	.	.16	.05	.	.	.	.	.	.	.01	.	8
9	.24	.	.08	.09	.17	.	.	.	.	.	.11	.	9
10	1.13	.	.22	.07	.	.	.	.	.	.	.	.20	10
11	.11	.	.12	.30	.13	.	.16	.	.	.	.04	.16	11
12	.	.	.	.05	.	.	.06	.	.	.04	.	.01	12
13	.05	.	.05	.73	.	.	.	.	.	.	.	.05	13
14	.60	.01	.	.45	.	.	.18	.	.77	.	.	.08	14
15	.23	.03	.02	.03	.	.	.	.	.	.01	.01	1.10	15
16	.06	.75	.	.	.	.	.	.	.	.	.13	.	16
17	.	.38	.	.	.	.	.	.	.	.	.15	.03	17
18	.	.09	.31	.	.	.	.	.05	.	.	.11	.04	18
19	.11	.36	.92	.	.	.17	.46	.34	.	.	.10	.02	19
20	.58	.13	.24	.	.	.46	.03	.20	.	.	.	.03	20
21	.08	.60	.	.	.	-	.05	.	.	.02	.01	.05	21
22	.	.02	.03	.	.	.	.17	.	.52	.	.02	.20	22
23	.	.	.	.	.	.01	.	.	.05	.	.06	.10	23
24	.	.02	.	.03	.	.05	.	.	.	.25	.10	.	24
25	.03	.12	.	.	.	.	.	.33	.	.	.	.07	25
26	.04	.21	.08	.08	.	.	.02	.03	.13	.	.06	.50	26
27	.53	.	.05	.45	.	.	.	.50	.	.	.10	.06	27
28	.	.	.25	.02	.	.	.	1.05	.	.	.35	.48	28
29	.05		.	.	.	.01	.	.28	.	.11	.01	.10	29
30	.		.03	.21	.	.11	.	.43	.	.	.60	.92	30
31	.		.02		.		.	.		.		.10	31
TOTAL	6.31	3.17	5.82	2.59	.61	.84	1.62	3.28	2.17	.45	2.32	6.56	YEAR'S TOTAL
Days with ·01 in. or more	21	15	22	14	5	7	13	10	8	6	22	26	35.73

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max fall 1.36 in on Dec 1.

169 days

551

Ch

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ripsley. Liphook
in the County of W. Sussex
by W. D. Bosanquet

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Liphook. 1½m
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .25

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.08	.25	.20	.	.45	.	.	.63	.05	.40	1
2	.16	.05	.	.05	.12	.	.05	.25	.10	.10	.	.20	2
3	.18	.09	.02	.04	.27	.	.13	.	.	.50	.	.	3
4	.	.	.26	.12	..	.	1.37	.26	.	.38	.	.15	4
5	.	.06	.32	.13	.	.	.77	.40	.	.09	.	.09	5
6	.	.32	.	.	.26	.	.43	.	.	.01	.	.04	6
7	.07	.	.	.21	.	.	.21	.	.	.	.	.	7
8	.	.	.02	.05	.10	.	.29	.	.	.	.	.	8
9	.33	.	.07	.12	.	.07	.10	.	.	.	.	.	9
10	.85	.	.08	.02	.	.20	.28	.	.	.04	.	.	10
11	.45	.10	.	.05	.05	.05	.25	.	.	.	.	.14	11
12	.06	.03	.	.40	.	.41	.	.	.	.	.14	.	12
13	.15	.03	.25	.10	.	.	.	.	.	.	.25	.	13
14	.01	.	.42	.54	.	.	.	.	.07	.12	.68	.	14
15	.04	.	.03	.20	.03	.	.01	.	.73	.16	.13	.	15
16	.	.	.	.17	.	.	.	.	.18	.	.	.	16
17	.	.	.	.02	.18	.	.03	.	.91	.	.	.06	17
18	.15	.	.04	..	.09	.02	.04	.81	.18	.	.	.05	18
19	.07	.11	.	.25	.	.05	.	.02	.04	.	.02	.04	19
20	.	.	.	.22	.	.69	.	.	.	.	.	.05	20
21	.	.	.	.02	.	.	.75	.	.17	.	.	.38	21
22	.12	.	.	.27	.	.	.	.01	.22	.	.	.06	22
23	.	.	.	.	.	.	.37	.12	.	.	.	.46	23
24	.04	.01	.20	.05	.	.	.	.	.	.	.03	.20	24
25	..	.	.03	.	.03	.	.49	.	.	.	.	.	25
26	.09	.	.45	.01	.	.05	.02	.	.	.	.	.12	26
27	.74	.02	.03	.12	.	.07	.	.	.	.	.42	.22	27
28	.45	.01	.12	.05	.	.02	.12	.	.	.	.03	.03	28
29	.70	.02	.13	.11	.03	.	.	.	.	.	.19	.45	29
30	.08	X	.01	.02	.02	.03	.12	.	.20	.05	.32	.34	30
31	12	X	.12	X	.	X	.	.	X	1.16	X	.25	31
TOTAL	4.86	.85	2.68	3.59	1.38	1.66	6.28	1.87	2.80	3.24	2.26	3.73	YEAR'S TOTAL 35.20
Days with ·01 in. or more	20	12	19	26	12	11	20	7	10	11	11	20	179
Days with ·04 in. or more	19	6	13	21	8	8	17	5	10	10	8	19	144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ROTHER HILL

SUSSEX

19~~11~~ - 1920

RE

FORM A2.
BRITISH RAINFALL.

13 JAN 1

Kept at Rotherhill,

in the County of Sussex

by Dr W. A Will

with syphonic inlet

8 in.

Ground ft. 8 in.

Sea Level 170 ft.

a.m.

Name Elsted

Distance 1¾ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·20				·11			·04	·06	1
2	·11			·11	·47						·15	·26	2
3		·09			·26			·10		·03	·27	·04	3
4	·02		·05	·12						·06	·26	·63	4
5	·01		·10	·04						·22	·06		5
6	·37									·01	·06	1·33	6
7	·04									·27	·51	·24	7
8	·04		·19								·30	·60	8
9	·15		·31	·02							·10	·47	9
10	·64	·16	·05								·01	1·13	10
11			·64		·05				·03		1·26		11
12			·02								·18	·14	12
13			·01		·09				·56	·05		·55	13
14		·06	·07		·22							·73	14
15		·02									·17	·05	15
16						·79				·01	·87	·28	16
17			·09			·09					·46	·44	17
18		·13		·03		·14					·34	·83	18
19		·06	·07	·01		·17			·67	·26	·05	·20	19
20	·07							·03	·09	·01		1·04	20
21		·34	·90						·06	·73		·17	21
22	·03					·48				·27		·70	22
23		·20	·03			·35			·10	·34		·53	23
24		·20				·14		·22		1·85		·47	24
25		·04	·06	·12	1·00	·10	·93	·03	·08	·01		·10	25
26		·01	·02	·34			·02			·28		·32	26
27		·39	·57	·12			·25		·07	·17		·17	27
28		·43		·35				·12			·09		28
29				·12		·14	·11		·20	·41	·01		29
30				·08		·03		·80		·49		·01	30
31										·01			31
Total	1·68	2·13	3·18	1·68	2·09	2·43	1·31	1·41	1·86	5·48	5·19	11·49	TOTAL for year 39·91
No. of Rain Days.	10	13	16	13	6	10	4	7	9	19	19	26	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 JAN

✓

REGISTER OF RAINFALL IN 1911

Kept at Rotherhill, Stedham Midhurst
in the County of Sussex 2
by Dr W. A. Wills.

RAIN GAUGE
Pattern B. Ass. with syphonic inlet
Diameter of top 8 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 170 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Elsted
Distance 1 3/4 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·20				·11			·04	·06	1
2	·11			·11	·47						·15	·26	2
3		·09			·26			·10		·03	·27	·04	3
4	·02		·05	·12						·06	·26	·63	4
5	·01		·10	·04						·22	·06		5
6	·57									·01	·06	1·33	6
7	·04									·27	·51	·24	7
8	·04		·19								·30	·60	8
9	·15		·31	·02							·10	·47	9
10	·64	·16	·05								·01	1·13	10
11			·64		·05				·03		1·26		11
12			·02								·18	·14	12
13			·01		·09				·56	·05		·55	13
14		·06	·07		·22							·73	14
15		·02									·17	·05	15
16						·79				·01	·87	·28	16
17			·09			·09					·46	·44	17
18		·13		·03		·14					·34	·83	18
19		·06	·07	·01		·17			·67	·26	·05	·20	19
20	·07							·03	·09	·01		1·04	20
21		·34	·90						·06	·73		·17	21
22	·03					·48				·27		·70	22
23		·20	·03			·35			·10	·34		·53	23
24		·20				·14		·22		1·85		·47	24
25		·04	·06	·12	1·00	·10	·93	·03	·08	·01		·10	25
26		·01	·02	·34			·02			·28		·32	26
27		·39	·57	·12			·25		·07	·17		·17	27
28		·43		·35				·12			·09		28
29				·12		·14	·11		·20	·41	·01		29
30				·08		·03		·80		·49		·01	30
31										·01			31
Total	1·68	2·13	3·18	1·68	2·09	2·43	1·31	1·41	1·86	5·48	5·19	11·49	TOTAL for year 39·91
No. of Rain Days.	10	13	16	13	6	10	4	7	9	19	19	26	152

W. 8,000, X. '11.

cop 5.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL 4 JAN 1913

Kept at Rotherbutt - Stedham ~~W. H86~~

in the County of West Sussex 2

by D. W. A. Wills.

Lat. Long.

Time of Observation 9 - am

Nearest Railway Station Elsted

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 170. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21		·03	·26	·64		·02	·76		·51	1
2			·56			·10	·25		·01				2
3	·04	·02	·04			·26		·52				·03	3
4	·16	·03	·91			·35		·44			·18		4
5		·10	·24		·03			·30					5
6	·39	·11	·01					·74			·01	·21	6
7			·07		·19	·66		·21				·17	7
8	·49	·58	·45	·02		·16		·04				·04	8
9	·02	·21	·23	·08		·06	·06	·08				·29	9
10	·12	·14	·11			·02		·33			·11	·39	10
11	·03	·31	·40									·32	11
12	·02	·28	·11		·10	·23	·12	·15			·10		12
13	·01	·03	·03		·03	·01	·22	·08			·06	·13	13
14			·02		·09					·09		·03	14
15		·05	·17			·53		·10			·01	·30	15
16		·01	·41		·18					·04	·05		16
17	·49		·36			·03		·25				·30	17
18	·31		·35					·17				·08	18
19	·11	·11	·12				·09	1·22			·01		19
20		·01	·63			·09		·04		·43	·03		20
21	·54	·12	·34		·29			·14		·20			21
22	·49	·67	·08					·22				·08	22
23	·12	·27	·26					·31		·06	·20	·14	23
24		·08				·55		·18				·28	24
25		·01				·55		·80			·27	·80	25
26		·08						·20		·57	·57	·32	26
27		·03				·22	·11	·18		·43		·57	27
28		·07				·12	·68	·16	·20	1·03	·65	·31	28
29		·07				·05	·37	·14	2·92	·20			29
30					·29	·04		·04	1·52	·30			30
31			·10					·15		·01		·03	31
Total	3·34	3·39	6·21	·10	1·23	4·29	2·54	7·16	4·67	4·12	2·25	5·33 5·33	YEAR'S TOTAL 44·63 44·63
Rain Days.	15	23	24	2	9	19	9	26	5	12	13	21	178

W. 7,500, XI. 12

Ex Dl

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 - JAN 1914

Kept at Rotherhill Stedham

in the County of West Sussex 2

by Dr W. A. Wills.

Lat. 50° 59' 45" Long. 0° 47' W

Time of Observation 9 a.m.

Nearest Railway Station Elsted

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·42	·23	·03	·04	·44			·42	·04	·34	·15	1
2	·03	·17		·15			·07		·24	·26	·11	·02	2
3	·28		·04		·62				·04	·04	·07	·29	3
4	·63		·11		·41		·07		·27	·20	·11	·03	4
5	·46	·07	·33			·11	·03		·76		·21	·05	5
6		·09	·08		·04	·15	·53			·70	·07	·25	6
7			·09		·29	·13	·36			·47	·19		7
8		·11			·30			·56		·20			8
9		·05			·04		·14		·10		·10		9
10							·22		—		·46		10
11	1·08			·38						·58	·35		11
12	·48				·13						·34	·02	12
13	·34		·08						·14		·16		13
14	·47		·18				·71		·06	·04	·27		14
15	·21		·29	·70			·21	·12			·05		15
16	·23	·05	·63	·27			·01		·27			—	16
17	·		·03	·08			·14						17
18	·55		·34				·03				·10		18
19	·29		·08				·10		·18				19
20			·37	·12	·12					1·01			20
21	·33		·28	·13						·34	·05		21
22			·05			·06	..	·09	·19		·75		22
23	·11		·38					·13				·85	23
24				·11									24
25			·08	·41									25
26			·39	·11				·15		·66		·34	26
27			·15	·16						·10			27
28	·16		·07	·16						·22			28
29	·06			·48	·48			·18		·19		·04	29
30	·82			·10				·30		·29			30
31	·04		·10					·65		·17			31
Total	6·60	·96	4·38	3·39	2·47	·89	2·62	2·18	2·67	5·51	3·73	2·04	YEAR'S TOTAL 37·44
Rain Days.	19	7	22	15	10	5	13	8	11	17	17	10	154

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Rotherhill, Stedham Ex. Mg

in the County of West Sussex 2

by Dr W. A. Wills.

Lat. .... Long. ....

Nearest Railway Station Elsted L&SWR

Time of Observation 9 a m

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 8 in.

" " " Sea Level 170 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02					·18			·21	·07	1
2	·02						·06				·18	·23	2
3	·02		·06	·04	·38		·07	·09				·04	3
4			·08	·39	·06			·16			·35		4
5			·04	·47	·27	·07	·33	·21					5
6		·22	·16	·26	·08	·07		·07				·67	6
7	·07	1·34	·42		·03							·35	7
8	·05	·71	1·28	·02		·09		·36				·11	8
9	·06			·19		·02			·23			2·45	9
10		·40	·69	·12	·27				·26			·02	10
11		·65	·11		·03	·03	·48		·12		·10	·74	11
12		·32	·24				·61		·33	·09	·04	·87	12
13		·70	·36			·04			·29	·22	·11	·78	13
14		·65	·24			·06	·40	·02		·43	·39	·42	14
15		·07					·18	·32	·2		·73		15
16			·17				·09		·35		·02		16
17		·85	·3				·		·19			·81	17
18			·46				·01					·59	18
19		·12	·28				·76				·15	·2	19
20		·5	·11			·01			·02			·43	20
21		·65	·01							·3		·1	21
22		·05	·31		·08	·09	·07	·06					22
23			·05			·02				·03			23
24	·05		·14										24
25			·04							·43	·12	·17	25
26							·03	·39		·09	·38	·75	26
27												·55	27
28	·04	·07	·17				·15			·33	·64	·69	28
29	·10									·37	·31	·02	29
30	·05			·05						·18	1·05	·95	30
31	·15						·13			·17		·02	31
Total	·61	7·30	5·74	1·54	1·20	·50	3·37	1·86	1·99	2·64	4·78	12·03	TOTAL for year 43·56
No. of Rain Days	10	15	23	8	8	10	14	10	9	11	15	24	157

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

CK ML

529

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rotherhill Stedham

in the County of West Sussex 2

by Dr W. A. Wills

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Elsted S.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·78	·2	·06					·07	·12	·05	·09	·70	1
2	·34	·37	·15		·04			·24	·28	·15		·19	2
3	·42		·12	·19	·07							·57	3
4	·08							·04				·62	4
5	·04	·86		·04				·09				·6	5
6	·66	·21		·9			·88					·36	6
7	·25	·59		·02	·07		·3					·43	7
8	·03	1·31					·17	·04				·04	8
9	·06	·15		·17		·14		·2			·58	·81	9
10	·35	·19	·05									·27	10
11	·09		·02							·04	·86	·05	11
12	·06	·41		·15	·43						·51		12
13	·07	·76			1·5				·1				13
14	·04	·01					·1	·32	·03			1·17	14
15	·1				·08		·06	·23			·06	·7	15
16		1·28			·31		1·17	·07				·08	16
17		·72			·87			·15					17
18		·22			·24						·07		18
19		·1			·08								19
20	·3			·02			·12					·14	20
21	·15	·1								·28		·1	21
22	1·36	·18	·11				1·05			·02		·08	22
23		·1	·05				·22			·32		·72	23
24	·01		·04	·12		·1	·14		·5	·4		·47	24
25						·14	·08					·18	25
26							·3				·02	1·03	26
27		·05				·06	·01		·2	·61		·03	27
28		·11				·21			·5	·24		·05	28
29						·18	·07	·08			·57	·07	29
30	·17	X				·17				·51	·71	·06	30
31	·01	X		X		X		·59	X	1·02	X	·47	31
Total	5·37	7·92	·60	1·61	3·69	100	4·67	2·72	1·73	3·64	3·47	9·99	YEAR'S TOTAL 45·81 ✓
Rain Days.	21	20	8	8	10	7	14	12	7	11	9	26	153 ✓

W. 8,000, X. 15.

~~W~~ FW [illegible]

575

REGISTER OF RAINFALL IN 1916

5 JAN 1917

FORM A.
BRITISH RAINFALL.

Kept at Rotherhill Stedham

in the County of Sussex

by W A Wills

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·03	·03		·25				·37	·12	·46		1
2	·25	·21	·12		·35				·11	1·09			2
3	·12	·83	·15		·04		·07		·06	·74	·88		3
4	·18	·10				·51			·14		·56		4
5	·03	·08			·19	·16					·87		5
6	·01	·11	·12	·06		·14	·48				·95		6
7		·02	·40							·02	1·11		7
8					·44							·39	8
9		·45			·25	·03						·19	9
10			·07	·05	·02	·49					·03	·14	10
11	·07	·08	·04	·14		·12					·01		11
12		·08		·02	·04	·08							12
13		·30	·08			·03	·16	·06					13
14		·68	·07					·22		·13		·08	14
15		·08	·48					·46	·04				15
16	·07	·05	·31	·19				·03		·82			16
17	·29	·28		·04				·06	·11				17
18	·11	·06	·04	·08				·04	·39	·06	·54	·21	18
19	·15	·01	·19	·14				·25	·24		·34		19
20	·21		·45	·12				·08				1·07	20
21	·01		·19					·11				·22	21
22			·07				·12	·07		·03	·04	·72	22
23	·02					·20		·83		·07	·14		23
24		·19			·12			·04		·46	·16	·37	24
25		·76	·13						·07	·07	·07		25
26	·03	·29	·06					·05	·41	·69			26
27	·01	·07	1·01	·04					·05	·60	·04		27
28		·47	·07							·59		·25	28
29		·28	·02			·50			·35	·28		·28	29
30		X			·50	·03				·49			30
31		X		X	·03	X			X	·33	X	·04	31
Total	~~1·78~~ 1·77	5·51	4·00	·88	2·20	2·29	·83	2·30	2·34	6·59	~~5·20~~ 6·20	3·96	YEAR'S TOTAL ~~38·88~~ 38·87
Rain Days.	16	23	21	10	11	17	4	13	12	17	15	12	~~167~~ 165

W. 8,000, VIII. 16

496

FORM A.
BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Rotherhill Stedham
in the County of West Sussex
by D W. A. Wills

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Elsted L & S W R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 170. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·33				1·12					1
2			·15	·38				·07			·14		2
3				·13			1·18	·32			·06		3
4		·27						·25		·22			4
5	·32		·11	·42		·02		·01	·28	·53	·11		5
6			·41			·06			·18	·03			6
7	·38						·22		·07	·29			7
8	·27			·09			·03	·18	·02	·47	·23	·49	8
9			·30					·01		·06	·08	·22	9
10	·14		·30	·28				·40		·22			10
11	·12		·22	·24	·05	·16		·18		·19			11
12	·05	·40	·03	·01				·18		·48			12
13	·07	·06	·12	·07				·11	·05	·24			13
14				·17	·07					·18			14
15					·08			·02		1·11			15
16	·03			·12			·56					·53	16
17				·15	·25		·26	·19	·19	·18		·03	17
18	·02					·09	·21	·07	·76				18
19								·11	·24				19
20			·19		·67							·07	20
21											·04		21
22			·07					·18		·18			22
23		·24			·13			·31			·05		23
24		·10					·07	·02					24
25		·05	·11							·08			25
26								·42	·11		·25		26
27					·20	·02		1·77					27
28					1·64	2·41		·41					28
29						·11	·11	·02		·62		·16	29
30		X	·37				·71	·18				·03	30
31		X	·13	X		X	·12	·05	X	·06	X	·04	31
Total	1·40	1·12	2·51	2·39	3·09	2·87	3·47	6·58	1·90	5·14	·96	1·57	YEAR'S TOTAL 33·00
Rain Days.	9	6	13	12	8	7	10	24	9	17	8	8	131

W. 8,000, IX. 17.

29

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
6. 1. 19

Kept at Rotherhill Stedham

in the County of West Sussex

by Dr W. A. Wills

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Elsted L&SWR

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
					·21			·09			·56	·05	
1				·13	·15						·53	·28	1
2		·14			·12						·12		2
3										·07	1·03		3
4		·22	·06					·35					4
5		·14	·14		·29			·36	·55	·18			5
6	·16	·15	·57		·18			·28					6
7		·14							·24	·12	·32		7
8		·15	·09						·15		·16		8
9				·13		·07	·48		·80	·31		·92	9
10							·31		·44	·06		·47	10
11	·06						·40		·10	·37		·05	11
12							·15		·15			·07	12
13	·29	·16					·32		·25			·12	13
14	·30			·09	·31		·12		·28	·19		·09	14
15	1·52			·41		·04	·20		·05				15
16	·47		·14	·09		·08			·43			·32	16
17	·28			·13		·06	·07					·24	17
18	·72						·06		1·02			·32	18
19	·14	·18				·46	·05						19
20	·07	·26		·60		·36	·18		·43	·06		·09	20
21	·41			·17		·01	·65		·42	·23		·17	21
22	·18				·21	·02	·55	·07	·24			·17	22
23	·14						·41		·23			·04	23
24			·16				·03		·15		·06		24
25				·09		·01	·82	·27			·11		25
26			·21				·13		·09		·09		26
27			·08	·02			·64		·10		·11	·25	27
28				·01							·16	·04	28
29									1·13			·09	29
30		X	·24								·08		30
31		X	·34	X		X			X	·27	X		31
Total	4·74	1·54	2·03	~~·98~~ 1·87	1·47	1·11	5·57	1·42	7·25	1·86	3·33	3·78	YEAR'S TOTAL ~~35·08~~ 35·97
Rain Days.	13	9	10	~~6~~ 11	7	9	18	6	20	10	12	18	~~129~~ ~~134~~ 143

W, 6,500, VII. 18. W W C

FORM C.
BRITISH RAINFALL.
W. 7,000. VII. 18.

Copy

PLEASE fill in name of place and month.

Rainfall at Stedham &c in the Month of April 1918

DATE	Inches	REMARKS ON THE DAYS.		
	Stedham	Selham	Borden	
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14	·09	–	–	
15	·41	·21	·48	
16	·09	·13	·08	
17	·13	·14	·15	
18		–	–	
19		–	–	
20	X ·60	·63	·50	X
21	X ·17	·25	·12	X
22		–	–	
23		–	–	
24		–	–	
25	X ·09	·47	·44	X
26		–	–	
27	X ·02	·06	·02	X
28	·01		–	
29				
30		–		
31	~~[illegible]~~		–	
TOTAL	187	No. of Days with Rain		

Corrected
Walwidly

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

PRINTED PAPER.

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED..

No writing on this side of the line.

HALFPENNY

THE DIRECTOR,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.1.

469

FORM A.
BRITISH RAINFALL.

2 .IV. 20

REGISTER OF RAINFALL IN 1919

Kept at Rotherhill . Stedham
in the County of West Sussex.
by Dr W. A. Wills

Lat. marked on Long. 1" Ordnance
Time of Observation 9 am.
Nearest Railway Station Elsted.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·63	·01	·05		·05				·01	·05	·07	1·33	1
2	·46	·03	·04		·17				·06		·05	·07	2
3	·44	·01	·61		·72				·14		·06	·24	3
4	·52	·04	·49			·03		·05	·08		·09	·13	4
5		·3	1·22		·23				·18		·17	·3	5
6	·45		·13									·17	6
7	·14		·84										7
8	·41		·23										8
9	·36		·04		·08						·09		9
10	·95		·24									·49	10
11	·21		·13	·31	·12							·05	11
12	·06		·05	·1						·05	·04		12
13	·08			·92								·05	13
14	·71			·41			·22		·47			1·27	14
15	·24	·09		·04							·03		15
16	·07	·82									·07		16
17		·31									·13	·04	17
18		·09	·54		·04			·12			·15	·05	18
19	·24	·47	1·05				·36	·17			·05		19
20	·73	·04	·14										20
21	·12	·77	·02				·05				·03		21
22		·02					·15		·48		·01	·22	22
23									·05		·06	·05	23
24				·02				·03		·24	·19	·05	24
25		·12		·09				·53			·06	·03	25
26	·11		·12	·15			·03		·14			·82	26
27	·52		·29	·59				·88				·07	27
28	·04		·37	·05				·91			·56	·33	28
29	·02			·03				·33		·12		·22	29
30	·04	✕		·18				·4			·62	1·14	30
31	·03	✕		✕		✕		·05	✕		✕	·15	31
Total	7·58	3·12	6·6	2·89	1·41	·03	·81	3·47	1·61	·46	2·53	7·29	YEAR'S TOTAL 3778
Rain Days.	24	14	19	12	7	1	5	10	9	4	19	22	146

W. 8,000. X. 14.

444

3·3·21

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rotherhill Stedham

in the County of Sussex

by W A Wells

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18		·03	·13	·03		·47			·77	·06	·47	1
2	·04			·08	·1		·03	·18	·12	·11		·32	2
3	·22	·03		·02			·22			·51		·13	3
4		·08	·01				1·17	·37		·19		·09	4
5			·23	·16	·01		·84	·23		·32		·04	5
6			·25		·27		·37			·02		·05	6
7	·08	·02		·16			·24						7
8	·11	·02		·06	·12		·31						8
9	·18	·05	·02	·09	·07	·1	·31			·01			9
10	·99	·18	·08	·04		·24	·12						10
11	·34		·07	·67	·04		·27					·26	11
12	·07	·14	·08	·36		·47	·01				·07		12
13	·18	·03	·18	·04							·04		13
14	·02	·03	·54	·56					·16	·09	·79		14
15	·04		·05	·37	·03				·85	·22	·08		15
16		·04	·03	·16					·16				16
17	·01				·25		·03		·51		·01	·04	17
18	·13			·02	·13		·05	·85	·06			·05	18
19	·08			·31					·15		·02	·04	19
20				·29		·71						·1	20
21				·04			·92					·34	21
22	·05			·27			·01					·43	22
23							·39	·13				·48	23
24	·04		·19		·04						·05	·23	24
25		·03	·08		·05		·76						25
26	·1		·52	·02		·06					·03	·17	26
27	1·11		·05	·28		·05					·32	·27	27
28	·48	·03	·21	·01	·07	·01	·11					·43	28
29	·94		·12	·05		·01					·35	·48	29
30	·1		·07	·09		·2	·07		·18	·09	·39	·11	30
31	·13		·17							1·13		·29	31
TOTAL	5·62	·68	2·98	4·28	1·21	1·85	~~5·70~~ 6·70	1·76	2·19	3·46	2·21	4·82	YEAR'S TOTAL ~~36·76~~ 37·76
Days with ·01 in. or more	23	12	20	24	13	9	20	5	8	11	12	21	178
Days with ·04 in. or more	21	5	16	20	10	7	16	5	8	9	9	21	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

√

REGISTE

ROTTINGDEAN

{SCHOOL}

SUSSEX

1911–19

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Rottingdean

in the County of Sussex

by G. Mason

...t: Assoc

5 in.

Ground 1 ft. – in.

Sea Level 120 ft.

am

Name Brighton

Distance 5 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·67			·09	·07			·04		1
2					·22						·19	·24	2
3	·15				·22							·29	3
4			·04	·35						·29	·27	·17	4
5		·02		·04						·89	·03	·08	5
6	·25		·06									·47	6
7			·01							·36	·86	·30	7
8	·05		·17								·88	·25	8
9	·21			·06							·30	·07	9
10		·09	·08	·08							·01	·35	10
11	·53										1·39	·05	11
12	·05		1·07								·04	·10	12
13			·19		·13				·27	·07		·04	13
14		·10			·21							·46	14
15		·03	·18								·17	·11	15
16						·58					·33	·13	16
17		·02				·01	·02				·52	·10	17
18		·09	·09			·05					·91	·36	18
19		·01				·06		·40	·11	·24	·03	·07	19
20			·01						·24			·61	20
21		·17					~~·10~~	·04		·98	#	·24	21
22	·10		·17	·04		·04	~~·26~~	·02		·27		·59	22
23	·16	·12	·09			1·16	·06		·37	·95		·25	23
24	·01	·22								·14		·31	24
25				·07		·14			·06	·03			25
26			·45	·37		·04				·26	·26	·28	26
27		·33	·28	·03					·06	·65	·24	·21	27
28		·15		·17				·03			·02	·03	28
29						·12	·42		·28	·37			29
30				·04						·18		·02	30
31												·02	31
Total	1·56	1·35	2·90	1·92	·78	2·20	·59	·56	1·39	5·68	6·57	6·20	TOTAL for year 31·64
No. of Rain Days	10	12	15	11	4	9	4	5	7	14	18	28	137 √

9,000, IX. '10.

√

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Rottingdean

in the County of Sussex 3

by G. Mason.

RAIN GAUGE
Pattern Brit: Assoc
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 120 ft.

Time of Observation 9 am

Nearest Railway Station
Name Brighton
Distance 5 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·67			·09	·07			·04		1
2					·22						·19	·24	2
3	·15				·22							·29	3
4			·04	·35						·29	·27	·17	4
5		·02		·04						·89	·03	·08	5
6	·25		·06									·47	6
7			·07							·36	·86	·30	7
8	·05		·17								·88	·25	8
9	·21			·06							·30	·07	9
10		·09	·08	·08							·07	·35	10
11	·53										1·39	·05	11
12	·05		1·07								·04	·10	12
13			·19		·13				·27	·07		·04	13
14		·10			·21							·46	14
15		·03	·18								·17	·11	15
16						·58					·33	·13	16
17		·02				·07	·02				·52	·10	17
18		·09	·09			·05					·91	·36	18
19		·01				·06		·40	·11	·24	·03	·07	19
20			·01						·24			·61	20
21		·17					~~·10~~	·04		·98	#	·24	21
22	·10		·17	·04		·04	~~·28~~	·02		·27		·59	22
23	·16	·12	·09			1·16	·06		·37	·95		·25	23
24	·07	·22								·14		·31	24
25				·07		·14			·06	·03			25
26			·45	·37		·04				·26	·26	·28	26
27		·33	·28	·03					·06	·65	·24	·21	27
28		·15		·17				·03			·02	·03	28
29						·12	·42		·28	·37			29
30				·04						·18		·02	30
31												·02	31
Total	1·56	1·35	2·90	1·92	·78	2·20	·59	·56	1·39	5·68	6·57	6·20	TOTAL for Year 31·64
No. of Rain Days	10	12	15	11	4	9	4	5	7	14	18	28	137

√

9,000, IX. '10.

Ex Jd

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
2 - JAN 1913

Kept at Rottingdean
in the County of Sussex 3
by G. Mason

Lat. 50°49' Long. 0°3' W
Time of Observation 9 a.m.
Nearest Railway Station Brighton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 120 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·25	·03		·07	·71		·25	1
2			·25				·22	·04					2
3			·04			·15		·22	·01				3
4	·27		·65			·20		·14			·20		4
5	·27	·34	·11		·02	·18		·10			·07		5
6	·52	·11						·52				·04	6
7					·03	·43		·06				·06	7
8	·70	·31	·18		·28		·08	·28				·02	8
9		·04	·03	·02			·18	·15				·05	9
10								·40			·05	·40	10
11	·05	·45						·10				·11	11
12		·12				·11		·68				·06	12
13		·02	·04				·03	·07			·04	·18	13
14					·09			·03		·09			14
15		·10	·11		·14	·61		·02		·07			15
16	·16		·24		·11	·19		·20					16
17	·37		·38		·14	·13		·10			·05	·06	17
18	·07		·45		·04			·39		·03	·02	·32	18
19	04	·13	·29				·05	·25			·03		19
20	·03	·02	·55				·09	·16		·92	·04		20
21		·15	·27				·02	·23		·44	·05	·16	21
22	·09	·41	·03		·04			·37		·05		·08	22
23	·36	·15	·33			·02		·25		·10	·12	·12	23
24	·05	·11						·20		·08			24
25						·20		1.00			·33	·50	25
26	·15	·05						·08		·30	·19	·38	26
27										·19	·07	·52	27
28		·10					·05	·06	·08	·53	·45	·20	28
29		·03				·03	·08	·15	1·57	·05			29
30			·09		·47				1·12	·27	·04		30
31							·24	·31					31
Total	3·13	2·64	4·07	·02	1·36	2·50	1·07	6·50	2·85	3·83	1·75	3·51	YEAR'S TOTAL 33·23
Rain Days.	14	17	18	1	10	12	11	28	5	14	15	18	163

Cord. by ourr. stats 11·ii·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4- JAN 1914

Kept at Rottingdean
in the County of Sussex
by G Mason

3

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Brighton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·47	·06	·27		~~·25~~				·04		·18	1
2	·15	·11					·06			·18	·21		2
3	·04		·08	·30	·16	·01						·17	3
4	·22				·02		·05		·66	·14	·10		4
5	·12		·02			·15	·08		·18	·08	·20	·02	5
6			·07		·02	·13	·29			·46	·37	·23	6
7		·21					·15			·22	·14		7
8					·15	·06		·15		(·32) ·22		·02	8
9		·16			·08		·07		·14			·01	9
10							1·00			·14	·69		10
11	·97			·73						·65	·11	·07	11
12					·65						·72		12
13	·55		·05							·05	·15		13
14	·23		·09	·03			·48	·07	·06		·14		14
15	·09		·35	·30			·26		·15				15
16	·17		·48	·15					·11				16
17	·06	·07		·10			·21				·03		17
18	·13		·08	·12			·05				·05		18
19	·14		·03			·08	·11		·52				19
20	42		·08	·21						·53			20
21	34									·97	·70		21
22			·08					·06					22
23	·01		·04						·08			·93	23
24				·03				·09			·04		24
25				·15									25
26		·04	·08					·15		·89		·19	26
27			·08							·08			27
28	·22		·28	·11				·12		·09			28
29	·11		·03	·24	·40					·10			29
30	·56			·17				·46	·06	·36			30
31			·11					1·20					31
Total	4·56	1·06	2·09	2·91	1·48	·43	2·81	2·30	1·96	5·30✓	3·65	1·76	YEAR'S TOTAL 30·31
Rain Days.	19	6	18	14	7	5	12	8	9	17	14	9	138

W.7,000, XI. 13

Entered 3·11·15

Cord for auth 17·11·15

REGISTER OF RAINFALL IN 1914

FORM A2. BRITISH RAINFALL.

8 - JAN 1915

Kept at Rottingdean

in the County of Sussex 3

by Mr. G. Mason

Rain Gauge: Pattern Brit Ass.
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 120 ft.

Time of Observation 9 am

Nearest Railway Station: Name Brighton
Distance 5 Direction W by N

IMPO… …sult entered to the
previous … rule, he is earnestly
requested … the space provided
for it at … of rain,
the select… Rainfall
Organizati… …tion to
Dr. H. R.

Jan. 1, following.

Tel: 75.

FROM MR. G. MASON, HIGHFIELDS, EAST GRINSTEAD.

8. 3 1915

I am much obliged for the corrections sent Oct 3rd inst:

Attach to A

Date	Jan.										Nov.	Dec.	Date.
1											·35	·06	1
2												·24	2
3												·04	3
4											·36	·50	4
5	·14												5
6												·48	6
7	·08	·29	·19		·33	·11	·09			~~·22~~		·20	7
8	·05	·40	·21		·03	·24	·15			~~·22~~		·17	8
9	·10		·39	·06	·16	·04			·10			1·38	9
10	·11	·08		·16					·06	~~·12~~		·04	10
11	·07	·32	·31	·07					·24	~~·05~~	·17	·61	11
12		·04	·12				·78		·14			·46	12
13			·27						·21	·06	·05	·42	13
14		·41	·10			·02	·03			·62	·27	·53	14
15		·10	·24			·16			·03		·82		15
16		·16					·12	·29	·17				16
17		·36	·07						·09			·21	17
18		·25	·27									·34	18
19			1·07				·33					·31	19
20		·25	·07				·01				·35	·32	20
21			·09			·06	·10			·12			21
22		·42			·08	·84	·13			·31			22
23		·01	·34			·29		·02				·02	23
24			·02	~~·03~~							·14		24
25	·12		·17	~~·15~~				·11		·33		·09	25
26			·28					·17		·06	·15	·54	26
27	·03									·02	·12	·41	27
28	·04	·04					·27			·50	·45	·37	28
29	·14		·07							·66	·06	·03	29
30				·10							1·03	~~·25~~	30
31	·04				·18							·08	31
Total	·86 ·86	3·24	4·50 4·50	1·04	·76	1·77	2·24	·67	1·34	2·68	4·32	8·10	TOTAL for year 31·59
No. of Rain Days.	11	15	20	8	7	9	13	5	8	9	13	25	143

W. 8,000, X. '11.

31·49

tintur 3·III·15

cod for antts 17·11·15 H

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Rottingdean

in the Cou

by

RAIN Pattern Brit Ass
Diameter of top 5 in.
1 ft. – in.
el 120 ft.

Brighton

5 Direction W by N

IMPO ... sult entered to the previous ... ule, he is earnestly requested ... the space provided for it at ... f rain, the select ... Rainfall Organizati ... tion to Dr. H. R.

Jan. 1, following.

C. Salter Esq
62 Camden St
N. W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·01	·04	·08		~~·04~~	·35	·06	1
2										~~·18~~		·24	2
3			·09	·03								·04	3
4				·29	·25		·01			~~·14~~	·36	·50	4
5	·14		·13	·23			·18			~~·08~~			5
6		·08		·10	·01					~~·16~~		·48	6
7	·08	·29	·19		·05	·11	·09			~~·22~~		·20	7
8	·05	·40	·21		·03	·24	·15			~~·22~~		·17	8
9	·10		·39	·06	·16	·04			·10			1·38	9
10	·11	·08		·16					·06	~~·14~~		·04	10
11	·07	·32	·31	·07					·24	~~·05~~	·17	·01	11
12		·04	·12				·78		·14			·46	12
13			·27						·21	·06	·05	·42	13
14		·41	·10			·02	·03			·62	·27	·53	14
15		·10	·24			·16			·03		·82		15
16		·16					·12	·29	·17				16
17		·36	·07						·09			·21	17
18		·25	·27									·34	18
19			1·07				·33					·31	19
20		·25	·27				·01				·35	·32	20
21			·09			·06	·10			·12			21
22		·42			·08	·84	·13			·31			22
23		·01	·34			·29		·02				·02	23
24			·02	~~·33~~							·14		24
25	·12		·17	~~·15~~				·11		·33		·09	25
26			·28					·17		·06	·15	·54	26
27	·03									·02	·12	·41	27
28	·04	·04					·27			·50	·45	·37	28
29	·14		·07							·66	·06	·03	29
30				·10							1·03	·25	30
31	·04				·18							·08	31
Total	·86 ·86	3·24	4·50 4·50	1·04	·76	1·77	2·24	·67	1·34	2·68	4·32	8·10	TOTAL for year 31·50
No. of Rain Days.	11	15	20	8	7	9	13	5	8	9	13	25	143

W. 8,000, X. '11.

31·49

Saltdean

546

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

JAN 1916

Kept at ~~[illegible]~~ Rottingdean
in the County of Sussex 3
by G. Mason

Lat. 50°57′ N Long. 0°2′ W
Time of Observation 9 am
Nearest Railway Station Brighton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	35	·128					04	04	47	18	25	31	1
2	62	·13	20	16		01		06	05	10		35	2
3	33		06	19								20	3
4	10			10	05							34	4
5	15	35		11	07			30				1.06	5
6	78	45		42			15				02	05	6
7	29	29										28	7
8	04	22					35				05	07	8
9	06	12	08	16		29	06	06			43	87	9
10	26											67	10
11	02	03	06					02		05	82	04	11
12	03	28		26	33					08	71		12
13	03	67			1.45				15				13
14		01					34					57	14
15	15	08			11		18	53				29	15
16		61			02		1.05				20	03	16
17		39			1.18		08						17
18					·14						06		18
19													19
20	33				18							22	20
21	09									60			21
22	16			05			98					20	22
23		16	13				20	~~22~~	65	23		40	23
24			03	03					36	78	~~[illegible]~~	1.10	24
25			05				77	~~[illegible]~~				32	25
26						06		~~[illegible]~~				72	26
27		12	07			32	·11			46			27
28		07				20			1.08	18			28
29		X			·09			·26		02	56		29
30	25	X								39	14	08	30
31		X		X		X			X	47	X	24	31
Total	3.94	4.26	·68	1.48	3.59	·88	4.31	1.27	2.76	3.54	3.24	8.35	YEAR'S TOTAL 38.30
Rain Days.	18	17	8	9	10	5	12	7	6	12	10	22	136

W. 8,000. X. 14.

Exe Bd

533

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Rottingdean School gardens
in the County of Sussex
by T. A. Sandalls

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Kemptown Brighton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		01			13	·05			·04	·02	65		1
2	31	03	44		14					·90	·04		2
3	03	10								32	45		3
4	14	15			·03	36			20	·02	37		4
5	04	02		·03	14	·05					41		5
6	01	04		13	·03	14	37			01	28		6
7			86		26		·04			18	35	·02	7
8		05	·02		25							35	8
9			·01		22							47	9
10		51		07		30			·02		·01	40	10
11		09				17					69	18	11
12		06	·02	12	09	15	13			02	·01	·01	12
13		16	37	·06	02		·04			03		·02	13
14		50		·02	31			10				15	14
15		33	·36										15
16	07		10	25			10	03		71			16
17	25	26		·08			·01	·06	36	18			17
18	05	03						·04	21		63	15	18
19			14	18				·04	·04		77	·09	19
20	10		11	·03		·04					38	55	20
21	14		37	·01							14	64	21
22		06								·03		46	22
23		10	13			17	·04	03		25	·07	[illegible]	23
24		18			13					33	07	37	24
25		63	·08					46	·02	20	07	·01	25
26		65	·02						32	48			26
27	02	07	85			·08		·03	10	62			27
28	03	68	·07			13		·08	37			36	28
29	01	21				29		50	12	58		48	29
30		X			·04			·06		15		·01	30
31		X		X		X			X	·06	X	·01	31
Total	1·20	4·92	5·95	·98	1·79	1·93	·73	1·43	1·80	5·09	5·39	4·73	YEAR'S TOTAL 33·94
Rain Days.	13	23	16	11	13	12	7	11	11	19	17	19	172

W. 8,000, VIII. 16

✓ W D L [illegible]

5 11

REGISTER OF RAINFALL IN 1917

4 JAN 1918

FORM A.
BRITISH RAINFALL.

Kept at Rottingdean School Gardener
in the County of Sussex
by Trayton Albert Sandalls

Lat. Long.
Time of Observation 9 o.clock
Nearest Railway Station Kemp Town Brighton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·10				185	08		·10		1
2				·17				·04			·06		2
3	·01	·02					100	·18		·04	·04		3
4		·06	·25					·37			·04		4
5	·37		·08	·05					·14	·36	·12		5
6			·20			·58						·01	6
7	·35			·10			·21			·27		·09	7
8				·03			·03	·33		·32	·23	·50	8
9	·08		·15				·10			·03		·73	9
10	·15		·13	·05		·55		·11			·04		10
11	·10	·01	·06	·24				·03		·37			11
12	·05		·05					·03		·34			12
13	·06		·10		·03			·21	·12	·30		·02	13
14				·18				·04		·07			14
15					·01					13		·03	15
16	·04	·21			·14					20		1·16	16
17		·05		·28	·14		·31		·23	17			17
18		·03		·08					·20	18			18
19		·33	·05			·26	·22		·17		·02		19
20		·12	·03		30	·01						·01	20
21		·01	·06			·03	69					·02	21
22	·01		·05		28	·34		·06		39		·03	22
23		·20						·03				·01	23
24							29				·02		24
25		·21							·05				25
26								38			·90	·01	26
27			·07		·03	·03		87				·02	27
28			·09					30					28
29			·03			162	13			44			29
30	·02	X	·20				67	44		·05	·02	·03	30
31	·01	X		X		X	24	·03	X	·10	X	·07	31
Total	1·25	1·25	1·61	1·28	·93	3·42	3·89	5·30	·99	3·76	1·59	2·74	YEAR'S TOTAL 28·02
Rain Days.	12	11	17	10	7	8	11	17	7	17	11	15	143

28·04

3·11

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

6 . 1 . 19

Kept at Rottingdean
in the County of Sussex
by Trayton Albert Sandalls

Lat. 50° 57' N. Long. 0·2' W.
Time of Observation 9 am
Nearest Railway Station Brighton
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2		8	1	7				38			50	7	2
3		2	10	2	53					6	27	10	3
4		5	3	1				4	22		47	10	4
5		10	3		4			46	4			6	5
6	21	11		13	23	2			5				6
7	1	8		13	16			3	22	6	7	4	7
8	2								31		8	10	8
9	1					17	4		42	21	7	38	9
10	1			5		4	16		16	12		3	10
11		2					4		20	34		10	11
12		7½			5		7		7	3		20	12
13	15	1			22		20		27	29			13
14	18					7	14		43			6	14
15	118			12			13					20	15
16	57			8			101		11				16
17	22			6		5						23	17
18	19			4		25			72	9			18
19		1	23½	3		47				10			19
20	10	14		67		8	54		21	27			20
21	24			63					39	7		10	21
22	16	1		2			63		39				22
23	8							11				22	23
24		22	1		15		38		20		10		24
25								38			13		25
26							16		5			14	26
27		1		3			10	17	58	2	8	2	27
28		8	24		10						8		28
29						2			125		12	2	29
30	1	X	58							14	3	10	30
31		X		X		X			X	7	X		31
Total	3·34	1·01½	1·23½	2·09	1·48	1·17	3·60	1·57	6·29	1·87	2·00	2·27	YEAR'S TOTAL 27·93
Rain Days.	16	15	8	15	8	9	13	7	20	14	12	19	156
	3·340	1·015	1·235	2·090	1·480	1·170	3·600	1·570	6·290	1·870	2·000	2·270	

W, 6,500, VII. 18. W W C

Typed

483

9 JAN 20

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rottingdean School Gardens
in the County of Sussex
by Trayton Albert Sandalls

Lat 50 57 N Long 0 2 W
Time of Observation 9 am
Nearest Railway Station Brighton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·3	·2	·2		·4		·5					·71	1
2	·20		·3				·6		·2			1·5	2
3	·21		·56		·9				·90				3
4	·30	·17	·37			·5	·7	·32				·6	4
5		·40	·70								·30	·50	5
6	·23		·19						·4			·8	6
7	·12		·35							·3	·1		7
8	·30		·14										8
9	·52		·10	·8	·13						·24		9
10	·54		·10									·17	10
11	·13		·21	·50									11
12	·18				·7		·12			·12			12
13	·5		·2	·17						·2			13
14	·34			·40					·14			·37	14
15	·18	·4	·43								·5	·65	15
16	·22												16
17		·43	·4								·21	·5	17
18		·27									·10		18
19	·7	·42	·70			·4		·33					19
20	·45		·9			·35½	·49	·12				·2	20
21	·8	·43	·1				·3				1	·4	21
22		·1					·27		·64		3	·20	22
23	·1								·31		14	·2	23
24		·9		·16			·4	·8		·12		·15	24
25								·21	·4			·4	25
26		·26	·12	·21							62	·36	26
27	·87½			·66				·42			54		27
28			·34½					·85			72	·46	28
29	·5							·17		·18	10		29
30	·4			·27				·50		·6	12	·55	30
31	·7											·13	31
TOTAL	5·19	2·54	4·22	2·45	·33	·44½	1·13	3·00	2·09	·53	3·19	4·61	YEAR'S TOTAL 29·725 ~~29·42½~~
Days with ·01 in. or more	23	11	19	8	4	3	8	9	7	6	14	19	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

F 911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

78a

RUDGWICK
SUSSEX
1911,–1913,

Kept at Hermong

in the County of

by H G Bus

p 5 in.

bove Ground 5 ft. in.

„ Sea Level 248 ft.

on { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·20				·07			·04		1
2	·12			·17	·27		·02				·14	·22	2
3				·02	·17			·04			·14	·12	3
4	·02			·11						·15	·21	·26	4
5	·02			·04						·28	·04		5
6	·28		·12									·87	6
7	·03									·16	·64	·05	7
8	·14		·24									·74	8
9	·17										·30	·11	9
10		·17	·12								·04	·79	10
11	·45		·04								1·05		11
12			·54								·05		12
13			·09		·12				·49	·07		·37	13
14		·10			·33					·03		·68	14
15		·05	·12								·06	·11	15
16						·69					·71		16
17						·04					·57	·28	17
18		·18	·07								·52	·50	18
19						·18			·31	·19	·04	·12	19
20	·01		·02					·08	·04	·01		·98	20
21	·02	·20						·38		·74		·24	21
22	·08		·58			·11				·21		·64	22
23		·19				·76			·18	·16		·14	23
24		·17				·04	·02			·96		·34	24
25		·05		·04	·09	·14	·43	·29	·03	·01			25
26			·04	·17		·15	·04			·26		·43	26
27		·37	·22	·25					·08	·16		·24	27
28		·20		·23				·10			·05		28
29				·25		·11	·11		·17	·36			29
30				·03				·09		·39			30
31							·04						31
Total	1·35	1·68	2·20	1·51	·98	2·22	·66	1·05	1·30	4·14	4·60	8·23	TOTAL for year 29·92 ✓
No. of Rain Days	12	10	12	11	5	9	6	7	7	16	16	21	132 ✓

9,000, IX. '10.

DL ✓

78a

F [illegible] 011

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Hermongers Rudgwick Horsham

in the County of Sussex

by H. G. Bush

RAIN GAUGE | Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 248 ft.

Time of Observation

Nearest Railway Station | Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·20				·07			·04		1
2	·12			·17	·27		·02				·14	·22	2
3				·02	·17			·04			·14	·12	3
4	·02			·11						·15	·21	·26	4
5	·02			·04						·28	·04		5
6	·28		·12									·87	6
7	·03									·16	·64	·05	7
8	·14		·24									·74	8
9	·17										·30	·11	9
10		·17	·12								·04	·79	10
11	·45		·04								1·05		11
12			·54								·05		12
13			·09		·12				·49	·07		·37	13
14		·10			·33					·03		·68	14
15		·05	·12								·06	·11	15
16						·69					·71		16
17						·04					·57	·28	17
18		·18	·07								·52	·50	18
19						·18			·31	·19	·04	·12	19
20	·01		·02					·08	·04	·01		·98	20
21	·02	·20						·38		·74		·24	21
22	·08		·58			·11				·21		·64	22
23		·19				·76			·18	·16		·14	23
24		·17				·04	·02			·96		·34	24
25		·05		·04	·09	·14	·43	·29	·03	·01			25
26			·04	·17		·15	·04			·26		·43	26
27		·37	·22	·25					·08	·16		·24	27
28		·20		·23				·10			·05		28
29				·25		·11	·11		·17	·36			29
30				·03				·09		·39			30
31							·04						31
Total	1·35	1·68	2·20	1·51	·98	2·22	·66	1·05	1·30	4·14	4·60	8·23	TOTAL for year ✓ 29·92
No. of Rain Days	12	10	12	11	5	9	6	7	7	16	16	21	132 ✓

9,000, IX. '10.

98 wrote for July, Aug & Oct. 8 II 13 J.C. EX M J

17

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Hermongers, Rudgwick

in the County of Sussex 2

by H. G. Bush.

RAIN GAUGE { Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____
Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12			·08						·28	1
2			·36	·02		·06							2
3	·01	·10	·03			·16							3
4	·12		·63		·25	·09					·27		4
5	·18		·17								·14		5
6	·28								·10			·34	6
7					·20	·48							7
8	·39	·60	·39										8
9		·09	·10			·27						·17	9
10		·09									·08	·37	10
11	·11	·39									·01	·23	11
12		·07	·10		·08	·16							12
13													13
14			·03								·06	·06	14
15		·03				·64						·37	15
16	·31		·23		·19	·20					·09		16
17	·40		·34			·08						·09	17
18	·11		·34									·13	18
19	·05	·11	·04										19
20			·54										20
21			·19		·15						·14		21
22	·10	·40	·02										22
23	·48	·20	·41			·08					·17		23
24	·10	·07				·33						·29	24
25	·11					·28					·27	·58	25
26		·03									·35	·30	26
27						·14						·29	27
28		·06							·23		·60		28
29		·03				·10			1·70		·05		29
30					·24				1·23				30
31													31
Total	2·75	2·27	4·04	·02	1·11	3·15			3·26		2·23	3·50	TOTAL for year
No. of Rain Days.	14	14	17	1	6	15			4		12	13	

W. 8,000, X. '11.

82 93

REGISTER OF RAINFALL IN 1913

Qual

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Hermongers

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·34			·02								1
2		·14											2
3				·23	·13								3
4			·20	·05									4
5					·59								5
6		·11	·10		·37								6
7		·31			·19								7
8		·04			·13								8
9		·07			·13								9
10				·05									10
11				·64									11
12					·40								12
13													13
14			·15	·05									14
15			·18	·35									15
16			·42	·15									16
17			·10	·02									17
18			·17	·12									18
19													19
20			·39	·13									20
21			·04										21
22			·37	·45									22
23			·10										23
24				·04									24
25				·05									25
26			·15	·21									26
27			·10	·05									27
28			·41	·04	·50								28
29			·05	·45									29
30				·13									30
31			·06										31
Total		1·91	2·99	3·21	2·46								YEAR'S TOTAL
Rain Days.		6	16	18	9								

W. 7,500, XI. 12

Slip made 2/3/15

RYE
FAIRFIELD HSE
SUSSEX
1914

FORM A.
BRITISH RAINFALL.

16 JAN 1915

REGIST

Kept at Fairfield Ho n.E.

m.

in the County of Susse e S.E.H. R.

5 in.

by Walter Dawe Ground 1 ft. – in.

Sea Level ~~145~~ 146 ft.

IMPORTANT NOTE.- he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												·07	1
2							·06				·12	·34	2
3			·12	·06	·17								3
4				·28				·30			·26	·42	4
5	·17		·13	·22			·17	·16					5
6				·23		·06		·10				·39	6
7	·05	·52	·32	·9		·11						·33	7
8	·08	·18	·34	·8			·11					·14	8
9	·31		·60	·6		·05			·07			1·20	9
10					·8							·06	10
11		·33	·45		·4				·20		·05	·44	11
12		·05	·12			·08			·36			·46	12
13	·05	·43	·21			·08			·13	·09	·08	·50	13
14		·16	·20							·49	·09	·39	14
15		·04	·39				·57				·60		15
16		·44	·05				·05						16
17		·23	·10						·25			·10	17
18		·11	·20							·05		·46	18
19		·07	·72				·19			·11	·22	·41	19
20		·15	·25							·08		·58	20
21		·80										·03	21
22					·05	·06	·57			·21			22
23			·83			·71				·05			23
24											·14		24
25	·10		·19					·05		·35			25
26	·07						·05	·36			·05	·30	26
27											·10	·49	27
28					·05		·17			·60	·49	·27	28
29	·06									·64	·05		29
30		X	·10							·19	·75		30
31		X		X	·35	X			X		X	·12	31
Total	·89 ✓	3·51 ✓	5·32 ✓	1·02 ✓	·74 ✓	1·15 ✓	1·94 ✓	·97 ✓	1·01 ✓	2·86 ✓	3·00 ✓	7·59 ✓	YEAR'S TOTAL 29·91 ✓
Rain Days.	8	13	18	7	6	7	9	5	5	11	13	21	123

W. 8,000. X. 14.

Slip made 2/3/15

REGIS

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Fairfield Ho

in the County of Sussex E+R

by Walter Dawes

.E

n.

e S.E.H.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ~~145~~ 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·07	1
2							·06				·12	·34	2
3			·12	·06	·17								3
4				·28				·30			·26	·42	4
5	·17		·13	·22			·17	·16					5
6				·23		·06		·10				·39	6
7	·05	·52	·32	·9		·11						·33	7
8	·08	·18	·34	·8			·11					·14	8
9	·31		·60	·6		·05			·07			1.20	9
10					·8							·06	10
11		·33	·45		·4				·20		·05	·44	11
12		·05	·12			·08			·36			·46	12
13	·05	·43	·21			·08			·13	·09	·08	·50	13
14		·16	·20							·49	·09	·39	14
15		·04	·39				·57				·60		15
16		·44	·05				·05						16
17		·23	·10						·25			·10	17
18		·11	·20							·05		·46	18
19		·07	·72				·19			·11	·22	·41	19
20		·15	·25							·08		·58	20
21		·80										·03	21
22					·05	·06	·57			·21			22
23			·83			·71				·05			23
24											·14		24
25	·10		·19					·05		·35			25
26	·07						·05	·36			·05	·30	26
27											·10	·49	27
28					·05		·17			·60	·49	·27	28
29	·06									·64	·05		29
30		×	·10							·19	·75		30
31		×		×	·35	×			×		×	·12	31
Total	·89	3·51	5·32	1·02	·74	1·15	1·94	·97	1·01	2·86	3·00	7·59	YEAR'S TOTAL 29·91
Rain Days.	8	13	18	7	6	7	9	5	5	11	13	21	123

W. 8,000. X. 14.

✓ made

RYE
POINT HILL
SUSSEX
1911 – 1912

FORM A2.
BRITISH RAINFALL.

9 FEB 1912

19 11.

Negretti & Zambra

Kept at Poin

top 5 in.

p above Ground 1 ft. in.

in the County of

„ Sea Level 127 ft.

9 a.m

by Chas S

tion { Name Rye
Distance ½ m Direction S.W.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08			·90							·04		1
2	·06			·02	·27			·05		·03	·18	·22	2
3	·03	·01	·03	·01	·07						·07	·36	3
4	·04	·02	·03	·27						·41	·28	·15	4
5	·08 ·26			·03						·08	·02	·17	5
6	·03									·11		·29	6
7	·07									·74	·88	·55	7
8	·12		·09							·01	·84	·21	8
9			·04	·01						·01	·50	·12	9
10		·16		·06	·01						·06	·74	10
11	·60		·01								1·10		11
12	·04		·72							·07	·20		12
13			·06		·27				·38	·10		·25	13
14		·08	·01			·02							14
15		·04	·17							·01	·12	·26	15
16						·32					·25	·06	16
17						·03					·13	·09	17
18		·14	·05			·01					·85	·31	18
19						·03			·14	·14	·08	·18	19
20	·005							·83	·11	·08		·46	20
21	·01	·10								·47		·23	21
22	·04	·04	·06			·04		·03		·28		·63	22
23	·005	·23				·94		·80	·26	·87	·09	·11	23
24	·01	·11	·01			·07				·90		·31	24
25		·03	·27	·04		·04	·07	·02	·03	·02			25
26			·14	·25		·14				·36	·09	·26	26
27		·23	·06	·05					·05	·41		·04	27
28		·31		·23							·01		28
29						·12			·25	·34			29
30				·03		·02	·11			·23			30
31								·20					31
Total	1·48	1·50	1·75	1·90	·62	1·78	·18	1·93	1·22	5·67	5·79	6·00	TOTAL for year 29·82
No. of Rain Days.	~~16~~ 15	13	15	12	4	12	2	6	7	21	19	22	~~149~~ 148

W. 8,000, X. '11.

V made

19 11.

Negretti & Zambra

FORM A2.
BRITISH RAINFALL.

9 FEB 1912

Kept at Point Hill, Rye, ~~Sussex~~

in the County of Sussex

by Chas. S. Ticehurst

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 127 ft.

Time of Observation 9 a.m

Nearest Railway Station Name Rye
Distance ½ m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·90							·04		1
2	·06			·02	·27			·05		·03	·18	·22	2
3	·03	·01	·03	·01	·07						·07	·36	3
4	·04	·02	·03	·27						·41	·28	·15	4
5	·08 ·26			·03						·08	·02	·17	5
6	·03									·11		·29	6
7	·07									·74	·88	·55	7
8	·12		·09							·01	·84	·21	8
9			·04	·01						·01	·50	·12	9
10		·16		·06	·01						·06	·74	10
11	·60		·01								1·10		11
12	·04		·72							·07	·20		12
13			·06		·27				·38	·10		·25	13
14		·08	·01			·02							14
15		·04	·17							·01	·12	·26	15
16						·32					·25	·06	16
17						·03					·13	·09	17
18		·14	·05			·01					·85	·31	18
19						·03			·14	·14	·08	·18	19
20	·005							·83	·11	·08		·46	20
21	·01	·10								·47		·23	21
22	·04	·04	·06			·04		·03		·28		·63	22
23	·005	·23				·94		·80	·26	·87	·09	·11	23
24	·01	·11	·01			·07				·90		·31	24
25		·03	·27	·04		·04	·07	·02	·03	·02			25
26			·14	·25		·14				·36	·09	·26	26
27		·23	·06	·05					·05	·41		·04	27
28		·31		·23							·01		28
29						·12			·25	·34			29
30				·03		·02	·11			·23			30
31								·20					31
Total	1·48	1·50	1·75	1·90	·62	1·78	·18	1·93	1·22	5·67	5·79	6·00	TOTAL for year 29·82
No. of Rain Days.	~~16~~ 15	13	15	12	4	12	2	6	7	21	19	22	~~149~~ 148

W. 8,000, X. '11.

Cor. by surr. stats. 10.IV.13

FORM A.
BRITISH RAINFALL.

18 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Havencroft Point Hill, Rye
in the County of Sussex 6
by Chas. S. Ticehurst

Lat. 50° 57′ 30″ Long. 3 m East
Time of Observation 9 a.m.
Nearest Railway Station Rye
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 112 (about) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16			.36	.84	.21	.12	.64		.33	1
2			.08			.32	.07		.15				2
3	.07		.06			.28	.02						3
4	.22		.53			.75		.12			.21		4
5	.11	.33	.08			.17		.07			.19		5
6	.53	.13						.29				.03	6
7	.01				.13	.22		1.06				.08	7
8	.43	.37	.16			.04		.27			.01		8
9	.09	.02	.01	.01			.06	.01				.08	9
10		.02						.22	.03		.11	.23	10
11	.05	.21				.67		.59	.03			.12	11
12		.22				.19	.05					.05	12
13		.01	.03					.64			.17	.03	13
14			.07		.10						.02		14
15		.02	.05		.08	.78						.24	15
16	.12		.19		.05	.20		.02		.04			16
17	.47		.41					.09				.03	17
18	.03	.01	.23				.20	.04		.04	.01	.38	18
19	.03	.24	.21		.01		.05	.33					19
20		.02	.55					.43		.55	.02		20
21	.01	.11	.17					.08		.24	.04		21
22	.02	.33	.14				.04	.12		.20			22
23	.45	.20	.35					.07		.17	.14	.04	23
24	.09	.06						.34				.14	24
25	.15					.36		.09			.37	.46	25
26	.01	.04						.14		.26	.29	.36	26
27								.04		.16		.31	27
28		.02					11			.68	.34	.08	28
29				.06			.10	.10	1.22	.18	.16		29
30					.05		05	.13	1.78	.27			30
31			.02					.09					31
Total	2.39	2.36	3.50	.07	.42	4.34	1.59	5.59	3.33	3.43	2.08	2.99	YEAR'S TOTAL 32.59
Rain Days.	18	18	19	2	6	12	11	25	6	12	14	17	160

W. 7,500, XI. 12

made

6-7

REGIST

FILSHAM

ST LEONARDS

SUSSEX

FORM A.
BRITISH RAINFALL.
14. JUN 19

Kept at Filsham

in the County of Sa

by P. H

eonards (West marina)

uge 8 in.

round – ft. 10" in.

ea Level 100 ft.

IMPORTANT NOTE.– e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	27	09	–	–	–	–	–	12	52	–	18	23	1
2	71	22	–	09	03	–	–	–	34	–	–	16	2
3	39	–	20	30	18	–	–	35	12	–	–	46	3
4	04	–	03	03	–	–	–	–	–	–	07	29	4
5	03	20	–	15	–	–	–	04	–	04	02	49	5
6	35	22	–	45	–	–	02.	–	–	–	–	21	6
7	45	30	04	–	–	–	–	–	–	–	–	28	7
8	07	05	18	–	–	–	53	–	–	–	–	–	8
9	08	29	–	09	–	–	02	–	–	–	62	91	9
10	24	–	–	–	–	34	–	–	–	–	–	70	10
11	–	04	–	–	–	–	–	–	–	–	83	04	11
12	04	–	–	36	10	–	–	–	–	06	62	–	12
13	03	90	–	02	1·51	–	–	–	05	–	–	–	13
14	02	07	–	–	–	–	49	–	07	–	–	38	14
15	12	–	–	–	10	–	26	44	–	–	28	21	15
16	–	32	–	08	–	–	98	15	–	–	–	–	16
17	–	65	–	–	95	–	04	15	–	–	–	22	17
18	–	08	–	–	13	–	–	–	–	–	–	07	18
19	–	–	–	–	–	–	–	–	–	02	–	–	19
20	25	–	–	02	–	–	–	–	–	–	–	14	20
21	15	–	–	–	–	–	–	–	–	–	–	08	21
22	–	–	05	–	–	–	–	–	–	–	–	23	22
23	02	–	06	–	–	–	70	–	–	–	–	74	23
24	–	06	02	02	–	–	15	–	40	1·16	–	27	24
25	–	–	–	10	–	–	16	–	–	06	–	31	25
26	–	–	–	–	–	05	02	–	–	–	–	63	26
27	–	–	–	–	–	·16	03	–	–	18	–	02	27
28	–	–	–	–	–	–	–	–	1·15	87	–	–	28
29	–	–	–	–	04	09	–	30	–	06	26	02	29
30	21	X	–	–	–	–	–	–	–	08	32	–	30
31	11	X	–	X	–	X	–	–	X	49	X	25	31
Total	3·58	3·49	·58	1·71	3·04	·64	3·40	1·62	2·65	2·99	3·20	7·34	YEAR'S TOTAL 34·24
Rain Days.	19	14	7	12	8	4	12	8	7	10	9	24	134

W. 8,000. X. 16.

S/made 6~7

REGIST

FORM A.
BRITISH RAINFALL.
14. JUN 191[illegible]

Kept at Filsham

in the County of Sussex

by P. H Palmer

Time of Observation 9 a.m.
Nearest Railway Station St Leonards (West marina)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 10" in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	27	09	-	-	-	-	-	12	52	-	18	23	1
2	71	22	-	09	03	-	-	-	34	-	-	16	2
3	39	-	20	30	18	-	-	35	12	-	-	46	3
4	04	-	03	03	-	-	-	-	-	-	07	29	4
5	03	20	-	15	-	-	-	04	-	04	02	49	5
6	35	22	-	45	-	-	02	-	-	-	-	21	6
7	45	30	04	-	-	-	-	-	-	-	-	28	7
8	07	05	18	-	-	-	53	-	-	-	-	-	8
9	08	29	-	09	-	-	02	-	-	-	62	91	9
10	24	-	-	-	-	34	-	-	-	-	-	70	10
11	-	04	-	-	-	-	-	-	-	-	83	04	11
12	04	-	-	36	10	-	-	-	-	06	62	-	12
13	03	90	-	02	1·51	-	-	-	05	-	-	-	13
14	02	07	-	-	-	-	49	-	07	-	-	38	14
15	12	-	-	-	10	-	26	44	-	-	28	21	15
16	-	32	-	08	-	-	98	15	-	-	-	-	16
17	-	65	-	-	95	-	04	15	-	-	-	22	17
18	-	08	-	-	13	-	-	-	-	-	-	07	18
19	-	-	-	-	-	-	-	-	-	02	-	-	19
20	25	-	-	02	-	-	-	-	-	-	-	14	20
21	15	-	-	-	-	-	-	-	-	-	-	08	21
22	-	-	05	-	-	-	-	-	-	-	-	23	22
23	02	-	06	-	-	-	70	-	-	-	-	74	23
24	-	06	02	02	-	-	15	-	40	1·16	-	27	24
25	-	-	-	10	-	-	16	-	-	06	-	31	25
26	-	-	-	-	-	05	02	-	-	-	-	63	26
27	-	-	-	-	-	·16	03	-	-	18	-	02	27
28	-	-	-	-	-	-	-	-	1·15	87	-	-	28
29	-	-	-	-	04	09	-	30	-	06	26	02	29
30	21	X	-	-	-	-	-	-	-	08	32	-	30
31	11	X	-	X	-	X	-	-	X	49	X	25	31
Total	3.58	3.49	·58	1.71	3.04	·64	3.40	1.62	2.65	2.99	3.20	7.34	YEAR'S TOTAL 34·24
Rain Days.	19	14	7	12	8	4	13	8	7	10	9	24	134

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

REG

ST LEONARDS
WEST MARINA GDN
SUSSEX
1919

Kept at St Leonards h.
in the County of Susse West St. Leonards.
by W Ruskin Butt
in Gauge 8 in.
ove Ground 1 ft. 0 in.
Sea Level 22 ft.

IMPORTANT NO d the result entered to the previous day. If an O niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. ins.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. ins.	Date.
1	0·43	0·03	—	—	0·08	—	0·12	—	—	0·22	0·02	0·65	1
2	0·14	0·02	0·05	—	—	—	0·09	—	—	0·03	0·04	0·24	2
3	0·23	—	0·56	—	0·04	—	—	—	0·12	—	0·01	0·31	3
4	0·19	0·05	0·31	—	—	0·03	0·02	0·05	0·02	—	0·09	0·08	4
5	0·01	0·29	0·65	—	—	—	—	0·05	—	—	0·08	0·39	5
6	0·15	—	0·04	—	—	—	—	—	—	0·01	0·01	0·06	6
7	0·05	—	0·35	—	—	—	—	—	—	0·01	0·38	—	7
8	0·21	—	0·05	—	—	—	—	—	—	—	—	—	8
9	0·34	—	0·04	—	—	—	—	—	—	—	0·41	—	9
10	0·33	—	0·06	0·04	—	—	—	—	—	—	0·05	0·02	10
11	0·26	—	0·04	0·29	0·04	—	—	—	—	—	—	0·21	11
12	0·06	—	—	—	—	—	0·15	—	—	0·24	0·03	—	12
13	—	0·03	—	0·15	—	—	—	—	—	—	—	0·03	13
14	0·41	—	—	0·36	—	—	0·08	—	0·04	—	—	0·02	14
15	0·12	0·02	—	0·09	—	—	—	—	—	—	0·06	0·11	15
16	0·13	0·62	—	—	—	—	—	—	—	—	0·18	0·02	16
17	0·01	0·33	0·06	0·02	—	—	—	—	—	—	0·16	0·03	17
18	—	0·03	0·05	—	—	—	0·27	—	—	—	0·12	0·04	18
19	—	0·15	0·36	—	—	0·02	0·15	0·11	—	—	0·14	0·01	19
20	0·29	0·06	0·23	—	—	0·36	0·46	0·09	—	—	—	0·02	20
21	0·01	0·44	0·06	—	—	0·02	0·04	—	—	—	0·04	0·06	21
22	—	0·06	0·02	—	—	—	0·24	—	0·37	—	0·06	0·17	22
23	0·01	—	—	—	—	0·02	0·08	—	0·12	—	0·04	0·02	23
24	—	0·14	—	0·21	—	—	—	—	—	0·06	0·59	0·11	24
25	0·05	0·01	0·02	—	0·02	—	0·02	0·22	—	—	—	—	25
26	0·18	0·11	0·08	0·23	—	—	0·13	0·03	0·06	—	0·21	0·41	26
27	0·26	—	0·07	0·68	—	—	—	0·11	—	—	0·69	0·02	27
28	0·02	—	0·25	0·28	—	—	—	0·52	—	—	0·41	0·36	28
29	0·04	X	—	0·11	—	—	—	0·12	—	0·15	0·21	0·21	29
30	—	X	0·04	0·18	—	—	—	0·65	—	0·11	0·12	0·25	30
31	0·12	X	0·01	X	—	X	0·02	0·12	X	0·19	X	0·03	31
Total	4·05	2·39	3·40	2·64	0·18 ~~1·87~~	0·45	1·87	2·07	0·73	1·02	4·15	3·88	YEAR'S TOTAL 26·83 ins
Rain Days.	25	16	22	12	4	5	14	11	6	9	24	26	174

W. 8 000, IX. 17.

REG

FORM A.
BRITISH RAINFALL.

Kept at St Leonards (West Marina Gardens).

in the County of Sussex.

by W Ruskin Butterfield

Lat. ... Long.

Time of Observation 9h.

Nearest Railway Station West St. Leonards.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. ins.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. ins.	Date.
1	0·43	0·03	–	–	0·08	–	0·12	–	–	0·22	0·02	0·65	1
2	0·14	0·02	0·05	–	–	–	0·09	–	–	0·03	0·04	0·24	2
3	0·23	–	0·56	–	0·04	–	–	–	0·12	–	0·01	0·31	3
4	0·19	0·05	0·31	–	–	0·03	0·02	0·05	0·02	–	0·09	0·08	4
5	0·01	0·29	0·65	–	–	–	–	0·05	–	–	0·08	0·39	5
6	0·15	–	0·04	–	–	–	–	–	–	0·01	0·01	0·06	6
7	0·05	–	0·35	–	–	–	–	–	–	0·01	0·38	–	7
8	0·21	–	0·05	–	–	–	–	–	–	–	–	–	8
9	0·34	–	0·04	–	–	–	–	–	–	–	0·41	–	9
10	0·33	–	0·06	0·04	–	–	–	–	–	–	0·05	0·02	10
11	0·26	–	0·04	0·29	0·04	–	–	–	–	–	–	0·21	11
12	0·06	–	–	–	–	–	0·15	–	–	0·24	0·03	–	12
13	–	0·03	–	0·15	–	–	–	–	–	–	–	0·03	13
14	0·41	–	–	0·36	–	–	0·08	–	0·04	–	–	0·02	14
15	0·12	0·02	–	0·09	–	–	–	–	–	–	0·06	0·11	15
16	0·13	0·62	–	–	–	–	–	–	–	–	0·18	0·02	16
17	0·01	0·33	0·06	0·02	–	–	–	–	–	–	0·16	0·03	17
18	–	0·03	0·05	–	–	–	0·27	–	–	–	0·12	0·04	18
19	–	0·15	0·36	–	–	0·02	0·15	0·11	–	–	0·14	0·01	19
20	0·29	0·06	0·23	–	–	0·36	0·46	0·09	–	–	–	0·02	20
21	0·01	0·44	0·06	–	–	0·02	0·04	–	–	–	0·04	0·06	21
22	–	0·06	0·02	–	–	–	0·24	–	0·37	–	0·06	0·17	22
23	0·01	–	–	–	–	0·02	0·08	–	0·12	–	0·04	0·02	23
24	–	0·14	–	0·21	–	–	–	–	–	0·06	0·59	0·11	24
25	0·05	0·01	0·02	–	0·02	–	0·02	0·22	–	–	–	–	25
26	0·18	0·11	0·08	0·23	–	–	0·13	0·03	0·06	–	0·21	0·41	26
27	0·26	–	0·07	0·68	–	–	–	0·11	–	–	0·69	0·02	27
28	0·02	–	0·25	0·28	–	–	–	0·52	–	–	0·41	0·36	28
29	0·04		–	0·11	–	–	–	0·12	–	0·15	0·21	0·21	29
30	–		0·04	0·18	–	–	–	0·65	–	0·11	0·12	0·25	30
31	0·12		0·01		–		0·02	0·12		0·19		0·03	31
Total	4·05	2·39	3·40	2·64	0·18 ~~1·87~~	0·45	1·87	2·07	0·73	1·02	4·15	3·88	YEAR'S TOTAL 26·83 ins
Rain Days.	25	16	22	12	4	5	14	11	6	9	24	26	174

W. 8 000, IX. 17.

SALEHURST
STH PARK
SUSSEX
1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914

RI 13

Kept at South Pa ong.

9 o'clock

in the County of Su on Bodiam

ge 5½ in.

by Miss Jacks above Ground 1 ft. 1 in.

„ Sea Level 208 ft.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·31	·08	·14		·03							1
2	·03	·22					·15						2
3	·01	·01	·05	·58	·19								3
4	·17		·06	·02	·02	·02	·05		·13				4
5	·12	·04	·04	·02		·02	·06		·98				5
6		·03	·10	·01	·02								6
7		·28	1.06		·02	·04	·58						7
8			·04		·13	·03							8
9	·02	·11		·02	·08	·10		·13					9
10	·48	[illegible]		·03			·19	·05					10
11				·44	·01								11
12	·80	·02			·03								12
13	·16		·05										13
14	·18		·20	·05			1.10	·05					14
15	·24		·31	·23			·26						15
16	·11		·56	·36									16
17	·02	·12	·04	·26			·33						17
18	·13		·13	·28	·01		·02						18
19	·63		·08	·08			·09						19
20	·02		·03	·12		·29		·03					20
21	·24		·03		·01								21
22			·24				·03						22
23	·06		·08	·02			·03						23
24				·27				·02					24
25	·01						·03	·19					25
26	·01		·18				·02						26
27	·17	·02	·04	·05	·05			·05					27
28	·22		·17	·39									28
29	·58		·01	·24	·29								29
30			·02	·01	·06			·58					30
31			·03					1.28					31
Total	4.43	1.16	3.63	3.62 3.62	·92	·53	2.94	2.38					YEAR'S TOTAL
Rain Days.	23	10	24	21	13	7	14	9					

Record no longer kept.

W.7,000; XI. 13

RE 13

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at South Park. Salehurst. 6

in the County of Sussex.

by Miss Jackson

ong.

Time of Observation 9 o'clock

Nearest Railway Station Bodiam

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	·31	·08	·14		·03							1
2	·03	·22					·15						2
3	·01	·01	·05	·58	·19								3
4	·17		·06	·02	·02	·02	·05		·13				4
5	·12	·04	·04	·02		·02	·06		·98				5
6		·03	·10	·01	·02								6
7		·28	1.06		·02	·04	·58						7
8			·04		·13	·03							8
9	·02	·11		·02	·08	·10		·13					9
10	·48	[illegible]		·03			·19	·05					10
11				·44	·01								11
12	·80	·02			·03								12
13	·16		·05										13
14	·18		·20	·05			1.10	·05					14
15	·24		·31	·23			·26						15
16	·11		·56	·36									16
17	·02	·12	·04	·26			·33						17
18	·13		·13	·28	·01		·02						18
19	·63		·08	·08			·09						19
20	·02		·03	·12		·29		·03					20
21	·24		·03		·01								21
22			·24				·03						22
23	·06		·08	·02			·03						23
24				·27				·02					24
25	·01						·03	·19					25
26	·01		·18				·02						26
27	·17	·02	·04	·05	·05			·05					27
28	·22		·17	·39									28
29	·58		·01	·24	·29								29
30			·02	·01	·06			·58					30
31			·03					1.28					31
Total	4.43	1.16	3.63	3.62	·92	·53	2.94	2.38					YEAR'S TOTAL
Rain Days.	23	10	24	3.62 21	13	7	14	9					

Record no longer kept.

W.7,000, XI. 13

REGI

SALEHURST
VICARAGE
SUSSEX
1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Salehurst V

in the County of East

by The Rev E. J. S

in.

und ft. 10 in.

Level 110 ft.

e Robertsbridge

ance 1½ miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	·81	—	—	—	·16	—	—	·08	·02	1
2	·03*	—	·04	·02	·37	—	·01	—	—	—	·16	·32	2
3	·08	·02	—	—	·12	—	—	—	—	—	·09	·20	3
4	·18	·03	·03	·21*	·01	·11	—	—	—	·24	·22	·15	4
5	·07	·02	—	·13*	—	—	—	—	—	·52	·04	·29	5
6	·27	—	—	·01*	—	—	—	—	—	—	—	·34	6
7	·04	—	·03	—	—	—	—	—	—	·90	·69	·79	7
8	·05	—	·09	—	—	—	—	—	—	·01	·79	·21	8
9	·14	—	·08	·03	—	—	—	—	—	—	·43	·03	9
10	·01	·14	·03	·12	·02	—	—	—	—	—	·03	·90	10
11	·60	—	·02	—	—	—	—	—	—	—	1·18	—	11
12	·08*	—	·92*	—	—	·02	—	—	—	·02	·09	—	12
13	—	—	·03*	—	·15	—	—	—	·32	·10	·01	·24	13
14	—	·09	·02*	—	·10	—	—	—	—	—	—	·55	14
15	—	·03	·26*	—	—	—	—	—	—	—	·09	·09	15
16	—	·01	—	—	—	·40	—	—	—	·01	·42	·09	16
17	·02	—	—	—	—	·02	—	—	—	—	·25	·17	17
18	—	·14	·06	·02	—	—	—	—	—	—	1·08	·41	18
19	—	—	—	—	—	·05	—	—	·11	·12	·13	·11	19
20	·03	—	·02	—	—	·02	—	·88	·11	·28	—	·81	20
21	·03	·10	—	—	—	·02	—	·18	—	·41	—	·25	21
22	·04	·08	·45	—	—	·10	—	·16	—	·69	—	·71	22
23	—	·21	—	—	—	·93	—	—	·23	·39	·08	·18	23
24	·01	·11	—	—	—	·17	·07	·03	—	·53	—	·48	24
25	—	·03	·52*	·10	—	·08	—	·05	·07	—	—	—	25
26	—	—	·30*	·26	—	·20	—	—	—	·40	·24*	·26	26
27	—	·27	·18*	·12	—	—	—	—	·07	·45	—	·06	27
28	—	·28	—	·22	—	—	—	—	—	—	·02	—	28
29	·02		—	·02	—	·15	·47	·11	·27	·48	—	—	29
30	—		—	·02	—	·04	—	1·14	·01	·35	—	—	30
31	—		—		·01		—	—		—		—	31
Total	1·80	1·56	3·08	2·09	·78	2·31	·55	2·71	1·19	5·90	6·12	7·66	TOTAL for year 35·75
No. of Rain Days	18	15	17	14	7	14	3	8	8	17	20	24	165
Sum so far	1·80	3·36	6·44	8·53	9·31	11·62	12·17	14·88	16·07	21·97	28·09	35·75	35·75

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Salehurst Vicarage

in the County of East Sussex 6

by The Rev E. J. Sing. M.A.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 110 ft.

Time of Observation 8 am

Nearest Railway Station
Name Robertsbridge
Distance 1½ miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	·81	—	—	—	·16	—	—	·08	·02	1
2	·03*	—	·04	·02	·37	—	·01	—	—	—	·16	·32	2
3	·08	·02	—	—	·12	—	—	—	—	—	·09	·20	3
4	·18	·03	·03	·21*	·01	·11	—	—	—	·24	·22	·15	4
5	·07	·02	—	·13*	—	—	—	—	—	·52	·04	·29	5
6	·27	—	—	·01*	—	—	—	—	—	—	—	·34	6
7	·04	—	·03	—	—	—	—	—	—	·90	·69	·79	7
8	·05	—	·09	—	—	—	—	—	—	·01	·79	·21	8
9	·14	—	·08	·03	—	—	—	—	—	—	·43	·03	9
10	·01	·14	·03	·12	·02	—	—	—	—	—	·03	·90	10
11	·60	—	·02	—	—	—	—	—	—	—	1·18	—	11
12	·08*	—	·92*	—	—	·02	—	—	—	·02	·09	—	12
13	—	—	·03*	—	·15	—	—	—	·32	·10	·01	·24	13
14	—	·09	·02*	—	·10	—	—	—	—	—	—	·55	14
15	—	·03	·26*	—	—	—	—	—	—	—	·09	·09	15
16	—	·01	—	—	—	·40	—	—	—	·01	·42	·09	16
17	·02	—	—	—	—	·02	—	—	—	—	·25	·17	17
18	—	·14	·06	·02	—	—	—	—	—	—	1·08	·41	18
19	—	—	—	—	—	·05	—	—	·11	·12	·13	·11	19
20	·03	—	·02	—	—	·02	—	·88	·11	·28	—	·81	20
21	·03	·10	—	—	—	·02	—	·18	—	·41	—	·25	21
22	·04	·08	·45	—	—	·10	—	·16	—	·69	—	·71	22
23	—	·21	—	—	—	·93	—	—	·23	·39	·08	·18	23
24	·01	·11	—	—	—	·17	·07	·03	—	·53	—	·48	24
25	—	·03	·52*	·10	—	·08	—	·05	·07	—	—	—	25
26	—	—	·30*	·26	—	·20	—	—	—	·40	·24*	·26	26
27	—	·27	·18*	·12	—	—	—	—	·07	·45	—	·06	27
28	—	·28	—	·22	—	—	—	—	—	—	·02	—	28
29	·02		—	·02	—	·15	·47	·11	·27	·48	—	—	29
30	—		—	·02	—	·04	—	1·14	·01	·35	—	—	30
31	—		—		·01		—	—		—		—	31
Total	1·80	1·56	3·08	2·09	·78	2·31	·55	2·71	1·19	5·90	6·12	7·66	TOTAL for year 35·75
No. of Rain Days	18	15	17	14	7	14	3	8	8	17	20	24	165
[illegible]	1·80	3·36	6·44	8·53	9·31	11·62	12·17	14·88	16·07	21·97	28·09	35·75	35·75

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGIS

SEAFORD
BOWDEN HSE SCH
SUSSEX
1913 - 1920

6' 30" E

Kept at Bowden H

M

in the County of Sus

Seaford

5 in.

by J. F. Thor

Ground 1 ft. 0 in.

Sea Level 190 ft.

IMPORTANT NOTE the result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										·04	·07	·18	1
2										·02	·19	·04	2
3										Nil	Nil	·18	3
4										·37	·18	Nil	4
5										·15	·22	Nil	5
6										·50	·34	·19	6
7										·16	·14	Nil	7
8										·31	·05	·03	8
9										Nil	Nil	·04	9
10										Nil	·88	Nil	10
11										·66	Nil	Nil	11
12										Nil	1·09	·02	12
13										Nil	·15	Nil	13
14										·04	·13	Nil	14
15										Nil	Nil	Nil	15
16										Nil	Nil	Nil	16
17										Nil	·01	·08	17
18										Nil	·09	Nil	18
19										Nil	Nil	Nil	19
20										·47	Nil	Nil	20
21										·63	·61	Nil	21
22										Nil	Nil	Nil	22
23										Nil	Nil	·87	23
24									Nil	Nil	·05	Nil	24
25									Nil	Nil	Nil	Nil	25
26									Nil	1·07	Nil	·24	26
27									Nil	·04	Nil	Nil	27
28									Nil	·14	Nil	Nil	28
29									Nil	Nil	·01	Nil	29
30									Nil	·12	Nil	Nil	30
31									×	·08	×	Nil	31
Total										4·80	4·21	1·87	YEAR'S TOTAL 1·87
Rain Days.										16	16	10	

W. 7,500, XI, 12

FORM A.
BRITISH RAINFALL.
22 JAN 1914

REGIS

6' 30" E

Kept at Bowden F

in the County of Sus

Seaford

Diameter of 5 in.

by J. F. Thomas

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										·04	·07	·18	1
2										·02	·19	·04	2
3										nil	nil	·18	3
4										·37	·18	nil	4
5										·15	·22	nil	5
6										·50	·34	·19	6
7										·16	·14	nil	7
8										·31	·05	·03	8
9										nil	nil	·04	9
10										nil	·88	nil	10
11										·66	nil	nil	11
12										nil	1·09	·02	12
13										nil	·15	nil	13
14										·04	·13	nil	14
15										nil	nil	nil	15
16										nil	nil	nil	16
17										nil	·01	·08	17
18										nil	·09	nil	18
19										nil	nil	nil	19
20										·47	nil	nil	20
21										·63	·61	nil	21
22										nil	nil	nil	22
23										nil	nil	·87	23
24									nil	nil	·05	nil	24
25									nil	nil	nil	nil	25
26									nil	1·07	nil	·24	26
27									nil	·04	nil	nil	27
28									nil	·14	nil	nil	28
29									nil	nil	·01	nil	29
30									nil	·12	nil	nil	30
31									×	·08	×	nil	31
Total										4·80	4·21	1·87	YEAR'S TOTAL
Rain Days.										16	16	1·87 10	

W. 7,500, XI, '12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at Bowden House School Seaford.
in the County of Sussex.
by J. F. Thomas

E4 Rl

Lat. 50° 47′ 10″ N Long. 0° 6′ 30″ E
Time of Observation 9 AM
Nearest Railway Station Seaford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	—	—	·04	—	—	·17	—	—	—	·11	·01	1
2	Nil	—	—	—	—	·02	·42	—	—	—	·09	·24	2
3	Nil	—	·16	·01	·22	—	·02	—	—	—	—	·01	3
4	Nil	—	·01	·31	—	—	—	·07	—	—	·31	·32	4
5	·12	—	·19	·30	—	—	·24	—	—	—	—	—	5
6	Nil	·04	—	·08	·01	·07	—	·02	—	—	—	·41	6
7	·13	·34	·26	·03	·03	·21	·13	—	—	—	—	·29	7
8	·10	·27	·35	·02	·01	·13	·09	·01	—	—	—	·05	8
9	·12	Nil	·38	·06	—	—	—	—	·10	—	—	1·17	9
10	·03	·07	—	·11	·14	—	—	—	·09	—	·03	·04	10
11	—	·37	·39	·06	—	—	—	—	·24	—	·06	·48	11
12	—	·04	·17	—	—	·08	·40	—	·33	·01	·03	·73	12
13	—	·38	·22	—	—	·13	—	—	·26	·01	·07	·42	13
14	·01	·09	·15	—	—	—	—	—	—	·62	·21	·45	14
15	—	·06	·33	—	—	—	—	·13	·04	·02	·28	—	15
16	—	·45	—	—	—	—	·07	—	·12	—	—	—	16
17	—	·40	·14	—	—	—	—	—	·08	—	—	·13	17
18	—	·09	·16	—	—	—	—	—	—	·02	—	·49	18
19	—	·22	·97	—	—	—	·24	—	—	·02	·24	·23	19
20	—	·16	·10	—	—	·03	·01	—	—	—	—	·28	20
21	—	·69	·05	—	—	—	—	—	—	·04	—	·05	21
22	—	·03	·01	—	·07	·46	·14	—	—	·16	—	—	22
23	—	—	·44	—	—	·13	·08	—	—	—	—	—	23
24	—	—	·10	·01	·04	—	—	—	—	·02	·13	—	24
25	·11	—	·15	—	—	—	—	·14	—	·28	·01	—	25
26	·02	—	·02	—	—	—	—	·29	—	·13	·12	·55	26
27	·02	—	—	—	—	—	—	—	—	—	·13	·45	27
28	·04	·02	—	—	·01	—	·14	—	—	·52	·56	·44	28
29	·15	X	·03	—	—	—	—	—	—	·53	·06	—	29
30	·01	X	·09	·04	—	—	—	—	—	·10	1·46	·23	30
31	·01	X	—	X	·21	X	—	—	X	—	X	·15	31
Total	·87	3·72	4·87	1·07	·74	1·26	2·15	·66	1·26	2·48	3·90	7·62	YEAR'S TOTAL 30·60
Rain Days.	13	17	23	12	9	9	13	6	8	14	17	23	164

W. 8,000. X. 14.

cwd / arith 23.11.16

581

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bowden House, Seaford
in the County of Sussex 4
by J. F. Thomas

Lat. 50° 47′ 10″ N Long. 0° 6′ 30″ E
Time of Observation 9 AM
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·56	·23	·05	—	—	—	—	—	·36	·05	·17	·32	1
2	·42	·15	·25	·15	·01	—	—	·03	—	·06	—	·23	2
3	·29	—	·05	·31	·14	—	—	·07	·02	—	—	·50	3
4	·02	—	—	·02	—	—	—	—	—	—	—	·30	4
5	—	·38	—	·09	—	—	—	·18	—	—	—	·45	5
6	·87	·38	·04	·27	—	—	·11	—	—	—	—	·08	6
7	·36	·30	·02	—	—	—	·01	—	—	—	—	·29	7
8	·02	·29	·03	—	—	—	·27	—	—	—	·07	·08	8
9	·02	·13	—	·23	—	·26	·04	—	—	—	·60	·86	9
10	·30	—	—	—	—	—	—	—	—	—	—	·68	10
11	—	·05	·03	—	—	—	—	—	—	—	1·65}	·01	11
12	·04	·22	—	·35	·31	—	—	·01	—	·12		—	12
13	—	·66	—	—	1·41	—	—	—	·06	—	—	—	13
14	·03	·03	—	—	—	—	·63	·20	·05	—	—	·42	14
15	·13	—	—	—	·12	—	·04	—	—	—	·19	·32	15
16	·01	·61	—	·03	·13	—	1·07	·07	—	—	—	—	16
17	—	·39	—	—	·94	—	·07	—	—	—	—	·23	17
18	—	·18	—	—	·10	—	—	—	—	—	·04	·01	18
19	—	·01	—	—	—	—	—	—	—	·02	—	—	19
20	·28	—	—	·01	·30	—	—	—	—	·01	—	·10	20
21	·06	—	—	—	—	—	—	—	—	·48	—	·03	21
22	·04	—	·07	—	—	—	·71	—	—	—	—	·19	22
23	·02	·06	·13	—	—	—	·09	—	—	·14	—	·85	23
24	—	—	·01	—	—	—	—	—	·30	1·09	—	·48	24
25	—	—	·02	·03	—	—	·17	—	—	—	—	·17	25
26	—	·06	—	—	—	·11	—	—	—	—	—	·59	26
27	—	·01	—	—	—	·39	·05	—	—	·36	—	—	27
28	—	·06	—	—	—	·12	—	—	1·05	·23	—	—	28
29	—	X	—	—	·03	·01	—	·12	—	·27	·38	·01	29
30	·35	X	—	—	—	—	—	—	·01	·29	·08	·02	30
31	·01	X	—	X	—	X	—	·03	X	·65	X	·35	31
Total	3·83	4·20	·70	1·49	3·49 3·47	·89	3·26	·71	1·85	3·77	3·18	7·57	YEAR'S TOTAL 34·92 34·94
Rain Days.	19	19	11	10	10	5	12	8	7	13	9	25	148

W. 8,000. X. 15.

√ 11 Exd C.9E 510

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Bowden House, Seaford
in the County of Sussex
by J. T. Thomas

Lat. 50° 47′ 10″ N Long. 0° 6′ 30″ E
Time of Observation 9 AM
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	—	—	·27	·05	—	—	—	·02	·59	—	1
2	·28	·03	·38	—	·15	—	—	—	—	·79	·03	—	2
3	·01	·26	·13	—	—	—	·01	—	·05	·27	·46	—	3
4	·09	·06	—	—	—	·29	—	—	·20	·09	·45	—	4
5	·02	—	—	·01	·11	·22	—	—	—	·03	·43	—	5
6	—	·04	·07	·17	·08	·06	·34	—	—	·09	·30	—	6
7	—	—	·52	—	·25	—	·07	—	—	·07	·12	·04	7
8	—	·03	·01	—	·23	—	—	—	—	—	—	·38	8
9	—	—	—	—	·22	—	—	—	—	—	—	·15	9
10	—	·47	·01	·06	—	·25	·09	—	—	·01	—	·42	10
11	·02	·19	·02	·07	·01	·24	—	—	—	—	—	·18	11
12	·06	·06	·25	—	·11	·23	·07	—	—	·07	—	·01	12
13	—	·13	·10	—	·03	·03	·01	—	·04	—	—	·09	13
14	—	·38	·19	·01	·21	—	—	·24	—	·01	—	·30	14
15	—	·28	·05	—	—	—	—	—	—	—	—	—	15
16	·01	·02	·21	·27	—	—	·09	·08	—	—	—	—	16
17	·30	·17	—	·09	—	—	·01	·05	·42	·70	—	—	17
18	·03	·09	—	—	—	—	—	·10	·05	·20	·83	·11	18
19	·13	—	·05	·29	—	—	—	·04	·03	—	·61	·13	19
20	·09	—	·19	·03	—	·03	—	—	—	—	·21	·30	20
21	·04	—	·22	·05	—	—	·09	—	—	—	·05	·50	21
22	—	·03	·10	—	—	·03	—	—	—	·05	—	·58	22
23	·01	·08	·04	—	—	·09	·01	·05	—	·07	·04	—	23
24	—	—	·02	—	·08	—	—	—	—	·30	·15	·41	24
25	—	·62	·11	—	—	·01	—	·95	—	·19	·11	—	25
26	—	·23	—	—	—	·07	—	—	·07	Total 4 days 1·48 ·05?	—	·14	26
27	·01	·08	·72	—	—	·04	—	·03	·07	·53?	—	— ~~·24~~	27
28	—	·58	·04	—	—	·28	—	·09	·19	·47?	—	·31	28
29	—	·20	—	—	—	·31	—	·46	·14	·43?	—	—	29
30	—	×	—	—	—	—	—	·05	—	·12	—	·43	30
31	—	×	—	×	—	×	—	—	×	·47	×	—	31
Total	1·14	4·03 ~~4·00~~	3·43	1·05	1·75	2·23	·79	2·14	1·26	4·97	4·38	4·48	YEAR'S TOTAL 31·65
Rain Days.	15	21	21	10	12	16	10	11	10	22	14	17	179

W. 8,000, VIII. 16

From May 20th till end of period observations were taken at 9 AM. Summer Time

542

FORM A.
BRITISH RAINFALL.

23 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bowden House School, Seaford

in the County of Sussex

by J. T. Thomas

Lat. 50° 47' 10" N Long. 0° 6' 30" E

Time of Observation 9 AM

Nearest Railway Station Seaford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·11	—	—	—	1·90	·15	—	·15	—	1
2	—	—	—	·04	—	—	—	·10	—	—	·12	—	2
3	—	—	—	·07	—	—	·70	·17	—	·03	·03	—	3
4	—	·10	·23	—	—	—	·03	1·95	—	·20	—	—	4
5	·39	—	·01	·04	—	·04	—	—	·15	·24	·01	—	5
6	—	—	·27	·21	—	·94	—	—	·10	—	·16	·02	6
7	·38	—	—	—	·01	—	·16	—	—	·22	—	·08	7
8	—	—	—	·08	—	·02	·09	·10	—	·34	·29	·35	8
9	·08	—	·12	—	—	—	·01	—	—	·03	·01	·79	9
10	·14	—	·09	·06	—	·93	—	·12	—	—	—	—	10
11	—	·01	·18	·03	—	·01	—	·12	—	·34	—	—	11
12	·11	—	·02	—	—	—	—	·13	—	·43	—	—	12
13	—	—	·20	·08	·03	—	—	·03	·04	·30	—	·01	13
14	—	—	—	·26	—	—	·01	·41	—	·09	—	—	14
15	—	—	—	·02	—	—	—	—	—	·08	—	·06	15
16	·06	·14	—	·06	·13	—	—	—	—	·09	—	·90	16
17	—	·03	—	·12	·18	—	·26	—	·21	·20	—	—	17
18	·02	·02	—	·08	·08	—	·20	·09	·11	—	—	—	18
19	—	·29	·05	~~0~~	·03	·24	—	—	·10	—	—	—	19
20	—	·16	·02	—	·36	·01	—	—	—	—	—	—	20
21	—	·01	·02	—	·02	—	·03	—	—	—	·01	·30	21
22	·02	—	·06	—	·01	·23	—	·11	—	·44	—	—	22
23	—	·22	—	—	·25	·01	—	·12	—	—	—	—	23
24	—	·06	—	—	—	—	·21	—	—	·17	·02	—	24
25	—	·13	·04	—	—	·02	·04	—	·01	·01	—	·08	25
26	—	—	·02	—	—	—	—	·80	·06	—	·73	—	26
27	—	—	—	—	·08	·04	—	·90	—	—	·01	—	27
28	—	—	·06	—	—	1·62	·07	·40	—	—	—	·05	28
29	—	X	·01	—	—	—	·10	·10	—	·20	—	·08	29
30	·01	X	·12	—	—	—	·50	·25	—	·06	·01	·05	30
31	·02	X	·05	X	—	X	·30	—	X	·05	X	—	31
Total	1·23	1·17	1·58	1·26	1·18	4·11	2·71	7·80	·93	3·52	1·55	2·77	YEAR'S TOTAL 29·81
Rain Days.	10	11	19	14	11	12	15	18	9	19	12	12	162

W. 8,000, IX. 17.

Exd C&E

67

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

24.1.19

Kept at Bowden House School,

in the County of Sussex

by J. F. Thomas

Lat. 50° 47' 10"N. Long. 0° 6' 30" E

Time of Observation 9 AM

Nearest Railway Station Seaford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	—	·02	·02	—	—	—	·07	—	—	·06	·12	1
2	—	·01	·01	—	—	—	—	·40	—	—	·67	·19	2
3	—	—	·10	·04	·57	—	—	·03	—	—	·20	·04	3
4	—	·04	·02	·02	·02	—	—	·04	·06	—	·48	—	4
5	—	·21	·01	—	·05	—	—	·14	—	·02	—	·03	5
6	·34	·12	—	·11	·37	—	—	·56	—	—	·04	·04	6
7	—	·06	—	·05	·09	·01	—	·05	·42	·06	·04	—	7
8	—	·01	—	—	—	—	—	—	·04	R	·13	·14	8
9	·02	—	—	·07	—	·15	·01	—	·43	1·17 —	·01	·15	9
10	—	—	—	·05	—	·08	·18	—	·47	R	—	·18	10
11	—	·01	—	—	—	—	·02	—	·38	R	·10	·09	11
12	—	·09	—	—	·18	—	—	—	·14	—	—	·03	12
13	·20	—	·01	—	·10	—	·16	—	·22	—	—	·02	13
14	·13	—	·10	—	—	·05	·27	—	·40	·29 R	—	·07	14
15	1·00	—	—	·05	—	—	·01	—	—	R	—	·16	15
16	·33	—	—	·12	—	—	·01	—	·05	—	—	—	16
17	·32	—	—	·11	—	·03	·41	—	—	—	—	·18	17
18	·18	—	—	—	—	·23	—	—	·22	·07	—	·05	18
19	·06	—	·18	·05	—	·08	—	—	—	·08	—	—	19
20	·02	·10	—	·90	—	·07	1·01	—	·35	·27	—	—	20
21	·16	—	—	·70	—	—	—	—	·20	·11	—	·04	21
22	·14	—	—	—	·15	—	·36	—	·71	—	—	·21	22
23	·06	—	—	—	—	—	·78	—	·03	—	—	—	23
24	—	·19	—	—	—	·01	—	—	·19	—	·09	—	24
25	·01	—	—	—	—	—	—	·45	—	·02	—	—	25
26	—	—	—	·04	—	—	·08	—	·04	·02	·13	·18	26
27	·01	·04	—	·08	—	—	·15	·20	·31	·01	·09	·09	27
28	·01	·03	·29	—	·05	—	—	—	—	·02	·20	·04	28
29	·01	—	—	·09	—	—	—	—	1·11	—	·03	—	29
30	—	✗	·50	—	—	—	—	—	·01	·16	—	·20	30
31	·01	✗	·01	✗	—	✗	—	—	✗	·09	✗	—	31
Total	3·09	·91	1·25	2·50	1·58	·71	3·45	1·94	5·78	2·39	2·27	2·25	YEAR'S TOTAL 28·12
Rain Days.	19	12	11	16	9	9	13	9	21	17	14	21	171

W. 6,500, VII. 18. W W C

[illegible] W. 1886 509

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN

Kept at Bowden House, Seaford
in the County of Sussex
by J. T. Thomas

Lat. 50° 47′ 10″ N Long. 0° 6′ 30″ E
Time of Observation 9 AM
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
„ „ „ „ Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·03	—	—	·04	—	—	—	—	·06	·01	·69	1
2	·20	—	·04	—	—	—	·08	—	—	·03	(·18)	·20	2
3	·37	—	·58	—	·10	—	—	—	·35	—	·03	·22	3
4	·34	·07	·39	—	·02	·02	·07	·06	·05	—	·07	·07	4
5	·04	·39	·97	—	—	—	—	—	—	—	·12	·40	5
6	·22	—	·03	—	—	—	—	—	—	—	·01	·06	6
7	·18	—	·35	—	—	—	—	—	—	—	—	—	7
8	·22	—	·09	—	—	—	—	—	—	—	—	—	8
9	·18	—	·10	—	·16	—	—	—	—	—	·32	—	9
10	·76	—	·10	—	—	—	—	—	—	—	—	·08	10
11	·45	—	·13	—	·07	—	—	—	—	—	—	·17	11
12	·06	—	·01	1·02	·01	—	·13	—	—	·26	·05	—	12
13	—	—	—		—	—	—	—	—	—	—	·04	13
14	·37	—	—		—	—	·03	—	·12	·01	—	·15	14
15	·13	·03	—		—	—	—	—	—	—	—	·52	15
16	·14	·59	—	—	—	—	—	—	—	—	·10	·01	16
17	—	·24	·05	·03	—	—	—	—	—	—	·13	·03	17
18	—	·01	·03	—	·01	—	—	·01	—	—	·09	·01	18
19	·05	·36	·73	—	—	·03	·41	·16	—	·01	·15	·02	19
20	·45	·06	·20	—	—	·32	·16	·10	—	—	—	·01	20
21	·13	·44	·03	—	—	—	·05	—	—	—	·03	·03	21
22	—	·04	—	—	—	—	·24	—	·40	—	·02	·24	22
23	—	—	·01	—	—	—	·01	—	·20	—	·03	·02	23
24	—	·05	—	·15	—	·01	—	·04	·05	·06	·24	·07	24
25	·07	·01	—	—	—	—	—	·18	—	—	—	·04	25
26	—	·21	·07	·02	—	—	·01	·01	·03	—	·29	·40	26
27	·48	—	·08	·05	—	—	—	·25	—	—	·75	·03	27
28	—	—	·28	·80	—	—	—	1·16	—	—	·58	·45	28
29	·06		—	·05	—	—	—	·32	—	·12	·07	·14	29
30	—		·01	·20	—	—	—	·29	—	·03	·13	·36	30
31	·09		—		—		—	—		·12		·11	31
TOTAL	5·36	2·53	4·28	2·32	·41	·38	1·19	2·58	1·20	·70	3·40	4·57	YEAR'S TOTAL 28·92 ✓
Days with ·01 in. or more	22	14	21	11	7	4	10	11	7	9	21	27	164 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

Esp 910

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Bowden House, Seaford
in the County of Sussex
by J. F. Thomas

Lat. 50° 47′ 10″ N Long. 0° 6′ 30″ E
Time of Observation 9 AM
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	—	—	·04	·08	—	·17	—	—	·76	·01	·26	1
2	—	—	·14	·02	·05	—	—	·75	·12	·09	—	·07	2
3	—	—	—	—	—	—	—	—	—	·01	—	·06	3
4	—	·08	—	·06	—	—	1·91	·07	—	—	—	·06	4
5	—	—	·02	·01	·01	—	·31	·37	—	—	—	·04	5
6	—	—	·25	—	·26	—	·33	—	—	—	—	—	6
7	·03	—	—	·08	·01	—	·09	—	—	·03	—	·02	7
8	·01	—	—	·14	·04	—	·37	—	—	—	—	—	8
9	·21	·01	—	—	·01	·02	—	—	—	—	—	—	9
10	·78	·10	·10	·26	—	·08	·13	—	—	—	—	·04	10
11	·43	·01	·19	·26	—	·01	·11	—	—	—	—	—	11
12	·10	·01	·01	·15	·03	·51	—	—	—	—	—	—	12
13	·25	·05	·25	—	—	—	—	—	—	—	·08	—	13
14	—	·02	·38	·32	—	·01	—	—	·01	·11	·26	—	14
15	·08	·01	·02	—	—	—	—	—	·80	·46	·10	—	15
16	·01	—	·06	·07	—	·02	—	—	·62	—	·01	·02	16
17	·04	—	—	—	·18	—	—	—	·93	—	—	·01	17
18	·06	—	—	·03	·16	—	—	·80	·08	—	—	·09	18
19	·03	—	—	—	—	—	—	—	·01	—	—	·08	19
20	·11	·12	—	·11	—	·92	—	·01	·20	—	—	—	20
21	—	—	—	·08	—	—	·23	—	·25	—	—	·50	21
22	—	—	—	·03	—	—	—	—	·01	—	—	·45	22
23	—	—	—	·40	—	—	·40	·07	—	—	—	·55	23
24	—	—	·05	—	—	—	—	—	—	—	—	·09	24
25	—	—	·01	·03	·03	—	·14	—	—	—	—	—	25
26	·07	—	·22	·06	—	—	·01	—	—	—	·02	·02	26
27	·28	·01	—	·10	—	·10	·05	—	—	—	·36	·30	27
28	·32	·01	·15	·07	·39	—	·13	—	—	—	·13	·08	28
29	·43	—	·03	·14	—	—	—	—	·01	—	·26	·10	29
30	·03	×	·02	—	—	·01	·17	—	·38	—	·25	·22	30
31	—	×	·06	×	—	×	—	—	×	·50	×	·15	31
Total	3·40	·43	1·96	2·46	1·25	1·68	4·55	2·07	3·42	1·96	1·48	3·21	Year's Total 27·87
Days with ·01 in. or more	19	11	17	21	12	9	15	6	12	7	10	21	160
Days with ·04 in. or more	14	4	11	16	7	4	14	5	8	5	7	17	102

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

7213

FORM A.
BRITISH RAINFALL.

RE

SEAFORD CAMP

SUSSEX

1916 - 1918

Kept at Seaford C

in the County of Suss

by E. Taylor

g.

Rain Gauge .... in.

above Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT NO nd the result entered to the previous day. If an O universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7												·04	7
8												·41	8
9												·21	9
10												·29	10
11												·18	11
12												·01	12
13												·09	13
14												·31	14
15												·01	15
16													16
17													17
18												·10	18
19												·12	19
20												·45	20
21												·30	21
22												·51	22
23												01	23
24												·38	24
25													25
26												·13	26
27													27
28												·29	28
29												·45	29
30		×										·01	30
31		×		×		×			×		×		31
Total												4·30	YEAR'S TOTAL
Rain Days.												20	

W. 8,000. X. 15.

8L ✓ 7213

RE

FORM A.
BRITISH RAINFALL.

Kept at Seaford Camp

in the County of Sussex

by E. Taylor

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7												·04	7
8												·41	8
9												·21	9
10												·29	10
11												·18	11
12												·01	12
13												·09	13
14												·31	14
15												·01	15
16													16
17													17
18												·10	18
19												·12	19
20												·45	20
21												·30	21
22												·51	22
23												01	23
24												·38	24
25													25
26												·13	26
27													27
28												·29	28
29												·45	29
30		X										·01	30
31		X		X		X			X		X		31
Total												4·30	YEAR'S TOTAL
Rain Days.												20	

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Seaford Camp
in the County of Sussex
by E. Taylor

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.13				1.81	.15	–			1
2				.13				.09					2
3				.07			.64	.19					3
4		.11	.16				.01	.86					4
5	.43		.01	.17		.05			.16				5
6			.21	.10		.84			.10				6
7	.38			.01	.01		.17						7
8	.04			.09		.03	.10	.14					8
9	.03		.09	.01			.01						9
10	.16		.10	.03		1.02		.11					10
11	.24	.01	.17	.08				.05					11
12	.01		.11	.05				.21					12
13			.14		.04			.01	.02				13
14	02			.25				.36					14
15								.05					15
16	.03	.14		.06	.19								16
17		.04		.14	.14		.27		.18				17
18	.02	.06		.06	.10		.20	.09	.13				18
19	.02	.30	.07		.01	.11			.09				19
20		.12	.03		.39	.01							20
21		.01	.03		.02		.05						21
22	.02		.06		.01	.21		.10					22
23		.22			.30			.08					23
24							.23	.04					24
25		.18				.03	.03		.01				25
26								.84	.07				26
27					.12	.04		.91					27
28			.05			1.75		.43					28
29			.07				.18	.10					29
30	.01		.13				.50	.21					30
31	.01		.03				.25						31
Total	1.42	1.19	1.46	1.38	1.33	4.09	2.64	6.68	.91				YEAR'S TOTAL
Rain Days.	14 ~~13~~	10	16	15	11	10	13	20	9				

W. 8,000, VIII, 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27·1·19

Kept at ~~Seaford~~ West Camp, Shoreham

in the County of Sussex

by Edward R. Taylor

Lat. Long.

Time of Observation

Nearest Railway Station Shoreham by Sea 1 m. S.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
C.	1-I.18.		-										
1													1
2		·02											2
3		·01											3
4		·04											4
5		·02											5
6	·19	·17											6
7		·05											7
8		·01											8
9	·02												9
10													10
11	·03												11
12		·06											12
13	·17												13
14	·17												14
15	1·50												15
16	·45												16
17	·20												17
18	·34												18
19	·05												19
20	·06	·19											20
21	·25												21
22	·16												22
23	·09												23
24		·19											24
25													25
26													26
27	·01	·05											27
28		·05											28
29													29
30		X											30
31	·01	X		X		X			X		X		31
Total	3·70	·86											YEAR'S TOTAL
Rain Days.	16	12											

W. 8,000, VIII. 16

wrong day corr. 26.III.12

RE .12 1

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

SEAFORD
COLLEGE
SUSSEX
1911 - 1918

Kept at Seafo ... retti & Zambr ... 5 in.

in the County of S ... e Ground 1 ft. 3 in.

Sea Level 38 ft.

by Col. F. W. ... 6 f. m

Name Seaford

Distance 3/4 Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·28	·04		·09	.05 ·05				·005	1
2	·01			·38	·04						·11		2
3	–			·02	·19						·15	·36	3
4	·09			·01	·29						·22	·37	4
5	·1	·02	·03	·23						·38	·32	·34	5
6	·21			·01						·3	·14	·01	6
7	·09		·07	·02						·61	·19	·91	7
8	·06									·01	·88	·02	8
9	·34	·02	·12								·79	·34	9
10	·02			·08							·63	·26	10
11	·05	·11	·04								·27	·20	11
12	·74		·05								1·57	·03	12
13			1.18 1·18							·12	·06	·04	13
14			·05		·44				·19	·14		·17	14
15		·14	·1									·39	15
16		·03									·36	·19	16
17						·35					·23	·24	17
18		·02	·05								·96	·13	18
19		·14	·02			·03				·03	·34	·21	19
20									·08	·32		·45	20
21	·03	·04						·48	·17			·27	21
22		·14						·49		·78		·43	22
23	·15	·3	·22	·03		·07		·02			·01	·11	23
24			·04			1·05			·41	1·41		·34	24
25	·02	·31	~~·01~~	·02		·12	·05			·18		·29	25
26		·04	·26	·075		·1		·05	·05	·31		·3	26
27		·21	·2	·33						·91	·05		27
28		·5	·14	·04					·05	·03		·19	28
29				·18								·01	29
30						·43	·29		·41	·8			30
31												·01	31
	–	–	·28	·04	–	·09	·05	–	–	–	·005	(–)	
Total	~~1·99~~ 1·91	~~2·02~~ 2·02	~~2·58~~ 2·86	~~1·71~~ 1·47	~~1·00~~ ·96	~~2·02~~ 2·11	~~·43~~ ·39	~~1·09~~ 1·04	~~1·36~~ 1·36	~~6·33~~ 6·33	~~6·92~~ 6·935	~~6·60~~ 6·59	TOTAL for year ~~[illegible]05~~ 33·97
No. of Rain Days.	~~12~~ 13	14	~~16~~ 17	14	~~5~~ 4	7 8	3	~~5~~ 4	7	15	~~18~~ 19	~~28~~ 27	34 05 145

W. 8,000, X. '11.

wrong day cor. 26.III.12

RI 12

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Seaford College

in the County of Sussex 4

by Col. F. W. Savage

retti & Zambra

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 38 ft.

Time of Observation 6 p.m.

Nearest Railway Station Name Seaford
Distance 3/4 Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08			·28	·04		·09	·05				·005	1
2	·01			·38	·04						·11		2
3	–			·02	·19						·15	·36	3
4	·09			·01	·29						·22	·37	4
5	·1	·02	·03	·23						·38	·32	·34	5
6	·21			·01						·3	·14	·01	6
7	·09		·07	·02						·61	·19	·91	7
8	·06									·01	·88	·02	8
9	·34	·02	·12								·79	·34	9
10	·02			·08							·63	·26	10
11	·05	·11	·04								·27	·20	11
12	·74		·05								1·57	·03	12
13			1·18 1·18							·12	·06	·04	13
14			·05		·44				·19	·14		·17	14
15		·14	·1									·39	15
16		·03									·36	·19	16
17						·35					·23	·24	17
18		·02	·05								·96	·13	18
19		·14	·02			·03				·03	·04	·21	19
20									·08	·32		·45	20
21	·03	·04						·48	·17			·27	21
22		·14						·49		·78		·43	22
23	·15	·3	·22	·03		·07		·02			·01	·11	23
24			·04			1·05			·41	1·41		·34	24
25	·02	·31	·01	·02		·12	·05			·18		·29	25
26		·04	·26	·075		·1		·05	·05	·31		·3	26
27		·21	·2	·33						·91	·05		27
28		·5	·14	·04					·05	·03		·19	28
29				·18								·01	29
30						·43	·29		·41	·8			30
31	–	–	·28	·04	–	·09	·05	–	–	–	·005	·01 (–)	31
Total	~~1·99~~ 1·91	~~2·02~~ 2·02	~~2·58~~ ~~2·58~~ 2·86	~~1·71~~ 1·47	~~1·00~~ ~~1·00~~ ·96	~~2·02~~ 2·11	~~·43~~ ·39	~~1·09~~ ~~1·09~~ 1·04	~~1·36~~ 1·36	~~6·33~~ 6·33	~~6·92~~ 6·935	~~6·60~~ 6·59	TOTAL for year ~~34·05~~ 33·97
No. of Rain Days.	~~12~~ 13	14	~~16~~ 17	14	~~5~~ 4	7 8	3	~~5~~ 4	7	15	~~18~~ 19	~~28~~ 27	~~14~~ 145

W. 8,000, X. '11.

W cor for arith 5.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Seaford College
in the County of Sussex 4
by Col. F. W. Savage

Lat. Long.
Time of Observation 6 p.m
Nearest Railway Station Seaford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·04	·02			·28	·02	·48	1·32		·08	1
2			·06		·01	·15	·02		·02	·31		·14	2
3			·24			·07	·26						3
4	·06	·06	·28			·31	·01	·06	·02		·01		4
5	·27	·09	·31			·40		·09			·34		5
6	·41	·11	·05			·24		·52				·04	6
7	·05	·08			·33	·44		·97				·05	7
8	·12	·16	·19		·01	·01		·09				·66	8
9	·50	·08	~~·005~~					·65				·002	9
10		·05	·01				·13	·22	Trace			·20	10
11	·02	·02		·03				·04			·09	·11	11
12		·36			·01	·04		·31				·28	12
13		·06	·04			·04	·04	·76					13
14			·02					·01		·01	·06	·20	14
15			·07			·02		·05		·07			15
16		·08			·29	·97				·06		·17	16
17	·19		·32		·02	·06		·26		·04	·05		17
18	·21		·42			·10		·26		~~·05~~		·36	18
19	·02	10 ~~·40~~	·31				·04	·05		·05	·03	·04	19
20	·02	·04	·22			·03	·02	·38		·05	·03		20
21		Trace	·42					·11		1·16	·07		21
22	·01	·44	·13		·04		·03	·275		·85	·07		22
23	·06	·15	·18					·455		·20	·03	·04	23
24	·25	·29	·17					·46		·06	·15	·20	24
25	·05	·04	·01			·21				·07	·09	·33	25
26	·33	Trace				·08		·89		·18	·31	·55	26
27		·07					·03	·05		Trace	·08	·15	27
28						·01	·03			·36		·47	28
29		·08					·19	·23	·18	·36	·42	·11	29
30				·03			·11	·04	1·17	·24	·08		30
31			·02		·67		·07			·23			31
Total	3·07	2·36	3·575 3·57	·08	1·38	3·18 3·18	1·26	7·25	1·87	5·12	2·92 1·92	3·78 3·78	YEAR'S TOTAL 34·78 34·78
Rain Days.	16	19	21	3	8	17	14	25	5	18	16	19	181

W. 7,500, XI. 12

[illegible] } 11. II. 14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Seaford College
in the County of Sussex 4
by Col. F. W. Savage V.D.

Lat. 50·46 Long.
Time of Observation 6 p.m.
Nearest Railway Station Seaford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·38	—	·13	·14	—	—	—	·94	—	·13	·01	1
2	·01	·35	·07	·11	—	·02	—	—	—	·07	·15	·1	2
3	·05	—	—	·04	·01	—	·05	—	·02	·01	·1	·01	3
4	—	—	·07	·25	·08	·01	—	—	—	·06	—	·19	4
5	·19	—	·10	—	—	·05	·03	—	·16	·36	·2	—	5
6	trace	—	·04	—	·02	·28	·13	—	·11	·11	·75	—	6
7	—	·11	·09	—	·02	·22	·23	—	—	·56	·03	—	7
8	—	·14	·09	—	·06	·05	—	·06	—	·48	·17	—	8
9	—	·15	·01	—	·11	—	·02	·13	·04	·01	—	·07	9
10	—	—	—	—	+	·07	·33	—	·1	—	—	—	10
11	·50	—	—	·36	—	—	·04	—	—	·68	·8	—	11
12	·32	—	—	·28	·32	—	—	—	—	—	·15	—	12
13	·23	—	—	—	·14	—	—	trace	—	—	·8	—	13
14	·22	—	·02	—	—	—	·01	trace	·1	—	·35	—	14
15	·21	—	·08	·01	·01	—	·52	·04	·46	·03	·01	—	15
16	·25	—	·40	·49	—	—	·04	—	·22	—	—	—	16
17	·09	·09	·41	·01	—	—	—	—	—	—	—	—	17
18	·15	·01	—	·1	—	—	·25	—	—	—	·16	—	18
19	·05	—	·12	·11	·05	—	·25	—	—	—	—	—	19
20	·36	—	—	—	·03	·15	—	—	·39	·13	—	—	20
21	·03	—	·01	·2	—	—	—	—	—	·8	·19	—	21
22	·025	—	·09	·2	—	—	—	—	—	·23	·8	—	22
23	·31	—	·20	—	—	·01	—	·05	·05	—	—	·25	23
24	·03	—	—	—	—	—	—	·03	—	—	·02	·41	24
25	·1	—	—	·03	—	—	—	—	—	—	—	—	25
26	—	·01	—	·225	—	—	—	—	—	·82	·02	·03	26
27	—	—	·1	—	—	—	·006	·15	—	·12	—	·31	27
28	—	—	·37	·01	—	—	—	—	—	·06	—	—	28
29	·06	~~xx~~	·05	·06	—	—	—	·47	—	·12	—	—	29
30	·16		—	·62	·12	—	—	·04	—	·03	·01	—	30
31	·70		—		·02		—	·96		·09		—	31
Total	4·075	1·24	2·32	3235 3·24	1·13 ✓	·86	1·926 1·93	1·93	2·59	4·77	4·84 4·~~94~~	1·38	YEAR'S TOTAL 30·~~38~~ 30·30
Rain Days.	22	8	18	18	~~15~~ 14	9	13	9	11	19	18	9	16~~9~~8

W.7,000, XI. 13

Corr for author & adjusted as far as known for [illegible] of 9 reading 17-11-15 [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Seaford College

in the County of Sussex 4

by Col. F. W. Savage V.D.

Lat. 50·46 N Long. 6' E

Time of Observation 6 p.m

Nearest Railway Station Seaford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	tr	tr	·23	tr	—	—	—	—	·72	1
2	—	—	—	·05	—	—	·20	—	—	—	·16	—	2
3	—	—	—	—	—	·02	·44	—	—	—	—	·23	3
4	—	—	·19	·03	·22	—	·04	—	—	—	·13	·11	4
5	·07	—	·10	·27	—	—	—	·06	—	—	·25	·14	5
6	—	—	·11	·31	—	trace	·28	trace	—	—	·005	·03	6
7	—	·20	·04	·14	·02	·44	—	·05	—	—	—	1·15	7
8	·11	·26	·22	·30	—	·08	·28	—	—	—	—	·15	8
9	·09	·20	·61	·02	trace	—	—	—	·06	—	—	·76	9
10	·17	—	·06	·09	·14	trace	—	—	·06	—	—	·70	10
11	·05	·17	—	·15	—	—	—	—	·31	—	—	·78	11
12	—	·18	·45	—	—	tr	·34	—	·25	—	·08	·22	12
13	·05	·07	·18	—	—	·08	—	—	·18	·01	·18	·54	13
14	—	·34	·28	—	—	·10	—	—	·36	·30	trace	·33	14
15	—	·16	·19	—	—	·015	—	·14	—	·31	·33	·45	15
16	—	·28	·19	—	—	—	—	·01	·08	—	·18	—	16
17	·04	·12	—	—	—	—	·08	—	·21	—	trace	—	17
18	—	·47	·08	—	—	—	trace	—	—	—	do	·36	18
19	—	·13	1·02	—	—	—	do	—	—	·01	·21	·45	19
20	—	·10	·48	—	—	—	·20	—	—	·03	·05	·06	20
21	—	·45	·06	—	—	·02	·01	—	—	—	—	·33	21
22	—	·18	—	—	tr	—	·13	—	—	·07	—	trace	22
23	—	·05	·13	—	·04	·26	trace	trace	—	·29	—	—	23
24	—	—	·35	—	·10	—	·04	do	—	—	—	—	24
25	—	—	·14	~~·006~~ ·01	taken at 10	—	trace	tr	—	·06	·12	—	25
26	·1	—	·06	—	—	—	do	·42	—	34 ·34	·015	·33	26
27	—	—	—	—	—	—	do	·02	—	·07	·24	·20	27
28	·02	—	—	—	—	—	—	—	—	·07	·76		28
29	·03		·015	—	—	—	·15	—	—	·53	·04	·70	29
30	·13		·22	·07	—	—	—	—	—	·52	·58 ·72	·03	30
31	—		—		·23		—	—		·02		·04	31
Total	·77	3·36	5·19	1·44	~~·32~~ ·75	~~1·22~~ 1·02	~~2·29~~ 2·19	~~·78~~ ·70	1·51	2·63	~~[illegible]~~ 4·08	~~9·17~~ 8·09	YEAR'S TOTAL ~~31·68~~ 31·68 5
Rain Days.	11	16	23	11	5	9	12	6	8	14	16	23	154

W. 8,000. X. 14.

Ex MR

580

FORM A.
BRITISH RAINFALL.
20 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Seaford College

in the County of Sussex 4

by Col. F. W. Savage

Lat. 50·46 N Long. 6" E

Time of Observation 6 p.m

Nearest Railway Station Seaford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·6	·1	–	–	–	–	–	·41	–	·5	·29	1
2	·61	·27	–	trace	·02	–	–	·09	tr	·09	·01	–	2
3	·42	·1	·28	·33	–	–	–	·007	·01	–	–	·41	3
4	·19	–	·04	·09	·16	–	–	–	–	–	–	·5	4
5	·04	–	–	·1	–	–	–	·006	–	tr	tr.	·07	5
6	–	·6	–	·09	–	·005	–	·18	–	–	–	·25	6
7	1·06	·22	·06	·34	–	–	·11	–	–	–	·01	·06	7
8	·11	·2	·06	·005	–	–	·2	–	–	–	–	·16	8
9	·11	·38	–	·08	–	–	–	tr.	–	–	·67	·81	9
10	·15	·04	–	·21	–	·17	–	–	–	–	–	·11	10
11	·16	–	·03	–	–	–	–	–	–	–	·1	·77	11
12	–	·07	–	–	–	–	–	tr.	–	–	·81	–	12
13	·05	·41	–	·3	1·15	–	–	–	–	·05	·62	–	13
14	–	·37	–	tr.	·63	–	·14	–	·06	–	–	·01	14
15	·03	–	–	–	–	–	·42	·21	·01	–	–	·63	15
16	·08	–	–	–	·12	–	·47	·15	–	·05	·2	·13	16
17	–	·84	–	·04	·19	–	·39	–	–	–	–	·01	17
18	–	·07	–	–	1·01	–	–	–	–	–	–	·19	18
19	–	·12	–	–	–	–	–	–	·01	·01	·06	·02	19
20	–	–	–	·02	·04	–	tr.	–	–	·005	–	–	20
21	·32	–	–	–	·28	–	–	–	–	·04	–	·12	21
22	·05	–	Trace	–	–	–	·3	–	–	·36	–	·03	22
23	–	·01	·06	tr.	–	·005	·32	–	–	tr.	–	·46	23
24	·01	·06	·12	–	–	–	·05	–	·3	·39	–	·55	24
25	–	–	–	·03	–	–	–	–	–	·65	–	·43	25
26	–	–	–	–	–	–	·16	–	–	·02	–	·1	26
27	–	·05	–	–	–	·14	·07	–	–	·01	–	·55	27
28	–	·015	–	–	–	·08	–	–	·32	·46	–	–	28
29	–	X	–	–	–	·18	–	·16	·72	·01	·09	tr	29
30	–	X	–	–	·01	·005	–	–	tr.	·43	·27	–	30
31	·35	X	–	X	–	X	–	–	X	·15	X	·24	31
Total	3·86	4·425	·75	1·635	3·61	·585	2·63	·80 3	1·84	2·725	3·34	6·90	YEAR'S TOTAL 33·10 3
Rain Days.	17	18	8	12	10	5 7	11	7	8	15	11	24	148

W. 8,000. X. 15.

3 3 10 3

Exd C3E

567

A

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Seaford College

in the County of Sussex

by Col F. W. Savage

Lat. 50 46 N Long. 6" E

Time of Observation 6 p.m

Nearest Railway Station Seaford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·15	—	—	—	—	—	Trace	—	·76	—	1
2	·19	Trace	·02	—	·55	·04	—	—	—	·44	·42	—	2
3	·08	·03	·38	—	—	Trace	—	—	·05	·35	·05	—	3
4	·03	·19	Trace	—	Trace	·15	·03	—	—	·25	·33	—	4
5	·06	·03	—	·03	Trace	·11	—	—	·2	Trace	·68	—	5
6	·02	·05	·02	—	·11	·45		—	Trace	·04	·06	—	6
7	·01	·03	·26	·15	·28	·01	·41	—	—	·09	·28	—	7
8	—	·02	·33	—	·16	—	—	—	—	—	·16	·04	8
9	—	—	—	—	·31	—	—	—	—	—	—	·47	9
10	—	—	—	—	—	·45	·07	—	—	—	—	·13	10
11	—	·6	—	·17	—	·1	—	—	—	—	—	·45	11
12	·04	—	·03	·18	—	·27	Trace	—	—	—	—	·08	12
13	·04	·09	·36	Trace	·17	·15	·06	—	—	·07	—	·01	13
14	—	·15	·02	·005	Trace	—	·01	·29	Trace	—	—	·11	14
15	—	·4	·19	Trace	·23	—	—	—	—	·03	—	·35	15
16	—	·22	·11	·03	—	—	·01	—	—	—	—	·01	16
17	·18	—	·16	·33	—	—	·1	·08	—	·38	—	—	17
18	·14	·27	—	Trace	—	—	Trace	·05	·48	·28	·19	—	18
19	·02	Trace	—	·14	—	—	—	·05	·03	·22	·6	·1	19
20	·20	—	·11	·07	—	·05	—	·08	Trace	—	·8	·03	20
21	·04	—	·22	·03	—	—	—	Trace	—	—	·17	·52	21
22	·01	—	·19	·07	Trace	Trace	·06	—	—	Trace	—	·5	22
23	—	·06	·04	—	—	·12	—	·006	—	·01	—	·42	23
24	·005	·04	·02	—	—	—	Trace	Trace	—	·39	·06	—	24
25	—	·13	—	—	·07	—	—	·48	—	·36	·3	·36	25
26	—	·53	·18	—	—	·02	—	·16	·06	·02	·01	·15	26
27	—	·88	·3	—	—	·13	—	—	·05	·23	—	·01	27
28	—	·46	·44	—	—	·04	—	·14	·005	·68	—	—	28
29	Trace	·2	·4	—	—	·21	—	·33	·24	·53	—	·27	29
30	—	×	—	—	Trace	·25	—	·14	—	·24	—	·37	30
31	—	×	Trace	×	—	×	—	Trace	×	·16	×	—	31
Total	1·12	4·38	3·93	1·21	1·88	2·55	·75	1·81	1·12	4·77	4·87	4·38	YEAR'S TOTAL 32·77
Rain Days.	15	19	21	10	8	16	8	16	7	19	15	19	167

W. 8,000, VIII. 16

✓ 541

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at Seaford College
in the County of Sussex
by F. W. Savage D. Colonel

Lat. 50·46 N Long. 6" E
Time of Observation 6 p.m.
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 38' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·01	–	·03	–	–	tr	1·15	·11	–	·09	·02	1
2	0	–	tr	·05	–	–	–	1·25	tr	–	·05	–	2
3	0	–	–	·09	–	–	–	tr	–	·015	·13	–	3
4	0	·02	–	·03	–	–	·80	1·25	–	·35	–	–	4
5	0	·09	·18	–	–	–	–	·02	tr	–	–	–	5
6	·43	–	–	·20	–	·04	–	–	·18	·27	·02	–	6
7	·03	–	·32	–	–	1·32	–	–	·02	·22	·22	·08	7
8	·36	–	–	–	tr	·03	·28	·12	tr	·20	·14	tr	8
9	·02	–	·11	·11	–	–	·13	tr	–	·02	·10	·65	9
10	0	–	·09	·005	tr	tr	–	–	tr	·04	·005	·46	10
11	·24	–	·16	·04	–	·88	–	·15	–	–	–	–	11
12	·03	·01	·03	·08	tr	–	–	–	–	·57	–	–	12
13	–	–	·04	·02	tr	–	–	·12	tr	·405	tr	–	13
14	–	–	·17	–	·06	–	–	·01	·005	tr	–	·005	14
15	Trace	–	–	·22	–	–	·005	·34	–	·06	–	–	15
16	Trace	·02	–	·06	–	–	–	tr	–	·08	–	·42	16
17	·03	·13	–	–	·35	–	–	tr	·01	·12	–	·8[illegible]	17
18	·01	·03	–	·15	tr	–	·42	·13	·25	·10	–	–	18
19	–	·03	tr	·05	·10	·09	·02	–	·05	·005	–	–	19
20	tr.	·36	·07	–	·005	–	–	–	·05	–	–	–	20
21	do	·01	·04	–	·37	·005	·05	–	–	–	–	–	21
22	·02	·01	·02	–	·02	·23	–	–	–	–	–	–	22
23	–	–	·03	–	–	tr	–	·14	–	·28	–	–	23
24	–	·27	–	–	·30	–	–	·03	–	·12	–	–	24
25	–	·01	–	–	–	·02	·28	·08	–	·06	·02	·14	25
26	–	·12	·06	–	–	–	–	·20	·03	tr	–	–	26
27	–	–	tr	–	–	–	–	·67	·07	–	·55	tr	27
28	–	–	·01	–	·10	·15	–	·52	–	·01	tr	–	28
29	–		·05	–	–	1·65	·18	·47	–	·05	–	·01	29
30	tr	╳	·005	–	–	tr	·02	·61	–	·16	–	·07	30
31	·01	╳	·12	╳	–	╳	·40	·15	╳	[illegible]	╳	·02	31
	·01	–	·03	–	–	–	1·18	·11	–	·09	·02	·04	YEAR'S TOTAL
Total	~~1·18~~ 1·19	~~1·12~~ 1·11	~~1·505~~ 1·54	~~1·135~~ 1·10	~~1·305~~ 1·31	~~4·15~~ 4·41	~~[illegible]·5~~ 3·83	~~6·83~~ 5·79	~~·775~~ ·66	~~[illegible]·5~~ 3·25	~~1·[illegible]~~ 1·35	~~[illegible]·15~~ 2·74	~~28·235~~ ~~28·28~~
Rain Days.	~~10~~ 11	~~11~~ 13	~~17~~ 18	~~11~~ 12	8 8	9	~~14~~ 12	10 19	~~8~~ 8	~~3~~ 21	9 9	10 10	~~149~~ 150

W. 8,000, IX. 17.

W. C. D. [illegible]

66

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Seaford College,

in the County of Sussex

by G. S. Lolmer Young.

Lat. 50° 46' N Long. 6' E

Time of Observation 8 am.

Nearest Railway Station ½ mile distant N by W. (Seaford)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	0.01	0.0	0.0	trace	0.0	0.0	0.0	0.0	0.0	0.05	0.08	1
2	0.0	0.02	0.02	0.05	trace	0.0	0.0	0.49	0.0	trace	0.41	0.40	2
3	0.0	trace	0.09	0.0	trace	0.0	0.0	0.0	0.0	0.0	0.44	0.03	3
4	0.0	0.03	0.0	0.06	0.48	0.0	0.0	0.04	0.055	0.0	0.40	0.01	4
5	0.0	0.20	0.02	0.0	0.05	0.0	0.0	0.09	0.0	0.01	trace	0.01	5
6	0.02	0.08	0.01	0.09	0.005	0.0	0.0	0.43	0.0	trace	0.03	0.06	6
7	0.30	0.07	0.0	0.05	0.36	0.01	0.0	0.02	0.45	0.03	trace	trace	7
8	trace	0.09	0.0	trace	trace	0.0	trace	0.0	0.19	0.0	0.13	0.07	8
9	trace	trace	0.0	trace	0.0	0.07	0.0	0.0	0.30	0.22	trace	0.09	9
10	0.02	trace	0.0	0.10	0.0	0.04	0.22	0.0	0.38	0.04	0.0	0.26	10
11	0.03	0.0	0.0	0.001	0.0	0.0	trace	0.0	0.36	0.68	0.09	0.05	11
12	trace	0.01	0.0	0.0	0.07	0.0	0.01	0.0	0.04	0.11	0.0	0.06	12
13	0.0	0.09	0.0	0.0	0.20	0.0	0.05	0.0	0.20	0.0	0.0	0.01	13
14	0.18	0.0	0.09	0.0	trace	0.02	0.35	0.0	0.40	0.26	0.0	0.04	14
15	1.06	0.0	0.0	0.0	0.0	trace	0.02	0.0	0.0	0.0	0.0	0.32	15
16	0.68	0.0	0.0	0.07	0.0	0.0	0.01	0.0	0.03	0.0	0.0	0.0	16
17	0.60	0.0	0.0	0.08	0.0	0.02	0.46	0.0	0.0	0.0	0.0	0.0	17
18	0.01	0.0	0.0	0.10	trace	0.19	0.0	0.0	0.24	0.05	0.0	0.41	18
19	0.16	0.0	0.07	0.04	0.0	0.05	trace	0.0	trace	0.06	0.0	0.03	19
20	0.07	0.02	0.14	0.01	0.0	0.03	0.95	trace	0.34	0.17	0.0	0.0	20
21	0.0	0.09	0.0	0.89	0.0	0.0	0.0	0.0	0.04	0.11	trace	0.0	21
22	0.28	trace	0.01	0.08	0.07	0.0	0.18	0.0	0.64	0.0	trace	0.20	22
23	0.01	0.0	0.0	0.01	0.0	0.0	0.78	0.02	trace	trace	trace	0.16	23
24	0.05	0.0	0.0	0.0	0.0	0.01	0.0	0.0	0.20	trace	0.16	0.0	24
25	0.0	0.16	0.0	trace	0.0	0.0	0.0	0.27	0.0	0.04	trace	0.04	25
26	0.0	0.0	0.0	0.0	0.0	0.0	0.22	0.0	0.61	0.01	0.08	0.0	26
27	0.0	0.04	0.0	0.03	0.0	0.0	0.0	0.20	0.3	0.01	0.06	0.14	27
28	0.0	0.03	0.25	0.08	0.06	0.0	0.0	0.0	0.0	0.02	(0.28)	0.11	28
29	0.03	X	trace	0.09	0.0	0.0	0.0	0.0	~~0.89~~ 0.90	trace	0.03	0.003	29
30	0.0	X	0.32	0.02	0.0	0.0	0.0	0.02	0.0	0.13	0.0	trace	30
31	Trace	X	0.13	X	0.0	X	0.0	0.0	X	0.06	X	0.15	31
Total	2.540	0.940	1.150	1.857	1.295	0.440	3.250	1.580	5.665	2.010	2.16	2.733	YEAR'S TOTAL 25.614
Rain Days.	20 16	18 14	~~12~~ 11	~~21~~ 17	~~14~~ 7	10 9	~~14~~ 11	10 9	20 18	~~22~~ 17	19 12	~~25~~ 22	~~205~~ 163

W. 6,500, VII. 18. W W C

500

SEAFORD M.O
SUSSEX
1919-20

1922 A/B

[illegible] Obs. Sept interpolated by M.O.

508

FALL IN 19 19.

FORM A. BRITISH RAINFALL

9 MAR

Lat. 50° 46' N Long. 0° 6' E
Time of Observation 8h G.M.T., 7h G.M.T. in Summer Time
Nearest Railway Station
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 39½ ft.

...sured daily at 9 a.m. and the result entered to the ...nform to this almost universal rule, he is earnestly ...nuary of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	(0·39)	0·01	-	-	0·05	-	-	-	-	0·06	-	·66	1
2	0·19	-	-	-	0·03	-	0·25	-	0·02	0·03	0·06	·41	2
3	0·36	-	0·61	-	0·03	-	-	-	0·01	-	0·03	·25	3
4	0·34	0·08	0·49	-	-	0·01	0·055	-	0·18	-	0·06	·60	4
5	-	0·38	0·86	-	-	-	-	0·09	-	-	0·11	·35	5
6	0·20	-	0·02	-	-	-	-	-	-	-	-	·06	6
7	0·10	-	0·36	-	-	-	-	-	-	-	0·01		7
8	0·20	-	0·06	-	-	-	-	-	-	-	-		8
9	0·15	-	0·11	-	0·25	-	-	-	-	-	0·35		9
10	0·51	-	0·07	0·04	-	-	-	-	-	-	-	·03	10
11	0·39	-	0·12	0·54	0·05	-	-	-	-	-	-	·12	11
12	0·17	-	-	0·01	0·03	-	0·12	-	-	0·19	-		12
13	0·02	-	-	0·08	-	-	-	-	-	-	-	·01	13
14	0·35	-	-	0·32	-	-	0·06	-	(·10)	-	0·05	·11	14
15	0·13	0·02	-	-	-	-	-	-	-	-	0·035 0·04	·41	15
16	0·13	0·48	-	-	-	-	-	-	-	-	0·12	·02	16
17	-	0·21	0·05	0·02	-	-	-	-	-	-	0·155 0·16		17
18	-	0·01	0·03	-	-	-	-	-	-	-	0·07	03	18
19	-	0·28	0·69	-	-	0·01	0·34	-	-	-	0·17	·03	19
20	0·43	0·03	0·16	-	-	0·19	0·23	0·16	-	-	-		20
21	0·13	0·45	0·04	-	-	-	0·06	0·11	-	-	-		21
22	-	0·03	-	-	-	-	0·25	-	(·55)	-	0·20	·21	22
23	-	-	-	-	-	-	-	-	0·29	-	-	·17	23
24	-	0·02	-	0·11	-	0·01	-	-	0·01	0·06	-		24
25	0·05	-	-	-	-	-	-	0·20	-	-	0·27		25
26	0·10	0·21	(·43)	0·03	-	-	-	0·185	0·04	-	0·24		26
27	0·58	-	0·10	0·96	-	-	-	0·02	-	-	0·695 0·69	·41	27
28	-	-	0·23	0·10	-	-	-	0·17	-	-	0·54		28
29	0·04		-	0·02	-	-	-	1·23	-	0·14	0·06	·46	29
30	0·02	X	-	0·20	-	-	-	0·40	-	0·03	0·09	·20	30
31	0·07	X	-	X	-	X	-	0·18	X	0·14	X	·22	31
Total	5·05	2·21	~~4·00~~ 4·13	2·43	0·44	0·22	1·365	2·745	(1·20)	0·65	3·32	4·76	(28·[illegible]) YEAR'S TOTAL ~~27·87~~
Rain Days	23	13	~~16~~ 17	12	6	4	8	10	8	7	19	20	147

Obs. confirms no rainfall

Copied from M.O. Form 3203.

W. 6,500, VII./18. W W O

corrd. by Obs. Sept interpolated by M.O.

508

FALL IN 1919.

FORM A. BRITISH RAINFALL.

9 MAR

Kept at Seaford (M.O.)

in the County of Sussex.

by Col. F. W. Savage. V.D.

Lat. 50° 46′ N Long. 0° 6′ E

Time of Observation 8h G.M.T., 7h G.M.T. in Summer Time

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 39½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	(0.39)	0.01	-	-	0.05	-	-	-	-	0.05 0.06	-	·66	1
2	0.19	-	-	-	0.03	-	0.25	-	0.02	0.03	0.06	·41	2
3	0.36	-	0.61	-	0.03	-	-	-	0.01	-	0.03	·25	3
4	0.34	0.08	0.49	-	-	0.01	0.055	-	0.18	-	0.06	60	4
5	-	0.38	0.86	-	-	-	-	0.09	-	-	0.11	·35	5
6	0.20	-	0.02	-	-	-	-	-	-	-	-	·06	6
7	0.10	-	0.36	-	-	-	-	-	-	-	0.01		7
8	0.20	-	0.06	-	-	-	-	-	-	-	-		8
9	0.15	-	0.11	-	0.25	-	-	-	-	-	0.35		9
10	0.51	-	0.07	0.035 0.04	-	-	-	-	-	-	-	·03	10
11	0.39	-	0.12	0.54	0.05	-	-	-	-	-	-	·12	11
12	0.17	-	-	0.01	0.03	-	0.12	-	-	0.19	-		12
13	0.02	-	-	0.08	-	-	-	-	-	-	-	·01	13
14	0.35	-	-	0.32	-	-	0.06	-	(·10)	-	0.05	·11	14
15	0.13	0.02	-	-	-	-	-	-	-	-	0.035 0.04	·41	15
16	0.13	0.48	-	-	-	-	-	-	-	-	0.12	·02	16
17	-	0.21	0.05	0.02	-	-	-	-	-	-	0.155 0.16		17
18	-	0.01	0.03	-	-	-	-	-	-	-	0.07	03	18
19	-	0.28	0.69	-	-	0.01	0.34	-	-	-	0.17	·03	19
20	0.43	0.03	0.16	-	-	0.14	0.23	0.16	-	-	-		20
21	0.13	0.45	0.04	-	-	-	0.06	0.11	-	-	-		21
22	-	0.03	-	-	-	-	0.25	-	(·55)	-	0.20	·21	22
23	-	-	-	-	-	-	-	-	0.29	-	-	·17	23
24	-	0.02	-	0.11	-	0.01	-	-	0.01	0.06	-		24
25	0.05	-	-	-	-	-	-	0.20	-	-	0.27		25
26	0.10	0.21	(·43)	0.03	-	-	-	0.185	0.04	-	0.24		26
27	0.58	-	0.10	0.96	-	-	-	0.02	-	-	0.695 0.69	·41	27
28	-	-	0.23	0.10	-	-	-	0.17	-	-	0.54		28
29	0.04		-	0.02	-	-	-	1.23	-	0.14	0.06	·46	29
30	0.02	✕	-	0.20	-	-	-	0.40	-	0.03	0.09	·20	30
31	0.07	✕	-	✕	-	✕	-	0.18	✕	0.14	✕	·22	31
Total	5.05 ✓	2.21 ✓	4.13 ✓ ~~4.00~~	2.43 ✓	0.44 ✓	0.22 ✓	1.365 ✓	2.745 ✓	(1.20) ✓	0.65 ✓	3.32 ✓	4.76	(28.52) YEAR'S TOTAL ~~27.87~~ ✓
Rain Days	23	13	17	12	6	4	8	10	8 ✓	7 ✓	19 ✓	20	147

obs. confirms no rainfall

Copied from M.O. Form 3203.

W. 6,500, VII./18. W W O

Form C 1.

METEOROLOGICAL OFFICE.—British Rainfall Organization Dec

PLEASE fill in name of place and month.

RAINFALL at Seaford College in the County of Sussex

In the Month of December 1919

Date.	Inches.	Remarks on the Days.	M.O. Return	B.R.O. Form B
1	0·66			
2	·41			
3	·25	Jany	5.12	6.23
4	·6			
5	·35	March	4.00	3.25
6	·06			
7	—	Sept	·55	·96
8	—			
9	—	Oct	·65	1·14
10	·03			
11	·12	Nov.	3.32	3.60
12	—			
13	·01			
14	·11	Corrected Totals		
15	·41			
16	·02	Jany — 5·05		
17	—			
18	·03	March — 4·13		
19	·03			
20	—	Sept: — ·55 ✓		
21	—			
22	·21	Oct: — ·65 ✓		
23	·17			
24	—	Nov: — 3·32 ✓		
25	—			
26	—	No rain recorded		
27	·41	from Sept: 5–22		
28	—	inclusive.		
29	·46			
30	·2			
31	·82			
TOTAL	4·76	Days with ·01 in. or more 20		

1st of following month. ?

Note.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this Form.

79 A

?

PRINTED PAPER.

ADDITIONAL REMARKS.

No rainfall was recorded from Sept: 5 – 22 incl:

SIGNED A. F. V. Prater

No writing on this side of the line.

SEAFORD
8.1 PM
AP
SUSSEX

REVENUE
ONE PENNY

THE SUPERINTENDENT,
British Rainfall Organization,
62, Camden Square,
LONDON, N.W. 1.

Dec - figs interpolated from Birdie Ho.

480

2 APL 192

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Seaford (M.O)
in the County of Sussex
by Col. F. W. Savage V.D.

Lat. 50° 46' N Long. 0° 6' E
Time of Observation 8h G.M.T., 7h G.M.T. in Summer Time
Nearest Railway Station —
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 39½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·80	-	-	0·08	0·05	-	0·15	-	-	0·85	-	·24	1
2	-	-	0·08	-	0·03	-	-	0·70	0·11	0·06	-	·05	2
3	-	-	-	-	-	-	-	-	-	-	-	·11	3
4	-	0·02	-	0·05	-	-	1·86	0·05	-	0·01	-		4
5	-	-	0·07	-	-	-	0·29	0·04	-	-	-	·03	5
6	-	-	0·25	-	0·29	-	0·29	-	0·50	-	-		6
7	0·03	-	-	0·06	-	-	0·09	-	-	-	-		7
8	-	-	-	0·20	0·04	-	0·25	-	-	-	-		8
9	-	-	-	-	0·01	0·02	0·24	-	-	-	-		9
10	0·23	0·08	0·04	0·27	-	0·03	0·10	-	-	-	-	·02	10
11	0·36	-	0·13	0·12	-	0·40	0·06	-	-	-	-	·01	11
12	0·66	0·01	-	0·11	0·02	0·53	-	-	-	-	0·01	-	12
13	-	-	0·23	-	-	-	-	-	-	0·01	0·09	-	13
14	-	0·01	0·30	0·30	-	0·01	-	-	-	0·09	0·20		14
15	-	-	-	-	-	-	-	-	-	0·60	0·10		15
16	-	-	0·05	0·03	-	-	-	-	0·85	-	0·01	·05	16
17	0·05	-	-	0·02	0·10	-	-	-	0·27	-	-	·02	17
18	0·05	-	-	-	0·13	0·01	-	0·81	0·22	-	-	·04	18
19	0·05	-	-	0·14	-	-	-	-	-	-	-	·07	19
20	0·12	0·09	-	0·10	-	0·93	-	-	0·27	-	-		20
21	-	0·01	-	0·02	-	-	0·12	-	0·18	-	-		21
22	-	-	-	0·35	-	-	-	-	-	-	-		22
23	-	-	-	-	-	-	0·23	0·11	-	-	-	(1·61)	23
24	-	-	-	-	-	-	0·09	-	-	-	-		24
25	-	-	0·07	-	0·03	-	1·10	-	-	-	-		25
26	0·05	-	0·13	0·11	-	-	0·01	-	-	-	0·01	×	26
27	0·24	0·01	0·01	0·19	-	0·03	0·05	-	-	-	0·24	·10	27
28	0·24	0·02	0·15	0·01	0·41	-	0·12	-	-	-	0·20	·15	28
29	0·32	-	0·03	0·11	-	-	-	-	-	-	0·19		29
30	0·02	X	0·02	-	-	-	0·15	-	0·32	-	0·14	(·47)	30
31	-	X	-	X	-	X	-	-	X	0·43	X		31
TOTAL	3·22	0·25	1·5~~4~~6	2·27	1·11	1·96	5·20	1·71	2·72	2·05	1·19	(2·97)	YEAR'S TOTAL (26·21)
Days with ·01 in. or more	14	8	14	18	10	8	17	5	8	7	10	(20)	~~139~~
	13	2	11	14	6	3	16	5	8	5	7	(15)	(104)

Record incomplete

(44284). Wt. 21958—218. 7500. 10/19. Gp. 132. A.&E.

copied from M.O. Form 3203

B.R.
FORM C 1

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 MAR 1921

PLEASE fill in name of place and month.

RAINFALL at Seaford College in the County of Sussex

In the Month of December 1920

Date.	Inches.	REMARKS ON THE DAYS.
1	0·24	
2	0·05	
3	0·11	
4	—	
5	0·03	
6	—	
7	—	
8	—	
9	—	
10	0·02	
11	0·01	
12	—	completed by interpolation from Arundel &c
13	—	
14	—	
15	—	
16	0·05	
17	0·02	
18	0·04	
19	0·07	
20	(1·61)	During this period regret no competent observer resident at the College.
21		
22		
23		
24		
25		
26		
27	0·10	
28	0·15	
29	(·47)	
30		
31		
TOTAL	2·97	Days with ·01 in. or more (20) Days with ·04 in. or more (15)

1st of following month. ....

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this form.

PRINTED PAPER.

ADDITIONAL REMARKS.

The Headmaster of Seaford College is now Rev. L. S. Cowan M.A.

SIGNED A.F.V. Prater. Obs.

No writing on this side of the line.

POSTAGE ½D.
or, if containing anything in the nature of a letter 1D.

SUSSEX
8 AM
23 MR
21

ON HIS MAJESTY'S SERVICE

THE SUPERINTENDENT,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

SELHAM
RECTORY
SUSSEX
1911 - 12

Our written 28.III.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Selham

in the County of Su

by Rev: R

Gauge

in.

und 1 ft. - in.

Level 77 ft.

Selham. L.B.&S.C.R.

ce 200yds Direction S.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the the space provided for it at the end of of rain, the selection and pl Rainfall Organization are given ation to Dr. H. R. Mill, 62, C

Jan. 1, following.

I am not a little troubled
at such a correction of my
figures being needful; and
am greatly obliged for the
accuracy and kindness which
has pointed out my mistake.
I have the addition of the
Month, Last Nov:, all correct
upon my daily Register; -6·565,-
but copied it wrongly

Date.	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Date
	in.	in.									in.	in.	
1	·02	—									·03	·04	1
2	·08	—									·185	·31	2
3	—	·01									·305	·06	3
4	·01	—									·465	·57	4
5	·015	—									·02	·025	5
6	·57	—									·05	1·28	6
7	·02	—									·72	·36	7
8	·05	—									·425	·64	8
9	·095	—									·05	·28	9
10	—	·14									·01	1·02	10
11	·55	·01*									1·40	·01	11
12	—	—									·19	·10	12
13	—	—									—	·53	13
14	—	—	—	—	·11	—	—	—	—	—	—	·74	14
15	—	·03	·04	—	—	—	—	—	—	—	·18	·04	15
16	—	·015	—	—	—	·83	—	—	—	—	1·17	·21	16
17	·01*	—	—	—	—	·04	—	—	—	—	·79	·365	17
18	—	·205	·04	·01	—	·03	—	—	—	·02	·435	·73	18
19	—	·03	—	—	—	·16	—	—	·39	·28	·05	·18	19
20	·05	·03	·065	—	—	—	—	·20	·06	—	—	1·105	20
21	·02	·285	—	—	—	—	—	·44	·01	1·04	—	·21	21
22	·13	—	·09	—	—	·44	—	—	—	·145	—	·775	22
23	—	·225	·025	—	—	·48	—	—	·11	·47	·04	·495	23
24	·01	·17	·01	—	—	·09	·02	·115	—	1·855	—	·495	24
25	—	·02	—	·10	·42	·15	·37	·015	·06	—	—	·065	25
26	—	—	·03	·30	·025	·02	·04	—	—	·38	—	·31	26
27	—	·29	·405	·18	—	—	·035	—	·04	·115	·05	·19	27
28	—	·385	—	·30	—	—	—	·12	—	·01	—	—	28
29	—		—	·05	—	·12	·10	—	·19	·33	—	—	29
30	—		—	·07	—	·03	—	·24	·035	·54	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·63	1·845	2·015	1·420	1·565	2·390	·565	1·240	1·075	5·895	6·565 6·565	11·145	TOTAL for year 37·35 37·35
No. of Rain Days	14	14	17	11	8	11	5	8	10	15	19	28	160.

9,000, IX. '10.

* Haar Frost.

Obr written 28·III·12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Selham
in the County of Su
by Rev: R.

Gauge
in.
nd 1 ft. - in.
Level 77 ft.
Selham. L.B.&S.C.R.
nce 200 yds Direction S.

IMPORTANT N … result entered to the previous day. If an … l rule, he is earnestly requested to add the … n the space provided for it at the end of … of rain, the selection and pl … Rainfall Organization are given … ation to Dr. H. R. MILL, 62, C

Jan. 1, following.

1911

SELHAM RECTORY,
PETWORTH.

1 April 1912.

Dear Sir,

I am not a little troubled at such a correction of my figures being needful; and am greatly obliged for the accuracy and kindness which has pointed out my mistake. I have the addition of the Month, last Nov:, all correct upon my daily Register; -6·565;- but copied it wrongly

---

Date.	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Date
	in.	in.									in.	in.	
1	·02	—									·03	·04	1
2	·08	—									·185	·31	2
3	—	·01									·305	·06	3
4	·01	—									·465	·57	4
5	·015	—									·02	·025	5
6	·57	—									·05	1·28	6
7	·02	—									·72	·36	7
8	·05	—									·425	·64	8
9	·095	—									·05	·28	9
10	—	·14									·01	1·02	10
11	·55	·01*									1·40	·01	11
12	—	—									·19	·10	12
13	—	—									—	·53	13
14	—	—	—	—	·11	—	—	—	—	—	—	·74	14
15	—	·03	·04	—	—	—	—	—	—	—	·18	·04	15
16	—	·015	—	—	—	·83	—	—	—	—	1·17	·21	16
17	·01*	—	—	—	—	·04	—	—	—	—	·79	·365	17
18	—	·205	·04	·01	—	·03	—	—	—	·02	·435	·73	18
19	—	·03	—	—	—	·16	—	—	·39	·28	·05	·18	19
20	·05	·03	·065	—	—	—	—	·20	·06	—	—	1·105	20
21	·02	·285	—	—	—	—	—	·44	·01	1·04	—	·21	21
22	·13	—	·09	—	—	·44	—	—	—	·145	—	·775	22
23	—	·225	·025	—	—	·48	—	—	·11	·47	·04	·495	23
24	·01	·17	·01	—	—	·09	·02	·115	—	1·855	—	·495	24
25	—	·02	—	·10	·42	·15	·37	·015	·06	—	—	·065	25
26	—	—	·03	·30	·025	·02	·04	—	—	·38	—	·31	26
27	—	·29	·405	·18	—	—	·035	—	·04	·115	·05	·19	27
28	—	·385	—	·30	—	—	—	·12	—	·01	—	—	28
29	—		—	·05	—	·12	·10	—	·19	·33	—	—	29
30	—		—	·07	—	·03	—	·24	·035	·54	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·63	1·845	2·015	1·420	1·565	2·390	·565	1·240	1·075	5·895	6·565 6·565	11·145	TOTAL for year 37·35 37·35
No. of Rain Days	14	14	17	11	8	11	5	8	10	15	19	28	160.

9,000, IX. '10.

* Hoar frost.

Obr written 28.III.12

REG

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Gauge

Kept at Selham Rectory

2

in the County of Sussex

by Rev. R. D. H. Gray

Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 77 ft.
of Observation 9 a.m.

Nearest Railway Station { Name Selham L.B.&S.C.R.
Distance 200 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·225	—	—	—	·065	—		·03	·04	1
2	·08	—	—	·105	·415	—	—	—	—	—	·185	·31	2
3	—	·01	—	—	·29	—	—	·045	—	—	·305	·06	3
4	·01	—	·02	·07	—	—	—	—	—	·085	·465	·57	4
5	·015	—	—	—	—	—	—	—	—	·36	·02	·025	5
6	·57	—	·13	—	—	—	—	—	—	—	·05	1·28	6
7	·02	—	·01	—	—	—	—	—	—	·21	·72	·36	7
8	·05	—	·175	—	—	—	—	—	—	—	·425	·64	8
9	·095	—	·01	—	—	—	—	—	—	—	·05	·28	9
10	—	·14	·285	·01	—	—	—	—	—	—	·01	1·02	10
11	·55	·01*	·02	—	·18	—	—	—	—	—	1·40	·01	11
12	—	—	·63	—	·025	—	—	—	·06	—	·19	·10	12
13	—	—	·03	—	·10	—	—	—	·12	·055	—	·53	13
14	—	—	—	—	·11	—	—	—	—	—	—	·74	14
15	—	·03	·04	—	—	—	—	—	—	—	·18	·04	15
16	—	·015	—	—	—	·83	—	—	—	—	1·17	·21	16
17	·01*	—	—	—	—	·04	—	—	—	—	·79	·365	17
18	—	·205	·04	·01	—	·03	—	—	—	·02	·435	·73	18
19	—	·03	—	—	—	·16	—	—	·39	·28	·05	·18	19
20	·05	·03	·065	—	—	—	—	·20	·06	—	—	1·105	20
21	·02	·285	—	—	—	—	—	·44	·01	1·04	—	·21	21
22	·13	—	·09	—	—	·44	—	—	—	·145	—	·775	22
23	—	·225	·025	—	—	·48	—	—	·11	·47	·04	·495	23
24	·01	·17	·01	—	—	·09	·02	·115	—	1·855	—	·495	24
25	—	·02	—	·10	·42	·15	·37	·015	·06	—	—	·065	25
26	—	—	·03	·30	·025	·02	·04	—	—	·38	—	·31	26
27	—	·29	·405	·18	—	—	·035	—	·04	·115	·05	·19	27
28	—	·385	—	·30	—	—	—	·12	—	·01	—	—	28
29	—		—	·05	—	·12	·10	—	·19	·33	—	—	29
30	—		—	·07	—	·03	—	·24	·035	·54	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·63	1·845	2·015	1·42	1·565	2·39	·565	1·24	1·075	5·895	6·565 6·565	11·145	37·35 TOTAL for year 37·35
No. of Rain Days	14	14	17	11	8	11	5	8	10	15	19	28	160.

9,000, IX. '10.

* Haar Frost.

as 5·565 on the Monthly Sheets.

I am indeed sorry, - and Ashamed! The correct Total of 37·35 for the Year, - after such a drought through the Summer was indeed Marvellous.

The Register for the first Quarter of this Year is also Notable, -

1912.	Inches.		on days
Jan:	3·82	–	21
Feb:	3·40	–	23
Mar:	5·20	–	24
	12·42 ✓		68

and ∴ for the Winter from 1 Oct: 1911 to 31 Mar: 1912.

= 36·025 on 130 days - in just Six Months, an amount far above an Average Year's fall!!!

I am

yours very truly

Robert D. H. Gray

To H.R. Mill Esq: D.Sc:.

cwd for arith 5·11·13 7 C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

9 - JAN 191

Kept at Selham Rectory

in the County of Sussex 2

by Rev: R. H. Gray

RAIN GAUGE
Pattern Symons'
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 77 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Selham. L.B. & S.C.R.
Distance 200 yds: Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·205	–	·01	·375	·23	–	·01	·74	–	·39	1
2	–	·015 s	·43	–	–	·055	·195	–	–	–	–	–	2
3	·01	·01 s	·04	–	–	·32	·02	·455	·01	–	–	·01	3
4	·20	·03 s	·99	–	–	·115	–	·03	–	–	·18	·01	4
5	·28	·075 s	·245	–	–	–	–	·41	–	–	·01	·03	5
6	·66	·135	·01	–	·03	–	–	·17	–	·01×	–	·37	6
7	·01	–	·02	–	·155	·59	–	·115	–	–	–	·17	7
8	·505	·615	·395	–	–	·04	–	·01	–	–	–	·31	8
9	·025	·215	·16	–	–	·08	·02	·04	–	–	–	·26	9
10	–	·15	·04	–	–	–	–	·16	–	–	·07	·38	10
11	·11	·57	·055	–	–	·01	–	·025	–	–	·01	·33	11
12	·02	·12	·09	–	·045	·19	·13	·40	–	–	–	–	12
13	–	·04	·045	–	–	–	·40	·04	–	–	·08	·03	13
14	·01	–	·03	–	·04	–	–	·08	–	·04	–	·39	14
15	·01	·04	·11	–	·09	·53	–	–	–	·07	–	·29	15
16	·15	·01	·33	–	·19	–	–	·22	–	–	·07	·01	16
17	·51	–	·35	–	–	·03	–	·235	–	–	·02	·20	17
18	·11	–	·275	–	–	–	–	·23	–	·03	·01	·10	18
19	·09	·06	·115	–	–	–	·12	1·25	–	–	·01	·01	19
20	·03	·01	·655	–	–	·05	–	·09	–	·43	–	–	20
21	·01	·12	·23	–	·255	–	–	·14	–	·17	·03	–	21
22	·09	·60	·075	–	–	–	–	·155	–	–	–	·02	22
23	·57	·25	·225	–	–	·01	–	·305	–	·09	·18	·11	23
24	·27	·04	–	–	–	·04	–	·12	–	–	–	1·10	24
25	·15	–	–	–	–	·51	–	·84	–	·03	·27		25
26	–	·09	–	–	–	·01	–	·19	–	·43	·47	·36	26
27	–	·02	–	–	–	·15	·05	–	–	·32	–	·59	27
28	–	·08	–	–	–	·14	·40	·29	·11	·89	·58	·20	28
29	–	·105	–	–	–	·025	·215	·375	2·65	·11	·07	–	29
30	–		–	–	·27	–	·06	·05	1·45	·22	–	–	30
31	–		·08		·15		·43	·12		–		–	31
Total	3·82	3·40	5·20	–	1·235	3·27	2·27	6·545	4·23	3·58	2·06	5·37 5·39	TOTAL for year 40·98 40.98
No. of Rain Days	21	23	24	0	10	19	12	27	5	14	15	24	194

9,000, IX. '10. (S = Snow) (× Rime.)

4 55

SELHAM . SELHAM HOUSE
SUSSEX
1915 - 20

~~1921 - 25~~

528

FORM A.
BRITISH RAINFALL.

1916

IN 1915

Long.

Kept at — of Observation 9 A.m. daily

in the C — est Railway Station Selham

— eter of Rain Gauge 5 in.

by C. — ht of top of Gauge above Ground 1 ft. — in.

„ „ „ Sea Level 115 ft.

I — ily at 9 a.m. and the result entered to the previo — o this almost universal rule, he is earnestly reques — the following year in the space provided for it — for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.86	.17	.10		.01				.28	.08	.04	.58	1
2	.54	.34	.21					.15	.11			.30	2
3	.45		.09	.25	.07			.01	.01			.60	3
4	.10							.03				.90	4
5		.83		.04				.12				.53	5
6	.59	.18		.83			.78						6
7	.28	.64					.48					.23	7
8	.02	1.19					.08					.15	8
9	.05	.08		.14				.06			.67	1.02	9
10	.35											.30	10
11	.05		.04							.10	1.01	.05	11
12	.02	.56		.19	.20			.06			.68		12
13	.10	.60		.16	1.90								13
14	.04	.10					.05	.12	.08			.53	14
15	.16				.05		.24	.53			.05	1.40	15
16		1.53			.18		1.02	.02					16
17		.63			1.10			.04					17
18		.40	.01								.04		18
19		.12			.27								19
20	.26						.09					.07	20
21										.42		.16	21
22	1.30	.17					.94					.33	22
23		.07	.13				.36		.43	.26		.69	23
24							.34		.46	.40		.97	24
25				.07		.02	.32					.45	25
26		.16				.11	.12					.99	26
27						.02				.48			27
28		.12				.11				.54			28
29						.09					.50	.02	29
30	.18	X				.11				.48	.84		30
31		X		X		X		.54	X	1.24	X	.50	31
Total	5.35	7.89	.58	1.68	3.78	.46	4.82	1.68	1.37	4.00	3.83	10.77	YEAR'S TOTAL 46.21
Rain Days.	17	18	6	7	8	6	12	11	6	9	8	21	129.

W. 8,000. X. 14.

528

FORM A.
BRITISH RAINFALL.

IN 1915

Long.

Kept at [illegible]

in the County of Sussex 2

by C. West under direction of C. C. Lacaita

Time of Observation 9 a.m. daily

Nearest Railway Station Selham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.86	.17	.10		.01				.28	.08	.04	.58	1
2	.54	.34	.21					.15	.11			.30	2
3	.45		.09	.25	.07			.01	.01			.60	3
4	.10							.03				.90	4
5		.83		.04				.12				.53	5
6	.59	.18		.83			.78						6
7	.28	.64					.48					.23	7
8	.02	1.19					.08					.15	8
9	.05	.08		.14				.06			.67	1.02	9
10	.35											.30	10
11	.05		.04							.10	1.01	.05	11
12	.02	.56		.19	.20			.06			.68		12
13	.10	.60		.16	1.90								13
14	.04	.10					.05	.12	.08			.53	14
15	.16				.05		.24	.53			.05	1.40	15
16		1.53			.18		1.02	.02					16
17		.63			1.10			.04					17
18		.40	.01								.04		18
19		.12			.27								19
20	.26						.09					.07	20
21										.42		.16	21
22	1.30	.17					.94					.33	22
23		.07	.13				.36		.43	.26		.69	23
24							.34		.46	.40		.97	24
25				.07		.02	.32					.45	25
26		.16				.11	.12					.99	26
27						.02				.48			27
28		.12				.11				.54			28
29						.09					.50	.02	29
30	.18	X				.11				.48	.84		30
31		X		X		X		.54	X	1.24	X	.50	31
Total	5.35	7.89	.58	1.68	3.78	.46	4.82	1.68	1.37	4.00	3.83	10.77	YEAR'S TOTAL 46.21
Rain Days.	17	18	6	7	8	6	12	11	6	9	8	21	129.

W. 8,000. X. 14.

514

~~W~~ [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

27. FEB 1917

Kept at Selham
in the County of Sussex
by C. West then W. Foxxet for C. C. Lacaita

Lat. 50·58½ Long. 0·41 W.
Time of Observation 9 Am
Nearest Railway Station Selham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·28				·43	·25	·27		1
2	·54		·12		·34		·09		·05	·86	·16		2
3	·03	·42	·14						·08	·70	·93		3
4	·30	·58				·61			·08	·01	·44		4
5	·01		·10		·15	·22				·10	·78		5
6		·30	·04			·28	·39			·15	·71		6
7			·30		·30	·17							7
8					·48						1.10		8
9					·23	·05						·50	9
10		·48	·04	·04		·50					·02	·30	10
11	·05	·03		·09		·08						·10	11
12		·11			·05	·08	·22					·30	12
13		·32	·08										13
14		·72		·08	·04	·05		·11		·13			14
15		·11						·20				·04	15
16			1.07	·11			·07	·62	·25				16
17	·30	·25		·14				·18	·21	·89			17
18		·02	·04										18
19	·43		·20	·21								·01	19
20	·16		·31	·04							·94	·22	20
21	·33		·22								·07	·96	21
22										·07		·24	22
23		·11				·09				·10		·95	23
24				x	·15			·01		·41		·02	24
25		·70	·20					·37	·25	·15	·30	·41	25
26				·22				·67	·36	·56	·05		26
27		·31	·98					·06	·15	·70			27
28		·62	·05					·08	·31	·46			28
29		·21				·61		1.04	·13	·37	·03	·28	29
30		X			·36					·30		·33	30
31		X		X		X		·08	X	·15	X		31
Total	2·15	5·29	3·89 ~~3·91~~	·93	2·38	2·74	·77	3·42	2·30	6·36	5·80	4·69 ~~4·89~~	YEAR'S TOTAL ~~40·72~~ 40·74
Rain Days.	9	16	15	8	10	11	4	11	11	18	13	14	140

W. 8,000. X/14.

495

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL
7. JAN 19

Kept at Selham House, Selham
in the County of Sussex
by Wm. Fraser (gardener) for C. C. Lacaita

Lat. 50.58½ Long. 0.41
Time of Observation 9 AM.
Nearest Railway Station Selham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13	.17				1.26	.10		.05		1
2				.45				.07			.15		2
3				.24			1.10	.21		.5			3
4			.20				.06			.45			4
5	.33		.02	.41		.02		.28	.20	.25	.23		5
6			.25			.12		.26	.10	.05	.12		6
7	.44						.30			.28		.06	7
8	.23			.09			.48	.19		.46	.20	.44	8
9			.12	.24	.04					.06	.08	.22	9
10	.09		.26	.05		.03				.25		.07	10
11	.16		.24	.49						.30			11
12	.05							.10		.62			12
13	.03		.15					.20					13
14			.02	.20				(.08)					14
15	.01				.06			.11		.20			15
16	.02	.14		.14	.02		.21			1.23		.19	16
17				.11	.28		.22	.05	.45	.16		.63	17
18	.01	.05		.04	.08		.28		.54	.02			18
19		.15	.09					.02	.47				19
20		.02	.01		.64				.02				20
21	.01												21
22			.02			.04		.31		.11			22
23		.19			.19			.23		.02			23
24		.07				.10				.26			24
25			.04							.08			25
26			.06					.54	.14		.34		26
27					.07			1.45					27
28			.02			2.20		.38					28
29			.06		.14	.08	.04	.03		.45	.05		29
30		X	.42					.34		.10	.02		30
31		X	.14	X		X	.42	.05	X	.05	X		31
Total	1.38	.65	2.28	2.63	1.55	2.59	3.41	6.47	2.02	5.45	1.27	1.59	YEAR'S TOTAL 31.29
Rain Days.	11	6	18	12	9	7	9	20	8	21	9	6	136

W. 8,000. X. 14.

Esc 8L

28

FORM A.
BRITISH RAINFALL.

8. 1. 19

REGISTER OF RAINFALL IN 1918.

Kept at Selham House, Selham

in the County of Sussex

by W. Fraser (for C C Lacaita)

Lat. 50 58½ Long. 0·41' W.
Time of Observation 9 AM
Nearest Railway Station Selham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.41	.03	1
2		.05	.	.08				.54		.20	.38	.32	2
3			.03	.10	.64			.05		.03	.44		3
4		.26	.08					.07	.10		.49	.05	4
5		.12			.03			.21	.04	.02		.04	5
6	.12	.20		.28	.04			.25				.08	6
7		.17		.07	.46			.01	.34	.08	.07	.03	7
8		.10							.06			.05	8
9				.12					.64	.28		.82	9
10							.40		.45			.53	10
11				.12			.26		.08	.39	.34	.08	11
12		.14			.21	.03	.64		.02			.05	12
13					.11	.14	.30		.24				13
14	.64		.20			.05	.11		.41	.15		.12	14
15	1.41			.21			.41		.12			.20	15
16	.36		.01	.13		.15			.10	.05			16
17	.33			.14								.43	17
18	.64					.60			.91			.11	18
19	.11		.14			.16	.24			.07		.04	19
20	.07	.26		.63			.20		.31	.05		.02	20
21	.31	.02		.25		.03	1.02		.31				21
22	.20				.27		.11		.26			.05	22
23	.09					.02	1.05	.01				.16	23
24		.37					.04		.13		.08		24
25				.44			.23	.18					25
26		.13					.95		.09			.36	26
27				.06			.08	.12	.08	.	.08	.04	27
28			.31	.							.24		28
29									1.18			.01	29
30		X	.51						.06	.04	.08		30
31		X	.14	X		X	.05		X	.09	X		31
Total	4.58	1.82	1.48	2.66	1.76	1.21	6.69	1.47	5.99	1.48	2.94	3.62	YEAR'S TOTAL 35.70
Rain Days.	11	11	8	13	7	8	16	9	21	12	10	22	148

W. 8,000, IX. 17.

468

FORM A.
BRITISH RAINFALL.

6 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Selham House, Selham
in the County of Sussex
by W. Fraser for C. C. Lacaita

Lat. 50·58½ Long. 0·41 W.
Time of Observation
Nearest Railway Station Selham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42				·25		·21					1·10	1
2	·35				·14		·06		·14			·12	2
3	·43		·50				·05		·04			·32	3
4	·42		·45				·16					·09	4
5			·93		·04		·06	·02	·03		·14	·30	5
6	·39	·47	·09								·20	·12	6
7	·21		·67										7
8	·42		·14										8
9	·50		·06	·18	·06								9
10	·78		·04									·30	10
11	·63		·27	·33	·08							·15	11
12	·07									·06		·03	12
13	·06			·89			·30					·02	13
14	·71						·08		·36			·10	14
15	·30	·02	·02	·45								1·10	15
16	·13	·67									·14		16
17		·40							·05			·01	17
18		·04	·12					·03			·11		18
19	·11	·38	1·43				·34	·20			·05		19
20	·76	·25				·74		·24			·10	·02	20
21	·06	·42					·18						21
22		·03							·33		·04	·04	22
23									·26		·03		23
24								·45		·19	·20		24
25												·07	25
26		·23	·12	·10					·13		·16	·66	26
27	·51		·17	·57				·86					27
28	·02		·36					·63			·36	·25	28
29				·12				·32		·15	·11	·23	29
30		X				·04		·58	·03	·02	·47	1·01	30
31		X	·02	X		X			X	·01	X	·10	31
Total	7·58	2·91	5·39	2·64	·60	·78	1·44	3·33	1·37	·43	2·11	6·14	YEAR'S TOTAL 34·72
Rain Days.	20	10	16	7	5	2	9	9	9	5	13	21	~~126~~

W. 8,000, IX. 17.

CX MZ

443

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Selham

in the County of Surrey

by W. Fraser & subsequently J. Hawkins
Mr C C Lacaita

Lat. 50·58½ Long. 0·41 W.
Time of Observation 9 am
Nearest Railway Station Selham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·12	·20		·47			·10	·03	·39	1
2				·03	·09			·20	·09	·33		·28	2
3	·17			·05	·01					·12		·06	3
4		·10		·04			1·11	·30		·44		·06	4
5			·16	·18			·82	·08		·02			5
6			·25	·02	·21		·26						6
7				·11			·23						7
8					·10		·15						8
9	·07		·07	·05	·15	·09	·11						9
10	1·31		·08	·09		·25	·31						10
11	·23			·20	·02	·03	·56					·17	11
12	·05			·71		·53					·03		12
13	·18		·36	·02			·01				·05		13
14			·58	·56					·20	·08	·76		14
15	·04	·02		·15	·04				·82		·10		15
16				·02			·01		·28				16
17					·21	·03			·92			·07	17
18	·04				·11			·77	·12				18
19	·12			·41		·03			·06			·07	19
20	·08	·15		·31		·53							20
21				·04			·80		·19			·19	21
22	·04			·27								·49	22
23	·01						·52					·45	23
24	·04		·20					·12			·04	·25	24
25		·05	·05				·41						25
26	·03		·36		·03		·02					·14	26
27	·95			·27			·15				·39	·33	27
28	·50		·16	·03	·04		·11						28
29	·84		·10	·03							·29	·43	29
30	·11					·12	·04			·04	·28	·39	30
31	·06		·22							·68		·40	31
TOTAL	4·94	·32	2·59	3·73	1·21	1·61	6·09	1·47	2·68	1·81	1·97	4·17	YEAR'S TOTAL 32·59
Days with ·01 in. or more	20	4	12	22	12	8	18	5	8	8	9	16	142
	18	3	12	17	9	5	15	3	8	7	17	16	122

(44,283). Wt. 21,658—213. 7500. 10/19. Gp. 132. A.&E.W.

76

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

SELSEY
LARGE ACRES
SUSSEX
1911 - 1920

REGIS

Kept at Large Acres,

in the County of W. Sus

by E. H. Allen

in.

nd ft. in.

Level ft.

ce Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·50				·09			·11	·02	1
2				·12	·26						·17	·19	2
3					·14			·08			·10	·21	3
4			·02	·04						·03	·10	·31	4
5				·02						·55	·07		5
6	·30		·11							·02	·06	·80	6
7	·09									·38	·82	·06	7
8	·04		·14								·45	·38	8
9	·09										·17	·24	9
10		·13	·13									·35	10
11	·25		·09								·95	·06	11
12			·92						·05		·11	·05	12
13					·52				·15	·12		·40	13
14		·06			·06							·42	14
15		·02									·08	·03	15
16			·04			·63					·55	·10	16
17						·02					1·38	·12	17
18		·08	·06	·01						·13	·52	·37	18
19		·10				·04			·15	·18	·03	·11	19
20			·03					·06	·19			·80	20
21		·09						·07	·02	·48		·17	21
22	·18		·02			·12		·06		·30		·48	22
23		·14				·60			·17	·40	·06	·19	23
24	·04	·12				·08	·02			·48		·28	24
25		·02		·10	·83	·05	1·07		·06	·02		·06	25
26				·36	·01	·01				·31		·33	26
27		·31	·10	·04			·15		·05	·49	·04	·18	27
28		·15		·19				·14					28
29				·02		·10	·07		·19	·24		·02	29
30				·01						·18		·03	30
31													31
Total	1·02	1·22	1·66	1·41	1·82	1·65	1·31	·50	1·03 ~~·92~~	4·31	5·77	6·76	TOTAL for year 28·46
No. of Rain Days	8	11	11	11	6	9	4	6	9	16	18	28	137

9,000, IX. '10.

76

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

REGIS

Kept at Large Acres, Selsey

in the County of W. Sussex

by E. H. Allen

RAIN GAUGE { Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station { Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·50				·09			·11	·02	1
2				·12	·26						·17	·19	2
3					·14			·08			·10	·21	3
4			·02	·04						·03	·10	·31	4
5				·02						·55	·07		5
6	·30		·11							·02	·06	·80	6
7	·09									·38	·82	·06	7
8	·04		·14								·45	·38	8
9	·09										·17	·24	9
10		·13	·13									·35	10
11	·25		·09								·95	·06	11
12			·92						·05		·11	·05	12
13					·52				·15	·12		·40	13
14		·06			·06							·42	14
15		·02									·08	·03	15
16			·04			·63					·55	·10	16
17						·02					1·38	·12	17
18		·08	·06	·01						·13	·52	·37	18
19		·10				·04			·15	·18	·03	·11	19
20			·03					·06	·19			·80	20
21		·09						·07	·02	·48		·17	21
22	·18		·02			·12		·06		·30		·48	22
23		·14				·60			·17	·40	·06	·19	23
24	·04	·12				·08	·02			·48		·28	24
25		·02		·10	·83	·05	1·07		·06	·02		·06	25
26				·36	·01	·01				·31		·33	26
27		·31	·10	·04			·15		·05	·49	·04	·18	27
28		·15		·19				·14					28
29				·02		·10	·07		·19	·24		·02	29
30				·01						·18		·03	30
31													31
Total	1·02	1·22	1·66	1·41	1·82	1·65	1·31	·50	1·03 ~~·93~~	4·31	5·77	6·76	TOTAL for year 28·46
No. of Rain Days	~~1~~8	11	11	11	6	9	4	6	9	16	18	28	137

9,000, IX. '10.

Shillingdon LAWN **REGISTER OF RAINFALL IN 1912** Ec 7C / Rb

FORM A. BRITISH RAINFALL.

21 APR 1913

~~Grade~~

Kept at Large Acres, Selsey Bill

in the County of Sussex

by Edward Heron-Allen

Lat. 50°43′5″ Long. 0°47′23

Time of Observation 9 am

Nearest Railway Station Chichester

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05		·04	·18	·05	·02	·01	·70	-	·21	1
2	-	-	·39		-	-	·32	-	-	·02	.	-	2
3	-	-	·05		-	·11	.	·52	·02	-	·03	·02	3
4	·17	-	·85		-	·19	-	·12	-	-	·23	.	4
5	·26	·12	·09		-	-	-	·46	-	-	·03	·03	5
6	·55	-	·02		·15	·01	-	·40	·03	.	.	·03	6
7	·50	.	·06	~~·07~~	·28	·48	-	·06	.	-	.	·04	7
8	-	·28	·19		.	·02	-	·17	.	-	-	·02	8
9	·04	·15	·16	·07	-	-	·03	·13	-	.	-	·11	9
10	-	·04	-		-	-	-	·14	-	.	·06	·34	10
11	·09	·25	-		·03	·10	-	·21	-	-	·01	·17	11
12	-	·06	·06		·32	·51	·14	·28	.	-	.	-	12
13	-	·03	·02		-	-	·29	·04	-	·02	.	·05	13
14	.	.	.		·03	-	-	·17	-	-	-	.	14
15	-	·08	·09		·08	·41	-	·03	-	.	-	·18	15
16	·20	·02	·17		-	-	.	·08	.	·05	·10	-	16
17	·75	-	·23		·04	·04	-	·14	-	-	.	·25	17
18	·16	-	·16		.	-	-	·14	-	·01	-	·09	18
19	·06	·05	·15		-	.	·02	·74	-	-	·02	-	19
20	·02	·02	·47		-	-	.	·02	-	·50	·04	-	20
21	-	·09	·19		·15	.	.	·09	-	·11	.	.	21
22	·06	·42	·04		.	-	-	·24	.	·01	-	·03	22
23	·37	·12	·25		.	.	-	·29	-	·07	·15	·02	23
24	·03	·06	.		.	.	-	·21	-	·01	-	·19	24
25	·14	-	-		.	·24	-	1·07	-	·09	·24	·40	25
26	.	·03	.		.	·01	·03	·13	.	·27	1·08	·14	26
27	-	·02	-		.	·12	·10	-	-	·23	·02	·46	27
28	-	·05	-		.	·04	·06	·15	·10	·77	·52	·21	28
29	-	·06	-		.	-	·10	·49	1·41	·01	·03	-	29
30	-		·02		·19	-	·05	·04	·97	·18	-	·02	30
31	-		·06		-		·18	·09		·08		-	31
Total	3·40	1·95	3·77	·07	1·31	2·46	1·37	6·67	2·54	3·13	2·56	3·01	YEAR'S TOTAL 32·24
Rain Days.	15	19	22	1	10	14	12	29	6	17	14	21	180

S made LAWN Ex D.L. Rob.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

-8 APR 1914

Kept at Selsey Bill

in the County of Sussex

by Edward Heron-Allen

Lat. 50°45'5" Long. 0°47'23"

Time of Observation 9 a.m.

Nearest Railway Station Chichester

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·31	·14	·03		·09			·41		·40	·06	1
2	·09	·11		·07			·07		·02	·32	·05		2
3	·05	-	·04	·12	·17							·17 (17)	3
4	·29	-	·09		·37		·07		1·09	·18	·10	·02	4
5	·10	·04	·03		·02	·20	·02		·23		·26	·03	5
6	·04	·05	·11		·09	·12	·42		·01	·70	·20	·42	6
7	-	·20	·12		·17	·02	·08			·37	·13		7
8	-	·09			·24	·03		·01		·28		·03	8
9	-	·07			·03		·08	·02	·09		·08		9
10	·02					·01	·08			·10	·41		10
11	·72			·31	·04					·75	·08		11
12	-				·44					·02	·88		12
13	·36		·02						·04		·16		13
14	·23		·08	·02			·14	·02	·02	·02	·07		14
15	·24	·17	·31	·36			·32		·32				15
16	·20		·43	·06		·03			·08				16
17	·26	·01	·02	·08			·06				·07		17
18	-		·11	·09			·04				·06		18
19	·28		·04		·03	·08	·06		·36				19
20	·43		·05	·08		·03				·27	·01		20
21	-		·14	·07						·89	·37		21
22	·27		·23					·10	·24	·21		·05	22
23	·02		·14			·03		·15				·92	23
24	·14			·06				·08			·02		24
25	-	·02		·11						·02			25
26	-		·09	·02				·17		·59		·23	26
27	-		·25							·05			27
28	·13		·16	·16				·06		·18			28
29	·14		·08	·44	·36			·08		·14	·02		29
30	·45		·12	·06				1·65	·02	·16			30
31	·04							1·88		·09			31
Total	4·53	1·07	2·80	2·14	1·96	·64	1·44	4·22	2·93	5·34	3·37	1·93	YEAR'S TOTAL 32·37
Rain Days.	22	10	22	17	11	10	12	11	13	19	18	9	174

W.7,000, XI. 13

EX 9[illegible]

LAWN

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 APR 1915

Kept at Large Acres, Selsey Bill

in the County of Sussex

by Edward Heron Allen

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station .... as before.
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			·04	·12			·04	·08	1
2				·03			·11	·02			·10	·12	2
3	·01	·01	·05	·07	·31		·06	·05			-	·06	3
4	Nil	-	·01	·19	-		·03	·04			·22	·49	4
5	·17	-	·16	·21	·04		·21					-	5
6	-	·16	·02	·16	·09	05 ·05	-					·50	6
7	·04	·43	·14	·21	·03	·12	·14					·22	7
8	·06	·60	·30	·03	·02	·03	-	·10				·21	8
9	·06	-	·43	·13	-	-	-	·01	·06			1·13⊙	9
10	·05	·21	·02	·15	·17	-	-		·24		·02	-	10
11		·40	·45	·01	·06	·06	·36		·13		·14	·59	11
12		·16	·33			-	·21		·39	·09	·03	·53	12
13		·33	·11			·07	-		·21	·03	·10	·88	13
14		·11	·17			·12	·04	·18	-	·58	·24	·50	14
15		·05	·20				·02	·42	-	·04	·59	-	15
16		·07	-				·08		·15		·04	-	16
17		·38	·10				-		·05		-	·28	17
18		·03	·30				-		-		-	·30	18
19		·10	·68				1·45✱		-		·16	·12	19
20		·25	·07				·01		·05			·41	20
21		·44	·05				-			·10		·02	21
22		·03	·05		·49	·03	·10	·03		·17			22
23		·03	·25			·20	·01	-		·03			23
24			·03				-	-		-	·19		24
25			·28				·02	·26		·30	·02		25
26	·03		·01				·12	·08		·07	·11	·70	26
27	·05		-				-			Nil	·14	·41	27
28	·03	·04	·01		·13		·01			·56	·38	·37	28
29	·11		·16	·02			-			·32	·12	·06	29
30	·01	×	·06	·42			-			·16	·69	·52	30
31	·02	×	-	×	·08	×	·05		×	·05	×	·02	31
Total	64	383	444	167	142	68	307	131	128	250	333	852	YEAR'S TOTAL 3269
Rain Days.	12	19	26	13	10	8	19	11	8	13	18	23	180

W. 8,000. X. 14. ✱ See notice on other sheet. ⊙ Note Difference between gauges. I have never seen so much difference as there was throughout December. EHA.

LAWN

Exd JW

500

REGISTER OF RAINFALL IN 19 15

FORM A.
BRITISH RAINFALL.

6 MAR 1916

Kept at Selsey Bill

in the County of Sussex

by Edward Heron Allen

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	mm	mm.	mm	mm	mm	mm	mm	
1	·76	·19	-	·01	·00	-	·1	1·3	4·-	2·9	·5	5·6	1
2	·38	·13	·16	·05	·03	·4	-	1·8	1·4	3·1	-	7·8	2
3	·80	-	·10	·21	·25	·1	-	·5	·1	-	-	15·-	3
4	·05	-	-	·04	·02	-	-	-	-	-	-	12·-	4
5	·02	·27	-	·03	-	-	-	3·4	-	-	-	15·6	5
6	·76	·23	-	·47	-	-	16·5	1·1	-	·3	-	7·6	6
7	·21	·36	-	·04	-	-	1·1	-	-	-	-	6·3	7
8	·06	·50	-	-	-	-	6·-	1·-	-	-	2·-	1·2	8
9	·03	·15	-	·10	-	1·2	-	1·2	-	-	9·6	17·2	9
10	·23	-	·05	-	-	-	-	-	-	·9	-	12·4	10
11	·05	-	·05	-	-	-	-	-	-	1·1	24·-	·6	11
12	·07	·30	-	·28	·57	-	-	-	-	·9	11·5	-	12
13	·02	·34	-	-	1·39	-	·2	·5	3·5	-	-	-	13
14	·06	-	-	-	-	-	4·1	·5	1·5	-	-	16·4	14
15	·06	-	-	-	-	-	·7	6·6	-	-	2·6	4·9	15
16	-	·64	-	-	·18	-	19·4	·2	-	-	-	3·2	16
17	-	·20	-	-	·68	-	1·-	5·3	-	-	-	-	17
18	-	·22	-	-	·05	-	-	·6	-	-	1·3	-	18
19	-	·05	-	-	·10	-	-	-	-	·5	-	-	19
20	·24	-	-	·06	·03	-	-	-	-	·2	-	2·7	20
21	·03	-	-	-	-	-	·3	-	-	5·5	-	2·6	21
22	1·02	·12	·13	·03	-	-	19·5	-	·2	-	-	3·9	22
23	-	·05	·15	-	-	·1	·2	-	6·6	6·8	-	19·-	23
24	-	-	-	-	-	-	·6	-	13·4	17·8	-	10·9	24
25	-	-	·04	-	-	-	6·3	-	-	·2	-	5·5	25
26	·02	·05	-	-	-	1·8	7·-	-	-	-	-	15·6	26
27	-	·03	-	-	-	·1	-	-	·7	7·-	-	·3	27
28	-	·07	-	-	-	5·5	1·4	-	14·4	3·2	1·1	-	28
29	-	x	-	-	-	5·6	-	2·7	-	·5	9·3	1·1	29
30	·25	X	-	-	-	5·8	-	14·8	-	11·2	17·1	·7	30
31	·06	X	-	X	-	X	-	-	X	14·6	X	7·4	31
Total	5·17	3·90	·68	1·32	3·30	20·6	84·4	41·5	45·8	76·7	89·0	198·5	YEAR'S TOTAL
Rain Days.						·81✓	3·32✓	1·63✓	1·80✓	3·02✓	3·50✓	7·81✓	36·26
	21	18	7	11	10	9	15	15	9	17	10	25	167

W. 8,000. X. 15.

486

FIELD [illegible]

Ord OSE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 MAY 1917

Kept at Selsey Bill

in the County ~~of~~ Sussex

by Edward Heron Allen

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.4	1.4	1.4		4.2	0.5	-	[illegible]	1.6	5.-	9.5		1
2	3.6	1.3	3.6		3.2	-	0.3	[illegible]	-	12.-	1.5		2
3	0.5	7.6	1.5		-	-	1.4	[illegible]	0.4	11.8	18.4		3
4	3.2	3.-	-		0.5	10.2	-	[illegible]	9.6	0.4	6.5		4
5	1.6	0.8	0.1		4.2	1.9	-			1.6	8.-		5
6	0.3	1.-	0.5	2.5	0.9	1.6	10.-			1.7	9.-		6
7	0.3	0.4	12.5		4.5	0.3	-			2.-	14.7	1.4	7
8	-	1.-	0.5		5.7	-	-				2.-	6.9	8
9	-	-	-		3.-	-	0.3				-	1.-	9
10	-	14.6	0.4	1.1	0.6	13.7	0.3				0.6	4.8	10
11	0.6	1.4	0.3	4.1	-	4.5	-				-	3.5	11
12	0.5	1.6	1.6	3.2	1.7	1.-	2.-				0.4	-	12
13	-	4.-	1.1	0.6	0.4		-		1.4		0.3	1.-	13
14	-	12.1	-	0.3	0.9		-		-		-	0.5	14
15	-	7.4	5.2	0.3			-		0.4	0.2	-	-	15
16	1.6	-	7.3	2.9			2.8	5.2	-	0.3	-	-	16
17	4.4	6.2	-	1.9				0.5	8.1	13.2	1.5	-	17
18	-	2.-	1.1	1.-					2.6	1.7	10.-	5.-	18
19	3.5	-	3.6	2.2		0.5			2.1	-	11.-	0.7	19
20	2.-	0.5	16.2	0.6		-				-	3.6	16.5	20
21	0.3	0.2	5.4	-		-	0.2			-	0.5	13.2	21
22	-	0.5	0.5	0.5		1.3				1.-	-	11.8	22
23	0.4	0.4	0.4			4.-		1.4		6.-	0.7	0.6	23
24	-	-	-		4.3	-		1.1		4.5	1.6	8.2	24
25	-	8.-	3.9			-		14.-	12.5	4.3	1.1	0.6	25
26	0.5	11.9	-			2.2		0.2	3.6	7.-		2.5	26
27	-	1.-	19.5			1.-		0.3	3.-	14.9		-	27
28	-	15.2	1.-			-		5.1	4.7	7.1		4.6	28
29	-	7.9	0.3		2.6	6.3		15.5	1.8	7.2		9.4	29
30	-		-			-		0.4		11.-		-	30
31	-		-					2.1		1.-		1.2	31
Total	24.7	111.4	87.9	21.2	36.7	47.0	17.3	45.8	51.8	113.9	100.9	93.4	YEAR'S TOTAL 752.0
Rain Days.	16	25	~~22~~ 23	13	14	14	8	11	13	21	19	19	~~195~~ 196

W. 8,000, VIII. 16

466

REGISTER OF RAINFALL IN 1917

FIELD

FORM A.
BRITISH RAINFALL.

Kept at Selsey Bill
in the County of Sussex
by Edward Heron-Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

RAIN FIELD

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	2.1	4.-			-	32.5	0.4	-	1.1	0.6	1
2	-	-	1.-	15.5			-	-	-	-	3.9		2
3	0.3	0.4	-	3.7			4.4	3.6	-	1.-	4.1		3
4	-	4.5	5.4	-			0.5	1.-	-	3.3	-		4
5	4.8		0.6	1.7		2.-	-	-	4.3	9.-	1.-		5
6	-		4.-	0.4		0.5	-	-	1.5	0.4	2.5	0.6	6
7	5.8		-	-		-	0.8	-	0.5	4.4	-	0.9	7
8	4.6		-	2.2		-	6.-	4.7	0.3	5.9	4.4	10.5	8
9	-		3.4	0.2	0.8	-	0.6	-	0.2	4.4	0.5	2.6	9
10	3.1		3.9	2.6	-	1.7		1.9	-	-	-	-	10
11	1.1		7.-	7.9	-	0.4		2.-	-	8.4	-	-	11
12	2.7		0.4	0.4	-			1.9	-	7.2	0.6	-	12
13	1.1		4.8	-	-			3.6	0.3	6.4	0.5	0.5	13
14	-			3.8	-			0.6	-	1.1	-	-	14
15	-			0.2	0.6			1.2	-	6.3	-	2.4	15
16	-	6.1		1.-	3.2			-	0.3	6.2	0.2	14.-	16
17	0.2	0.6		3.2	1.2		10.3	4.6	8.1	1.8			17
18	-	0.5		0.4	1.-		2.7	0.6	3.8	1.-			18
19	-	6.-	0.5		-		-	-	3.5	-			19
20	-	1.6	1.1		15.3	0.3	-	-		-	0.6		20
21	0.2	-	0.5		0.3	-	5.3	-		0.3	-	0.5	21
22	0.5	-	0.5		-	3.3	-	3.-		5.-	-	-	22
23		6.7	-		3.3	-	-	2.7		-	0.7	1.1	23
24		1.7	-		-	3.1	6.5	-		3.8	-	0.5	24
25		3.5	0.4		-	-	0.5	-		0.5	8.5	-	25
26			0.6		-	0.3	-	14.-	2.3	0.3	0.3	-	26
27			0.3		14.9	1.5	-	22.5		-		-	27
28			1.7		-	38.5	-	5.4		-		0.6	28
29			0.9		6.7	1.5	3.3	0.5		10.9		1.7	29
30			6.5		-		5.2	7.6		0.5		0.7	30
31			0.7		-		3.7	0.9		1.-		-	31
Total	24.4 ✓	31.6 ✓	47.3 ✓	47.2 ✓	47.3 ✓	53.1 ✓	49.8 ✓	119.8 ✓	25.5 ✓	89.1 ✓	28.9 ✓	37.2 ✓	YEAR'S TOTAL 601.2 ✓
Rain Days.	11 ✓	10 ✓	21 ✓	15 ✓	10 ✓	11 ✓	13 ✓	20 ✓	12 ✓	23 ✓	14 ✓	14 ✓	174 ✓

W. 8,000, IX. 17.

FIELD.

Sx. 456

REGISTER OF RAINFALL IN 1918

1

FORM A. BRITISH RAINFALL.

14. 1. 19

Kept at Large Acres Selsey.

in the County of Sussex.

by Edward Heron-Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.3	-	-	-.8	-	-	16.8	-	.	5.6	2.-	1
2		0.9	-	2.-	-			10.7		-.3	9.3	3.3	2
3		-.7	-.5	1.7	17.4			1.2		.	4.6	-.5	3
4		1.3	1.3	-.5	1.2			1.4	5.5	.	12.8	-	4
5		1.5	-.5	-	2.9			5.-	1.1	2.-	-	1.-	5
6	3.9	3.-		3.1	4.2			4.5	1.-	-.7	.	-.9	6
7	-	2.6		4.4	10.9			-.9	5.-	1.-	3.6	-.5	7
8	.	-.5		.					2.-	2.1	1.4	-.9	8
9	0.5	-		7.1		3.4	7.-		9.1	2.6	-.4	6.9	9
10	0.6	-		2.3		9.1	3.-		5.6	1.3	-	8.-	10
11	0.4	-		-.7			2.1		2.4	7.2	1.6	2.-	11
12	-	1.6		.	6.-		2.1		3.9	.		1.4	12
13	6.2			.	1.-		4.5		4.-	.		-.6	13
14	4.5		1.5	.	-.5	1.4	1.7		5.8	4.-		-.9	14
15	26.2		.	1.3		9.4	6.5		-			2.5	15
16	9.2		-.4	1.-		-.3	-		7.9			.	16
17	3.4		-	2.6		.	-.6	-.7	.			6.7	17
18	6.2		-.4	-		10.1	.		16.7			1.7	18
19	1.2	-.3	5.5	-.1		2.5	1.-		-	-.9		-.5	19
20	0.8	2.5		7.4		-.5	7.6		3.4	-.8		.	20
21	5.-		.	2.5		-.5	.		11.6	2.-		1.6	21
22	3.5				3.5		19.4		6.2			6.-	22
23	1.1						1.4	1.9	-.7		-.5	2.4	23
24	-	5.2					-	-	4.6		1.8	-	24
25	0.4	.		2.9			-.5	3.4	.	-.8	.	.	25
26	-	.		.			4.7	.	0.6	-.6	1.6	2.9	26
27	0.5	1.5	1.2	-.5			-.5	1.9	9.3	1.3	2.1	-.4	27
28	0.7	-	5.-	1.1					.	-.6	2.6	-.5	28
29	0.5		0.9	-					26.8	.	.	-.4	29
30	0.4	X	9.5	-					-.5	1.1	1.-	1.5	30
31	0.5	X	-.5	X		X			X	2.9	X	-	31
Total	75.7	21.9	27.2	41.2	48.4	37.2	62.6	48.4	133.7	32.1	48.9	56.0	YEAR'S TOTAL 633.3
Rain Days	21	13	12	17	10	9	15	11	22	18	14	25	187

W. 6,500. VII. 18. W W C

441

SYMONS Gauge. (In FIELD)

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Selsey Bill

in the County of Sussex

by Edward Heron-Allen. F.R.S.

Lat. 50°43'50" N Long. 0°47'23" W

Time of Observation 9 a.m. Constant

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground [illegible] in.

" " " " Sea Level ± 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.2	0.5	0.5		0.4		6.6			2.5	1.1	16.4	1
2	3.8	-	1.-		1.-		0.5		6.5			1.-	2
3	8.7	-	19.4		1.9		0.6		1.1			4.8	3
4	9.4	1.-	6.6				2.7	2.2	0.6		2.5	1.5	4
5	0.4	9.5	10.-						1.6		3.8	6.7	5
6	5.8		2.6		0.2						0.6	5.-	6
7	1.6		7.5	0.1									7
8	5.4		4.6										8
9	12.7		3.-	1.8	11.6						10.9		9
10	17.-		0.7	0.6	0.2							2.5	10
11	11.7		0.5	5.8	2.-		0.7					1.-	11
12	3.5				0.3		2.7			2.4	1.2		12
13	0.5	0.8	2.6	9.2								0.5	13
14	8.-	0.4		4.-			2.9		8.4			1.4	14
15	6.1	1.8	0.4	1.4								20.8	15
16	6.5	13									3.1		16
17	-	6.1									2.5	1.-	17
18	-	0.6	4.5					0.5	0.5		2.6	0.5	18
19	2.-	8.-	19.5			2.3	8.-	4.5		0.4	1.3	0.7	19
20	9.6	0.6	1.4			10.-		5.-		0.2			20
21	0.8	9.3				0.6	0.5		0.5		0.6	0.9	21
22	-	0.5					4.9		9.0		0.2	2.6	22
23	-		0.5						0.6		1.1		23
24	-	1.7		2.3		1.-		0.5	0.2	8.7	2.4	2.8	24
25.	1.4	0.5		3.-		2.6		12.2				2.3	25
26	0.5	3.1	1.5	3.5			0.4	1.4	1.6		11.5	9.4	26
27	6.2		0.4	10.-				15.8			8.1	2.8	27
28	1.-		12.2					7.8			9.9	11.6	28
29	-			1.5				10.8		2.2		1.9	29
30	-	✕	0.2	5.5		0.6		10.-			9.7	16.-	30
31	-	✕	1.6	✕		✕			✕		✕	2.7	31
TOTAL	131.8	57.4	101.2	48.7	17.6	17.1	30.5	70.7	30.6	16.4	73.1	116.6	YEAR'S TOTAL 711.9
Days with 0·2 mm., or more	23	16	22	12	8	6	11	11	11	6	18	24	168

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Sx. H5b 441

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Selsey Bill [M.O.]
in the County of Sussex
by E Heron Allen Esq.

Lat 50°43' Long 0°47'W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·2	0·5	0·5	-	0·4	-	6·6	-	-	2·5	1·1	16·4	1
2	3·8	-	1·0	-	1·0	-	0·5	-	6·5	-	-	1·0	2
3	8·7	-	19·4	-	1·9	-	0·6	-	1·1	-	-	4·8	3
4	9·4	1·0	6·6	-	-	-	2·7	2·2	0·6	-	2·5	1·5	4
5	0·4	9·5	10·0	-	-	-	-	-	1·6	-	3·8	6·7	5
6	5·8	-	2·6	-	0·2	-	-	-	-	-	0·6	5·0	6
7	1·6	-	7·5	0·1	-	-	-	-	-	-	-	-	7
8	5·4	-	4·6	-	-	-	-	-	-	-	-	-	8
9	12·7	-	3·0	1·8	11·6	-	-	-	-	-	10·9	-	9
10	17·0	-	0·7	0·6	0·2	-	-	-	-	-	-	2·5	10
11	11·7	-	0·5	5·8	2·0	-	0·7	-	-	-	-	1·0	11
12	3·5	-	-	-	0·3	-	2·7	-	-	2·4	1·2	-	12
13	0·5	0·8	2·6	9·2	-	-	-	-	-	-	-	0·5	13
14	8·0	0·4	-	4·0	-	-	2·9	-	8·4	-	-	1·4	14
15	6·1	1·8	0·4	1·4	-	-	-	-	-	-	-	20·8	15
16	6·5	13·0	-	-	-	-	-	-	-	-	3·1	-	16
17	-	6·1	-	-	-	-	-	-	-	-	2·5	1·0	17
18	-	0·6	4·5	-	-	-	-	0·5	0·5	-	2·6	0·5	18
19	2·0	8·0	19·5	-	-	2·3	8·0	4·5	-	0·4	1·3	0·7	19
20	9·6	0·6	1·4	-	-	10·0	-	5·0	-	0·2	-	-	20
21	0·8	9·3	-	-	-	0·6	0·5	-	0·5	-	0·6	0·9	21
22	-	0·5	-	-	-	-	4·9	-	9·0	-	0·2	2·6	22
23	-	-	0·5	-	-	-	-	-	0·6	-	1·1	-	23
24	-	1·7	-	2·3	-	1·0	-	0·5	0·2	8·7	2·4	2·8	24
25	1·4	0·5	-	3·0	-	2·6	-	12·2	-	-	-	2·3	25
26	0·5	3·1	1·5	3·5	-	-	0·4	1·4	1·6	-	11·5	9·4	26
27	6·2	-	0·4	10·0	-	-	-	15·8	-	-	8·1	2·8	27
28	1·0	-	12·2	-	-	-	-	7·8	-	-	9·9	11·6	28
29	-	-	-	1·5	-	-	-	10·8	-	2·2	-	1·9	29
30	-	×	0·2	5·5	-	0·6	-	10·0	-	-	9·7	16·0	30
31	-	×	1·6	×	-	×	-	-	×	-	×	2·7	31
Total	131·8	57·4	101·2	48·7	17·6	17·1	30·5	70·7	30·6	16·4	73·1	116·8	Year's Total 711·9
Days with 0·2 mm. or more	23	16	22	12	8	6	11	11	11	6	18	24	168

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3202.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

FIELD

Kept at Large Acres, Selsey Bill
in the County of Sussex
by Edward Heron Allen F.R.S.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.4	-	1.3	0.9	3.3		8.5	-		8.3	7.1	9.6	1
2	0.6	-	2.-	1.1	2.7		1.-	3.5	1.9	1.6		2.9	2
3	0.7	-	-	-	-	0.2	-	-		4.6		1.5	3
4	-	3.7	0.5	0.4	.		22.5	2.9		7.7		-	4
5	-	-	4.5	3.4	0.6		21.8			4.-		.	5
6	-	-	3.-	-	9.2		5.5			-		0.5	6
7	1.-	.	0.7	3.8	2.2		1.3			0.2			7
8	0.4	1.-	.	1.-	1.1		9.1	0.2					8
9	5.6	0.5	0.6	1.7	.	1.4	-						9
10	21.1	4.4	2.9	2.-	.	1.5	3.9						10
11	5.7	-	2.5	9.2	1.-	2.2	8.-					8.1	11
12	2.2	1.2	1.2	4.5	.	17.8	0.4			0.6	0.3	1.9	12
13	7.5	-	6.9	1.4	.					.	1.-	0.5	13
14	-	1.-	14.4	8.-	.				4.9	6.5	9.4	-	14
15	2.3		1.-	4.4	1.6				20.6	7.7	3.-	.	15
16	-			0.7	0.3	1.5			5.5	0.4		.	16
17	.			0.5	3.1	-	0.8		8.9			0.9	17
18	0.7			-	3.4	1.-	.	18.-	9.8			1.3	18
19	2.8			10.5		0.5	.		0.4			0.5	19
20	2.9	1.2		2.-		21.1	0.2		0.5			0.8	20
21	-			0.5			21.6		5.-			7.5	21
22	-			6.5			0.2	0.4	0.7			6.6	22
23	.			-			10.8	1.1			0.3	10.2	23
24	0.5		3.-	-	4.-		.				0.3	2.9	24
25	0.4	1.1	0.6	-	6.2		5.4				.	-	25
26	1.-	-	2.5	1.6	.	1.-	0.8				0.5	3.4	26
27	10.1	0.5	.	2.6	.	0.9	5.2				5.-	6.8	27
28	8.6	0.4	2.6	2.5	2.-		2.2				0.6	2.1	28
29	13.3	.	2.6	2.7	0.4		-		6.-	[illegible]	4.6	5.4	29
30	1.6		6.9	0.5	.	2.-	1.5				4.6	5.1	30
31	0.6		-		.					21.5		4.7	31
TOTAL	940	150	597	724	411	571	1307	261	642	634	364	832	YEAR'S TOTAL 9373
Days with 0·2 mm. or more	22	10	19	24	15	12	20	6	11	11	12	21"	183
Days with 1·0 mm. or more	15	7	15	18	12	9	15	4	8	8	7	16	134

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

418

FORM A. 2. METEOROLOGICAL OFFICE. and by A. —BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Selsey Bill (MO)

Field g. except 3rd [illegible]

in the County of Sussex

by E. Heron Allen

Lat. 50°43'N Long. 0°47'W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

See other gauge

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4·4	-	1·3	0·9	3·3	-	8·5	-	-	8·3	7·1	9·6	1
2	0·6	-	2·0	1·1	2·7	-	1·0	3·5	1·9	1·6	-	2·9	2
3	0·7	-	-	-	-	0·2	-	-	-	4·6	-	1·5	3
4	-	3·8	0·5	0·4	-	-	22·5	2·9	-	7·7	-	-	4
5	-	-	4·6	3·4	0·6	-	21·8	-	-	4·0	-	-	5
6	-	-	3·0	-	9·2	-	5·5	-	-	-	-	0·5	6
7	1·0	-	0·7	3·8	2·2	-	1·3	-	-	0·2	-	-	7
8	0·4	1·0	-	1·0	1·1	-	9·1	0·2	-	-	-	-	8
9	5·6	0·5	0·6	1·7	-	1·4	-	-	-	-	-	-	9
10	21·1	4·5	2·9	2·0	-	1·5	3·9	-	-	-	-	-	10
11	5·7	-	2·5	9·2	1·0	2·2	8·0	-	-	-	-	8·1	11
12	2·2	1·2	1·2	4·5	-	17·8	0·4	-	-	0·6	0·3	1·9	12
13	7·5	-	7·1	1·4	-	-	-	-	-	-	1·0	0·5	13
14	-	1·0	15·5	8·0	-	-	-	-	4·9	6·5	9·4	-	14
15	2·3	-	1·0	4·4	1·6	-	-	-	20·6	7·7	3·0	-	15
16	-	-	-	0·7	0·3	1·5	-	-	5·5	0·4	-	-	16
17	-	-	-	0·5	3·1	-	0·8	-	8·9	-	-	0·9	17
18	0·7	-	-	-	3·4	1·0	-	18·0	9·8	-	-	1·3	18
19	2·8	-	-	10·5	-	0·5	-	-	0·4	-	-	0·5	19
20	2·9	1·2	-	2·0	-	21·1	0·2	-	0·5	-	-	0·8	20
21	-	-	-	0·5	-	-	21·6	-	5·0	-	-	7·5	21
22	-	-	-	6·5	-	-	0·2	0·4	0·7	-	-	6·6	22
23	-	-	-	-	-	-	10·8	1·1	-	-	0·3	10·2	23
24	0·5	-	3·0	-	4·0	-	-	-	-	-	0·3	2·9	24
25	0·4	1·1	0·6	-	6·2	-	5·4	-	-	-	-	-	25
26	1·0	-	2·5	1·6	-	1·0	0·8	-	-	-	0·5	3·4	26
27	10·1	0·5	-	2·6	-	0·9	5·2	-	-	-	5·0	6·8	27
28	8·6	0·4	2·6	2·5	2·0	-	2·2	-	-	-	0·6	2·1	28
29	13·3	-	2·6	2·7	0·4	-	-	-	-	-	4·6	5·4	29
30	1·6		7·0	0·5	-	2·0	1·5	-	6·0	-	4·6	5·1	30
31	0·6		-		-		-	-		21·5		4·7	ignore 31
TOTAL	~~93·9~~ 94·0	15·2	61·2	72·4	41·1	51·1	130·7	26·1	64·2	63·1	36·7	83·2	YEAR'S TOTAL ~~738·9~~
Days with 0·2 mm. or more	22	10	19	24	15	12	20	6	11	11	12	21	183
	15	7	15	18	12	9	15	4	8	8	7	16	134

(44,284). Wt. 20,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible]

8L

S. made

76

FORM A2.
BRITISH RAINFALL
23 JAN 1912

SELSEY

LARGE ACRES
SUSSEX
1911 - 1920

REC

Kept at Large Acre

in the County of W Su

by E. H. Allen

in.

round ft. in.

a Level ft.

ne

ailway Station { Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·49				·09			·11	·02	1
2				·12	·26						·18	·17	2
3					·13			·08			·10	·20	3
4			·02	·04						·03	·11	·29	4
5				·03						·55	·07		5
6	·26		·10							·02	·07	·78	6
7	·09									·36	·80	·06	7
8	·04		·13								·43	·36	8
9	·09										·17	·22	9
10		·13	·11									·28	10
11	·24		·09								·90	·06	11
12			·90						·05		·12	·05	12
13					·52				·16	·12		·38	13
14		·07			·06							·40	14
15		·02									·08	·03	15
16			·04			·64					·52	·10	16
17						·01					1·35	·12	17
18		·09	·06	·01						·13	·50	·34	18
19		·10				·04			·15	·17	·03	·10	19
20			·03					·06	·20			·79	20
21		·09						·07	·02	·44		·17	21
22	·18		·02			·12		·06		·31		·45	22
23		·12				·58			·17	·39	·06	·16	23
24	·04	·11				·08	·02			·47		·25	24
25		·02		·10	·86	·05	1·04		·06	·02		·06	25
26				·34	·01	·01				·28		·32	26
27		·27	·10	·04			·16		·06	·48	·04	·18	27
28		·13		·17				·15					28
29				·02		·10	·06		·20	·22		·02	29
30				·01						·20		·03	30
31													31
Total	·97	1·15	1·60	1·37	1·84	1·63	1·28	·51	1·07	4·19	5·64	6·39	TOTAL for year 27·64
No. of Rain Days	8	11	11	11	6	9	4	6	9	16	18	28	137

9,000, IX. '10.

DL

S. made

76

FORM A2.
BRITISH RAINFALL
23 JAN 1912

REC

Kept at Large Acres, Selsey

in the County of W Sussex

by E. H. Allen Field

RAIN GAUGE
Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station
Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·49				·09			·11	·02	1
2				·12	·26	—					·18	·17	2
3					·13			·08			·10	·20	3
4			·02	·04						·03	·11	·29	4
5				·03						·55	·07		5
6	·26		·10							·02	·07	·78	6
7	·09						—			·36	·80	·06	7
8	·04		·13								·43	·36	8
9	·09										·17	·22	9
10		·13	·11									·28	10
11	·24	—	·09								·90	·06	11
12			·90						·05		·12	·05	12
13					·52				·16	·12		·38	13
14		·07			·06							·40	14
15		·02									·08	·03	15
16			·04			·64					·52	·10	16
17						·01					1·35	·12	17
18		·09	·06	·01						·13	·50	·34	18
19		·10				·04			·15	·17	·03	·10	19
20	—		·03					·06	·20	—		·79	20
21		·09						·07	·02	·44		·17	21
22	·18		·02			·12		·06		·31		·45	22
23		·12				·58			·17	·39	·06	·16	23
24	·04	·11				·08	·02			·47	—	·25	24
25		·02		·10	·86	·05	1·04		·06	·02		·06	25
26				·34	·01	·01				·28		·32	26
27		·27	·10	·04			·16		·06	·48	·04	·18	27
28		·13		·17				·15					28
29				·02		·10	·06		·20	·22		·02	29
30				·01						·20		·03	30
31													31
Total	·97	1·15	1·60	1·37	1·84	1·63	1·28	·51	1·07	4·19	5·64	6·39	TOTAL for year 27·64
No. of Rain Days	8	11	11	11	6	9	4	6	9	16	18	28	137

9,000, IX. '10.

Out in FIELD

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

21 APR 1913

Kept at Large Acres. Selsey Bill.

in the County of Sussex

by Edward Heron-Allen

Lat. 50°43'5" Long. 0°47'23"

Time of Observation 9 am

Nearest Railway Station Chichester

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05		·04	·18	·05	·02	·01	·71	-	·19	1
2	-	-	·36		-	-	·30	-	-	·02	-	-	2
3	-	-	·05		-	·11	-	·56	·02	-	·03	·02	3
4	·16	-	·80		-	·19	-	·12	-	-	·21	-	4
5	·23	·12	·09		-	-	-	·43	-	-	·03	·03	5
6	·50	-	·02		·15	·01	-	·39	·03	-	-	·03	6
7	·45	-	·06		·28	·48	-	·06	-	-	-	·04	7
8	-	·30	·18		-	·02	-	·16	-	-	-	·02	8
9	·04	·16	·16	·07	-	-	·03	·13	-	-	-	·10	9
10	-	·04	-		-	-	-	·14	-	-	·07	·33	10
11	·09	·26	-		·03	·10	-	·21	-	-	·01	·17	11
12	-	·06	·06		·33	·49	·15	·27	-	~~·02~~	-	-	12
13	-	·03	·02		-	-	·29	·04	-	·02	-	·05	13
14	-	-	-		·03	-	-	·17	-	-	-	-	14
15	-	·08	·09		·08	·41	-	·03	-	~~·15~~	-	·18	15
16	·19	·02	·15		-	-	-	·08	-	·05	·10	-	16
17	·72	-	·22		·04	·04	-	·15	-	~~·01~~	-	·25	17
18	·16	-	·16		-	-	-	·12	-	·01	-	·09	18
19	·06	·05	·15		-	-	·02	·71	-	~~·46~~	·02	-	19
20	·12	·02	·45		-	-	-	·02	-	·48 ~~·11~~	·04	-	20
21	-	·09	·18		·16	-	-	·09	-	·11 ~~·11~~	-	-	21
22	·06	·45	·04		-	-	-	·22	-	·01 ~~·07~~	-	·03	22
23	·38	·12	·25		-	-	-	·28	-	·07	·15	·02	23
24	·03	·06	-		-	-	-	·21	-	·01 ~~·04~~	-	·18	24
25	·14	-	-		-	·28		1·06	-	·09 ~~·21~~	·23	·38	25
26	-	·03	-		-	·02	·03	·13	-	·28	1·05	·14	26
27	-	·02	-		-	·15	·11	-	-	·22 ~~·75~~	·02	·42	27
28	-	·05	-		-	·06	·06	·15	·11	·73 ~~·01~~	·48	·20	28
29	-	·06	-		-	-	·10	·48	1·35	·01 ~~·17~~	·03	-	29
30	-		·02		·20		·05	·04	·97	·17 ~~·07~~	-	·02	30
31	-		·06		-		·19	·09		·08		-	31
Total	3·23	2·02	3·62	·07	1·34	2·54	1·38	6·56	2·49	3·07	2·47	2·89	YEAR'S TOTAL 31·68
Rain Days.	15	19	22	1	10	14	12	29	6	17	14	21	180

W. 7,500, XI. 12

FIELD

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 APR 1914

Kept at Selsey Bill, Sussex
in the County of Sussex
by Edward Heron Allen

Lat. 50°43'5"N Long. 0°47'23"
Time of Observation 9 a.m.
Nearest Railway Station Chichester
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·30	·14	·03		·09			·42		·37	·06	1
2	·09	·11		·07			·07		·02	·32	·05		2
3	·05		·04	·11	·16							·16	3
4	·27		·09		·35		·07		1·14	·18	·10	·02	4
5	·10	·04	·03		·02	·20	·02		·24		·25	·03	5
6	·04	·05	·11		·09	·12	·40		·01	·67	·20	·39	6
7	-	·18	·12		·17	·02	·08			·36	·13		7
8	-	·09			·24	·03		·01		·27		·03	8
9	-	·07			·03		·08	·02	·09		·08		9
10	·02					·01	·08			·10	·39		10
11	·69			·30	·04					·73	·08		11
12	-				·40					·02	·54		12
13	·34		·02						·04		·15		13
14	·22		·09	·02			·13	·02	·02	·02	·07		14
15	·24	·18	·33	·32			·31		·33				15
16	·19		·40	·06		·03			·08				16
17	·26	·01	·02	·08			·06				·07		17
18	-		·12	·09			·04				·05		18
19	·29		·04		·03	·08	·06		·37				19
20	·42		·05	·08		·03				·27	·01		20
21	-		·14	·07						·85	·33		21
22	·26		·23					·10	·24	·20		·05	22
23	·02		·14			·03		·15				·90	23
24	·14			·06				·08			·02		24
25	-	·02		·11						·02			25
26	-		·09	·02				·17		·56		·21	26
27	-		·24							·05			27
28	·13		·16	·15				·06		·18			28
29	·14		·05	·41	·35			·08		·14	·02		29
30	·42		·12	·06				1·62	·02	·16			30
31	·04							1·86		·09			31
Total	4·40	1·05	2·80	2·04	1·88	·64	1·40	4·17	3·02	5·19	3·21	1·85	YEAR'S TOTAL 31·65
Rain Days.	22	10	22	17	11	10	12	11	13	19	18	9	174

FIELD

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 APR 1915

Kept at Large Acres, Selsey Bill

in the County of Sussex

by Edward Heron Allen

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chichester

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			·04	·12			·04	·08	1
2				·03			·11	·02			·10	·11	2
3	·01	·01	·05	·07	·29		·05	·05			-	·06	3
4	-	-	·01	·18	-		·03	·04			·20	·46	4
5	·16	-	·15	·19	·04		·20	-				-	5
6	-	·16	·02	·15	·09	·05	-	-				·45	6
7	·04	·40	·13	·20	·03	·11	·14	-				·20	7
8	·06	·56	·25	·03	·02	·03	-	·10				·21	8
9	·06	-	·39	·13	-	-	-	·01	·06			·96	9
10	·05	·20	·02	·14	·16	-	-		·23		·02	-	10
11		·35	·40	·01	·06	·06	·35		·13		·13	·47	11
12		·15	·21			-	·20		·36	·09	·03	·49	12
13		·27	·10			·07	-		·20	·03	·10	·82	13
14		·10	·15			·12	·04	·18	-	·55	·22	·48	14
15		·05	·17				·02	·42	-	·04	·57	-	15
16		·07	-				·08		·15		·04	-	16
17		·35	·09				-		·05		-	·26	17
18		·03	·28				-		-		-	·28	18
19		·09	·61				1·29*		-		·15	·12	19
20		·23	·07				·01		·05			·39	20
21		·41	·05				-			·10		·02	21
22		·03	·05		·46	·03	·10	·03		·17			22
23		·03	·23			·19	·01			·03			23
24			·03				-			-	·19		24
25			·26				·02	·25		·31	·02		25
26	·03		·01				·10	·08		·07	·11	·63	26
27	·05		-				-			-	·14	·36	27
28	·03	·04	·01		·13		·01			·54	·35	·33	28
29	·11		·15	·02			-			·30	·12	·06	29
30	·01	×	·06	·37			-			·14	·63	·47	30
31	·02	×	-	×	·08	×	·05		×	·05	×	·02	31
Total	63	353	395	156	136	66	285	130	123	241	316	773	YEAR'S TOTAL 3038
Rain Days.	12	19	26	13	10	8	19	11	8	13	18	23	180

W. 8,000. X. 14.

*. ·45 fell between 7.10 & 7.40 pm on 19th. Thunderstorm with wind 8-9 force. } N.B. Difference of ·16 between Field & Lawn gauges. EHA.

FIELD

499

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

1915

Kept at Selsey Bill

in the County of Sussex

by Edward Heron Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	m.m.	m.m.	mm	mm	mm	mm	mm	
1	.74	.19	.	.01	-	.	.1	1.3	4.-	2.9	.5	5.5	1
2	.37	.13	.15	.05	.03	.	-	1.8	1.4	3.1	-	7.1	2
3	.76	-	.10	.20	.24	.4	-	0.5	.1	-	-	14.6	3
4	.05	-	-	.04	.02	.1	.	-	-	-	-	11.9	4
5	.02	.27	-	.03	-	-	-	3.4	-	-	-	15.-	5
6	.68	.23	.	.44	.	-	1/6.5	1.1	-	.3	-	7.2	6
7	.20	.36	-	.04	-	.	/1.1	-	.	-	-	6.1	7
8	.06	.50	-	-	-	-	/6.0	1.-	-	-	1.9	1.3	8
9	.03	.15	/	.10	.	1.2	-	1.2	-	-	8.5	15.2	9
10	.21	.	.05	.	-	-	-	-	-	.9	-	11.7	10
11	.05	-	.05	-	-	-	.	-	-	1.1	21.-	.6	11
12	.07	.30	.	.26	.53	-	.	-	-	.9	10.9	-	12
13	.02	.34	.	-	1.32	.	.2	-.5	3.5	-	-	-	13
14	.05	.	.	-	-	-	/4.1	.5	1.4	-	-	14.5	14
15	.06	-	.	-	-	-	.7	6.5	-	-	2.6	6.3	15
16	.	.64	-	-	.17	-	1/9.4	.2	-	-	.	3.2	16
17	-	.20	-	-	.65	-	.10	5.4	-	-	-	-	17
18	-	.22	-	-	.05	-	-	.6	-	-	1.3	-	18
19	-	.05	-	.	.10	-	-	-	-	.5	-	-	19
20	.22	.	-	.06	.03	-	-	-	-	.2	-	2.6	20
21	.03	-	.	.	.	-	.3	-	-	5.4	-	2.5	21
22	1.02	.12	.13	.03	-	.	1/9.5	-	.2	-	-	3.3	22
23	-	.05	.15	-	.	.1	.2	-	6.3	6.6	-	16.6	23
24	.	.	-	.	.	-	.6	-	12.6	17.4	-	9.5	24
25	-	-	.04	.	.	-	16.3	-	-	.2	-	5.2	25
26	.02	.05	-	-	.	1.6	7.-	-	-	-	-	14.2	26
27	-	.03	-	-	-	.1	-	-	.7	6.7	-	.2	27
28	-	.07	-	-	-	5.4	1.4	-	13.8	3.-	1.1	-	28
29	-	X	-	-	-	5.5	-	2.7	-	.3	8.2	1.1	29
30	.24	X	-	.	-	6.1	-	14.1	-	9.3	16.8	.6	30
31	.06	X	-	X	-	X	-	-	X	14.-	X	6.5	31
Total	4.96	3.90	.67	1.26	3.14	20.5	84.4	40.8	4.40	72.8	73.8	182.5	YEAR'S TOTAL 34.36
Rain Days.	21	18	7	11	10	.81 9	3.32 15	1.60 15	1.7~~4~~3 9	2.87 17	2.91 10	7.19 25	165

W. 8,000. X. 15.

487

FORM A.
BRITISH RAINFALL.
9 MAY 1917

LAWN

REGISTER OF RAINFALL IN 1916

Kept at Selsey Bill

in the County of Sussex

by Edward Heron Allen

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.6	1.4	1.4		4.3	0.5	-		1.6	5.3	9.7		1
2	4.8	1.3	3.9		3.2	.	0.3		-	12.5	1.5		2
3	0.6	9.-	1.9		-	.	1.4		0.4	12.9	19.5		3
4	4.-	3.3	-		0.5	11.1	-		10.-	0.4	7.4		4
5	1.9	0.9	0.1		4.2	1.9	-			1.6	10.5		5
6	0.3	1.1	0.5	2.5	0.9	1.7	10.7			1.9	10.7		6
7	0.3	0.4	12.6	.	4.6	0.3	.			2.-	15.-	1.4	7
8	-	1.-	0.5	.	6.-	-	.				2.-	7.6	8
9	.	.	-	.	3.3	.	0.3				-	1.-	9
10	-	16.2	0.4	1.1	0.6	14.6	0.3				0.6	4.9	10
11	0.6	1.5	0.3	4.3	-	4.7	-				-	3.5	11
12	0.5	1.8	1.6	3.3	1.7	1.-	2.2				0.4	.	12
13	-	4.6	1.1	0.6	0.4		-		1.4		0.3	1.-	13
14	-	13.5	.	0.3	0.9		-		-		.	0.5	14
15	.	8.3	5.3	0.3			.		0.4	0.2	-	-	15
16	1.8	.	7.6	3.1			2.8	6.-	.	0.3	-	-	16
17	4.9	6.3	.	2.-				0.5	8.6	15.3	1.7	-	17
18	.	2.1	1.1	1.-					2.6	1.8	11.-	5.2	18
19	4.-	-	3.7	2.3		0.5			2.3		11.2	0.7	19
20	2.1	0.5	17.-	0.6		-					3.6	18.4	20
21	0.3	0.1	5.7	.		-	0.2				0.5	13.8	21
22	.	0.5	0.5	0.5		1.3				1.-	-	14.1	22
23	0.4	0.4	0.4			4.1		1.4		6.1	0.7	0.6	23
24	-	-	-		4.4	.		1.1		4.8	2.-	9.3	24
25	-	11.5	4.3			-		14.6	13.-	4.4	1.1	0.6	25
26	0.5	12.-	-			2.3		0.2	3.7	9.-		2.6	26
27		1.8	23.4			1.-		0.3	3.-	16.7		-	27
28		16.7	1.-			-		5.1	4.7	7.7		5.2	28
29		8.4	0.3			7.1		15.7	1.8	8.-		10.-	29
30		X	.		2.6	.		0.4		12.6		-	30
31		X	.	X		X			X	1.-	X	1.2	31
Total	28.6	124.6	94.6	21.9	37.6	52.1	18.2	45.3	535	125.5	109.4	102.6	YEAR'S TOTAL 813
Rain Days.	16	25	22	13	14	14	8	10	13	21	19	19	194

S made

467

REGISTER OF RAINFALL IN 1917

LAWN

12

FORM A.
BRITISH RAINFALL.

Kept at Selsey Bill

in the County of Sussex

by Edward Heron-Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

LAWN

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	2.1	4.3			-	34.0	0.3	-	1.1	0.6	1
2	-	-	1.-	15.8			-	-	-	-	4.1		2
3	0.3	0.4	-	3.8			4.5	3.7	-	1.-	4.4		3
4	-	4.6	7.-	-			0.5	1.-	-	3.3	-		4
5	5.-		0.6	1.8		2.-	-	-	4.4	9.3	1.-		5
6	-		4.4	0.4		0.5	-	-	1.5	0.4	2.6	0.6	6
7	6.5		-	-		-	0.8	-	0.5	4.5	-	0.9	7
8	4.8		-	2.3		-	6.-	4.8	0.2	6.3	4.9	11.-	8
9	-		3.9	0.2	0.8	-	0.6	-	0.1	4.5	0.5	2.7	9
10	3.2		4.2	2.9	-	1.7		1.9	-	-	-	-	10
11	1.2		7.2	8.-	-	0.4		2.-	-	8.8	-	-	11
12	2.7		0.4	0.4	-			1.9	-	7.7	0.6	-	12
13	1.1		5.1	-	-			3.7	0.3	6.5	0.5	0.5	13
14	-			4.-	-			0.6	-	1.1	-	-	14
15	-			0.3	0.6			1.2	-	6.5	-	2.6	15
16	-	6.1		1.-	3.4			-	0.3	6.5	0.2	13.7	16
17	0.2	0.6		3.4	1.2		10.9	4.8	8.5	1.8			17
18	-	0.5		0.4	1.-		2.7	0.5	3.9	1.-			18
19	-	6.5	0.5		-		-	-	3.6	-			19
20	-	1.7	1.1		16.2	0.3	-	-		-			20
21	0.2	-	0.5		0.3	-	5.5	-		0.3	0.6	0.5	21
22	0.5	-	0.5		-	3.3	-	3.1		5.1	-	-	22
23		7.-	-		3.4	-	-	2.7		-	-	1.1	23
24		2.-	-			3.2	6.5	-		4.-	0.7	0.5	24
25		3.6	0.4			-	0.5	-		0.5	-	-	25
26			0.6			0.3	-	14.5	2.3	0.3	9.1	-	26
27			0.2		15.3	1.5	-	23.-		-	0.3	-	27
28			1.8		-	39.2	-	5.3		-		0.6	28
29			0.9		7.-	1.5	3.4	0.5		11.6		1.7	29
30		X	7.-				5.6	7.9		0.5		0.7	30
31		X	0.7	X		X	3.9	0.9	X	1.-	X	-	31
Total	25.7 ✓	33.0 ✓	50.1 ✓	49.0 ✓	49.2 ✓	53.9 ✓	51.4 ✓	118.0 ✓	25.9 ✓	92.5 ✓	30.6 ✓	37.7 ✓	YEAR'S TOTAL 617.0 ✓
Rain Days.	11 ✓	10 ✓	21 ✓	15 ✓	10 ✓	11 ✓	13 ✓	20 ✓	12 ✓	23 ✓	14 ✓	14 ✓	174 ✓

W. 8,000, IX. 17.

5.06

Sx. 1156

2

LAWN

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14.1.19

Kept at Large Acres. Selsey.

in the County of Sussex.

by Edward Heron-Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-.3	.	-	-.8	-	-	17.-	-	-	5.9	2.-	1
2		-.9	-	2.1	-			10.8		-.3	9.9	3.4	2
3		-.7	-.5	1.7	18.-			1.2		.	4.8	-.5	3
4		1.3	1.3	-.5	1.2			1.4	5.6	.	13.5	-	4
5		1.5	-.5	-	3.-			5.1	1.1	2.-	-	1.-	5
6	4.-	3.2		3.2	4.5			4.5	1.-	-.7	-	-.9	6
7	-	2.8		4.4	11.9			-.9	5.1	1.-	3.6	-.5	7
8	-	-.5		-	.				2.-	2.1	1.4	-.9	8
9	-.5	.		7.3		3.2	7.-		9.9	2.7	-.4	7.3	9
10	-.6	-		2.3		9.6	3.-		5.8	1.2	.	8.4	10
11	-.4	.		-.7			2.1		2.4	7.5	1.6	2.-	11
12	-	1.6			6.3		2.1		4.-	-		1.4	12
13	6.2				1.-		4.6		4.-	-		-.6	13
14	4.9		1.5		-.5	1.4	1.7		0.2	4.1		-.9	14
15	28.5		-	1.3		9.6	6.7		-			2.6	15
16	9.7		-.4	1.-		-.3	-		8.1			-	16
17	3.5		.	2.6		-	-.6	-.7	-			7.2	17
18	6.5		-.4	-		10.5	-		17.3			1.7	18
19	1.2	-.3	5.7	0.1		2.6	1.-		-	-.9		-.5	19
20	-.8	2.7		8.4		-.5	7.8		3.4	-.8		-	20
21	5.2	-		2.6		-.4	-		12.6	2.-		1.6	21
22	3.6	.			3.5		20.-		6.-			6.1	22
23	1.1	.					1.4	1.9	-.7		-.5	2.4	23
24	-	5.4					-	.	4.7		1.8	-	24
25	-.4	-		3.-			-.5	3.4	-	-.8	-	-	25
26	-	-		-			4.7	-	-.6	-.6	1.6	3.-	26
27	-.5	1.5	1.2	-.5			-.5	1.9	9.5	1.3	2.1	-.4	27
28	-.7	-	5.2	1.1					-	-.6	2.6	-.5	28
29	-.5	×	-.9	.					27.4	-	.	-.4	29
30	-.4	×	10.2	.					-.5	1.1	1.-	1.5	30
31	-.5	×	-.5	×		×			×	3.-	×	.	31
Total	79.7	22.7	28.3	42.8	50.7	38.1	63.7	48.8	137.9	32.7	50.7	57.7	YEAR'S TOTAL 653.8
Rain Days.	21	13	12	17	10	9	15	11	22	18	14	25	187

W. 6,500, VII. 18. w w c

SNOWDON Gauge (on LAWN)

442

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 9.

8 JAN 20

Kept at Selsey Bill

in the County of Sussex

by Edward Heron Allen F.R.S.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.1	0.6	0.5		0.4		6.6			2.5	1.1	17.2	1
2	4..		1..		1..		0.5		6.5			1..	2
3	9.1		21..		1.9		0.6		1.1			4.8	3
4	10..	1..	6.8				2.7	2.2	0.6		2.5	1.5	4
5	0.4	10.2	11.1						1.6		3.9	6.9	5
6	6.9		2.6		0.2						0.6	5.1	6
7	1.6		7.7	0.1									7
8	6..		4.8										8
9	13.3		3..	1.8	11.6						11.3		9
10	17.8		0.7	0.6	0.2							2.6	10
11	11.9		0.5	6.4	2..		0.7					1..	11
12	3.5				0.3		2.7			2.4	1.2		12
13	0.5	0.8	2.6	10.5								0.5	13
14	8.9	0.4		4..			2.9		8.4			1.4	14
15	6.5	1.8	0.4	1.4								21.5	15
16	6.9	14.1									3.1		16
17	-	7..									2.5	1..	17
18	-	0.6	4.6					0.5	0.5		2.6	0.5	18
19	3.7	8.9	22..			2.3	8..	4.5		0.4	1.3	0.7	19
20	10.1	0.6	1.4			10.2		5..		0.2			20
21	0.8	10.3				0.6	0.5		0.5		0.6	0.9	21
22	-	0.5					4.9		9.2		0.2	2.7	22
23	-		0.5						0.6		1.1		23
24	-	1.7		2.3		1..		0.5	0.2	9..	2.4	2.8	24
25	1.4	0.5		3..		2.5		13..				2.3	25
26	0.5	3.1	1.5	3.5			0.4	1.4	1.6		12..	10..	26
27	6.4		0.4	10.4				16.5			8.5	2.8	27
28	1..		12.3					8.1			10.8	12.6	28
29	-			1.7				10.8		2.2		1.9	29
30	-	×	0.2	5.7		0.6		10.3			10.2	17.3	30
31	-	×	1.6	×		×			×		×	2.7	31
Total	147.3	62.0	107.2	51.4	17.6	17.2	30.5	72.8	30.8	16.7	75.9	121.7	YEAR'S TOTAL 745.1
Days with 0·2 mm. or more	23	16	22	12	8	6	11	11	11	6	18	24	168

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

418

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

LAWN.

Kept at ~~33 Hamilton Terrace NW8~~ Large acres. Selsey

in the County of ~~London~~ Sussex

by Edward Heron-Allen F.R.S.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

…evious day.

Jan. 1, following.

On this form are entered only the days on which the gauge in the LAWN differed from that in the FIELD.

EHA

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.4	-	1.3	·9	3.3		8.5	·		6.5	7.1	10.2	1
2	·6	-	2.0	1.1	2.7		1.0	3.5	1.9	1.6		3.-	2
3	·7	-	-	·	-	·2	-	-		4.6		1.5	3
4	·	3.8	·5	·4	-		22.2	2.9		7.7			4
5	[illegible]	-	4.6	3.4	·6		21.7			4.0			5
6	·	-	3.0	-	9.5		5.5					·5	6
7	1.0	-	·7	3.8	2.2		1.3			·2			7
8	·4	1.	·	1.0	1.1		8.9	·2					8
9	5.8	·5	·6	1.7		1.4	-						9
10	22.-	4.5	2.9	2.0		1.5	3.8						10
11	5.8	-	2.5	10.-	1.0	2.2	8.0					8.1	11
12	2.2	1.2	1.2	4.6		17.6	·4			·6	·3	2.-	12
13	7.6	-	7.1	1.4						-	1.0	·5	13
14	-	1.0	15.5	8.6					4.9	6.4	8.6		14
15	2.3		1.0	4.4	1.6				20.-	7.6	3.0		15
16	-		-	·7	·3	1.5			5.5	·4			16
17	-		-	·5	3.1	·	·8		8.5			·9	17
18	·7		·	-	3.4	1.0		17.9	10.4			1.3	18
19	2.8			11.-		·5			0.5			·5	19
20	3.-	1.2		2.0		21.-	·2		·5			·8	20
21	-			·5			21.9		5.0			7.4	21
22	-			6.8			·2	·4	·7			6.8	22
23	-						10.6	1.1			·3	10.-	23
24	·5		3.0		4.1		·				·3	2.9	24
25	·4	1.1	·6		6.4		5.6					-	25
26	1.0	·	2.5	1.6		1.0	·8				·5	3.4	26
27	11.-	·5	-	2.6		·9	5.2				5.0	7.-	27
28	9.-	·4	2.6	2.5	2.0		2.1				·6	2.1	28
29	14.1	-	2.6	2.7	·4		·		6.0		4.7	5.4	29
30	1.6	╳	7.-	·5	·	2.0	1.5				4.6	5.2	30
31	·6	╳	-	╳	·	╳			╳	20.5	╳	4.7	31
TOTAL	97.5	15.2	61.2	74.7	41.7	50.8	130.2	26.0	63.9	62.1	36.0	84.2	YEAR'S TOTAL 743.5
Days with 0·2 mm. or more	22	10	19	24	15	12	20	6	11	11	12	21	183
Days with 1·0 mm. or more	15	7	15	18	12	9	15	4	8	8	7	16	134

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

SIDLESHAM
IVY GRANGE
SUSSEX
1911-13, 15-16

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

(13)

REGI

Kept at Ivy Grange,
in the County of Susse
by J. W. Moore

…on
… in.
…ound 1 ft. 1 in.
… Level 10 ft.
…n.
…he Chichester
…ance 4½ Direction N

IMPORTANT NOTE.— … measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·57				·11		–	·05	–	1
2	·03			·09	33					–	30 ·20	22	2
3	~									–	·15	15	3
4	~		·02		16					–	·22	35	4
5	~				~					0·5	15 ·~~11~~	–	5
6	·28		·08		~					·52	·05	1·00	6
7	~									–	1·30		7
8	·07		·17	·09						·45	·10	45 ·48	8
9	·12									–	~~11~~	–	9
10	~	·16								–	1·15	·30	10
11	·30		·21		·06					–	·05	–	11
12	~								0·12	–	–	–	12
13	–									–	–	·50	13
14	–				·96					·20	·75	–	14
15	–		·93							–	–	·45	15
16	–					·75				–	–	·10	16
17	–									12	1·33	·60	17
18	~									–	·47	–	18
19	[illegible]	·22				·36			·18	–	·05	·65	19
20	~									20	–	·55	20
21	·02							·30	·18	–	–	·10	21
22								·08		65	–	·45	22
23			·08						·25	25	–	·35	23
24						·70				40	–	·25	24
25						·10			·05	59	–	–	25
26		·52				·06	·68			65	–	·40	26
27	·02			·45	1·00					70	–	·20	27
28		56		–		·13		·12		–	·08	–	28
29				·31	·15	·04		·09		–	–	–	29
30				·02			·03		·20	52	–	–	30
31										–		–	31
Total	·90	1·46	1·49	1·53	2·66	1·83	0·71	0·70	0·98	5·30	6·31	6·97	TOTAL for year 30·84
No. of Rain Days	~8	~4	6	6	6	4	2	5	6	13	16	18	~~97~~

30·84

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

REGI

Kept at Ivy Grange, Sidlesham

in the County of Sussex

by J. W. Moore

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in. (13")
" " " Sea Level 10 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Chichester
Distance 4½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·57				·11		—	·05	—	1
2	·03			·09	33					—	30 ·30	22	2
3	~									—	·15	15	3
4	~		·02		16					—	·22	35	4
5	~				~					0·5	15 ~~·[illegible]~~	—	5
6	·28		·08		~					·52	·05	1·00	6
7	~									—	1·30		7
8	·07		·17	·09						·45	·10	45 ·48	8
9	·12									—	~~11~~	—	9
10	~	·16								—	1·15	·30	10
11	·30		·21		·06					—	·05	—	11
12	~								0·12	—	—	—	12
13	—									—	—	·50	13
14	—				·96					·20	·75	—	14
15	—		·93							—	—	·45	15
16	—					·75				—	—	·10	16
17	—									12	1·33	·60	17
18	~									—	·47	—	18
19	[illegible]	·22				·36			·18	—	·05	·65	19
20	~									20	—	·55	20
21	·02							·30	·18	—	—	·10	21
22								·08		65	—	·45	22
23			·08						·25	25	—	·35	23
24						70				40	—	·25	24
25						·10			·05	59	—	—	25
26		·52				·06	·68			65	—	·40	26
27	·02			·45	1·00					70	—	·20	27
28		56		—		·13		·12		—	·05	—	28
29				·31	·15	·04		·09		—	—	—	29
30				·02			·03		·20	52	—	—	30
31										—		—	31
Total	·90	1·46	1·49	1·53	2·66	1·83	0.71	0·70	0·98	5.30	6.31	6·97	TOTAL for year 30·84
No. of Rain Days	~8	—4	6	6	6	4	2	5	6	13	16	18	~~97~~

7,000. X. '09.

30·84

✓ X cor'd for arith 5.11.13

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ivy Grange, Sidlesham

in the County of Sussex

by J. W. Moore

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 20 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Chichester
Distance 5m Direction S. N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-	-	-	-	25							1
2		.	25	-	-				5			10	2
3		-	20	-	-	10		57			75		3
4	15	-	55	-	-	20		3					4
5	20	15	10	-	-			20				20	5
6	75	10	-	-	-	48		55					6
7	-	5	25	-	50		05	25					7
8	75	15	-	-	-								8
9	-	22	25	-	-			10					9
10	-	05	-	-	-			28				15	10
11	-	45	05	-	-	50		5					11
12	10	-	-	-	25		50	25			15		12
13	-	05	-	-	-			25					13
14	-	-	05	-	-	50		15				10	14
15	-	-	10	.	10	20		10					15
16	-	05	05	-	-			10					16
17	100		50	-	-	15		15				25	17
18	10	-	10	-	-			75					18
19	05	-	05	-	5		25	60					19
20	-	05	50	-	-			5		75			20
21	-	-	25	-	-			10					21
22	10	50	20	-	-			46					22
23	45	25	10	-	-			50			20		23
24	10	07	-	-	-	30	10	5				10	24
25	-	-	-	-	-			75	-	50		75	25
26	-	05	-	-	-			10		05		10	26
27	-	-	.	-	-	15		40		25	70	20	27
28	-	05	-	-	25	05	15	15	15	65	50	25	28
29	-	15	-	-	-			10	1·50	25		16	29
30	-		-	-	-				95				30
31	-		10		-		25	15					31
Total	3·75	2·39	3·65	00	1·15	2·85	1·30	7·03	2·65	2.45	2·30	2·36	TOTAL for year 31·98
No. of Rain Days.	11	16	18	0	5	11	6	7·13 27	4	6	5	11	31·98 120

W. 8,000, X. '11.

Cor. for aith. 19·II·14

FORM A2.
BRITISH RAINFALL.

18 FEB 1914

REGISTER OF RAINFALL IN 19~~1~~13

Kept at Ivy Grange, Sidlesham

in the County of Sussex

by J. W. Moore

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 10 ft.

Time of Observation 9-a.m.

Nearest Railway Station
Name Chichester
Distance 4½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·40				·45			·05	1
2		·20		·20			·03			·50	·85	·03	2
3												·20	3
4								~~1·25~~	1·25	·25	·50		4
5		·05	·35		·25			~~1·25~~	1·25				5
6		·05					·05				·10	·50	6
7	1·62	·20	·25			·50	·90				·15		7
8				·10						1·30			8
9					·40		·15	~~70~~	·75		·10		9
10											·50		10
11										·80	·05		11
12				·35	·55						·80		12
13							·15						13
14	1·10										~~15~~		14
15		·80	·45	·45									15
16	·15						·05						16
17			·45				·70						17
18											·10		18
19	·40		·25	·25			·05	·25	·65				19
20			·10							·90			20
21	·70		·15								·35		21
22						·10		·10		·15			22
23												1·00	23
24				·10									24
25								·26		·80			25
26					·35							·25	26
27	·50		·65										27
28				·25						·20			28
29										·15	·03		29
30	·70			·10				1·75	·70	·15			30
31	·20		·20							·35			31
Total	5·37	·80	2·85	1·80	1·95	·60	2·08	2·36 ~~2·26~~	5·05	5·55	3·18	2·03	TOTAL for year 33·62
No. of Rain Days	8	5	9	8	5	2	8	4	6	11	12	6	84

9,000, IX. '10.

33·62

1 made

50

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ivy Grange
in the County of Sidlesham | Sussex
by J. W. Moore

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Chichester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60							·05	·35	·20	1·05		1
2	·75	·15		·15		·05		·10			·05	1·25	2
3	·05		·30	·10	·27						~~·55~~	·55	3
4	·05			5				·05				·50	4
5	·80	·30										·65	5
6	·25	·30		·60						·05		·45	6
7	·05	·45					·70	05				·25	7
8		·70					·10				·10	·15	8
9						·05	·15				·25	·60	9
10		·30	·10							·05		·55	10
11	·10												11
12		·48			2·65			[illegible]			·75		12
13		·25							·25		·60	·80	13
14									·05			·20	14
15	·10	·90			·10		·08	·10				·10	15
16					·20						·12		16
17					·70								17
18		30										·10	18
19		15											19
20	25											·20	20
21					·05								21
22	1·00	·15	·20		·20		·70			·30	·10	·25	22
23			5						·30	·30		·75	23
24									·50	1·00		·70	24
25				28			·05					·15	25
26						·10	·50					·70	26
27						·5				·25			27
28						·20	·05		1·10	·20			28
29	·30	·20				·35					45	·05	29
30		✕								·40	1·30	·05	30
31	·35	✕		✕		✕	2·33		✕		✕	·40	31
Total	4·65	4·63	·65	1·15	4·17	·80	[illegible]	·45	2·55	2·75	4·77	9·40	YEAR'S TOTAL 38·30
Rain Days.	13	13	4	5	7	6	8	6	6	9	10	22	109

W. 8,000. X. 14. 3830

2930

FORM A.
BRITISH RAINFALL.

27 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ivy Grange Sidlesham

in the County of Sussex

by J. W. Moore

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08				·30				·12				1
2	·15	·25			·15					·70			2
3	05		·20										3
4	·10	·20		·20					·35	·50			4
5	·08					·30							5
6													6
7			·50				·50						7
8						·35							8
9	·10		~~·35~~			·30				·10			9
10		·05		·05	·20		·22						10
11	~~·05~~	·70				·10				·10			11
12		·20											12
13		·10	·20										13
14		·95		·05									14
15		·35											15
16	·20		·30	·15		·30	·20	·15					16
17	·10				·10				·50	·50			17
18		·35	·30							·25			18
19			·20	·32					·15				19
20	·10 ·15		·60										20
21	·12		·10										21
22						·10				·30			22
23								·10		·20			23
24										·15			24
25			·25		·10			·50		·50			25
26	·05	·75	·26			·20			·75				26
27			·85						·15	·40			27
28		·75	·05			·05			·15	·25			28
29		·35				·35			·10	·15			29
30		╳						·65	·10	·70			30
31		╳		╳		╳			╳	·05	╳		31
Total	~~1·43~~ [illegible] 1·13	6·10	3·80	·77	·85	2·05	·92	1·40	2·37	4·85			YEAR'S TOTAL
Rain Days.	11	12	12	5	5	9	3	4	9	15			

W. 8,000. X. 15.

320

SHOREHAM – BRIGHTON
W. W.

SUSSEX

1911–20

484

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

Kept at Shoreham

in the County of Susse

by The Brighton Corp

fice Pattern

in.

ound 1 ft. 8½ in.

Level 11·63 ft.

me Shoreham by Sea.

stance 1 m Direction S.E.

IMPORTANT NOTE. e result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " pplication to Dr. H. R. Mill, 62, Camden Square, London

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·02	—	—	·04	—	1
2								—	—	—	·32	·26	2
3								—	—	—	·10	·22	3
4								—	—	·12	·12	·18	4
5								·02	—	·61	·06	·06	5
6								—	—	—	—	·57	6
7								—	—	·26	1·13	·24	7
8							(—)	—	—	—	·58	·17	8
9								—	—	—	·37	·08	9
10								—	—	—	—	·29	10
11								—	—	—	1·25	·03	11
12								—	·02	—	·04	—	12
13								—	·46	·15	—	·26	13
14								—	—	—	—	·41	14
15								—	—	—	·07	·04	15
16							—	—	—	—	·89	·13	16
17							—	—	—	—	1·03	·16	17
18							—	—	—	—	1·34	·39	18
19							—	—	·19	·26	·04	·07	19
20							—	·20	·14	·02	—	·66	20
21							—	·04	—	·60	—	·32	21
22							—	·14	—	·45	—	·50	22
23							—	—	·30	·83	—	·18	23
24							·03	·03	—	·20	—	·34	24
25							·05	—	·08	·03	—	·01	25
26							·04	·01	—	·15	·06	·31	26
27							—	—	·03	·36	·17	·22	27
28							—	·05	—	—	—	—	28
29							·19	—	·38	·32	—	—	29
30							—	·05	·01	·20	—	—	30
31							·01	—		—		—	31
Total							·32	·59	1·61	4·56	7·61	6·11	TOTAL for year
No. of Rain Days.							5	9	9	15	17	25.	

The first rainfall reading was taken on the 16th ~~Aug~~ July 1911.

W. 8,000, X. '11.

484

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

Kept at Shoreham Pumping Station

in the County of Sussex.

by The Brighton Corporation Waterworks.

RAIN GAUGE	Pattern	Meteorl office Pattern
	Diameter of top	8" in.
	Height of top above Ground	1 ft. 8½ in.
	,, ,, ,, Sea Level	11·63 ft.

Time of Observation 9 am.

Nearest Railway Station { Name Shoreham by Sea.
Distance 1 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·02	—	—	·04	—	1
2								—	—	—	·32	·26	2
3								—	—	—	·10	·22	3
4								—	—	·12	·12	·18	4
5								·02	—	·61	·06	·06	5
6								—	—	—	—	·57	6
7								—	—	·26	1·13	·24	7
8							(—)	—	—	—	·58	·17	8
9								—	—	—	·37	·08	9
10								—	—	—	—	·29	10
11								—	—	—	1·25	·03	11
12								—	·02	—	·04	—	12
13								—	·46	·15	—	·26	13
14								—	—	—	—	·42	14
15								—	—	—	·07	·04	15
16							—	—	—	—	·89	·13	16
17							—	—	—	—	1·03	·16	17
18							—	—	—	—	1·34	·39	18
19							—	—	·19	·26	·04	·07	19
20							—	·20	·14	·02	—	·66	20
21							—	·04	—	·60	—	·32	21
22							—	·14	—	·45	—	·50	22
23							—	—	·30	·83	—	·18	23
24							·03	·03	—	·20	—	·34	24
25							·05	—	·08	·03	—	·01	25
26							·04	·01	—	·15	·06	·31	26
27							—	—	·03	·36	·17	·22	27
28							—	·05	—	—	—	—	28
29							·19	—	·38	·32	—	—	29
30							—	·05	·01	·20	—	—	30
31							·01	—		—		—	31
Total							·32	·59	1·61	4·56	7·61	6·11	TOTAL for year
No. of Rain Days.							5	9	9	15	17	25.	

The first rainfall reading was taken on the 16th ~~Aug~~ July 1911.

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. H.G.B.

Kept at Brighton Corporation Waterworks Shoreham Wks

in the County of Sussex 3

by The Brighton Corporation Waterworks

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Shoreham

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8½ in.

" " " " Sea Level 11·63 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	·02	·04	·36	·12		·04	·76		·22	1
2			06			·02	·22						2
3	·02		07			·16		53	·03				3
4	·21		43			·28		05			·21		4
5	·30	·04	07			02		25			09		5
6	67	10			04	01		68	·01		01	·14	6
7			01		25	55		26				05	7
8	62	·56	·17			07		11				02	8
9	13	05	06	02		20	07	22				10	9
10		07						50			·11	54	10
11	·04	47										12	11
12		07	·03		13	10	02	·30				02	12
13		01					12	·02			·02	21	13
14					08			·08		09		02	14
15		02	·11		12	45		01				23	15
16	10	06	19		12	·11		14		07			16
17	34		24		03	·10		12			15	50	17
18	06		45					18		03		30	18
19	05	·09	36			02	·04	08			02		19
20	10	·01	66					03		·47	01		20
21		18	29		·13		02	14		·21	11		21
22	08	57	05				01	34			~~16~~	·04	22
23	32	·14	35			·01		31		·18	16	07	23
24	01	06					01	35		·04		05	24
25	10					·24		96		04	·35	60	25
26		05				01		08		·47	·86	·26	26
27		01				03	02			·17	·01	·47	27
28		07				07	·23	11	·14	·82	·71	·18	● 28
29		02					·20	86	1·49	·04	Srain ·03		29
30					·31		·06	43	1·14	·03	Srain ·01		30
31			·04		·02		·13	21					31
Total	3·15	2·45	4·09	·04	1·27	2·81	1·27	7·25	2·85	3·82	2·86	3·94	YEAR'S TOTAL 35·80
Rain Days.	16	20	19	2	11	19	14	27	6	14	16	20	184

W. 7,500, XI. 12

Ex # 6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8- JAN 1914

Kept at Brighton Corporation Waterworks Shoreham Wks

3

in the County of Sussex

by Mr James Johnston Waterworks Engineer

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Shoreham

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 8½ in.

" " " " Sea Level 11·63 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	.44	.11	13		.21			05	02	06	.10	1
2		12		01			06		.01	37	14	02	2
3	01		06	30	19							.12	3
4	36		09		02		01		1.13	.33	09	01	4
5	20	05	02			.19	05		·13	07	37		5
6		03	10		15	.16	22		.01	37	·10	.28	6
7		.25	09		08	.01	05			27	.11		7
8		.13			16	06		.03		27	.03	.04	8
9		.10		03	18	01	05		.09		06	02	9
10	04			03		05	·81			.24	50		10
11	81			46						.54	32	01	11
12					.72						1.26		12
13	42		03						.04		·18		13
14	35		12	01			1.42		05	03	.21		14
15	20	07	37	28			.19		20			01	15
16	17		40	14			.01						16
17	07	Snow 04		22			.22				·03	01	17
18	01		06	14			.05		05		.08		18
19	25		09		.02	09	.07		47				19
20	47		10	21		17				·40			20
21			11	26						·92	83		21
22	29		34				.03	.04	.17	.05			22
23	01		15			02		·08				·81	23
24	11			.04				·16			07		24
25				24							01		25
26			12					·06		.74		.21	26
27		.05	11	.10						.03			27
28	10		35	.06						.06			28
29	11		06	.31	.54			·10		·20	01		29
30	62			.14	—			.76		.10			30
31	.01		.07					1.21		.22			31
Total	4.65	1.28	2.95	3.11	2.06	.97	3.24	2.44	2.40	5.23	4.46	1.64	YEAR'S TOTAL 34.43
Rain Days.	21	10	21	19	9	10	14	8	12	19	19	12	174

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Brighton Corporation Waterworks Shoreham

in the County of Sussex 3

by Mr. J. Johnston Exc. M

Lat. 50° 51' Long. 0° 16' 45"
Time of Observation 9 am
Nearest Railway Station Shoreham
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 8½ in.
" " " " Sea Level 11·63 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·51

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.10				18			12	07	1
2							02				13	14	2
3			12	06	34		01	01					3
4	-			30			02	04			26	38	4
5	16		09	41	04	02	25				02		5
6		10	01	25	04	08		06				48	6
7		33	27	19		08	14					19	7
8	05	52	31	08	04	34	10	05				17	8
9	06		57	09				01	17			1.13	9
10	09	08		17	25				12		01	.01	10
11		55	46	04	02	.01			31		06	76	11
12		14	11				.47		61		01	53	12
13		37	30			.02			23	02	09	.41	13
14		16	15				07			45	18	50	14
15		.07	26					32		01	99		15
16		14					07		19				16
17		55	17						06			15	17
18		06	36				.01					27	18
19		17	S & Rain .94				.27			.01	.14	17	19
20		17	.34			.10						41	20
21		51	.08							.10			21
22		09	05		.19	09	.05			33			22
23			23			68				03			23
24			05								16		24
25	06		27				.01	14		39	01		25
26			.07					16		16	14	60	26
27											12	39	27
28	04	03			.03		16			31	37	41	28
29	13		07							58	10	02	29
30		X	.14	34						09	.89	32	30
31	03	X		X	14	X	.01		X	01	X	-	31
Total	.62	4.04	5.22	1.93	.99	132	1.66	.97	159	2.49	3.80	7 51	YEAR'S TOTAL 32. 14
Rain Days.	8	17	23	.11	9	9	15	9	7	13	18	.21	160

W. 8,000. X. 14.

[illegible]

554

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
8. JAN 1916

Kept at Brighton Corporation Waterworks Shoreham Work

in the County of Sussex 3

by

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Shoreham

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 12.0.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.51	.20					.06		1.34	.05	04	.37	1
2	.35	15	.23			.01		09	.05	.26		.18	2
3	.33		.09	.32	.19			02	02			64	3
4	.09			05				08				42	4
5	.14	37		02	06			19				57	5
6	.92	22	01	.42			62				.01	23	6
7	.32	33	07	.06		.04	12					18	7
8	.03	38		.01			42				03	02	8
9	.04	13		.10		.12		07			41	96	9
10	.30											63	10
11	.		09							.07	84	06	11
12	07	17		.27	.34						63		12
13	05	47			1.93				.06				13
14	05	01					.14	02	.07			.55	14
15	12	01			.08		.57	.37			Snow & Rain 12	30	15
16	.01	59		.01	.07		1.23	.52				01	16
17		37			1.00			.41					17
18		04			.11						.08	01	18
19		03			02								19
20	.23			.02	.09							09	20
21	Snow & Rain .08									.36		04	21
22	Snow .33	15	09	.07			.88					16	22
23		Snow 04	.16				.02		.02	.20		98	23
24									.27	.65		45	24
25				02			19					.29	25
26		09				.04	02					90	26
27						.01	06			.46		03	27
28		13				29	01		1.40	18			28
29								21		08	.55	.03	29
30	.23								.01	37	.51		30
31	.03							11		67		.25	31
Total	4.23	3.78	.74	1.37	3.89	.51	4.34	2.09	3.24	3.35	3.22	8.35	YEAR'S TOTAL 39.11
Rain Days.	20	19	7	12	10	6	13	11	9	11	10	25	.153

W. 8,000. X. 15.

✓ Esc 8L 542

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 9 JAN 1917

1 Brighton Corporation Waterworks
Kept at Shoreham Works
in the County of Sussex
by [illegible]

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Shoreham
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 12·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	02	01		.16	05			.03	08	.45		1
2	.34	06	42		.19	02	03			82	06		2
3	.01	.34	16			01	06		.11	56	61		3
4	.15	03	01		01	45			13	05	30		4
5	03	01		04	12	08				06	39		5
6	01	05	8 03	03	01	05	26			01	28		6
7		02	5 58		31	04				07	45	03	7
8			5 02		23						03	44	8
9					31							13	9
10		57	01	.06		.34	.05				01	37	10
11	.03	18	01	15		52						09	11
12	.04	07	02	06	06	11	.08			03			12
13		20	19	02		03	02	.01	.03		01	.04	13
14		53	15	03	16			04		01		.14	14
15		25	10										15
16	03	02	19	.34			.03	03					16
17	27	31		.08				02	36	79			17
18		06		.03				11	19	10	.59	.10	18
19	12		.15	.31		03		01	04		.66	.10	19
20	10		.10	.16		07					.18	.58	20
21	02		.30				.11				.31	50	21
22	02		.01			01				.04	02	62	22
23	01	5 01	5 02			05		02		08	01	.01	23
24	01				.13	01		01		.16	03	36	24
25		5 .39	.17					.84	.04	.16	04		25
26	05	5 36				44		03	.30	19			26
27		5 45	.84			02		04	.05	.42			27
28	01	5 +R. 55	02			16		14	.30	29		.41	28
29		26				30		64	18	.40		.44	29
30		╳			.08			03		.55			30
31		╳		╳		╳		11	╳	.02	╳		31
Total	1.31	4.56	3.51	1.11	1.57	2.69	.64	2.08	1.66	4.89	4.33	4.36	YEAR'S TOTAL 32.69
Rain Days.	18	22	22	12	12	20	8	15	12	21	18	16	196

W. 8,000, VIII. 16

526

FORM A.
BRITISH RAINFALL
21 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Brighton Corporation Waterworks Shoreham Works
in the County of Sussex
by Jas: Johnston

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Shoreham
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 12.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			62	SR 10				1.35	05		.10		1
2				S 16				02			.16		2
3	01			S 10			90	14		.03	03		3
4		.10	SR 21				03	37		17			4
5	03		01	16		02		01	27	21	03		5
6			23	05		35			16		17	.01	6
7	32						.10		04	23		.10	7
8	11		S	SR 12			17	07		33	25	.53	8
9	01		12				14	01		03	11	.40	9
10	15		13	SR 08		37		11					10
11	04		12	SR .38				04		50			11
12	04		04	SR 05				18		25			12
13	02		.18		.05			02	02	22			13
14				.13				05	11				14
15	S							05		27		05	15
16	03	.27		10	10					27		SR. 79	16
17		03		17	19		43		43	08			17
18		03		10	14		17	16	29				18
19	.01	40	11		02	08			15				19
20		15	SR 03		42	02							20
21	SR 01	01	SR 07		01	02				01	04		21
22					01	21		18		.27			22
23		29			19			07				.04	23
24		14				05	36	01		23	03		24
25		13	06			06	05						25
26			SR 03			01		48	.08	.01	83		26
27			SR 05		06			1.08					27
28			SR 05			2.15		58				SR .06	28
29					.03	01	06	.03		35	01	.08	29
30	S	✕	46			02	36	.40		07		08	30
31	02	✕	04	✕		✕	12	.02	✕	05	✕	Snow 09	31
Total	1.20	155	1.96	1.70	1.22	3.37	2.89	5.43	1.60	3.58	1.76	2.23	YEAR'S TOTAL 2849
Rain Days.	13	10	18	13	11	13	12	23	10	19	11	11	164

2.05

W. 8 000, IX. 17.

50

FORM A.
BRITISH RAINFALL

24.1.19

REGISTER OF RAINFALL IN 1918

Brighton Corporation Waterworks
Kept at Shoreham Works
in the County of Sussex
by Jas: Johnston

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Shoreham
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 12.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											16	13	1
2		.03						52			33	20	2
3		01	.08	08	34			02			23	01	3
4		04						05	.30		53	03	4
5		02	03		07			14				01	5
6	.30	16		14	21			55		02		02	6
7		05		18	32	.01		02	.25	03	12		7
8		01							21	03	05	04	8
9	s 02			09		12	.01		38	13		35	9
10				03		.02	28		13	09		29	10
11	04						13		09	17	.04	07	11
12		.05			.21		01		02			04	12
13	s .34				.07		14		26			02	13
14	17		.08			08	14		45	27		05	14
15	1.63			.18		.02	22					12	15
16	Sleet 44			03			04		16				16
17	S&R 16			.15		19	44					26	17
18	36					35	02		66			09	18
19	06		.16	S&R 09		12	03			06			19
20	06	.30		.43		05	42		22	06			20
21	30			.72			02		31	16		03	21
22	13				26		40		56			16	22
23	09						53 13	.06	02			03	23
24		.19					.02		28		06	02	24
25				.22				19		02			25
26							32		08	01	09	11	26
27		05		07			.07	.17	31		09	06	27
28		Snow 05	16	07		12				07	14	03	28
29									1.22			03	29
30			56						08	14		03	30
31										05			31
Total	3.80	.85	1.07	2.48	1.38	1.08	3.24	1.72	5.89	1.31	1.84	2.20	YEAR'S TOTAL 26.86
Rain Days.	14	12	6	14	7	10	.18	9	20	.15	11	25	161

W. 6,500, VII. 18. W W C

491

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brighton Corporation Waterworks Shoreham

in the County of Sussex.

by Jas: Johnston M. Inst. C.E.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shoreham

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft 9 in.

" " " " Sea Level 12.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	Snow 02	01		02		.10	.		14		·56	1
2	12		04		01				.03	02	05	.12	2
3	22		60						04			30	3
4	19	03	40		05	03	15	.04			17	05	4
5		S&R 40	1.10				14		03		23	31	5
6	38		16									05	6
7	09		35										7
8	18		12										8
9	46		10	03	05						17		9
10	54		05	05								15	10
11	34		18	45	10		01					08	11
12	09				01		.08			06	Snow 04	.	12
13	01	06	04	30									13
14	39			41			09		27	01		29	14
15	11	01	.14	07								96	15
16	19	57									.07	01	16
17		S&R 34									10	02	17
18		.04	10								12	02	18
19	01	49	79			.08	77	40			17	-	19
20	55	03	02			55	01	15				06	20
21	05	34					02				01	-	21
22		.01	Snow 01				18		·63			19	22
23									.17		.04	02	23
24		03		14			08			.16	.14	08	24
25	.04							30				02	25
26	02	18	12	04			03	03	.06		50	·38	26
27	Snow 64		02	S&R 37			08	41			S&R 19	02	27
28			Snow 38					43			.56	52	28
29	S&R 04			02				1.07		17		.16	29
30		X		31		03		.31		08	·25	.62	30
31	Snow ·04	X	S&R 04	X		X			X	03	X	.15	31
Total	5.03	2.45	4.71	1.99	.24	.69	1.74	3.14	1.23	.67	2.81	5.19	Year's total 29.89
Days with ·01 in. or more	23	14	21	11	6	4	13	9	7	8	16	.24	.156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

465

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Brighton Corporation Waterworks
Kept at Shoreham.
in the County of Sussex.
by Jas: Johnston

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Shoreham
Diameter of Funnel of Rain Gauge .8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 12.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		04		09		35			54		.25	1
2	.03		04	.03	06			19	.11	13		.09	2
3	06									12		.04	3
4		15		03			1.11	10		22			4
5			07				.43	.02		02			5
6			12		37		27						6
7	04			.20	10		10						7
8				07	03		40						8
9	25	02		02	02	07							9
10	89	30	10	05		08	27					Snow	10
11	33		10	25		04	27					.07	11
12	09	02	.03	27		36							12
13	52	02	36								10		13
14		03	56	32					07	.34	49		14
15	09			17		01			64	30	.07		15
16			.14	02					25				16
17	03				17				80			05	17
18	03			04	21			.65	62			.10	18
19	06			22					04			01	19
20	09	16		08		.79							20
21				02			74		33			23	21
22				38					12			38	22
23							46	.19				69	23
24	02		08									.15	24
25			02		02		15				.01		25
26	02		18	07							.04	08	26
27	37	02		19		15					.68	30	27
28	46	02	07	03	18		13				07	07	28
29	60		05	17	03						17	.15	29
30	05		01				03		.31		.70	.25	30
31			06							90		.23	31
TOTAL	3 87	.74	1.93	2.63	1.28	1.50	4.71	1.15	3.29	2 27	2.33	3.14	YEAR'S TOTAL 28.84
Days with ·01 in. or more	20	9	17	.20	.11	.7	13	5	10	8	9	17	146
Days with ·04 in. or more	15	3	.14	14	7	6	12	4	10	7	8	16	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

90 13

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

SOUTHWATER

SUSSEX

1912 - 13

Kept at Southwa

in the County of S

by S. C. Russ

n.

d ft. in.

evel ft.

ce Direction

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the r the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·02	·73		·30	1
2										·01			2
3								·36	·01				3
4								·06			·25		4
5								·43			·13	·02	5
6								·84	·02			·02	6
7								·78				·06	7
8								·22				·03	8
9								·12				·10	9
10								·19			·05	·33	10
11								·01				·28	11
12								·21					12
13										·01	·07	·10	13
14								·14		·08		·02	14
15											·01	·24	15
16								·08		·07	·12		16
17								·10			·06	·10	17
18								·17		·04	·01	·17	18
19								·44			·02		19
20								·08		·47	·01		20
21								·06		·11	·12		21
22								·20				·03	22
23								·28		·07	·14	·08	23
24								·19				·20	24
25								·92			·26	·65	25
26								·13		·35	·43	·32	26
27										·30		·46	27
28								·25	·17	·86	·38	·15	28
29								·10	2·27	·08	·05		29
30								·31	1·22	·25			30
31								·18					31
Total								6·85	3·71	3·43	2·11	3·66	TOTAL for year
No. of Rain Days.								26	6	14	16	20	

W. 8,000, X. '11.

DL ✓

90 B

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

REGISTER

Kept at Southwater

in the County of Sussex

by S. C. Russell

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
,, ,, ,, Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·02	·73		·30	1
2										·01			2
3								·36	·01				3
4								·06			·25		4
5								·43			·13	·02	5
6								·84	·02			·02	6
7								·78				·06	7
8								·22				·03	8
9								·12				·10	9
10								·19			·05	·33	10
11								·01				·28	11
12								·21					12
13										·01	·07	·10	13
14								·14		·08		·02	14
15											·01	·24	15
16								·08		·07	·12		16
17								·10			·06	·10	17
18								·17		·04	·01	·17	18
19								·44			·02		19
20								·08		·47	·01		20
21								·06		·11	·12		21
22								·20				·03	22
23								·28		·07	·14	·08	23
24								·19				·20	24
25								·92			·26	·65	25
26								·13		·35	·43	·32	26
27										·30		·46	27
28								·25	·17	·86	·38	·15	28
29								·10	2·27	·08	·05		29
30								·31	1·22	·25			30
31								·18					31
Total								6·85	3·71	3·43	2·11	3·66	TOTAL for year
No. of Rain Days.								26	6	14	16	20	

W. 8,000, X. '11.

82

94

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Southwater

in the County of Sussex

by S. C. Russell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·46	·10	·25	·06								1
2	·03	·20	·01		·01								2
3	·02	·01	·05	·23	·48								3
4	·54		·10		·14								4
5	·53	·07	·03										5
6	·04	·06	·13		·04								6
7		·38	·05		·18								7
8		·06	·01		·11								8
9		·06		·02	·10								9
10				·04									10
11	·83			·65									11
12					·50								12
13	·29		·06										13
14	·30		·12	·03									14
15	·33	·10	·27	·40									15
16	·19		·57	·18									16
17	·08	·02	·06	·08									17
18	·01		·23	·18									18
19	·27		·06		·01								19
20	·62		·15	·16									20
21	·01		·12	·08									21
22	·30		·21										22
23			·22										23
24	·06			·04									24
25				·31									25
26			·13	·04									26
27		·02	·28	·08	·21								27
28	·15		·20	·08									28
29	·07		·06	·35	·48								29
30	·55			·30									30
31			·12										31
Total	5·24	1·44	3·34	3·50	2·32								YEAR'S TOTAL
Rain Days.	21	11	24	19	12								

W. 7,500, XI. 12

STEDHAM
THE HILLS
SUSSEX
1913

FORM A.
BRITISH RAINFALL.

19 MAR 1914

REGISTE

Kept at The Hills Ste ... n

in the County of Sussex ... hurst, 3 miles

by W. W. Smit ... in.

... d 1 ft. 6 in.

... evel ... ft.

IMPORTANT NOTE.—Ra ... esult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·39	·15	·01	·04	·42			·37		·14	·13	1
2	·03	·14		·05			·07		·04	·28	·08	·01	2
3	·19		·04	·10	·60					·04		·19	3
4	·48		·09		·37				1·14	·28	·08	·03	4
5	·49	·05	·02						·14		·19	·03	5
6		·06	·07			·21	·54			·63	·05	·25	6
7		·44	·08			·07	·29			·49	·15		7
8		·08			·56	·01	·01	·49				·02	8
9		·05			·04		·12		·08		·08		9
10							·32				·46		10
11	·99			·39						·57	·27		11
12					·42						·28		12
13	·38		·09					·10	·10		·09		13
14	·29		·15				·68		·03	·03	·27		14
15	·41	·09	·24				·20		·19		·04		15
16	·17		·43	·80			·01		·24				16
17	·20			·08			·13						17
18	·04		·26	·17							·08		18
19	·38		·11	·08			·11		·17				19
20	·18		·29	·18						·85	·02		20
21			·19			·03				·34	·62		21
22	·30		·22					·08	·18				22
23			·06					·17				·80	23
24	·07			·09							·03		24
25				·34									25
26		·02	·07	·10				·13		·67			26
27			·30	·13						·07			27
28	·14		·20	·14						·17			28
29	·05		·05	·44	·48			·17		·10			29
30	·60			·10				·28		·16			30
31	·04		·10					·62		·19			31
Total	5·47	1·32	3·21	3·20	2·51	·74	2·48	2·04	2·68	4·87 4·87	2·93	1·46	YEAR'S TOTAL 32·91
Rain Days.	~~19~~ 20	~~10~~ 9	~~20~~ 21	16	~~8~~ 7	5	11	~~7~~ 8	~~12~~ 11	~~14~~ 15	~~18~~ 17	8	148

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

19 MAR 1914

REGISTER OF RAINFALL IN 19

Kept at The Hills Stedham

in the County of Sussex

by W. W. Smith

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Midhurst, 3 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·39	·15	·01	·04	·42			·37		·14	·13	1
2	·03	·14		·05			·07		·04	·28	·08	·01	2
3	·19		·04	·10	·60					·04		·19	3
4	·48		·09		·37				1·14	·28	·08	·03	4
5	·49	·05	·02						·14		·19	·03	5
6		·06	·07			·21	·54			·63	·05	·25	6
7		·44	·08			·07	·29			·49	·15		7
8		·08			·56	·01	·01	·49				·02	8
9		·05			·04		·12		·08		·08		9
10							·32				·46		10
11	·99			·39						·57	·27		11
12					·42						·28		12
13	·38		·09					·10	·10		·09		13
14	·29		·15				·68		·03	·03	·27		14
15	·41	·09	·24				·20		·19		·04		15
16	·17		·43	·80			·01		·24				16
17	·20			·08			·13						17
18	·04		·26	·17							·08		18
19	·38		·11	·08			·11		·17				19
20	·18		·29	·18						·85	·02		20
21			·19			·03				·34	·62		21
22	·30		·22					·08	·18				22
23			·06					·17				·80	23
24	·07			·09							·03		24
25				·34									25
26		·02	·07	·10				·13		·67			26
27			·30	·13						·07			27
28	·14		·20	·14						·17			28
29	·05		·05	·44	·48			·17		·10			29
30	·60			·10				·28		·16			30
31	·04		·10					·62		·19			31
Total	5·47	1·32	3·21	3·20	2·51	·74	2·48	2·04	2·68	4·87	2·93	1·46	YEAR'S TOTAL 32·91
Rain Days.	~~19~~ 20	~~10~~ 9	~~20~~ 21	16	~~8~~ 7	5	11	7 8	~~12~~ 11	~~14~~ 15	~~18~~ 17	8	148

W.7,000, XI. 13

DJ/

77

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

…5 + for morning day 29.II.12.

REG… 1911

STEYNING

SUSSEX

1911 - 1912

Kept at Steyning
in the County of W. Su…
by Mrs Ingram

…top … in.
…above Ground … ft. … in.
„ Sea Level … ft.

…ion { Name …
Distance … Direction …

IMPORTANT NOTE.— … and the result entered to the previous day. If an Obser… universal rule, he is earnestly requested to add the reading … year in the space provided for it at the end of this pa… …urement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.25		.04		.12						1
2				.62				.06			.18		2
3	.05			.13	.27						.42	.52	3
4					.36			.06			.22	.15	4
5	.09			.10						.16	.42	.16	5
6										1.27	.03	.07	6
7	.55		.03								.35	.16	7
8	.12									.26			8
9	.02		.24								1.59	.28	9
10	.10		.05								.38	.08	10
11		.11	.22	.01								.53	11
12	.48		.02								1.46		12
13			.85						.07		.80		13
14			.12		.09				.48	.12		.29	14
15					.27							.50	15
16		.02	.05								.18	.08	16
17											.80	.23	17
18											1.60	.21	18
19		.16	.07								.70	.54	19
20		.05							.27	.32	.05	.12	20
21	.05		.04					.20	.15	.50		.91	21
22	.03							.10	.05	.83		.29	22
23	.15		.04			.22		.10		.55		.65	23
24		.60	.14			.71			.34	.43		.57	24
25	.02	.34				.10		.13		.60		.61	25
26	.01		.05	.13	.15	.05	.12	.05	.10	.02			26
27		.64	.04	.38		.13	.04			.25		.46	27
28		.64	.38	.08					.08	.25	.23	.20	28
29				.17				.07			.03		29
30				.07		.13	.17			.55	.10		30
31						~~.12~~		.10		.31			31
	–	.25	–	.04	–	.12	–	–	–	–	~~8.82~~	–	
Total	~~1.67~~	~~2.56~~	~~2.59~~	~~1.69~~	~~1.18~~	~~1.46~~	~~.45~~	~~.87~~	~~1.54~~	~~6.42~~	~~9.54~~	~~7.61~~	TOTAL for year 36.86
No. of Rain Days	12	~~8~~ 9	~~16~~ 15	~~9~~ 10	~~6~~ 5	~~7~~ 8	~~4~~ 3	9	8	15	18	22	134
	1.67	2.81	2.34	1.73	1.14	1.58	.33	.87	1.54	6.42	8.82	7.61	36.86

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

for wrongday 29.II.12.

77

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Steyning

in the County of W. Sussex 3

by Mrs Ingram

RAIN GAUGE: Pattern ...
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station: Name ...
Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·25		·04		·12						1
2				·62				·06			·18		2
3	·05			·13	·27						·42	·52	3
4					·36			·06			·22	·15	4
5	·09			·10						·16	·42	·16	5
6										1·27	·03	·07	6
7	·55		·03								·35	·16	7
8	·12									·26			8
9	·02		·24								1·59	·28	9
10	·10		·05								·38	·08	10
11		·11	·22	·01								·53	11
12	·48		·02								1·46		12
13			·85						·07		·80		13
14			·12		·09				·48	·12		·29	14
15					·27							·50	15
16		·02	·05								·18	·08	16
17											·80	·23	17
18											1·60	·21	18
19		·16	·07								·70	·54	19
20		·05							·27	·32	·05	·12	20
21	·05		·04					·20	·15	·50		·91	21
22	·03							·10	·05	·83		·29	22
23	·15		·04			·22		·10		·55		·65	23
24		·60	·14			·71			·34	·43		·57	24
25	·02	·34				·10		·13		·60		·61	25
26	·01		·05	·13	·15	·05	·12	·05	·10	·02			26
27		·64	·04	·38		·13	·04			·25		·46	27
28		·64	·38	·08					·08	·25	·23	·20	28
29				·17				·07			·03		29
30				·07		·13	·17			·55	·10		30
31						·12		·10		·31			31
	–	·25	–	·04	–	·12	–	–	–	–	~~8·82~~	–	
Total	~~1·67~~	~~2·56~~	~~2·59~~	~~1·69~~	~~1·18~~	~~1·46~~	~~·45~~	~~·87~~	~~1·54~~	~~6·42~~	~~9·54~~	~~7·61~~	TOTAL for year 36·86
No. of Rain Days	12	~~8~~ 9	~~16~~ 15	~~9~~ 10	~~6~~ 5	~~7~~ 8	~~4~~ 3	9	8	15	18	22	134
	1·67	2·81	2·34	1·73	1·14	1·58	·33	·87	1·54	6·42	8·82	7·61	36·86

9,000, IX. '10.

82

79

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Steyning

in the County of Sussex 3

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4	·02												4
5	·49												5
6	·31												6
7	·78												7
8													8
9	·76												9
10	·03												10
11													11
12	·06												12
13													13
14													14
15													15
16	·03												16
17	·08												17
18	·40												18
19	·06												19
20	·09												20
21	·04												21
22													22
23													23
24	·47												24
25													25
26	·23												26
27													27
28													28
29													29
30													30
31													31
Total	3·85												TOTAL for year
No. of Rain Days.													

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

STONEHURST
{FIVE ASHES}
SUSSEX
1911-20

REGIS 11

Kept at Stonehurst F
in the County of Sussex
by Emily Aston

owden
5 in.
ove Ground 1 ft. 5 in.
„ Sea Level 300 ft.
AM
ation { Name Mayfield
Distance 2¾ m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	R Sl 0·07	–	–	0·48	–	–	0·02	dist TS 0·06	–	–	0·05	0·01	1
2	S 0·04	–	0·02	0·01	0·27	–	0·01	–	–	–	0·23	0·31	2
3	0·04	0·01	–	S –	0·19	–	–	–	–	–	0·10	0·31	3
4	0·19	0·02	0·03	RS. * 0·27	–	TS. 1·08	–	–	dist T –	0·42	0·28	0·28	4
5	0·01	0·02	–	0·03	–	–	–	–	–	0·66	0·01	0·12	5
6	0·28	–	0·03	S –	–	–	–	–	–	–	0·01	0·66	6
7	0·04	–	0·01	–	–	–	–	–	–	0·47	0·98	0·47	7
8	0·09	–	0·21	–	–	–	–	–	–	–	R.H 0·73	0·25	8
9	0·17	–	0·02	0·04	–	–	–	–	–	–	dist T. 0·20	0·05	9
10	–	0·09	0·06	RHS. 0·09	L –	–	–	–	–	–	L dist T 0·02	0·78	10
11	R. Sl 0·43	–	0·05	–	dist TS 0·03	–	–	–	–	–	1·40	0·01	11
12	Sl 0·01	–	R.S. 0·71	–	dist T –	–	–	–	L –	–	0·09	–	12
13	–	–	R.S. 0·08	–	0·18	–	–	–	0·38	0·17	0·01	0·28	13
14	–	0·10	S 0·01	–	0·17	–	–	–	–	–	–	0·71	14
15	–	0·04	R.S. 0·24	–	–	–	–	–	–	–	0·10	0·02	15
16	0·01	0·01	–	–	–	0·37	–	–	–	–	0·54	0·14	16
17	–	–	R.H.S 0·03	–	–	0·03	–	–	–	–	0·71	0·16	17
18	–	0·14	0·04	–	–	0·05	–	–	–	–	0·87	0·39	18
19	–	–	–	–	–	0·06	–	dist TS –	0·27	0·46	0·15	0·16	19
20	0·03	–	0·02	RH 0·02	–	–	–	dist TS 0·40	0·13	0·06	–	0·99	20
21	0·02	0·13	–	–	–	–	–	dist TS 0·04	–	L 1·08	–	0·19	21
22	0·03	R.H.S. 0·07	dist TS 0·42	–	–	0·07	–	dist T 0·03	–	0·36	–	0·60	22
23	0·01	0·21	–	–	–	1·17	–	–	0·38	0·25	0·03	0·21	23
24	0·01	0·17	–	–	–	R.H 0·11	0·06	0·05	–	0·36	–	dist T.L. 0·36	24
25	–	0·05	S* 0·28	0·08	L –	0·15	–	dist T 0·01	0·07	dist T 0·07	R.S. 0·03	dist T.L –	25
26	–	–	0·20	0·31	dist TS –	dist T. 0·24	–	–	–	L 0·33	S 0·13	0·27	26
27	–	0·37	0·24	0·10	–	–	–	–	0·05	TL 0·37	0·05	0·09	27
28	0·01	0·23	–	0·12	–	–	–	0·01	–	–	0·03	0·01	28
29	0·01		–	0·07	–	dist T. 0·17	0·39	dist T –	0·26	0·49	0·01	–	29
30			–	0·05	–	0·04	L –	dist T –	0·05	RH 0·33	–	0·01	30
31			–		0·32		L –	–					31
Total	1·50	1·66	2·70	1·67	1·16	3·54	0·48	0·60	1·59	5·88	6·76	7·84	TOTAL for year 35·38
No. of Rain Days	19	15+	19	13	6	12	4	7	8	16 15	24	27	~~170~~ 169

* 9,000, IX. '10.

3·16 5·86 7·53 8·69 12·23 12·71 13·31 14·90 20·78 27·54 35·38

Snow drifted ? too low a figure 3-4 inches. Ap 4th 4½"

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Stonehurst Five Ashes 6

in the County of Sussex

by Emily Aston

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 300 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Mayfield
Distance 2¾ m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	R St 0·07	–	–	0·48	–	–	0·02	dist TS 0·06	–	–	0·05	0·01	1
2	S 0·04	–	0·02	0·01	0·27	–	0·01	–	–	–	0·23	0·31	2
3	0·04	0·01	–	S –	0·19	–	–	–	–	–	0·10	0·31	3
4	0·19	0·02	0·03	RS.* 0·27	–	TS. 1·08	–	–	dist T –	0·42	0·28	0·28	4
5	0·01	0·02	–	0·03	–	–	–	–	–	0·66	0·01	0·12	5
6	0·28	–	0·03	S –	–	–	–	–	–	–	0·01	0·66	6
7	0·04	–	0·01	–	–	–	–	–	–	0·47	0·98	0·47	7
8	0·09	–	0·21	–	–	–	–	–	–	–	R.H 0·73	0·25	8
9	0·17	–	0·02	0·04	–	–	–	–	–	–	dist T. 0·20	0·05	9
10	–	0·09	0·06	RHS. 0·09	l –	–	–	–	–	–	l dist T 0·02	0·78	10
11	R. St 0·43	–	0·05	–	dist TS 0·03	–	–	–	–	–	1·40	0·01	11
12	St 0·01	–	R.S. 0·71	–	dist T –	–	–	–	l –	–	0·09	–	12
13	–	–	R.S. 0·08	–	0·18	–	–	–	0·38	0·17	0·01	0·28	13
14	–	0·10	S 0·01	–	0·17	–	–	–	–	–	–	0·71	14
15	–	0·04	R.S. 0·24	–	–	–	–	–	–	–	0·10	0·02	15
16	0·01	0·01	–	–	–	0·37	–	–	–	–	0·54	0·14	16
17	–	–	R.H.S. 0·03	–	–	0·03	–	–	–	–	0·71	0·16	17
18	–	0·14	0·04	–	–	0·05	–	–	–	–	0·87	0·39	18
19	–	–	–	–	–	0·06	–	dist TS –	0·27	0·46	0·15	0·16	19
20	0·03	–	0·02	RH 0·02	–	–	–	dist TS. 0·40	0·13	0·06	–	0·99	20
21	0·02	0·13	–	–	–	–	–	dist TS 0·04	–	l 1·08	–	0·19	21
22	0·03	R.H.S. 0·07	dist TS 0·42	–	–	0·07	–	dist T 0·03	–	0·36	–	0·60	22
23	0·01	0·21	–	–	–	1·17	–	–	0·38	0·25	0·03	0·21	23
24	0·01	0·17		–	–	RH 0·11	0·06	0·05	–	0·36	–	dist T.L. 0·36	24
25	–	0·05	S* 0·28	0·08	l –	0·15	–	dist T 0·01	0·07	dist T 0·07	R.S. 0·03	dist T.L –	25
26	–	–	0·20	0·31	dist TS –	dist T. 0·24	–	–	–	l 0·33	S 0·13	0·27	26
27	–	0·37	0·24	0·10	–	–	–	–	0·05	TL 0·37	0·05	0·09	27
28	0·01	0·23	–	0·12	–	–	–	0·01	–	–	0·03	0·01	28
29	0·01		–	0·07	–	dist T. 0·17	0·39	dist T –	0·26	0·49	0·01	–	29
30			–	0·05	–	0·04	l –	dist T –	0·05	RH 0·33	–	0·01	30
31			–		0·32		l –	–					31
Total	1·50	1·66	2·70	1·67	1·16	3·54	0·48	0·60	1·59	5·88	6·76	7·84	TOTAL for year 35·38
No. of Rain Days	19	15+	19	13	6	12	4	7	8	~~16~~ 15	24	27	~~170~~ 169

3·16	5·86	7·53	8·69	12·23	12·71	13·31	14·90	20·78	27·54	35·38

* Snow drifts ? too low a figure 3–4 inches. Ap 4th 4½"

* 9,000, IX. '10.

Exe D L

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
JAN 1913

Kept at Stonehurst Five Ashes

in the County of Sussex 4 7

by Emily Aston

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 300 ft.

Time of Observation 9 A.M

Nearest Railway Station
Name Mayfield
Distance 2·75 m. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	Sleet –	0·13	H 0·01	0·01	dust T 0·06	TS R.H 0·30	–	dust T 0·04	dust T 0·92	–	0·24	1
2	–	S. dft 1½" 0·06	0·28	–	–	0·01	T. 0·18	–	dust T 0·01	–	–	0·01	2
3	0·01	S dft 2" 0·08	0·02	–	dust T –	0·21	dust T 0·01	0·14	0·02	–	0·01	–	3
4	0·25	–	TS 0·57	–	0·01	T 0·21	–	0·02	0·01	–	0·16	–	4
5	0·18	R.S.St 0·09	0·19	–	–	R.H 0·30	–	0·22	–	–	0·12	0·02	5
RH· 6	0·44	0·08	–	–	0·03	0·02	–	L. 1·10	dust T –	–	0·01	R.H 0·14	6
7	–	0·01	dust TS –	–	0·20	0·37	–	T TS. 0·36	–	–	–	0·11	7
8	0·40	0·33	0·24	0·02	–	0·24	–	T 0·53	–	–	0·01	0·03	8
9	0·04	0·10	0·02	R.H 0·06	–	dust T.L. –	0·21	0·46	–	–	–	0·10	9
10	0·01	0·09	–	dust T –	dust T –	dust T.L. –	–	T TS 0·27	–	–	R.H 0·22	0·40	10
11	0·04	0·45	2 dust TS. 0·04	–	–	dust T 0·01	–	–	0·02	0·01	–	0·20	11
12	0·02	0·14	RH. 0·05	–	RHTS 0·03 in TS 0·09	0·01	dust TSL –	0·19	–	0·01	0·02	0·07	12
13	0·01	0·01	0·02	–	–	–	L –	–	–	–	0·20	0·07	13
14	–	–	0·01	–	dust T 0·05	–	dust T –	T 0·15	–	0·02	–	0·02	14
15	0·01	0·03	dust TSRH 0·09	–	0·15	0·65	–	0·02	–	–	–	0·31	15
16	0·15	0·01	0·16	–	T TSRH 0·27	dust T TS 0·01	–	0·16	–	0·10	0·01	–	16
17	0·31	–	0·54	–	dust T –	dust T 0·07	–	0·07	–	–	0·12	0·40	17
18	0·07	–	0·39	–	dust T –	–	dust T –	dust T T 0·18	–	0·05	0·01	R.H 0·37	18
19	0·07	0·28	RHSL 0·45	–	–	–	0·01	L dust T 0·47	–	–	0·03	–	19
20	0·03	0·03	RHSL 0·93	–	–	0·04	dust T. –	L dust TS 0·06	–	0·55	0·05	–	20
21	0·01	0·08	RHS 0·69	–	0·03	–	–	0·12	–	HTL 0·28	0·07	–	21
22	0·07	0·51	RH 0·20	–	0·03	L –	0·02	0·25	–	–	0·18	0·02	22
23	0·37	0·19	0·34	–	0·01	0·13	–	0·56	–	0·09	–	0·07	23
24	0·08	0·02	–	–	–	–	0·01	dust T 0·33	–	–	–	0·13	24
25	0·12	0·03	–	–	–	0·28	–	0·90	–	0·01	0·37	0·48	25
26	–	0·03	–	–	–	0·03	L 0·01	T 0·22	–	0·31	dust T 0·33	0·39	26
27	St –	–	–	–	–	–	0·01	–	–	0·23	–	0·38	27
28	–	0·09	–	–	–	0·01	dust TS 0·13	dust T 0·08	0·07	0·83	RH. 0·44	0·46	28
29	–	0·03	–	dust T 0·01	–	–	0·40	0·44	2·11	0·11	R.St 0·03	–	29
30	–		–	–	0·46	dust T 0·01	0·01	T 0·18	1·41	T.R.H 0·42	Sleet –	0·01	30
31	S.St 0·01		0·01		–		0·39	0·19		–		–	31
Total	2·71	2·77	5·37	0·10	1·34	2·67	1·69	7·67	3·69	3·94	2·39	4·43	TOTAL for year 38·77
No. of Rain Days.	23	23	22 21	4	12	19	13	26	8	15	19	23	~~207~~ 206
W. 8,000, X. '11.		5·48	10·85	10·95	12·29	14·96	16·65	24·32	28·01	31·95	34·34	38·77	

cor. for arith 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2- JAN 1914

Kept at Stonehurst Five Ashes
in the County of Sussex
by Emily Aston.

4

Lat. 51°05′ Long. 0°12′
Nearest Railway Station Mayfield
Time of Observation 9 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " Sea Level 300 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	R.H 0·41	0·07	dist T 0·18	R.H.T 0·06	dist TS 0·11	–	–	0·01	b 0·04	b 0·10	0·09	1
2	0·13	0·18	–	–	dist T –	–	0·13	–	0·02	dist T 0·08	0·17	0·02	2
3	0·01	–	0·05	0·54	dist T.R.H 0·28	–	–	–	–	dist T 0·01	–	R H 0·16	3
4	0·31	–	0·03	0·01	0·02	–	0·01	–	0·14	dist T 0·08	b 0·14	b.R.H 0·01	4
5	0·37	0·04	0·01	–	–	0·18	0·13	–	0·49	0·07	b 0·18	0·01	5
6	0·01	0·01	0·06	0·02	0·02	0·08	0·26	–	0·02	0·58	dist T.R.H 0·17	0·11	6
7	0·01	0·24	0·07	dist TS –	0·03	0·03	T –	–	–	0·32	0·14	–	7
8	–	0·08	0·02	0·01	0·13	0·07	–	dist T 0·01	–	T.b. 0·27	0·07	0·03	8
9	–	0·03	–	0·02	0·10	–	0·04	T.b –	0·09	–	0·03	0·01	9
10	0·03	–	–	dist T 0·04	–	–	T 0·58	dist T 0·01	–	–	0·98	–	10
11	0·68	–	–	st. R. 0·47	–	–	dist T –	–	–	0·75	TS 6 a.m 0·26	–	11
12	0·01	–	–	st –	0·13	–	–	–	–	–	TS 12–1 AM [illegible] 1·33	0·01	12
13	R.HS 0·53	–	0·03	–	–	dist T. –	–	–	0·09	–	0·24	–	13
14	0·31	–	0·08	0·07	–	–	TS R.H 2·36	–	0·07	0·05	0·31	0·01	14
15	R H 0·19	–	R.H 0·26	0·35	–	–	~~[illegible]~~ AM. [illegible] 0·24	–	0·01	–	0·01	–	15
16	0·21	–	R.H 0·55	0·24	–	b –	dist T 0·02	–	TS. RH St 0·36	–	–	–	16
17	0·06	R.S 0·06	RHSb 0·05	RHT 0·11	–	–	0·28	–	0·18	–	0·01	0·01	17
18	0·01	–	0·10	0·17	–	–	0·03	–	–	–	0·07	–	18
19	0·07	–	b.R.H 0·15	–	dist T RHSt 0·04	–	0·09	–	0·29	–	0·01	–	19
20	RH.T.b 0·75	–	b R.H 0·12	0·10	dist T 0·01	dist TS 0·26	–	–	–	0·46	0·03	–	20
21	0·02	–	T b R H 0·14	0·09	–	–	–	–	–	0·59	0·74	–	21
22	0·31	–	RH TS 0·22	–	0·01	–	0·01	0·03	b 0·08	0·01	0·01	[illegible]	22
23	0·01	–	dist T RH 0·15	–	–	dist T 0·02	0·01	0·06	b 0·01	–	–	0·70	23
24	0·07	–	–	0·04	–	–	–	0·02	–	0·01	0·04	0·01	24
25	–	–	–	0·21	–	0·01	–	–	–	–	0·01	–	25
26	–	–	0·11	–	dist T.b. =	–	–	0·20	–	b 1·13	–	R.H 0·29	26
27	0·01	–	0·06	–	dist T TS RH 0·36	–	–	–	–	b 0·13	0·01	0·02	27
28	0·15	–	0·31	0·11	dist T –	–	–	dist T.b 0·05	0·01	T 0·22	–	–	28
29	0·17		dist T TS 0·04	T TS H. 0·58	0·28	–	–	TS 0·09	–	0·10	–		29
30	0·54		–	R.H 0·28	–	–	–	dist T 0·16	0·01	b 0·11	–	Sleet –	30
31			0·06		–		–	0·96		0·09			31
Total	500 5·00	1·05	2·74	3·64	1·47	0·76	4·19	1·59	1·88	5·10	5·06	1·49	TOTAL for year 32·07 33·97
No. of Rain Days	26	8	23	20	13	8	14	10	16	20	23	15	196

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cordly run stats 19·11·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

JAN 1915

Kept at Stonehurst Five Ashes
in the County of Sussex 4
by Emily Aston

Lat. 51° 05' Long. 0' 12'
Time of Observation 9 A.M
Nearest Railway Station Mayfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0·04	0·05	-	-	dist TS 0·03	dist Tl 0·05	-	-	0·08	R.H 0·14	1
2	-	-	-	l 0·03	-	0·02	0·08	dist Tl 0·02	-	-	0·16	R.H 0·29	2
3	-	-	0·21	l 0·01	0·30	-	0·01	0·03	-	-	0·01	Tl 6AM -	3
4	0·12	-	0·03	l 0·37	0·02	-	-	0·05	-	-	l 0·40	TlRH 0·33	4
5	-	0·01	0·10	RH 0·44	-	dist T not measurable -	0·19	0·03	-	-	l -	TlH -	5
6	-	0·10	0·02	RH 0·32	0·05	0·05	-	-	-	-	-	0·49	6
7	-	R st 0·57	0·24	RH 0·17	0·01	l RH dist T 0·07	0·10	0·07	-	-	0·01	0·23	7
8	0·13	0·49	0·37	0·01	-	dist TlRH 0·15	0·14	0·06	-	-	0·01	0·21	8
9	0·33	-	0·75	0·11	-	dist T 0·03	-	-	0·11	-	-	1·48	9
10	0·03	0·10	R.st 0·01	0·12	0·12	-	-	-	0·05	-	-	0·05	10
11	-	R·H 0·49	0·60	0·07	0·19	0·01	-	-	0·30	-	0·03	0·42	11
12	-	R·H 0·11	0·09	-	0·01	dist T -	dist T 0·22	-	0·58	0·04	0·01	0·76	12
13	st 0·01	R·H 0·60	0·30	-	-	TS 2AM 6PM 0·02	-	-	0·14	0·04	0·14	0·64	13
14	-	0·26	RHst 0·19	-	-	dist T -	-	dist Tl -	0·02	0·38	0·17	RH 0·54	14
15	-	0·05	0·40	-	-	-	dist T·l 0·01	dist Tl 0·41	-	0·01	l 0·74	0·03	15
16	-	0·12	RHSP 0·05	-	-	-	dist Tl 0·29	-	0·11	-	-	0·01	16
17	-	0·43	RH 0·25	-	-	-	dist Tl 0·01	dist T -	0·25	-	-	0·22	17
18	-	0·09	RHS 0·34	-	-	-	-	-	-	-	-	RH 0·58	18
19	-	0·19	TRHS 1·30	-	-	-	0·19	-	-	0·06	R·S 0·31	RHl 0·23	19
20	-	0·21	HRst 0·09	-	-	0·04	-	-	-	0·02	-	RHl 0·46	20
21	-	RHS 0·91	RS 0·05	dist T·l· -		-	-	TS 0·65	-	0·03	-	SR 0·03	21
22	-	0·06	-	dist Tl -	RHl dist TS 0·20	-	dist T 0·10	0·05	-	T·RH 0·58	-	0·07	22
23	-	-	0·38	drizzle -	TS 2AM 4PM RH 0·23	0·45	-	-	-	0·01	-	0·04	23
24	-	-	0·03	dist T -	RH 0·07	-	-	dist T -	-	0·01	0·21	-	24
25	0·12	-	0·22	-	-	-	-	dist T 0·08	-	0·39	0·03	0·01	25
26	0·01	-	0·05	-	-	-	-	0·28	-	0·13	0·21	0·57	26
27	0·03	-	0·01	-	-	-	-	dist T 0·03	-	-	(·08) 0·08	0·64	27
28	0·03	0·02	-	-	0·01	-	-	-	-	0·29	0·27	l 0·51	28
29	0·14		0·02	dist TSl -	0·01	-	-	-	-	0·85	0·22	0·02	29
30	0·02		0·10	-	-	-	-	-	-	0·08	1·27	0·22	30
31	0·02		-		0·19		0·01	-				0·08	31
Total	0·99	4·81	6·24	1·70	1·41	0·84	1·38	1·81	1·56	2·92	4·36 ✓	9·30	YEAR'S TOTAL 37·32 ✓
Rain Days.	12	18	27	11	13	9	13	13	8	15	19	28	186
		5·80	12·04	13·74	15·15	15·99	17·37	19·18	20·74	23·66	28·02	37·32	

W.7,000, XI. 13

[illegible] 23.11.16

598

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stonehurst. Five Ashes
in the County of Sussex 4
by E. Aston

Lat. 51° 05' Long. 0° 12'
Time of Observation 9 A.M
Nearest Railway Station Mayfield 2·75 m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	R·H 0·58	0·20	R·H 0·02	–	–	0·01	dist T –	0·14	T TS 0·56	0·01	0·20	T·L 0·33	1
2	R·H 0·51	0·14	0·30	0·16	0·02	–	–	0·13	T 0·07	0·06	–	0·22	2
3	R·S 0·36	0·01	0·04	0·24	0·13	–	–	0·13	–	–	–	0·55	3
4	R·S 0·07		0·01	0·01	l –	–	l –	dist TS 0·16	–	–	–	0·58	4
5	0·05	(·47) 0·47	–	R·H·L 0·21	–	–	–	0·23	–	0·01	0·05	0·65	5
6	0·64	0·20	0·04	RHL 0·78	l dist T –	–	l 0·23	0·01	–	–	0·01	RH 0·13	6
7	0·32	0·47	HS. 0·06	0·08	–	dist TL –	0·04	0·01	–	–	–	0·37	7
8	0·05	RH 0·49	S 0·01	0·05	–	–	0·07	0·04	–	–	0·02	–	8
9	RHL. 0·03	RH 0·27	–	RH 0·13	–	0·13	–	–	–	–	0·70	0·87	9
10	0·37	0·01	–	–	–	0·06	–	–	–	–	–	0·57	10
11	R·H –	0·03	0·01	–	–	–	–	0·01	–	–	0·70	0·01	11
12	0·05	0·19	–	0·27	0·24	–	–	0·01	–	0·01	T L 0·92	Sl –	12
13	0·03	0·97	–	0·01	2·06	–	–	–	0·05	–	–	–	13
14	0·03	0·04	–	–	–		0·16	l –	0·04	–	–	0·66	14
15	R·H 0·23	0·02	–	–	0·07	–	T 0·09	T 0·15	–	–	RS 0·15	0·44	15
16	–	0·76	–	0·01	0·10	–	1·44	RH TS 0·26	–	–	–	0·03	16
17	–	0·49	–	–	0·99	–	–	TS No rain	–	–	0·01	0·10	17
18	–	0·15	StS 0·01	–	0·18	–	–	–	–	–	0·05	0·01	18
19	–	0·04	–	–	–	–	–	–	–	0·02	–	–	19
20	0·28	–	–	(0·04)	0·43	–	–	–	–	–	–	0·22	20
21	R·H 0·14	–	–	–	–	–	0·01	–	–	0·11	–	0·06	21
22	S 0·11	RH 0·05	0·05	–	–	–	1·13	–	–	–	–	0·22	22
23	0·01	R·H 0·06	0·04	0·02	–	–	dist T 0·04	–	0·06	0·27	–	0·55	23
24	–	St –	0·01	0·03	–	–	TTS 0·17	–	0·18	0·42	–	RHL 0·48	24
25	–	–	–	0·02	–	–	TTS 0·38	–	–	–	–	0·24	25
26	–	0·10	–	–	–	0·02	0·01	–	–	–	–	0·77	26
27	–	R·H 0·08	–	–	–	dist TS –	0·10	–	–	0·49	–	0·07	27
28	–	RH 0·07	S 0·01	–	–	0·17	dist TS 0·06	–	1·61	0·36		–	28
29	–		–	–	0·07	0·13	2TS 0·66	0·26	–	–	RH 0·87	0·01	29
30	0·22		–	–	–	0·05	dist T –	–	0·01	0·13	RH· 0·43	0·03	30
31	0·06		–		–		–	0·16		1·08		0·22	31
Total	4·14	5·31	0·61	2·06	4·29	0·57	4·59	1·70	2·58	2·99	4·11	8·39	YEAR'S TOTAL 41·34
Rain Days.	20	23	~~12~~ 13	15	10	7	15	~~14~~	8	12	12	26	175

W.7,000, XI, 13

588

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Stonehurst, Five Ashes
in the County of Sussex
by E. Aston

Lat. 51° 05' Long. 0° 12'
Time of Observation 9 A.M.
Nearest Railway Station Mayfield 2·75 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·13	0·01	0·03	–	TS. 0·37	0·03	[illegible]	–	0·14	0·01	0·44	–	1
2	0·41	0·12	StR. 0·57	–	TS. 8–2AM. 0·32	0·01	–	–	–	0·50	0·02	–	2
3	0·02	R.H. 0·50	R.S. 0·14	–	–	–	0·02	–	dust TS 0·05	0·45	0·55	–	3
4	0·19	R.H 0·06	SSt 0·01	–	–	0·48	–	–	0·24	0·05	0·53	–	4
5	0·02	0·03	St 0·01	0·01	0·20	0·17	–	–	–	0·11	0·57	S –	5
6	0·01	0·15	Salt 1" 0·09	0·32	0·03	T. TS. H. 0·61	0·50	–	–	0·06	b 0·54	–	6
7	R.H 0·04	RH 0·01	Salt 1½" 0·56	–	0·28	R.H. 0·14	0·02	–	–	0·02	2 TS b. 0·63	0·03	7
8	–	R.H. 0·03	S 0·03	–	0·18	–	–	–	–	–	0·01	R.S. 0·44	8
9	0·01	–	SSt 0·02	–	0·23	dust T –	0·02	–	–	–	–	0·35	9
10	–	0·32	St 0·03	0·07	–	dust T TS 0·14	dust TRH 0·06	–	–	–	0·01	0·24	10
11	0·02	0·25	0·08	R.H.St 0·17	–	dust T TS. 0·08	–	–	–	–	0·01	0·05	11
12	0·03	0·07	TS 0·03	0·07	0·13	dust T 0·16	0·13	–	–	0·17	0·01	0·01	12
13	0·01	0·20	TS 0·36	0·07	0·01	0·02	0·03	0·03	–	0·05	~~0·01~~	–	13
14	–	0·41	0·07	R.H.St 0·01	0·14	–	–	0·12	–	0·02	–	R.S. 0·13	14
15	–	0·09	0·12	–	–	–	–	0·08	–	0·01	–	R.S. 0·03	15
16	0·02	R.H. 0·01	0·15	0·23	–	–	0·14	0·05	–	–	–	0·01	16
17	0·28	0·16	–	0·11	–	–	0·04	dust TS. 0·03	0·43	1·30	–	0·01	17
18	0·03	0·11	0·01	0·03	–	–	–	dust T TS. 0·24	0·35	b 0·58	R.S.St 0·64	0·01	18
19	0·23	0·02	0·07	0·18	–	0·04	–	–	0·13	b 0·01	R.S. 0·90	R.H.S 0·19	19
20	0·09	–	0·02	H.R. 0·05	–	0·01	–	–	–	b –	0·04	0·59	20
21	0·03	–	0·30	0·01	–	–	0·26	–	–	–	0·04	0·47	21
22	0·02	SSt 0·01	R.St 0·05	–	–	0·02	–	–	–	b 0·01	0·01	0·63	22
23	0·01	SSt 2½" 0·10	SSt 0·04	–	–	0·14	–	0·02	–	0·13	0·07	0·05	23
24	0·01	–	S 0·03		0·17	0·02	–	–	–	0·34	0·11	0·38	24
25	–	SSt 6½" 0·36	0·17	–	–	–	–	dust TS 0·86	–	b 0·14	0·04	0·02	25
26	0·02	R.S.St 0·44	S 0·04	–	–	0·11	–	0·15	0·01	0·22	S 0·01	–	26
27	0·03	R.SSt 0·10	RH.S 0·68	dust TS –	–	T 0·44	–	0·06	0·12	b TS 0·41	–	–	27
28	0·01	R.S.St 0·59	R.S. 0·05	–	–	TS 0·07	–	0·14	R.H.b.T. 0·31	0·24	0·01	0·27	28
29	–	0·24	RSt 0·01	–	–	0·34	–	0·61	0·05	0·59	–	0·37	29
30	–	╳	–	–	dust TS 0·08	0·02	–	0·06	–	0·37	–	0·01	30
31	–	╳	–	╳		╳	–	0·03	╳	bT 0·03	╳	0·01	31
Total	1·67 1·67	4·39 4·39	3·70	1·33	2·14	3·05	1·22	2·48	1·83	5·82	5·26 5·20	4·30	YEAR'S TOTAL 37·13
Rain Days.	23	25	28	13	12	20	10	14	10	24	22	22	223

37·13

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

[illegible]

557

FORM A.
BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stonehurst 5 Ashes

in the County of Sussex

by Emily Aston

Lat. 51° 05' N Long. 0° 12' W

Time of Observation 9 A.M.

Nearest Railway Station Mayfield L.B.S.C. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	St –	–	R·HS 0·24	–	–	–	1·20	0·09	–	0·10	0·02	1
2	–	St –	–	RSH 0·22	–	–	–	0·23	–	0·03	0·11	–	2
3	–	–	–	R·HS 0·19	–	–	TL 0·78	0·56	–	0·19	0·18	–	3
4	–	SSt 0·10	S·St 0·13	–	–	–	TL 0·34	0·11	–	0·42	0·04	–	4
5	0·32	S 0·01	0·06	R·S 0·15	–	0·01	–	dust TS 0·01	TS 0·60	R·H 0·23	–	–	5
6	–	–	0·05	R·HS 0·05	–	dust TS 0·27	–	dust T 0·01	0·15	0·01	0·16	–	6
7	0·37	–	–	–	–	dust TS –	0·14	–	–	TS 0·65	L 0·01	0·04	7
8	RStS 0·05	–	St –	R·H·S 0·12	–	–	0·23	dust T 0·03	–	0·36	0·34	(·20)	8
9	St 0·01	–	SSt 0·05	H·S 0·04	–	–	0·05	0·01	–	–	0·03	RS 0·94	9
10	R·S 0·20	–	0·12	R·H·S 0·18	–	dust TS 0·05	–	dust T 0·07		–	–	St 0·01	10
11	0·26	R·St 0·01	0·13	R·H·S 0·27	–	TS 2 AM –	–	(0·29)	L dust T 0·01	LT 0·45	–	–	11
12	R·S 0·03	RSt 0·01	0·03	R·H·S 0·04	L 0·01	–	–	0·12	–	dust TS 0·24	0·01	–	12
13	S 0·06	–	0·16	–	L 0·01	–	–	0·03	0·01	0·38	0·01	–	13
14	S 0·01	–	0·01	0·21	–	–	dust T –	0·29	0·03	–	–	–	14
15	S 0·03	–	–	R·S –	0·18	–	–	dust TS 0·39	–	0·22	–	0·08	15
16	S 0·05	0·14	–	TS RH 0·23	0·20	dust T –	–	0·01	–	0·45	0·01	RHS 0·83	6"S 16
17	–	0·03	–	0·12	0·22	–	0·29	–	0·25	0·32	0·01	–	17
18	StR 0·03	0·05	–	0·08	0·06	dust T 0·01	0·14	dust T 0·20	0·19	L 0·01	–	–	18
19	R·St 0·01	0·13	R·S 0·26	0·01	0·03	T TS 0·25	–	dust T 0·01	0·17	–	–	–	19
20	St 0·01	0·17	S 0·03	–	TS 0·70	dust T 0·01	0·01	–	0·09	–	0·04	–	20
21	St 0·01	0·01	S 0·01	(0·03)	dust T 0·01	dust T 0·03	dust T –	–	0·01	0·01	0·01	0·05	21
22	St 0·01	–	S 1" 0·08	–	–	T most of day 0·70	–	0·15	–	–	–	–	22
23	–	0·20	S –	–	dust TS 0·34	T –	–	0·13	–	0·18	–	0·04	23
24	–	0·03	–	–	–	dust T 0·05	0·10	0·11	–	0·24	0·17	0·04	24
25	–	0·09	R·H·S 0·10	–	–	0·07	0·01	–	–	0·03	HSt	–	25
26	–	0·01	S 0·02	–	–	dust T 0·02	–	0·31	0·04	–	1·06	St –	26
27	–	–	–	–	–	0·20	–	1·09	–	0·01	–	St –	27
28	–	–	0·06	–	–	L dust T 0·82	TS 8 AM 29th 0·10	0·53	–	–	0·01	~~St~~ S 0·04	28
29	St –		R·H 0·02	–	0·04	dust –	0·20	0·02	0·01	0·62	–	(·06)	29
30	StS 1" 0·01	✕	R·H·S St 0·42	–	dust T –	0·03	0·43	0·35	–	0·10	–	0·04	30
31	S 0·03	✕	H –	✕	–	✕	0·45	dust T 0·02	✕	0·04	✕	S 0·05	31
Total	1·50	0·99	1·74	2·20	1·80	2·52	3·27	6·28	1·65	5·19	2·30	2·44	YEAR'S TOTAL 31·88
Rain Days.	18	14	18	16	11	14	14	26	13	22	17	14	197

W. 8,000, IX. 17.

Exe DJ

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

[illegible] 1. 19

Kept at Stonehurst 5 Ashes

in the County of Sussex

by E. Acton

Lat. 51° 05' N Long. 0° 12' W

Time of Observation 9 A.M

Nearest Railway Station Mayfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
			S 1½" ~~0.03~~					dist					
1	-	-	S 1½" 0.03	-	-	-	-	T 0.01	-	-	0.22	0.05	1
2	-	0.02	-	0.02	-	-	-	0.25	0.01	-	0.36	0.25	2
3	-	0.01	R.S. 0.08	0.07	TS 0.43	-	-	dist T 0.01	-	0.05	0.41	0.02	3
4	-	0.11	0.03	0.01	0.03	-	-	0.09	l 0.11	-	0.73	0.02	4
5	-	0.14	0.01	-	0.04	-	-	0.33	dist TS -	0.08	-	0.04	5
6	HR. 0.16	0.15	-	0.22	0.19	-	-	dist T 0.22	l dist TS 0.01	0.04	0.02	0.06	6
7	S 1" 0.01	0.11	-	0.04	0.04	0.01	-	0.02	l dist TS 0.30	0.03	0.05	0.01	7
8	-	0.02	-	0.01	-	0.02	-	-	0.10	l -	0.10	0.20	8
9	1" S.R. 0.04	-	-	0.05	-	0.03	0.10	-	dist T 0.62	0.39	-	0.30	9
10	-	-	-	0.04	-	-	0.54	-	H TS. 1.07	0.18	-	0.31	10
11	0.01	-	-	0.01	-	-	0.05	-	TS 0.10	0.61	0.05	0.14	11
12	-	0.10	-	-	R.H 0.29	-	0.33	-	T 0.08	0.11	-	0.02	12
13	S 4" 0.18	-	-	-	0.08	-	0.15	-	dist T 0.14	-	-	0.02	13
14	0.24	-	0.03	-	0.01	0.10	0.18	-	0.26	0.35	-	0.05	14
15	1.43	-	-	R.HS 0.26	-	dist TS 0.07	0.04	-	0.01	-	-	0.23	15
16	RS 2" 0.24	-	-	0.06	-	RH TS. 0.15	TS 2AM 0.12	-	dist T 0.12	l -	-	-	16
17	R.S 0.30	-	-	0.14	-	TS 0.12	TS 3pm 1.14	0.01	-	l -	-	0.31	17
18	0.42	-	-	0.01	-	0.48	0.02	-	TS 0.60	0.05	-	0.06	18
19	0.12	-	0.07	0.02	-	TS 0.24	0.01	-	-	T 0.08	-	l -	19
20	0.05	0.15	-	R.S. 1.53	-	dist TS 0.01	TS 0.75	-	0.19	0.27	-	-	20
21	0.21	-	-	RS 1.03	-	0.01	dist T 0.06	-	0.54	0.06	0.02	0.03	21
22	0.15	0.01	-	-	TS RH 0.31	-	0.56	-	1.06	-	0.01	R.H 0.24	22
23	0.12	-	-	0.03	0.03	-	0.40	0.11	0.01	-	0.01	R.H 0.05	23
24	0.01	0.25	-	l 0.02	-	0.04	0.48	-	0.26	-	0.10	0.01	24
25	0.01	-	-	dist TS -	-	0.01	0.23	0.24	-	0.04	0.06	R.St 0.02	25
26	0.01	-	-	dist TS. 0.08	-	-	TS 0.50	-	0.04	0.03	0.09	0.20	26
27	0.01	0.09	0.01	0.10	-	-	TS 0.15	0.22	0.18	-	0.11	0.09	27
28	0.01	0.01	0.40	0.08	0.23	-	-	0.01	-	0.03	0.23	0.01	28
29	0.01	-	0.01	0.02	-	-	-	-	1.18	-	0.02	0.04	29
30	0.01	X	0.43	-	-	-	-	-	-	0.13	-	0.12	30
31	0.01	X	-	X	-	X	-	-	X	0.05	X	0.03	31
Total	3.76	1.17	1.10	3.85	1.68	1.29	5.81	1.52	6.99	2.58	2.59	2.93	YEAR'S TOTAL 35.27
Rain Days.	23	13	10	22	11	13	19	12	22	18	17	28	208

W. 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Stonehurst 5 Ashes Mayfield
in the County of Sussex
by Emily Aston

Lat. 51° 05' Long. 0° 12' W
Time of Observation 9 A.M
Nearest Railway Station Mayfield LB & SC Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·85	SSt 0·02	0·03	RH TS 0·03	0·07	–	0·02	–	–	0·11	R.H St 0·02	0·83	1
2	0·36	0·01	0·04	–	0·14	–	dust T. 0·06	–	–	0·05	RHSt 0·14	0·11	2
3	0·35	–	0·48	–	0·02	–	TS 0·25	–	0·40	–	R.S.St 0·05	0·30	3
4	0·36	0·07	0·46	–	0·01	0·01	(05) 0·06	0·02	0·04	–	R.St 0·07	TSRH 0·17	4
5	0·01	SSt 0·29	T 0·95	–	–	–	–	–	dust TS & 0·05	–	0·14	0·48	5
6	0·13	–	0·04	–	–	–	–	–	–	–	0·01	0·10	6
7	0·18	–	0·53	–	–	–	–	–	–	0·01	0·06	–	7
8	0·35	–	0·08	R.H 0·01	–	–	–	–	0·01	–	0·01	SStR. –	8
9	RHT.TS 0·55	–	0·05	R.H dust TS 0·13	dust TS. –	–	–	–	0·01	–	0·24	–	9
10	RH 0·83	–	0·10	0·03	–	–	–	–	–	–	0·03	0·17	10
11	0·20	–	0·30	0·41	dust TS 0·03	–	0·35	–	–	–	–	0·10	11
12	0·29	–	0·01	0·01	0·01	–	0·13	–	–	0·04	S 0·01	0·01	12
13	0·03	–	0·02	dust TRH. 0·59	–	–	–	–	–	–	–	0·07	13
14	0·60	–	–	0·41	–	–	0·05	–	b 0·12	–	–	0·10	14
15	0·15	0·02	0·02	0·05	–	–	–	–	–	–	St –	0·31	15
16	0·20	R.S. 0·43	–	–	–	–	–	dust T –	–	–	R.St 0·10	0·02	16
17	0·01	R.St 0·24	0·01	0·02	–	–	–	–	–	–	0·19	0·06	17
18	0·01	RSt 0·08	R.S. 0·05	–	0·05	–	–	0·02	–	–	0·14	0·05	18
19	0·03	0·30	R.S. 0·83	–	–	0·11	0·35	0·16	–	–	0·13	0·01	19
20	0·59	0·12	R.S. 0·12	–	–	0·61	0·12	0·18	–	–	–	0·04	20
21	0·12	0·50	RS. 0·03	–	–	0·04	0·03	–	–	–	0·03	b 0·05	21
22	–	0·03	0·02	–	–	–	0·16	–	H dust T 0·58	–	0·04	0·24	22
23	–	–	–	–	–	0·01	0·01	–	0·34	–	0·03	0·04	23
24	–	–	–	0·15	–	0·01	0·01	–	–	0·05	0·17	b 0·12	24
25	0·06	–	–	0·11	0·01	–	0·01	0·63	–	–	b –	b 0·02	25
26	0·03	0·11	R.H. 0·16	RHS 1·01	–	–	–	0·02	0·07	–	RHSt 0·08	0·42	26
27	0·59	0·01	R.H 0·02	0·06	–	–	–	0·58	–	–	R.HStT 0·34	0·04	27
28	–	–	S 3rd [illegible] 0·21	0·05	–	–	–	0·71	–	–	TSRHS 0·67	0·40	28
29	0·05		S 0·00	0·24	–	0·02	–	TS 0·39	–	RSt 0·25	0·09	0·21	29
30	St –	X	S 0·01		–	0·01	–	0·52	–	0·07	0·24	0·71	30
31	S.St 0·07	X	S 0·06	X	–	X			X	RSt 0·02	X	0·04	31
Total	6·50	2·23	4·63	3·31	0·34	0·82	1·66	3·23	1·62	0·60	3·03	5·22	YEAR'S TOTAL 33·19
Rain Days.	26	14	25	16	8	8	~~14~~ 15	10	9	8	24	28	191

X max this gale 1·01 in on April 26

FORM A.

BRITISH RAINFALL

REGISTER OF RAINFALL IN 1920

Kept at Stonehurst 5 Ashes

in the County of Sussex

by Emily Aston

Lat. 51°05' Long. 0°12'W

Time of Observation 9 A.M

Nearest Railway Station Mayfield L.B.S.C. Rly.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	-	0.01	dust T. 0.12	0.09	-	.24 0.24	-	-	0.93	-	0.29	1
2	-	-	0.34	0.06	0.03	-	-	0.21	0.09	0.10	-	0.14	2
3	-	-	0.01	-	-	-	-	-	-	0.04	0.01	0.08	3
4	-	0.09	-	0.07	-	-	TS 0.44	0.15	-	0.02	-	0.01	4
5	-	-	0.04	0.01	0.01	-	0.48	0.04	0.04	-	-	0.07	5
6	-	0.01	0.18	-	0.26	-	0.42	-	-	-	-	0.01	6
7	0.02	-	St -	0.10	RH TS 0.06	-	0.07	-	-	-	-	0.02	7
8	-	-	-	0.07	0.07	-	T (0.40)	-	-	-	-	0.01	8
9	0.29	0.05	-	0.03	0.21	0.01	0.01	0.01	-	-	-	-	9
10	0.69	0.17	0.17	0.14	-	0.16	0.20	-	-	-	0.01	St 0.01	10
11	0.30	-	-	0.22	0.04	0.03	TS 5 A.M on 12th 0.79	-	-	-	0.01	St 0.02	11
12	0.08	0.03	0.02	0.26	-	TS 0.31	0.01	-	-	-	0.01	-	12
13	0.31	0.03	R.H.S. 0.38		-	-	-	-	trace -	-	0.12	-	13
14	-	0.02	0.48	0.61	-	0.04	-	-	0.07	0.37	0.36	St -	14
15	0.05	0.01	R.S 0.06	0.09	-	-	0.03	-	0.93	0.24	0.14	St ~~0.01~~	15
16	0.01	-	0.02	-	TS 1AM 0.17	dust T -	-	-	0.13	0.03	-	0.01	16
17	0.01	-	-	0.14	0.26	dust T	trace	0.83	TS 4AM 0.30	-	~~0.51~~	0.11	17
18	0.06	-	0.03	-	0.09	-	-	-	T 0.35	-	0.01	0.05	18
19	TS RH 0.12	-	-	R.H 0.22	-	0.01	-	-	R.H.T 0.11	-	-	0.04	19
20	0.08	RHSt 0.29	-	RHSt 0.13	-	0.62	-	-	0.27	-	0.01	0.01	20
21	-	-	-	0.03	-	-	0.75	-	0.12	-	-	0.27	21
22	0.01	-	-	0.38	-	-	-	-	T 0.07	-	-	0.42	22
23	-	-	-	-	-	-	0.33	-	-	-	-	0.45	23
24	0.02	-	0.07	0.03	-	-	-	-	0.01	-	-	0.09	24
25	0.01	0.01	0.02	0.04	-	-	0.68	-	-	-	0.01	-	25
26	0.08	-	0.16	0.05	-	0.01	0.01	-	-	-	0.02	0.07	26
27	0.47	0.04	0.01	dust T 0.09	-	0.05	0.10	-	-		0.39	0.28	27
28	RHS 0.39)	0.01	0.25	RHS 0.03	0.23	-	0.20	-	-	-	0.43	0.03	28
29	0.94	-	0.08	TSRHS 0.13	-	-	-	-	-	-	0.19	0.20	29
30	0.03	╳	-	0.01	-	T? 0.01	0.08	-	0.20	-	0.41	0.19	30
31	0.02	╳	0.12	╳	0.01	╳	0.01	-	╳	0.54	╳	0.33	31
Total	4.04	0.76	2.45	3.06	1.53	1.25	5.25	1.24	2.69	2.27	2.13	3.21	YEAR'S TOTAL 29.88
Rain Days.	22	12	19	24	13	10	19	5	13	8	15	25	185
	15	5	12	18	10	5	14	4	12	6	7	16	124

W. 6,500, VII. 18. w w c

FORM A2.
BRITISH RAINFALL.

12 JAN 19

REC

TARRING
PARK VIEW
SUSSEX
1911

Kept at Park V ... wdon ... 5 in.
in the County of Su ... Ground 1 ft. 6 in.
by Rev. H. G. ... Sea Level 34 ft.
... a.m.
... ame West Worthing
... Distance ¼ m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	—	—	.59	—	—	.01	.10	—	—	.06	.01	1
2	s .09	—	—	.11	.27	—	—	—	—	—	.26	.27	2
3	—	—	—	—	.21	—	—	.07	—	—	.13	.20	3
4	.04	—	.02	s .07	—	—	—	—	.02	.09	.16	.17	4
5	—	.01	—	s .17	—	—	—	—	—	.56	.03	06	5
6	.34	—	.03	—	—	—	—	—	—	—	.02	.68	6
7	.05	—	—	—	—	—	—	—	—	31	1.05	.28	7
8	.09	—	.16	—	—	—	—	—	—	—	.55	.31	8
9	.06	—	—	.01	—	—	—	—	—	—	.29	.11	9
10	—	.06	.14	.02	—	—	—	—	—	—	—	.41	10
11	.39	—	.03	—	.01	—	—	—	—	—	1.23	.04	11
12	.01 s	—	.95	—	—	—	—	—	.03	—	.04	.04	12
13	—	—	.06	—	.13	—	—	—	.32	.17	—	.31	13
14	—	.08	—	—	.16	—	—	—	—	—	—	.41	14
15	—	.01	.02	—	—	—	—	—	—	—	.06	.05	15
16	—	—	—	—	—	.60	—	—	—	—	.86	.13	16
17	—	—	—	—	—	.07	—	—	—	—	1.22	16	17
18	—	.12	.08	.01	—	—	—	—	—	.01	.92	.43	18
19	—	.02	—	—	—	.06	—	—	.18	.23	.02	.09	19
20	.02	—	.03	—	—	—	—	.19	.15	.01	—	.69	20
21	.03	.17	—	—	—	—	—	.14	—	.71	—	.30	21
22	.38	—	.03	—	—	.17	—	.15	—	.44	—	.54	22
23	—	.14	.01	—	—	.86	—	—	.34	.80	.05	.22	23
24	—	.20	—	—	—	.11	.03	.05	—	.60	—	.42	24
25	.02	.02	.03	.13	.15	.11	.10	—	08	.14	—	.01	25
26	—	—	.04	.33	.02	.01	.03	—	10	.20	.04	32	26
27	—	.37	.33	.05	—	—	—	—	—	.42	.05	.23	27
28	—	.16	—	.17	—	—	—	.06	—	—	.02	.01	28
29	—		—	.02	—	.16	.18	—	.33	.28	—	—	29
30	—		—	.10	—	.16	—	.10	.01	.19	.02	—	30
31	—		—		—		—	—		—		—	31
Total	1.55	1.36	1.96	1.78	.95	2.31	.35	.86	1.56	5.16	7.08	6.90	TOTAL for year 31.82
No. of Rain Days	13	12	15	13	7	10	5	8	10	16	21	28	158

9,000, IX. '10.

REC

don

FORM A2. BRITISH RAINFALL.

12 JAN 1922

Kept at Park View, Tarring

in the County of Sussex

by Rev. H. E. Cooper

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 34 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name West Worthing
Distance ¼ m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	—	—	·59	—	—	·01	·10	—	—	·06	·01	1
2	s ·09	—	—	·11	·27	—	—	—	—	—	·26	·27	2
3	—	—	—	—	·21	—	—	·07	—	—	·13	·20	3
4	·04	—	·02	s ·07	—	—	—	—	·02	·09	·16	·17	4
5	—	·01	—	s ·17	—	—	—	—	—	·56	·03	06	5
6	·34	—	·03	—	—	—	—	—	—	—	·02	·68	6
7	·05	—	—	—	—	—	—	—	—	31	1·05	·28	7
8	·09	—	·16	—	—	—	—	—	—	—	·55	·31	8
9	·06	—	—	·01	—	—	—	—	—	—	·29	·11	9
10	—	·06	·14	·02	—	—	—	—	—	—	—	·41	10
11	·39	—	·03	—	·01	—	—	—	—	—	1·23	·04	11
12	·01 s	—	·95	—	—	—	—	—	·03	—	·04	·04	12
13	—	—	·06	—	·13	—	—	—	·32	·17	—	·31	13
14	—	·08	—	—	·16	—	—	—	—	—	—	·41	14
15	—	·01	·02	—	—	—	—	—	—	—	·06	·05	15
16	—	—	—	—	—	·60	—	—	—	—	·86	·13	16
17	—	—	—	—	—	·07	—	—	—	—	1·22	16	17
18	—	·12	·08	·01	—	—	—	—	—	·01	·92	·43	18
19	—	·02	—	—	—	·06	—	—	·18	·23	·02	·09 67	19
20	·02	—	·03	—	—	—	—	·19	·15	·01	—	·69	20
21	·03	·17	—	—	—	—	—	·14	—	·71	—	·30	21
22	·38	—	·03	—	—	·17	—	·15	—	·44	—	·54	22
23	—	·14	·01	—	—	·86	—	—	·34	·80	·05	·22	23
24	—	·20	—	—	—	·11	·03	·05	—	·60	—	·42	24
25	·02	·02	·03	·13	·15	·11	·10	—	08	·14	—	·01	25
26	—	—	·04	·33	·02	·01	·03	—	10	·20	·04	32	26
27	—	·37	·33	·05	—	—	—	—	—	·42	·05	·23	27
28	—	·16	—	·17	—	—	—	·06	—	—	·02	·01	28
29	—		—	·02	—	·16	·18	—	·33	·28	—	—	29
30	—		—	·10	—	·16	—	·10	·01	·19	·02	—	30
31	—		—		—		—	—		—		—	31
Total	1·55	1·36	1·96	1·78	·95	2·31	·35	·86	1·56	5·16	7·08	6·90	TOTAL for year 31·82
No. of Rain Days	13	12	15	13	7	10	5	8	10	16	21	28	158

9,000, IX. '10.

TICEHURST

SUSSEX

1911 - 1915

/ . 6 = Re … hurst, Sussex … 11 =

30 JAN 1912

4·11·9 in
423 ft

	Jan	Feb	Mar	Apr							Nov	Dec
1	·10			·90							·06	
2			·02	·03	·28						·21	·20
3	·05				·14						·10	·19
4	·22		·04	·20		·27				·48	·21	·19
5	·09	·02		·12						·35		·10
6	·25											·57
7	·03		·02							·47	·70	·78
8	·05		·03								·69	·22
9	·22		·10	·03							·41	·12
10		·07	·01	·18								1·23
11	·43		·03		·05						1·21	
12			·73								·10	
13			·01		·15				·49	·13	·04	·30
14		·07			·30					·02		·59
15		·02	·19								·09	
16						·58					·49	·13
17											·38	·18
18		·15	·06			·01					·95	·56
19						·06			·12	·05	·15	·21
20	·04		·02	·02		·08		·39	·09	·43		·79
21	·02	·15						·10		·54		·20
22	·03	·06	·28			·05		·04		·68		·59
23		·19				·95			·28	·20	·07	·22
24						·12		·02		·46		·30
25		·01	·41	·04		·12	·14		·05	·07		
26			·23	·28		·14				·48	·25	·23
27		·25	·17	·08					·07	·40		·07
28		·22		·15							·03	
29				·05		·17	·49		·25	·41		
30						·03		·33		·32		
31												
Totals	1·53	1·21	2·35	2·08	·92	2·58	·63	1·05	1·35	5·49	6·14	7·97
	12	11	16	12	5	12	2	6	7	16	18	22
		2·74	5·09	7·17	8·09	10·67	11·30	12·35	13·70	19·19	25·33	33·30

139

Total for year.

/ 6

Ticehurst House

= Register of Rainfall 1911 = Ticehurst, Sussex

30 JAN 1912

5 in
4 ft 9 in
423 ft

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	
1	.10			.90				.17			.06		
2			.02	.03	.28						.21	.20	
3	.05				.14						.10	.19	
4	.22		.04	.20		.27				.48	.21	.19	
5	.09	.02		.12						.35		.10	
6	.25											.57	
7	.03		.02							.47	.70	.78	
8	.05		.03								.69	.22	
9	.22		.10	.03							.41	.12	
10		.07	.01	.18								1.23	
11	.43		.03		.05						1.21		
12			.73								.10		
13			.01		.15				.49	.13	.04	.30	
14		.07			.30					.02		.59	
15		.02	.19								.09		
16						.58					.49	.13	
17											.38	.18	
18		.15	.06			.01					.95	.56	
19						.06			.12	.05	.15	.21	
20	.04		.02	.02		.08		.39	.09	.43		.79	
21	.02	.15						.10		.54		.20	
22	.03	.06	.28			.05		.04		.68		.59	
23		.19				.95			.28	.20	.07	.22	
24						.12		.02		.46		.30	
25		.01	.41	.04		.12	.14		.05	.07			
26			23	.28		.14				.48	.25	.23	
27		.25	17	.08					.07	.40		.07	
28		.22		.15							.03		
29				.05		.17	.49		.25	.41			
30						.03		.33		.32			
31													
Totals	1.53	1.21	2.35	2.08	.92	2.58	.63	1.05	1.35	5.49	6.14	7.97	
	12	11	16	12	5	12	2	6	7	16	18	22	139
		2.74	5.09	7.17	8.09	10.67	11.30	12.35	13.70	19.19	25.33	33.30	Total for year.

Register of Rainfall in 1912

22 JAN 1913.

Kept at Ticehurst House E of B S I

~~Sussex~~ 6

J. D. Jordan

Rain gauge {
Diameter 5 in
Height 4·9
above sea level 423 ft

Date	Jany	Feby	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Date
1			·15			·11	·36		·08	·91		·21	1
2		·19	·33			·02	·15						2
3		·05				·43	·01	·08	·02			·03	3
4	·21		·89		·01	·59		·01			·14		4
5	·12	·11	·19			·38		·39					5
6	·59	·08			·01			·84					6
7					·12	·50		·85				·23	7
8	·44	·42	·31			·31	·10	·42			·02		8
9		·05		·03				·06				·11	9
10		·05						·35	·01		·06	·05	10
11	·05	·29	·08						·02			·48	11
12		·18	·02		·09	·01		·30				·05	12
13			·01					·01			·21	·08	13
14					·05			·16		·05		·02	14
15			·06		·14	·62						·31	15
16	·07		·18		·10	·22		·10		·06	·01		16
17	·37		·60			·04		·07			·10	·46	17
18	·07		·31					·13		·04	·01	·39	18
19	·04	·20	·35				·04	·80			·01		19
20			·75				·09	·30		·70	·02		20
21		·08	·50		·05			·24		·28	·09		21
22	·09	·42	·08		·02		·06	·09					22
23	·46	·28	·34					·55		·14	·18	·03	23
24	·08	·04						·14				·13	24
25	·12					·44		·79			·40	·53	25
26		·03				·09		·26		·37	·40	·53	26
27							·08			·20		·39	27
28							·13	·05	·09	1·00	·76	·18	28
29				·02			·13	·35	2·15	·23	·04		29
30					·09			·32	2·02	·18			30
31							·32	·11					31
Total	2·71	2·47	5·15	·05	·68	3·76	1·47	7·77	4·39	4·16	2·45	4·21	Total for year
		5·18	10·33	10·38	11·06	14·82	16·29	24·06	28·45	32·61	35·06	39·27	
	13	15	17	2	10	13	11	26	7	12	15	18	159

✓ Register of Rainfall. 1913

R.O.M.

Ticehurst House Sussex

17 JAN 1914

Date.	Jan	Feby	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec —
1	·04	·37	·06	·14						·05		·05
2	·04				·20		·20			·01	·11	
3		·01	·06	·66	·20						·12	·10
4	·24		·05	·02		·03	·03		·08			
5	·14	·05	·01			·04	·07		·78	·06	·15	
6			·14	·07		·03	·32		·02	·40	·23	·06
7		·26			·01	·03				·18	·14	·01
8		·03			·05	·05				·19	·14	·02
9		·06		·01	·08			·10	·08		·03	
10	·03						·21	·01			·70	
11	·63			·49						·57	·13	
12					·04						1·28	
13	·50		·10					·02	·01		·20	
14	·29		·10	·06			1·67		·26	·10	·20	
15	·17		·42	·29			·16		·04			
16	·31	·08	·55	·24					·41			
17	·03			·04			·30	·01				·03
18			·14	·14			·02				·08	
19	·30		·16				·05		·11			
20	·85		·08	·14		·23				·57	·02	
21	·28		·06	·06						·58	·81	
22			·15				·02		·07	·10	·11	
23			·03			·04		·06				·68
24	·05		·01	·03			·02	·05			·06	
25				·20		·07	·01					
26								·06		1·09		·32
27			·05		·04					·09		
28	·18		·47							·23		
29	·19			·15	·14			·63				
30	·36			·37	·04			·24		·10		·01
31			·06					·98		·21		
	4·63 ✓	·86 ✓	2·70 ✓	3·11 ✓	·80 ✓	·52 ✓	3·08 ✓	2·16 ✓	1·86 ✓	4·53 ✓	4·51 ✓	1·28 ✓
153 ✓	18	5·49 7	8·19 19	11·30 17	12·10 9	12·62 8	15·70 13	17·86 10	19·72 10	24·25 16	28·76 17	30·04 ✓ 9

J B Jordan

Register of Rainfall 1914

CX McL Kept at Ticehurst House
Sussex

9 JAN 1915

6

Date	Jany	Feby	March	April	May	June	July	Augst	Sept	Octr	Novr	Decr	Date
1			·09				·03	·02			·06	·10	1
2	·02						·35					·18	2
3					·22						·14		3
4			·24	·38	·03			·13			·24	·35	4
5	·11		·12	·58	·03	·03	·26						5
6		·04		·37	·04	·09		·08				·56	6
7		·77	·40	·10		·03	·09					·28	7
8		·33	·52			·29		·03				·17	8
9	·21		·79	·11		·03			·10			1·48	9
10		·01		·07	·09				·01			·05	10
11		·56	·40		·10				·25		·06	·37	11
12		·04	·08		·02		·06		·32		·01	·68	12
13		·53	·43						·13	·05	·10	·69	13
14		·28	·28				·02	·03	·01	·44	·24	·38	14
15			·39				·29				·75	·05	15
16		·12	·04				·25		·13				16
17		·31	·14				·02		·15			·14	17
18		·09	·07									·47	18
19		·14	1·30				·16			·29	·32	·38	19
20	·01	·31	·09			·10				·02		·20	20
21		1·00	·07					·10				·03	21
22		·04			·23	·09	·10	·03		·23			22
23			·55		·27	·31				·01		·13	23
24			·01							·02	·16		24
25	·14		·17		·01			·03		·39	·03		25
26	·03		·05					·27		·21	·21	·59	26
27											·12	·88	27
28	·01	·02			·01					·21		·46	28
29	·08									·85	·20		29
30			·07							·16	1·27	·21	30
31	·07				·27							·05	31
Total	·68	4·59	6·30	1·61	1·32	·97	1·63	·72	1·10	2·88	3·91	8·88	34·59
		5·27	11·57	13·18	14·50	15·47	17·10	17·82	18·92	21·80	25·71	34·59 ✓	
	9	16	22	6	12	8	11	9	8	12	15	24	152

J. T. Jordan

649

Register of Rainfall 1915

Ticehurst House

Sussex

6

4M

Mch Apl May June July Aug Sept Oct Nov

Date	Jan	Feby	Mch	Apl	May	June	July	Aug	Sept	Oct	Nov	Dec	
1	·77	·15	·03					·02	·44	·03	·22	·34	
2	·47	·23	·23	·10	·02			·17	·06			·24	
3	·31		·02	·15	·12			·08	·10			·55	
4	·04							·31		·04		·50	
5	·03	·37		·06				·19				·70	
6	·58	·14		·63			·17					·12	
7	·36	·55					·06	·02				·29	
8	·02	·61	·09	·03			·10				·03		
9	·02	·29	·02	·12		·11		·04			·44	·83	
10	·32					·12						·67	
11		·03									·68	·01	
12	·05	·10		·19	·23					·02	·96		
13	·03	·96		·01	2·12				·01				
14		·04					·11		·09			·40	
15	·17				·08		·04	·03			·38	·56	
16		·99		·02	·18		1·59	·05				·05	
17		·78			1·46							·24	
18		·15			·26						·02	·01	
19		·14								·02			
20	·25			·09	·15							·20	
21	·03									·06		·08	
22	·12	·07	·02				·97					·15	
23	·04	·10	·13			·05	·04			·18		·47	
24			·05	·03			·13		·32	·30		·68	
25			·01	·02			·40		·02			·28	
26		·06				·11						·76	
27		·08					·13			·26		·06	
28		·09	·01			·15			2·04	·33			
29					·05		·18	·33			·66		
30	·22									·07	·42	·02	
31								·08		·24		·39	
Totals	3·83	5·93	·61	1·45	4·67	·54	3·92	1·32	3·08	2·05	3·81	8·60	
	18	20 ✓	10	12 ✓	10 ✓	5 ✓	12 ✓	11 ✓	8 ✓	11 ✓	9 ✓	25 ✓	151
	·	9·76	10·37	11·82	16·49	17·03	20·95	22·27	25·35	27·40	31·21	39·81	

Jordan

DL

87

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

TICEHURST
MYSKYNS
SUSSEX
1911 – 1916

REGIS

Kept at Myskyns T

in the County of E Su

by E. H. Cartwrig

in.

und 1 ft. — in.

Level 340 ft.

ance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.84			.02	.17			.06	.02	1
2	.02		.03	.01	.35		.01				.23	.23	2
3	.08	.02			.17						.12	.26	3
4	.20	.04	.05	.31		.50				.49	.32	.21	4
5	.09	.03		.07						.40		.12	5
6	.25		.04							.05		.59	6
7	.04		.04							.48	.77	.52	7
8	.08		.12								.67	.19	8
9	.18		.03	.05							.36	.08	9
10		.08	.04	.21							.06	1.00	10
11	.58		.02	.01	.07						1.28	.01	11
12	.02		.76							.01	.13		12
13			.03		.18				.37	.15	.04	.26	13
14		.08			.19							.55	14
15		.03	.26								.14	.03	15
16						.45				.01	.58	.16	16
17						.01					.43	.21	17
18		.14	.06							.01	.83	.53	18
19						.04			.17	.30	.17	.15	19
20	.03		.02	.03		.02		.45	.11	.15		.76	20
21	.03	.15						.02		1.00		.17	21
22	.02	.03	.50			.07		.01		.68	.01	.64	22
23	.01	.28				1.04			.31	.47	.09	.27	23
24	.01	.11	.01			.02	.12			.35		.28	24
25		.04	.47	.06		.12		.08	.06	.04			25
26			.32	.30		.24				.36	.28	.22	26
27		.28	.15	.11					.06	.38	.02	.05	27
28	.01	.32		.16							.02	.01	28
29				.02		.25	.39		.24	.41			29
30				.01		.02		.29	.02	.37		.01	30
31													31
Total	1.73	1.63	2.95	2.19	.96	2.78	.54	1.02	1.34	6.11	6.61	7.53	TOTAL for year 35.39
No. of Rain Days	17	14	18	14	5	12	4	6	8	19	21	27	165

9,000, IX. '10.

DL

87

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGIS

Kept at Myskyns Ticehurst

in the County of E. Sussex 6

by E. H. Cartwright

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 340 ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·84			·02	·17			·06	·02	1
2	·02		·03	·01	·35		·01				·23	·23	2
3	·08	·02			·17						·12	·26	3
4	·20	·04	·05	·31		·50				·49	·32	·21	4
5	·09	·03		·07						·40		·12	5
6	·25		·04							·05		·59	6
7	·04		·04							·48	·77	·52	7
8	·08		·12								·67	·19	8
9	·18		·03	·05							·36	·08	9
10		·08	·04	·21							·06	1·00	10
11	·58		·02	·01	·07						1·28	·01	11
12	·02		·76							·01	·13		12
13			·03		·18				·37	·15	·04	·26	13
14		·08			·19							·55	14
15		·03	·26								·14	·03	15
16						·45				·01	·58	·16	16
17						·01					·43	·21	17
18		·14	·06							·01	·83	·53	18
19						·04			·17	·30	·17	·15	19
20	·03		·02	·03		·02		·45	·11	·15		·76	20
21	·03	·15						·02		1·00		·17	21
22	·02	·03	·50			·07	—	·01		·68	·01	·64	22
23	·01	·28				1·04			·31	·47	·09	·27	23
24	·01	·11	·01			·02	·12			·35		·28	24
25		·04	·47	·06		·12		·08	·06	·04			25
26			·32	·30		·24				·36	·28	·22	26
27		·28	·15	·11					·06	·38	·02	·05	27
28	·01	·32		·16							·02	·01	28
29				·02		·25	·39		·24	·41			29
30				·01		·02	—	·29	·02	·37		·01	30
31													31
Total	1·73	1·63	2·95	2·19	·96	2·78	·54	1·02	1·34	6·11	6·61	7·53	TOTAL for year 35·39
No. of Rain Days	17	14	18	14	5	12	4	6	8	19	21	27	165

9,000, IX. '10.

82

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Myskyns Ticehurst

in the County of Sussex 6

by E. H. Cartwright

Rain Gauge: Pattern	
Diameter of top	in.
Height of top above Ground	ft. in.
„ „ „ Sea Level	ft.
Time of Observation	
Nearest Railway Station: Name	
Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·13	·02		·12	·17		·05	·81		·26	1
2		·12	·29			·02	·14						2
3	·02	·03	·04			·35		·10	·02	·01	·02	·03	3
4	·22		·87		·01	·61		·08			·19		4
5	·14	·12	·14			·28		·34			·15	·02	5
6	·48	·10			·02			·95			·03	·07	6
7					·14	·63		·34				·20	7
8	·37	·36	·29	·01		·18	·09	·72			·01	·03	8
9	·03	·07	·01	·06			·08	·09				·10	9
10		·08	·02					·24	·01		·08	·30	10
11	·04	·34	·12			·10			·03			·31	11
12		·23	·03		·09	·02		·38			·03	·04	12
13		·01	·02					·02			·22	·10	13
14			·01		·05			·19		·06		·04	14
15		·01	·09		·16	·72		·03		·01	·01	·34	15
16	·12		·21		·15	·16		·13		·06	·02	·01	16
17	·34		·55			·06		·07			·09	·24	17
18	·13		·31				·05	·14		·07	·02	·40	18
19	·05	·22	·32				·04	1·08		·01	·03		19
20	·02	·02	·90			·02	·09	·23		·73	·06		20
21	·01	·08	·38		·02			·22		·32	·10		21
22	·07	·53	·15		·02		·08	·18		·01		·01	22
23	·45	·27	·30					·49		·18	·18	·03	23
24	·06	·01						·12				·16	24
25	·14	·02				·42		·79			·45	·65	25
26		·04				·18		·28		·34	·54	·51	26
27							·09			·24		·45	27
28		·07					·18	·11	·10	·90	·74	·32	28
29		·02		·02		·02	·12	·58	1·85	·33	·05		29
30					·11		·01	·19	1·84	·26	·01		30
31	·01		·02				·43	·11					31
Total	2·71	2·75	5·20	·11	·77	3·92	1·57	8·20	3·90	4·34	3·03	4·62	TOTAL for year 4112
No. of Rain Days.	19	21	22	4	10	16	13	27	7	16	21	23	199

W. 8,000, X. '11.

82.

REGISTER OF RAINFALL IN 1913

22 JAN 1914

91

FORM A.
BRITISH RAINFALL.

Kept at Myskyns, Ticehurst

in the County of Sussex

by E. H. Cartwright

6

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·38	·08	·18		·02				·20	·12	·07	1
2	·05	·22			·09		·21			·02	·14	·02	2
3			·09	·75	·19					·01		·17	3
4	·23		·06	·03		·02	·03		·12	·05	·14	·02	4
5	·15	·05	·02			·04	·08		·92		·31	·04	5
6	·01	·02	·13	·07	·02	·09	·29		·02	·45	·22	·07	6
7		·31	·05		·01	·06				·20	·11	·01	7
8		·05	·07		·07	·06				·31	·12	·03	8
9		·04		·02	·08				·09		·04	·01	9
10	·04			·02			·33				·66		10
11	·73			·49						·68	·18		11
12					·05					·01	1·05	·01	12
13	·52		·04					·04	·04		·22		13
14	·25		·16	·06			2·27	·01	·31	·09	·27		14
15	·21	·01	·32	·37			·17		·04				15
16	·32		·65	·30					·39				16
17	·05	·11	·06	·06			·34	·02				·05	17
18	·01		·16	·19			·02				·10		18
19	·32		·16				·09		·14				19
20	·78		·05	·13		·53				·58	·04		20
21	·01		·09	·06						·72	·86		21
22	·28		·19		·01		·02		·08	·03	·01		22
23			·09			·08	·03	·05	·01			·67	23
24	·06		·02	·04		·01	·01	·02		·01	·05		24
25				·24		·06	·04						25
26			·16				·02	·08		1·16		·26	26
27			·05		·08					·21			27
28	·19		·30	·04				·26		·24			28
29	·19		·02	·13	·16			·19			·01		29
30	·68			·28	·08			·33	·01	·12		·02	30
31			·03					·73		·09			31
Total	5·11	1·19	3·05	3·46	·84	·97	3·95	1·73	2·17	5·18	4·65	1·45	YEAR'S TOTAL 33·75
Rain Days.	21	9	24	19	11	10	15	10	12	19	19	14	183

W. 7,500, XI. ·12

82 /

74

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Myskyns Ticehurst

in the County of Sussex 6

by E. H. Cartwright

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.03	.04	.01		.05	.04			.08	.18	1
2	.01			.03			.45	.04			.14	.20	2
3		.01	.24		.27			.03			.02	.02	3
4		.01	.02	.32	.02			.10			.31	.28	4
5	.12		.12	.50	.02	.04	.31	.03			.01		5
6		.05	.04	.29	.03	.08		.09				.60	6
7		.71	.34	.09	.01	.01	.08					.34	7
8	.16	.41	.53			.31	.07	.05				.21	8
9	.34		.83	.14		.01			.11			1.69	9
10	.02	.10	.03	.09	.10				.03	.02		.08	10
11		.39	.54	.05	.17	.01			.26		.10	.41	11
12		.07	.08		.03		.07		.35		.01	.74	12
13	.02	.58	.41			.01			.16	.06	.14	.68	13
14	.01	.38	.36				.04		.01	.47	.19	.47	14
15		.05	.45				.17	.05		.01	.81	.06	15
16		.19	.05				.80		.13		.01		16
17		.43	.16				.01		.26			.22	17
18		.10	.15							.03		.59	18
19		.15	1.18				.18			.18	.32	.27	19
20		.20	.12			.09				.02		.19	20
21		.91	.07					.10		.03		.04	21
22		.06			.16	.04	.14	.05		.25		.01	22
23			.53	.01	.28	.41	.02	.01		.03		.09	23
24			.02	.01	.01					.04	.17		24
25	.13		.17		.01			.05		.38	.06	.01	25
26	.02		.05		.02		.07	.24		.11	.23	.47	26
27	.02							.01		.01	.14	.78	27
28	.03	.02			.01					.26	.31	.48	28
29	.10				.01					.82	.33	.01	29
30	.01		.10							.13	1.57	.21	30
31	.04				.31		.02					.08	31
Total	1.04	4.82	6.62	1.56	1.47	1.01	2.48	.89	1.31	2.85	4.95	9.41	YEAR'S TOTAL 3841
Rain Days.	15	19	25	11	17	10	15	14	8	17	19	28	198

W.7,000, XI. 13

81

cnd by B 23.11.16

648

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Myskyns, Ticehurst
in the County of Sussex 6W
by E. H. Cartwright

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·68	·14	·06					·03	·68	·02	·27	·40	1
2	·59	·23	·20	·15	·02			·18	·06	·03	·01	·19	2
3	·30		·04	·22	·13			·17	·11			·52	3
4	·05			·01				·75		·02		·51	4
5	·03	·34		·08				·20		·02		·59	5
6	·58	·16	·02	·69			·18	·02				·13	6
7	·43	·46	·03	·02			·06					·36	7
8	·05	·57	·08	·04			·07	·01			·04		8
9	·02	·27		·12		·14		·04			·50	·88	9
10	·35	·01				·14					·01	·71	10
11		·02	·03								·72	·01	11
12	·06	·14		·23	·27					·03	1·17		12
13	·03	1·19		·02	1·98				·02		·01		13
14	·05	·03					·14		·05	·02		·55	14
15	·29				·08		·04	·03			·26	·51	15
16	·01	·82		·03	·17		1·53	·02			·01	·04	16
17		·70			1·33		·02				·01	·23	17
18		·20	·01		·24						·01	·03	18
19		·16								·02			19
20	·29	·01		·05	·15							·21	20
21	·12	·06								·09		·10	21
22	·04		·04	·01			1·04					·21	22
23	·04	·11	·12			·04	·05			·20		·54	23
24			·03	·04			·18		·35	·30		1·01	24
25			·02	·03			·64		·01	·01		·36	25
26		·06				·09	·05					·65	26
27		·10				·04	·10			·29		·04	27
28		·11	·02			·09	·01		2·37	·37	·01		28
29					·03		·57	·29	·01		·63	·01	29
30	·19	X				·03			·01	·12	·36	·02	30
31	·04	X		X		X		·09	X	·83	X	·41	31
Total	4·24	5·89	·70	1·74 1·84	4·40	·57	4·68	1·83	3·67	2·37	4·02	9·22	YEAR'S TOTAL 43·33 43·43
Rain Days.	21	22	13	15	10	7	15	12	10	15	15	26	181

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Myskyns Ticehurst
in the County of Sussex
by E. H. Cartwright W. C. Foote

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16		·01		·57	·03			·12				1
2	·35	·08	·73		·18	·01							2
3	·01	·78	·27		·02		·04		·07				3
4	·19	·16	·02			·59			·17				4
5	·02	·03	·01	·03	·17	·09							5
6	·01	·15	·07	·43	·04	·54	·23						6
7	·08	·03	·84		·25	·13	·08						7
8		·02	·01		·18								8
9			·03		·43								9
10		·21	·02	·06	·01	·46	·03						10
11	·04	·24	·02	·16		·26							11
12	·05	·12		·05	·27	·13	·13						12
13	·01	·20	·25	·08	·05	·16	·04	·20					13
14		·44	·01		·15			·14					14
15		·14	·16	·02									15
16		·01	·11	·16			·18	·05					16
17	·21	·12		·12			·10	·01					17
18	·02	·10	·01	·02				·11					18
19	·27	·04	·07	·22		·08							19
20	·10		·02	·02									20
21	·03		·33	·13									21
22	·01	·14	·21	·02		·03							22
23	·01	·30	·05			·20	·02	·05					23
24			·03		·10								24
25		·89	·16					·97					25
26	·02	·39	·04			·23		·32					26
27	·01	·04	·79			·23		·01					27
28		·58	·10			·45		·15					28
29		·27				·33		·67					29
30		×			·01	·01		·10					30
31		×		×		×		·01	×		×		31
Total	1·60	5·48	4·37	1·52	2·43	3·96	·85	2·79					YEAR'S TOTAL
Rain Days.	19	24	26	14	14	18	9	13					

W. 8,000. X. 15.

TORTIN~~G~~TON

SUSSEX

1916 - 20

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTE

Kept at Tortington n.

in the County of Sussex Junction

by Mrs F Travers.

5 in.

nd — ft. 8 in.

Level 50 ft.

IMPORTANT NOTE.—Ra esult entered to the previous day. If an Observer to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·05			·40	·03			·06	·55	·		1
2	·14	·09	·24				·01		·08	·20	·73		2
3	·02	·40	·18				·04			·58			3
4	·09	·05				·48			·15		·33		4
5	·05				·26	·01				·08	·42		5
6		·06		·08	·15	·16	·25			·05	·40		6
7	·02		·64		·10					·05	·45		7
8					·50							·55	8
9					·03							·18	9
10		·62		·05		·80	·07					·12	10
11	·07			·21	·05	·33						·19	11
12	·04	·08	·05			·08	·10						12
13		·24	·05	·01	·06	·03							13
14		·44	·30	·06								·03	14
15		·30	·55										15
16	·20		·30	·21			·09	·04					16
17	·12	·25	·04	·09					·40	·74			17
18				·06				·03		·10	·53	·27	18
19	·14		·33	·07		·20			·05				19
20			·23	·08							·66	·73	20
21			·15					·02				·40	21
22						·03					·03	·64	22
23		·05				·01				·40			23
24			·02		·32			·32		·25	·07	·40	24
25		·46	·23						·45	·05			25
26	·05	·36				·16			·05	·53		·04	26
27	·05	·30	·90			·07			·25	·35		·02	27
28		·48	·05					·87	·43	·33		·34	28
29		·30			·12	·43			·01	·26		·46	29
30		✕						·01		·45			30
31		✕		✕		✕		·03	✕	·43	✕	·02	31
Total	1·06	4·53	4·26	·92	1·99	2·82	·56	1·32	1·43	5·40	3·62	4·39	YEAR'S TOTAL 32·80 32·80
Rain Days.	13	4·53 17	16	10	10	14	6	7	10	17	9	15	144

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTE

Kept at Torlington
in the County of Sussex
by Mrs F Travers.

Time of Observation 11.30 a.m.
Nearest Railway Station Ford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·05			·40	·03			·06	·55			1
2	·14	·09	·24				·01		·08	·20	·73		2
3	·02	·40	·18				·04			·58			3
4	·09	·05				·48			·15		·33		4
5	·05				·26	·01				·08	·42		5
6		·06		·08	·15	·16	·25			·05	·40		6
7	·02		·64		·10					·05	·45		7
8					·50							·55	8
9					·03							·18	9
10		·62		·05		·80	·07					·12	10
11	·07			·21	·05	·33						·19	11
12	·04	·08	·05			·08	·10						12
13		·24	·05	·01	·06	·03							13
14		·44	·30	·06								·03	14
15		·30	·55										15
16	·20		·30	·21			·09	·04					16
17	·12	·25	·04	·09					·40	·74			17
18				·06				·03		·10	·53	·27	18
19	·14		·33	·07		·20			·05				19
20			·23	·08							·66	·73	20
21			·15					·02				·40	21
22						·03					·03	·64	22
23		·05				·01				·40			23
24			·02		·32			·32		·25	·07	·40	24
25		·46	·23						·45	·05			25
26	·05	·36				·16			·05	·53		·04	26
27	·05	·30	·90			·07			·25	·35		·02	27
28		·48	·05					·87	·43	·33		·34	28
29		·30			·12	·43			·01	·26		·46	29
30		╳						·01		·45			30
31		╳		╳		╳		·03	╳	·43	╳	·02	31
Total	1·06	4·53	4·26	·92	1·99	2·82	·56	1·32	1·93	5·40	3·62	4·39	YEAR'S TOTAL 32·80
Rain Days.	13	4·53 17	16	10	10	14	6	7	10	17	9	15	32·80 144

W. 8,000, VIII. 16

S made ✓ cwd/M WD 488

FORM A. BRITISH RA
7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Tortington House near Arundel

in the County of Sussex

by Mrs F. Travers.

Lat. .... Long. ....

Time of Observation Noon

Nearest Railway Station Ford Junction L.B.S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 8 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·26

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·03					·06			·02	1
2			·04	·32				1·35	·03		·06		2
3				·33				·03	·08		·10		3
4	·01			·10			·59	·27		·10			4
5		·04	·25					·10		·08	·18		5
6	·31		·04	·20		·08			·26	·35	·03		6
7			·16			·27			·04	·10	·13		7
8	·39						·07			·08		·04	8
9	·18		·14				·25	·20		·09	·20	·46	9
10	·01		·04	·10	·06				·01	·11	·02	·25	10
11	·22			·12		·07		·12					11
12	·13		·45	·28				·13	·05				12
13	·03			·01				·06		1·10			13
14	·02		·25					·04	·01				14
15				·11				·42					15
16					·10			·03		·31		·26	16
17		·43		·11	·15					·35		·70	17
18		·05		·15			·54	·18	·53	·11			18
19				·01	·05		·15		·21				19
20		·53	·10						·12				20
21		·02			·70	·04							21
22						·07				·25			22
23			·06					·09					23
24		·43			·22			·09					24
25		·05				·14	·20			·30			25
26		·12	·10										26
27								·53	·10		·53		27
28					·15			1·10					28
29			·08			1·70		·46					29
30		X			·08			·05		·50			30
31		X	·42	X		X	·45	·35	X	·05	X		31
Total	~~1·32~~ 1·30	1·67	·03 ~~2·13~~ 2·16	~~1·87~~ 1·84	1·51	2·37	2·25	·06 ~~5·60~~ 5·66	~~1·50~~ 1·44	3·88	·02 ~~1·25~~ 1·27	·26 ~~1·73~~ 1·97	YEAR'S TOTAL ~~27·34~~ 27·32
Rain Days.	10	8	13	13	8	7	7	19	12	15	8	6	126

W. 8,000, IX. 17.

2·10

S made

~~comparative~~ ~~# 962~~

22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
6. 1. 19

Kept at Tortington House, Arundel

in the County of Sussex

by Mrs F. Travers

Lat. 50° 50' Long. 0° 35'

Time of Observation 10 a.m.

Nearest Railway Station Ford Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·05			1·10			~~·40~~ ·20	·03	1
2		·15	·01	·07				·12			~~·30~~ ·40	·25	2
3		·05	·03	·05	·40			·08			~~·62~~ ·30		3
4		·03						·11	·15		·62	·05	4
5			·11	·17				·55		·08		·03	5
6	·22				·40			·20	·04	·04	~~·17~~	·04	6
7		·13		·10	·15			·08	·28		·17		7
8		·02			·03				·06	·15	~~·03~~	·08	8
9	·02			·10		·12	·50		·51	·03	·03	·40	9
10				·05					·41	·08	·	·20	10
11	·03			·05			·12		·04	·20	·04	·12	11
12		·04			·30				·06				12
13	·24						·20		·42			·06	13
14	·28		·06			·12	·05		·20	·24			14
15	1·43			·18	·02		·21						15
16	·34			·03					·32				16
17	·22			·11		·36	·26					·35	17
18	·35		·02			·47			·47			·08	18
19	·09		·25			·13	·33	·02		·05			19
20		·19		·52		·02	·03		·17	·08			20
21	·19			·29					·45	·10		·12	21
22	·13				·03		·77		·40			·18	22
23	·07						·10	·02				·50	23
24		·23							·24		·08		24
25				·26				·22					25
26							·85		·04		·10	·18	26
27			·08	·05				·13	·25		·16	·03	27
28		·10	·18	·02					·		·10		28
29			·27						1·30			·07	29
30		X	·25						·05		·12		30
31		X		X		X			X	·20	X		31
Total	3·61	·94	1·26	2·05	1·38	1·22	3·42	2·63	5·86	~~1·05~~ 1·25	2·32	2·77	YEAR'S TOTAL ~~28·51~~ 28·71
Rain Days.	13	9	10	15	8	6	11	11	20	11	12	18	144

W. 6,500. VII. 18. w w c

4 Rl

462

6 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Tortington House, near Arundel
in the County of Sussex
by Mrs F. Travers

Lat 50° 50′ Long 0° 35′
Time of Observation 10 a.m.
Nearest Railway Station Ford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 8 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55				·02		·14					·13	1
2	·11		·15				·06		·08	·02	·02	·42	2
3	·20	·10	·90		·08							·40	3
4	·31	·28	·19				·10	·06	·10		·80	·06	4
5		·14	·75				·06				·08	·39	5
6	·26		·16									·10	6
7	·06		·40										7
8	·21		·25										8
9	·63		·05	·10							·11		9
10	·59											·15	10
11	·57			·34	·14		·10					·05	11
12	·11			·01						·12			12
13	·04			·48								·02	13
14	·45			·13			·20		·35			·12	14
15	·32	·09		·06								·92	15
16	·10	·57		·01							·15		16
17		·40									·14	·04	17
18		·08	·65					·02			·25	·02	18
19	·50	·56	·85			·17	·55	·18	·03				19
20	·10	·10	·05			·55		·20				·02	20
21		·36					·02		·16			·02	21
22							·15		·45			·21	22
23						·02			·15			·05	23
24				·03		·06	·03	·09		·20		·09	24
25		·15						·51				·05	25
26	·20		·09	·15			·01	·03	·10			·43	26
27	·40			·45				·70			·38	·03	27
28			·40					·37			·58	·51	28
29				·15				·46		·15		·06	29
30		✕	·24	·25		·08		·60				·74	30
31		✕		✕		✕			✕	·03	✕	·07	31
TOTAL	5·71	2·83	5·13	2·16	·24	~~1·00~~ ·88	1·42	3·22	1·42	·52	2·51	5·10	YEAR'S TOTAL 31·14
Days with ·01 in. or more	19	11	14	12	3	5	11	11	8	5	9	25	133

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

M.H. 437

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tortington House, Arundel

in the County of Sussex

by Mrs Travers

Lat. 50° 50′ Long. 0° 35′

Time of Observation 11 a.m.

Nearest Railway Station Ford Junction

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	—	—	—	·12	—	·44	—	—	·15	—	·39	1
2	·08	—	·16	·04	·06	—	—	·17	·12	—	—	·10	2
3	—	—	—	—	—	—	·03	—	—	·61	—	·03	3
4	—	·12	—	·03	—	—	·88	·16	—	—	—	·02	4
5	—	—	·22	—	—	—	·70	·02	—	·02	—	—	5
6	—	—	·15	—	·42	—	·18	—	—	—	—	·03	6
7	·05	—	—	·15	·02	—	·19	—	—	—	—	—	7
8	—	—	—	·04	·09	—	·24	—	—	—	—	—	8
9	·08	·28	—	·05	—	·08	·04	—	—	—	—	—	9
10	·59	·10	·21	·17	—	·20	·22	—	—	—	—	—	10
11	·27	—	—	·44	·02	—	·25	—	—	—	—	—	11
12	·06	·07	—	·09	—	·65	—	—	—	—	·10	·05	12
13	·22	—	·35	—	—	—	—	—	—	—	—	·08	13
14	·10	—	·65	·40	—	—	—	—	·25	·25	·46	—	14
15	·07	—	—	·20	—	—	—	—	1·10	·65	·04	—	15
16	—	—	—	—	—	—	—	—	·21	—	—	—	16
17	—	—	—	—	·18	—	—	—	·82	—	—	·06	17
18	·08	—	—	—	—	—	—	·55	—	—	—	·05	18
19	—	—	—	·48	—	—	—	—	—	—	—	·02	19
20	—	—	—	·05	—	·90	·50	—	—	—	—	·03	20
21	—	·12	—	—	—	—	·40	—	·29	—	—	·24	21
22	—	—	—	·31	—	—	—	·03	·10	—	—	·36	22
23	—	—	—	—	—	—	·38	—	—	—	—	·65	23
24	—	—	—	—	·19	—	—	—	—	—	—	·15	24
25	—	—	—	—	·06	—	·20	—	—	—	—	—	25
26	—	—	·25	—	—	·08	—	—	—	—	—	·10	26
27	·67	—	—	·15	—	—	—	—	—	—	·23	·34	27
28	·54	—	·20	—	·20	—	·18	—	—	—	·03	·05	28
29	·58	—	—	·18	—	—	—	—	—	—	·27	·17	29
30	·09		—	—	—	—	·05	—	·25	—	·20	·25	30
31	—		·38		—		—	—		·62		·21	31
Total	3·64	·69	2·57	2·78	1·36	1·91	4·88	·93	3·14	2·30	1·33	3·38	Year's Total 28·91
Days with ·01 in. or more	15	5	9	15	10	5	16	5	8	6	9	21	~~122~~
Days with ·04 in. or more	15	5	9	14	8	5	15	3	8	5	6	16	109

(44,283). 10/19. (52,638). Wt.10,000—359: 10,000. (2). 7/20. Gp.132. A.&E.W.

TURNERS HILL

SUSSEX

1911-20

REGIS 9 11

FORM A. BRITISH RAINFALL. 13 JAN 1912

Kept at South Hill ng.

ion Three Bridges.

in the County of Suss 9-a.m

ge 8 in.

by T. E. Ravensh ge above Ground 1 ft. 6 in.

„ Sea Level 558 ft.

NOTE.—Rain should be measured d . Full instructions for the measurement of rain and particulars as to the British l Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3	0	1	44	0	0	0	2	0	0	8	0	1
2	12	0	2	11	42	0	6	0	0	0	17	50	2
3	2	2	2	0	25	0	0	3	0	0	18	6	3
4	8	2	2	15	0	0	0	0	1	32	37	48	4
5	2	2	0	40	0	0	0	0	0	62	2	3	5
6	35	0	3	3	0	0	0	0	0	2	2	70	6
7	7	0	0	2	0	0	0	0	0	20	65	32	7
8	8	0	12	0	0	0	0	0	0	2	68	38	8
9	25	0	13	2	0	0	0	0	0	0	15	10	9
10	2	11	14	4	0	0	0	0	0	0	2	92	10
11	42	0	7	0	52	0	0	0	0	0	1-40	2	11
12	2	0	40	0	1	0	0	0	2	0	9	2	12
13	0	0	48	0	5	0	0	0	52	5	3	30	13
14	0	10	2	0	30	0	0	0	0	1	2	90	14
15	0	6	18	0	0	0	0	0	0	1	12	4	15
16	1	2	7	0	0	34	0	0	0	0	112	25	16
17	0	0	6	0	0	11	0	0	0	0	1-30	26	17
18	0	17	1	0	0	2	0	0	0	0	1-02	68	18
19	0	1	2	1	0	12	0	0	18	5	18	10	19
20	3	2	1	2	0	2	0	6	11	32	2	98	20
21	3	22	55	0	0	1	0	22	0	58	0	22	21
22	5	4	1	0	0	25	0	23	0	31	0	64	22
23	0	27	0	0	0	88	0	0	40	16	2	22	23
24	1	22	0	0	0	6	4	3	0	62	0	40	24
25	1	5	12	11	0	11	0	2	8	1	2	2	25
26	0	0	8	22	16	15	5	0	0	26	14	30	26
27	0	46	22	32	0	0	0	1	13	57	5	16	27
28	1	33	1	20	0	0	0	8	0	2	2	2	28
29	0	2	0	45	0	13	17	0	20	52	0	0	29
30	0		0	2	2	3	0	8	6	40	0	4	30
31	0		1		3		0	0		2		0	31
Total	1-63	2-16	2-81	2-56	1-76	2-23	-32	-78	1-71	5-03	7-81	9-06	TOTAL for year 37-86
No. of Rain Days	19	18	25	16	9	13	4	10	10	21	25	28	198

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Form A.
British Rainfall.
13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at South Hill. Worth
in the County of Sussex 8
by T. E. Ravenshaw

Lat. Long.
Nearest Railway Station Three Bridges.
Time of Observation 9- a.m
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 558 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3	0	1	44	0	0	0	2	0	0	8	0	1
2	12	0	2	11	42	0	6	0	0	0	17	50	2
3	2	2	2	0	25	0	0	3	0	0	18	6	3
4	8	2	2	15	0	0	0	0	1	32	37	48	4
5	2	2	0	40	0	0	0	0	0	62	2	3	5
6	35	0	3	3	0	0	0	0	0	2	2	70	6
7	7	0	0	2	0	0	0	0	0	20	65	32	7
8	8	0	72	0	0	0	0	0	0	2	60	38	8
9	25	0	13	2	0	0	0	0	0	0	15	10	9
10	2	11	14	4	0	0	0	0	0	0	2	92	10
11	42	0	7	0	52	0	0	0	0	0	1-40	2	11
12	2	0	40	0	1	0	0	0	2	0	9	2	12
13	0	0	48	0	5	0	0	0	52	5	3	30	13
14	0	10	2	0	30	0	0	0	0	1	2	90	14
15	0	6	18	0	0	0	0	0	0	1	12	4	15
16	1	2	7	0	0	34	0	0	0	0	112	25	16
17	0	0	6	0	0	11	0	0	0	0	1-30	26	17
18	0	17	1	0	0	2	0	0	0	0	1-02	68	18
19	0	1	2	1	0	12	0	0	18	5	18	10	19
20	3	2	1	2	0	2	0	6	11	32	2	98	20
21	3	22	55	0	0	1	0	22	0	58	0	22	21
22	5	4	1	0	0	25	0	23	0	31	0	64	22
23	0	27	0	0	0	88	0	0	40	16	2	22	23
24	1	22	0	0	0	6	4	3	0	62	0	40	24
25	1	5	12	11	0	11	0	2	8	1	2	2	25
26	0	0	8	22	16	15	5	0	0	26	14	30	26
27	0	46	22	32	0	0	0	1	13	37	5	16	27
28	1	33	1	20	0	0	0	8	0	2	2	2	28
29	0	2	0	45	0	13	17	0	20	52	0	0	29
30	0		0	2	2	3	0	8	6	40	0	4	30
31	0		1		3		0	0		2		0	31
Total	1-63	2-16	2-81	2-56	1-76	2-23	- 32	- 78	1-71	5-03	7-81	9-06	TOTAL for year 37-86
No. of Rain Days	19	18	25	16	9	13	4	10	10	21	25	28	198

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exe DL

REGISTER OF RAINFALL IN 1912

10 JAN 1913

Kept at South Hill. Worth
in the County of Sussex 8
by T. E. Ravenshaw

RAIN GAUGE.
Lat. Lon.
Time of Observation 9. a.m
Diameter 8 in.
Height of top above Ground 1½ ft
" " Sea Level 558 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1	-	20	2	-	10	10	.	3	92	.	30	1
2	.	2	40	1	-	8	32	-	.	3	-	2	2
3	2	4	12	-	-	25	2	45	3	-	.	4	3
4	18	.	72	.	4	12	1	5	.	-	22	2	4
5	12	10	28	1	1	-	-	32	-	-	6	4	5
6	55	12	.	.	5	-	-	40	.	-	.	7	6
7	-	2	2	-	20	36	.	42	-	-	.	15	7
8	38	48	34	.	-	4	-	52	-	-	-	5	8
9	-	16	2	4	-	40	15	3	-	-	.	22	9
10	2	10	1	-	-	.	.	28	.	-	8	38	10
11	4	30	2	.	-	2	-	2	5	-	2	27	11
12	2	20	3	.	22	7	-	26	.	-	-	5	12
13	.	2	12	.	-	-	.	1	-	-	14	10	13
14	.	-	3	-	7	-	-	22	-	10	2	2	14
15	3	4	13	.	18	66	-	2	-	.	2	45	15
16	25	2	32	.	17	2	-	17	-	8	8		16
17	18	-	55	.	.	6	-	12	-	-	15	12	17
18	30	-	30	-	-	-	.	12	-	7	3	22	18
19	6	10	20	.	.	2	4	40	-	.	2	2	19
20	2	7	78	.	-	3	1	38		52	10	-	20
21	1	8	25	.	-	.	-	7	-	20	4	.	21
22	7	73	10	.	2	-	-	18	-	2	2	2	22
23	34	25	40	.	2	.	.	34	-	10	20	10	23
24	2	4	2	.	.	22	-	27	-	5	1	20	24
25	8	2	-	.	.	36	.	84	-	-	38	36	25
26	1	5	.	-	-	7	-	62	.	46	40	70	26
27	-	2	.	.	.	1	1	.	-	28	.	44	27
28	.	7	.	.	.	6	26	17	16	120	85	24	28
29	.	3	.	.	.	12	10	25	203	8	2	2	29
30	.	.	-	.	55	37	5	10	202	44	-	-	30
31	.		8		.		35	12		2		-	31
Totals	2-71	3-08	5-44	-8	1-53	3-44	1-42	7-35	4-32	4-57	2-86	4-62	41·42
Total from Jan. 1	21	24	24	4	11	21	12	25	6	16	20	26 41-42	213

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

FORM A.
BRITISH RAINFALL.

12 FEB 1914

REGISTER OF RAINFALL IN 1913

Rox. 11 Eb.

Kept at South Hill.
in the County of Sussex 8
by T. E. Ravenshaw

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Three Bridges
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1½ ft. in.
" " " " Sea Level 558 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	40	12	58	7	0	0	0	11	3	14	32	1
2	8	20	2	0	0	0	10	0	3	10	18	6	2
3	2	0	12	36	62	0	0	0	5	6	0	15	3
4	55	0	5	3	8	0	0	0	52	22	13	2	4
5	22	3	10	0	3	10	12	0	46	2	18	2	5
6	20	8	7	0	4	26	21	0	10	8	6	20	6
7	2	30	4	0	10	5	3	0	0	46	4	2	7
8	1	8	0	0	21	10	0	7	0	24	0	5	8
9	0	10	1	4	15	0	16	2	14	0	14	2	9
10	2	0	0	15	0	0	30	1	0	0	83	0	10
11	88	0	0	48	2	0	0	0	0	82	34	2	11
12	0	0	3	2	22	0	0	0	0	2	94	0	12
13	30	0	10	0	0	0	0	5	12	0	32	0	13
14	26	0	8	15	0	0	102	3	10	12	24	2	14
15	22	7	30	60	0	0	36	0	12	0	2	2	15
16	24	0	65	14	0	0	2	0	20	0	0	0	16
17	7	4⁵	8	10	0	0	38	1	2	0	2	2	17
18	3	0	10	25	0	0	2	0	0	0	18	0	18
19	30	0	18	0	0	4	14	0	62	0	0	0	19
20	102	0	8	15	0	3	0	0	0	68	5	0	20
21	2	0	25	12	0	0	0	0	0	42	90	0	21
22	30	0	40	5	2	0	4	0	10	0	2	0	22
23	1	0	27	0	0	5	2	20	2	0	0	73	23
24	6	0	0	6	0	2	0	3	0	0	7	0	24
25	0	2	0	25	0	0	0	0	0	3	2	5	25
26	0	0	12	2	0	0	2	18	0	70	0	27	26
27	0	2	7	8	38	0	0	1	0	3	0	0	27
28	12	0	35	12	0	0	0	6	0	18	0	0	28
29	10		10	48	42	0	0	16	0	4	3	0	29
30	72		0	12	0	0	0	15	0	32	0	0	30
31	2		11		0		0	63		17		0	31
Total	5-81	1-34	3-80	4-35	2-36	-65	2-94	1-55	2-71	4-74	4-85	1-99	YEAR'S TOTAL 37-09
Rain Days.	26	11	25	22	13	8	15	13	15	20	21	16	205

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at South Hill, Worth

in the County of Sussex 8

by ?Mrs R. M. Ravenshaw

Lat. Long.

Nearest Railway Station Three Bridges

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 558 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	3	5	0	0	1	20	0	0	2	8	1
2	2	0	0	3	0	9	15	2	0	0	22	20	2
3	1	0	7	20	40	0	1	5	0	0	2	3	3
4	0	0	2	30	10	0	2	5	0	0	46	28	4
5	12	0	11	46	15	5	15	22	0	0	7	0	5
6	0	18	0	17	7	7	8	5	0	0	2	48	6
7	2	83	45	22	3	14	10	0	0	0	0	40	7
8	12	80	66	2	0	10	15	27	0	0	0	18	8
9	32	0	96	32	0	0	0	2	18	0	2	122	9
10	6	5	3	15	8	0	0	0	4	0	0	7	10
11	0	80	72	4	0	2	0	0	30	0	4	46	11
12	2	14	10	0	0	0	30	0	50	0	2	66	12
13	2	75	28	0	0	0	0	0	15	5	20	95	13
14	0	45	32	0	0	3	12	3	2	28	7	72	14
15	0	40	35	0	0	0	5	6	0	4	120	8	15
16	0	10	2	0	0	0	15	0	3	0	0	0	16
17	0	55	12	0	0	0	3	0	35	0	0	20	17
18	0	22	35	0	0	0	0	0	0	0	0	60	18
19	0	16	62	0	0	0	34	0	0	4	22	10	19
20	0	35	13	0	0	10	0	0	0	3	0	10	20
21	0	84	8	0	0	0	0	5	0	6	0	4	21
22	0	5	7	0	22	5	7	6	0	32	0	0	22
23	0	0	35	0	24	10	0	0	0	5	0	3	23
24	0	0	4	0	2	0	0	0	0	2	25	0	24
25	12	0	37	0	0	0	0	7	0	42	2	0	25
26	0	0	5	0	0	0	5	28	0	8	26	70	26
27	3	0	2	0	0	0	0	3	0	0	10	82	27
28	3	5	0	0	0	0	0	0	0	18	70	46	28
29	24	2	3	0	0	0	0	0	0	53	20	3	29
30	2		22	0	2	0	0	0	0	10	155	34	30
31	7		0		16	0	2	0		0		4	31
Totals	1.22	6.72	6.57	1.96	1.49	.75	1.80	1.43	1.57	2.20	5.66	9.27	40.64
Total from Jan. 1	15	17	27	11	11	10	17	14	8	14	20	26	190

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

669

FORM A.
BRITISH RAINFALL.

17 JAN. 19[illegible]

REGISTER OF RAINFALL IN 1915

Kept at South Hill . Worth

in the County of Sussex 8

by R. M. Ravenshaw.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Three Bridges 4 [illegible]

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 538 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	65	25	s 7	0	0	0	3	0	24	0	10	40	1
2	28	22	25	12	2	0	0	22	3	11	0	10	2
3	25	2	6	22	8	0	0	18	6	0	0	64	3
4	s 15	0	1	2	0	0	0	2	0	2	0	75	4
5	4	62	0	0	0	0	0	24	0	7	0	50	5
6	62	25	8	74	0	0	60	3	0	2	0	20	6
7	25	55	7	2	0	0	10	2	0	0	0	46	7
8	3	64	2	4	0	0	16	4	0	0	3	2	8
9	0	10	0	20	0	15	0	8	0	0	45	75	9
10	40	3	3	0	0	5	0	2	0	0	0	55	10
11	0	0	3	20	0	0	0	0	0	3	70	4	11
12	5	12	0	0	14	0	0	7	0	0	75	s 4	12
13	2	102	0	0	202	0	0	0	3	0	2	0	13
14	3	5	1	0	0	0	10	3	10	0	0	68	14
15	20	2	0	0	6	0	6	7	2	0	10	s 48	15
16	0	75	0	3	3	0	1.35	15	0	0	8	6	16
17	0	72	0	0	1.10	0	3	4	0	0	0	2	17
18	0	5	s 2	0	34	0	0	0	0	0	0	0	18
19	0	24	0	0	2	0	6	0	0	6	0	0	19
20	32	0	0	5	5	0	2	0	0	0	0	20	20
21	14	2	0	0	0	0	3	0	0	16	0	8	21
22	s 62	0	7	0	0	0	1.25	0	0	3	0	22	22
23	8	s 12	12	0	0	3	8	0	0	32	0	54	23
24	2	0	5	0	0	0	64	0	42	62	0	72	24
25	0	0	0	12	0	2	15	0	0	5	0	16	25
26	2	7	0	0	0	15	2	0	0	0	0	65	26
27	0	8	3 s	0	0	7	16	0	0	48	0	8	27
28	0	6	2 s	0	0	8	2	0	1.00	52	2	2	28
29	0		0	0	0	6	77	14	2	0	60	4	29
30	14	X	0	0	0	2	2	0	0	8	77	5	30
31	8	X	0	X		X	0	56	X	1.08	X	35	31
Total	4.39	6.00	.94	1.76	3.86	.63	5.65	1.91	1.92	3.65	3.62	8.80	YEAR'S TOTAL 43.13
Rain Days.	21	24	16	11	10	9	20	16	9	15	11	28	188

W. 8,000. X. 15.

ExDL

659

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at South Hill Worth

in the County of Sussex

by Miss Ravenshaw.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Three Bridges

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 558 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22	0	5	0	20	5	0	0	20	2	36	0	1
2	68	12	18 s	0	42	2	2	0	4	75	5	0	2
3	3	75	20 s	0	2	1	5	0	25	55	90	0	3
4	28	10	3	4	25	65	0	0	27	10	48	0	4
5	5	4	0	2	0	12	0	0	0	13	84	0	5
6	3	18	12 s	22	3	hail. 35	42	0	0	10	85	0	6
7	6	2	77	0	32	5	2	0	0	4	78	6	7
8	0	0	4	0	28	3	0	0	0	0	2	52	8
9	2	0	2	0	46	5	0	0	0	0	0	22	9
10	0	28	15	4	0	23	24	0	0	2	2	10	10
11	5	22	2	12	2	8	0	0	0	0	1	4	11
12	3	12	2	22	12	22	15	0	0	10	0	0	12
13	0	30	57	8	10	3	3	2	0	8	1	0	13
14	0	55	8	0	12	0	0	0	0	5	0	10 s	14
15	0	12	16	0	0	0	0	48	0	2	0	5 s	15
16	3	3	26	18	0	0	12	15	0	0	0	0	16
17	40	4	2	6	0	0	2	32	27	152	0	0	17
18	2	20	0	3	0	0	0	40	22	32	85 s	6 s	18
19	28	2	15	26	0	3	0	3	15	0	64 s	5 s	19
20	12	0	10	7	0	8	0	0	0	0	15	65	20
21	4	0	32	0	0	0	20	0	0	0	4	42	21
22	0	3 s	6	0	0	2	2	0	0	5	3	68	22
23	4	28 s	7	0	0	6	2	2	0	10	8	4	23
24	2	0	0	0	12	7	0	2	0	37	15	35	24
25	7	111 s	23	0	2	2	0	58	0	10	6	7	25
26	0	60	8	0	0	15	0	5	6	32	0	0	26
27	0	4 s	104	0	0	12	0	42	15	35	0	20	27
28	3	45	25 s	0	0	7	0	2	8	12	4	30	28
29	0	18	2	0	0	40	0	84	16	52	0	32	29
30	0	✕	2	0	3	2	0	8	0	36	0	2	30
31	0	✕	0	✕	0	✕	0	3	✕	26	✕	0	31
Total	2-50	5-78	5-03	1-34	2-51	2-93	1-31	3-46	1-85	6.35	6-36	3-95	YEAR'S TOTAL 43-37
Rain Days.	20	23	27	12	15	24	12	15	11	24	20	18	221

W. 8,000, VIII. 16

✓ 629

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at South Hill. Worth

in the County of Sussex

by Miss Ravenshaw

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Three Bridges

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 558 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		s 2	2	s 42		2		172	35		10	3	1
2				s 20				10	2		5		2
3				s 10		—	30	27	1	12	2		3
4	30	s 23	s 5	5			26	64		40			4
5			7	27				195	85	30	5		5
6	46		15	s 12		23		2	38		16	3	6
7	10						2		4	34		5	7
8	4			12			30	23	2	40	36	32	8
9	s 18		5	6			10	20	2		3	60	9
10	12		24	4		2		17			3	2	10
11	4		17	s 45				10	7	55			11
12	5		5		1		—	12		23	3		12
13	4		20	2	5			3	4	22	2	2	13
14	s 10		5	17				10	2				14
15	s 8			s 2				12		12		5	15
16		12		20	7		40	2		85		s 145	16
17		4		10	25		20	1	38	22			17
18	5	4		10	8	Hail (105)	18	16	38	2			18
19		12	24		3	5		15	16				19
20		15	4	—	56		4	4	3		2		20
21	5	2	s 5	1	2	2	5			3	3		21
22			s 2			54		20		14			22
23		22			26	3		22		2	7	s 5	23
24		5			2	8		3		23		8	24
25		18	20			12	1		2	2			25
26			s 2			2		38	6		80	3	26
27					52			145				s 2	27
28		2	7			81		25				s 10	28
29			7		48	8	25	4		82	2	15	29
30		X	32			3	102	28		10			30
31	s 8	X	10	X		X	35	4	X	2	X	10	31
Total	1-69 ✓	1-21 ✓	2-18 ✓	2-45	2-35 ✓	2-15	3-48 ✓	9-04 ✓	2-85 ✓	5-18 ✓	1-79	3-10	YEAR'S TOTAL 37-47 ✓
Rain Days.	14 ✓	12 ✓	20 ✓	17 ✓	12 ✓	14 ✓	14 ✓	28 ✓	17 ✓	20 ✓	15 ✓	16 ✓	199 ✓

W. 8,000, IX. 17.

3·71

W MY

144

FORM A. BRITISH RAINFALL. 19. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at South Hill. Worth
in the County of Sussex
by R. M. Ravenshaw.

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Rowfant. L.B.S.C.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 558 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	3	3^s	5	3	·	-	-	·	·	22	6	1
2	·	3	2	7	·	·	-	20	-	·	20	25	2
3	-	1	12	15	28	-	·	10	-	4	40	5	3
4	-	30	3	(3*)	-	-	·	6	20	3	105	5	4
5	-	3	2	-	5	·	·	15	36	5	2	6	5
6	22	23	-	24	16	·	-	12	12	8	·	-	6
7	5	16	-	16	12	·	·	3	30	10	6	6	7
8	-	15	·	-	·	·	·	·	52	·	20	10	8
9	-	2	-	12	-	10	12	-	65	30	4	42	9
10	1	-	·	5	·	6	25	·	20	10	2	32	10
11	-	-	·	3	·	-	36	-	18	20	6	15	11
12	-	14	-		6	-	25	·	12	3	-	2	12
13	24	2	-		23	-	3	·	8	-	·	5	13
14	26		10		3	11	25	·	35	30	-	10	14
15	125		-	35^s	·	15	65	-	4	·	-	25	15
16	45		2	10	-	88^H	2	·	18	3	:	·	16
17	15		-	13	·	82	44	3	2	-	-	35	17
18	54		1	2	·	30	3	·	40	-	-	10	18
19	10		5	5^s	-	6	10	-	6	6	2	6	19
20	6	17		90	·	3	35	-	25	24	·	2	20
21	25	-		102	9	2	10	-	37	14	-	5	21
22	14	1		2	10	-	16	·	85	·	·	12	22
23	12	-		5	-	-	86	3	6	-	·	·	23
24	-	26		12	-	6	2	-	30	·	5	-	24
25	2	-		15	·	1	4	20	-	3	10	-	25
26	-	-		2	·	-	102	-	3	4	12	25	26
27	1	20	2	5	-	-	15	12	7	2	10	5	27
28	1	2	30	8	1	·	2	6	-	2	15	3	28
29	-		2	2	-	-	·	·	83	·	5	-	29
30	-	X	35	3	-	·	-	-	4	·	=	12	30
31	·	X	2	X	-	X	·	·	X	16	X	3	31
Total	3.88	1.78	1·31	4.01 ✓	1.16	2.60	5.22	1-10	6.58	1-97	2.86	3.12	YEAR'S TOTAL 35-59 ✓
Rain Days.	17	16	14	25	11	12	20	11	25	19	17	25	212

W, 6,500, VII. 18. W W C

cod for aulth ~~xf~~ RL 582

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 JAN 20

Kept at South Hill Worth

in the County of Sussex

by Miss Ravenshaw

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Three Bridges

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, ,, ,, ,, Sea Level 558 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	55	18	3	5	15	0	18	0	0	15	11	95	1
2	25	0	6	2	24	0	10	0	3	12	8^{s}	22	2
3	32	0	37	0	5	0	70	0	14	0	6	37	3
4	24	0	48	0	0	6	52	4	6	0	6	10	4
5	32	35^{s}	90	0	0	0	6	0	0	0	15	52	5
6	15	0	10	0	0	0	0	0	0	0	0	10	6
7	8	0	55	0	0	0	0	0	0	0	5	0	7
8	55	0	7	2	0	0	0	0	0	0	6	0	8
9	44	0	10	4	15	0	0	0	0	0	8	0	9
10	35	0	15	8	2	0	0	0	0	2	3	15	10
11	12	0	22	34	5	0	30	0	0	0	0	16	11
12	15	0	3	8	10	0	20	0	0	6	5^{s}	2	12
13	6	0	0	25	0	0	0	0	0	0	0	8	13
14	82	0	0	55	0	0	10	0	26	3	0	10	14
15	35	3	20	8	0	0	0	0	0	0	0	64	15
16	18	60	2	2	0	0	0	0	0	0	8^{s}	7	16
17	4	23	0	2	0	0	0	0	0	0	20	0	17
18	0	12	7	0	0	0	0	3	0	0	10	6	18
19	4	30	84	0	0	0	10	10	6	0	12	0	19
20	50	16	10	0	0	76	34	30	0	0	0	5	20
21	12	55	5^{s}	0	0	0	4	0	5	0	6	5	21
22	0	8	5^{s}	0	0	0	22	2	40	0	3	25	22
23	3^{s}	0	2	0	0	0	0	0	12	0	4	10	23
24	0	0	0	18	0	3	6	6	0	8	22	8	24
25	3	3	0	0	3	0	0	30	0	0	0	3	25
26	5	25	0	5	0	0	0	5	8	0	6^{s}	55	26
27	77^{s}	3	8	92^{s}	0	0	6	22	0	0	28^{s}	4	27
28	0	0	32^{s}	5	0	0	2	54	0	0	42	35	28
29	4		3	4	0	3	0	34	0	21	0	12	29
30	5		2	25	0	3	0	68	0	4	40	104	30
31	10		2		0		2	0		0		7	31
TOTAL	6-70	2-91	4-88	3-04	-79	-91	3-02	2-68	1-20	-71	2-74	6-27	YEARLY TOTAL 35·85 ~~35-75~~
Days with ·01 in. or more	27	13	25	18	8	5	16	12	9	8	22	26	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

42 Wns

549

FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tenth Hill Worth
in the County of Sussex
by R. M. Ravenshaw

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 558 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5	·	·	30	8	·	40	·	·	32	4	35	1
2	·	·	20	3	3	·	3	30	6	18	·	26	2
3	·	2	·	·	20	·	·	·	2	15	·	6	3
4	·	8	·	6	3	·	152	16	·	20	·	3	4
5	6	·	8	·	2	·	68	15	2	·	·	2	5
6	10	·	15	·	17	·	35	·		·	·	4	6
7	·	·	·	20	5	·	32	·		·	·	·	7
8	·	·	·	6	3	·	65	·		·	·	·	8
9	28	6	·	4	12	·	6	2		·	·	·	9
10	80	22	10	5	·	·	40			·	3	·	10
11	35	3	12	22	·	12	25			·	·	s. 36	11
12	8	3	·	45	·	26	·			·	·	·	12
13	25	6	30	·	·	·	·		2	·	10	·	13
14	·	4	52	37	·	4	2		6	14	54	·	14
15	·	3	5	22	·	·	·		125	24	18	·	15
16	5	1	3	10	·	·	·		12	·	·	3	16
17	3	·	2	2	18	·	·		145	·	·	10	17
18	4	·	·	2	16	2	·	94	42	·	2	10	18
19	5	·	·	48	·	·	·	·	2	·	·	4	19
20	7	24	·	22	·	64	·	2	5	·	·	5	20
21	·	3	·	·	·	·	92	·	50	·	·	25	21
22	4	·	·	26	·	·	3	·	3	·	·	38	22
23	3	·	·	·	·	·	45	2	·	·	·	40	23
24	·	2	12	·	·	·	5	·	·	·	·	10	24
25	·	2	3	·	·	·	42	·	3	·	·	·	25
26	5	·	15	2	·	·	·	·	·	·	3	8	26
27	60	2	·	20	·	10	·	·	·	·	92	36	27
28	62	2	12	s 3	16	·	24	·	·	·	10	5	28
29	91	·	10	s 8	2	·	·	·	·	·	22	35	29
30	4	X	·	·	·	12	22	·	27	·	42	36	30
31	5	X	5	X	·	X	·	·	X	46	X	40	31
TOTAL	4.55	·93	2.14	3.43	1.25	1.30	7.81	1.61	4.32	1.69	2.60	4.17	YEAR'S TOTAL 35.06
Days with ·01 in. or more	21	16	16	21	13	7	18	7	15	7	11	22	174
Days with ·04 in. or more	19	6	13	16	8	6	15	4	9	7	8	19	130

REG

UCKFIELD

AGRIC. COLL,

SUSSEX

1911 - 1915

FORM A2.
BRITISH RAINFALL.
31 JAN 1912

rdon.

Kept at Agricultural C

in.

round 1 ft. — in.

in the County of East

ea Level 160 ft.

a.m.

by R. C. Saxby.

ame Uckfield.

stance ½ Direction N.

IMPORTANT NOTE.— he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·00	·00	·65	·00	·00	·00	·09	·00	·00	·06	·01	1
2	·03	·00	·01	·02	·23	·00	·00	·00	·00	·00	·29	·17	2
3	·01	·00	·00	·00	·19	·00	·00	·00	·00	·00	·06	·24	3
4	·14	·01	·01	·26	·00	·08	·00	·00	·00	·25	·30	·19	4
5	·00	·00	·00	·04	·00	·00	·00	·00	·00	·78	·01	·09	5
6	·25	·00	·04	·00	·00	·00	·00	·00	·00	·00	·00	·65	6
7	·03	·00	·00	·00	·00	·00	·00	·00	·00	·55	·91	·31	7
8	·06	·00	·16	·00	·00	·00	·00	·00	·00	·00	·63	·23	8
9	·11	·00	·00	·02	·00	·00	·00	·00	·00	·00	·20	·11	9
10	·00	·11	·06	·11	·00	·00	·00	·00	·00	·00	·01	·53	10
11	·37	·00	·05	·00	·00	·00	·00	·00	·00	·00	1·08	·00	11
12	·01	·00	·80	·00	·00	·00	·00	·00	·00	·00	·05	·02	12
13	·00	·00	·13	·00	·23	·00	·00	·00	·76	·19	·00	·23	13
14	·00	·09	·00	·00	·06	·00	·00	·00	·00	·00	·00	·57	14
15	·00	·03	·18	·00	·00	·00	·00	·00	·00	·00	·13	·01	15
16	·00	·00	·00	·00	·00	·34	·00	·00	·00	·00	·57	·14	16
17	·00	·00	·08	·00	·00	·03	·00	·00	·00	·00	·50	·17	17
18	·00	·07	·02	·00	·00	·02	·00	·00	·00	·00	·80	·47	18
19	·00	·00	·00	·00	·00	·05	·00	·00	·25	·40	·15	·07	19
20	·02	·00	·02	·03	·00	·00	·00	·52	·28	·06	·00	·74	20
21	·02	·21	·00	·00	·00	·00	·00	·04	·00	·92	·00	·19	21
22	·03	·00	·32	·00	·00	·08	·00	·00	·00	·47	·00	·70	22
23	·00	·20	·00	·00	·00	1·14	·00	·00	·36	·47	·02	·10	23
24	·00	·16	·00	·00	·00	·03	·05	·12	·00	·21	·00	·27	24
25	·00	·02	·21	·07	·00	·05	·00	·01	·06	·09	·01	·01	25
26	·00	·00	·20	·26	·01	·11	·00	·00	·00	·35	·19	·28	26
27	·00	·35	·22	·14	·00	·00	·00	·00	·06	·45	·00	·15	27
28	·02	·25	·00	·15	·00	·00	·00	·02	·00	·00	·23	·01	28
29	·00		·00	·06	·00	·10	·36	·02	·17	·53	·00	·00	29
30	·00		·00	·03	·00	·04	·00	·00	·02	·37	·02	·03	30
31	·00		·00		·00		·00	·00		·00		·00	31
Total	1·17	1·50	2·50	1·84	·72	2·07	·41	·82	1·96	6·09	6·22	6·69 6·69	TOTAL for year 31·99
No. of Rain Days	14	11	16	13	5	12	2	7	8	15	21	28	152

9,000, IX. '10.

REG …rdon.

FORM A2. BRITISH RAINFALL.
31 JAN 1912

Kept at Agricultural College, Uckfield.

in the County of East Sussex 4

by R. C. Saxby.

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 160 ft.

Time of Observation 9.0 a.m.

Nearest Railway Station Name Uckfield.
Distance ½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·00	·00	·65	·00	·00	·00	·09	·00	·00	·06	·01	1
2	·03	·00	·01	·02	·23	·00	·00	·00	·00	·00	·29	·17	2
3	·01	·00	·00	·00	·19	·00	·00	·00	·00	·00	·06	·24	3
4	·14	·01	·01	·26	·00	·08	·00	·00	·00	·25	·30	·19	4
5	·00	·00	·00	·04	·00	·00	·00	·00	·00	·78	·01	·09	5
6	·25	·00	·04	·00	·00	·00	·00	·00	·00	·00	·00	·65	6
7	·03	·00	·00	·00	·00	·00	·00	·00	·00	·55	·91	·31	7
8	·06	·00	·16	·00	·00	·00	·00	·00	·00	·00	·63	·23	8
9	·11	·00	·00	·02	·00	·00	·00	·00	·00	·00	·20	·11	9
10	·00	·11	·06	·11	·00	·00	·00	·00	·00	·00	·01	·53	10
11	·37	·00	·05	·00	·00	·00	·00	·00	·00	·00	1·08	·00	11
12	·01	·00	·80	·00	·00	·00	·00	·00	·00	·00	·05	·02	12
13	·00	·00	·13	·00	·23	·00	·00	·00	·76	·19	·00	·23	13
14	·00	·09	·00	·00	·06	·00	·00	·00	·00	·00	·00	·57	14
15	·00	·03	·18	·00	·00	·00	·00	·00	·00	·00	·13	·01	15
16	·00	·00	·00	·00	·00	·34	·00	·00	·00	·00	·57	·14	16
17	·00	·00	·08	·00	·00	·03	·00	·00	·00	·00	·50	·17	17
18	·00	·07	·02	·00	·00	·02	·00	·00	·00	·00	·80	·47	18
19	·00	·00	·00	·00	·00	·05	·00	·00	·25	·40	·15	·07	19
20	·02	·00	·02	·03	·00	·00	·00	·52	·28	·06	·00	·74	20
21	·02	·21	·00	·00	·00	·00	·00	·04	·00	·92	·00	·19	21
22	·03	·00	·32	·00	·00	·08	·00	·00	·00	·47	·00	·70	22
23	·00	·20	·00	·00	·00	1·14	·09	·00	·36	·47	·02	·40	23
24	·00	·16	·00	·00	·00	·03	·05	·12	·00	·21	·00	·27	24
25	·00	·02	·21	·07	·00	·05	·00	·01	·06	·09	·01	·01	25
26	·00	·00	·20	·26	·01	·11	·00	·00	·00	·35	·19	·28	26
27	·00	·35	·22	·14	·00	·00	·00	·00	·06	·45	·00	·15	27
28	·02	·25	·00	·15	·00	·00	·00	·02	·00	·00	·23	·01	28
29	·00		·00	·06	·00	·10	·36	·02	·17	·53	·00	·00	29
30	·00		·00	·03	·00	·04	·00	·00	·02	·37	·02	·03	30
31	·00		·00		·00		·00	·00		·00		·00	31
Total	1·17	1·50	2·50	1·84	·72	2·07	·41	·82	1·96	6·09	6·22	6·69 6·69	TOTAL for year 31·99
No. of Rain Days	14	11	16	13	5	12	2	7	8	15	21	28	152

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
22 JAN 1913

Kept at Agricultural College. Uckfield

in the County of East Sussex. 4

by R. C. Sasely

Lat. 50°58′ N Long. 0°6′ E

Time of Observation 9 a.m.

Nearest Railway Station Uckfield.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·09	·00	·00	·30	·08	·00	·06	·81	·00	·25	1
2	·00	·04	·30	·00	·02	·00	·18	·00	·00	·00	·00	·00	2
3	·03	·07	·02	·00	·00	·17	·00	·25	·00	·01	·01	·00	3
4	·20	·00	·61	·00	·02	·21	·00	·03	·00	·00	·23	·00	4
5	·19	·05	·18	·00	·00	·27	·00	·14	·00	·00	·09	·01	5
6	·48	·12	·00	·00	·02	·01	·00	·91	·01	·01	·01	·13	6
7	·00	·00	·00	·00	·22	·63	·00	·50	·00	·00	·00	·11	7
8	·37	·28	·24	·00	·00	·06	·01	·02	·00	·00	·00	·03	8
9	·02	·09	·01	·04	·00	·00	·23	·30	·00	·00	·00	·05	9
10	·00	·05	·00	·00	·00	·00	·00	·21	·00	·00	·06	·35	10
11	·03	·46	·00	·00	·00	·04	·00	·00		·01	·02	·20	11
12	·00	·10	·02	·00	·12	·03	·00	·18		·00	·05	·07	12
13	·00	·00	·02	·00	·00	·00	·00	·00		·00	·12	·06	13
14	·00	·00	·00	·00	·06	·00	·00	·36		·06	·00	·01	14
15	·00	·04	·07	·00	·11	·51	·00	·00		·00	·00	·23	15
16	·20	·00	·16	·00	·10	·01	·00	·08		·09	·02	·00	16
17	·23	·00	·36	·00	·00	·04	·00	·08		·00	·12	·35	17
18	·07	·00	·38	·00	·00	·00	·04	·30		·02	·00	·25	18
19	·03	·16	·41	·00	·00	·00	·03	·43		·00	·01	·00	19
20	·05	·00	·91	·00	·00	·05	·00	·13		·48	·10	·00	20
21	·01	·07	·55	·00	·01	·00	·00	·12		·25	·06	·00	21
22	·05	·43	·06	·00	·00	·00	·02	·22	·20	·00	·00	·02	22
23	·29	·13	·35	·00	·00	·02	·00	·35	·00	·06	·16	·05	23
24	·03	·30	·00	·00	·00	·00	·03	·22	·00	·00	·00	·16	24
25	·05	·00	·00	·00	·00	·26	·00	·93	·00	·00	·28	·66	25
26	·00	·02	·00	·00	·00	·02	·02	·19	·00	·28	·39	·35	26
27	·00	·00	·00	·00	·00	·01	·00	·00	·00	·29	·00	·36	27
28	·00	·06	·00	·00	·00	·04	·07	·09	·05	·73	·54	·32	28
29	·00	·04	·00	·00	·00	·00	·46	·53	1·70	·09	·02	·00	29
30	·00		·00	·00	·45	·02	·01	·38	1·22	·32	·01	·00	30
31	·00		·01		·00		·37	·24		·00		·00	31
Total	2·33	2·51	4·75	·04	1·13	2·70	1·55	7·19	3·24	3·51	2·30	4·02	YEAR'S TOTAL 35·27
Rain Days.	17	18	19	1	10	19	13	25	10?	15	19	21	187 9?

Readings not taken between 10th and 21st
[illegible] 22nd as recorded
this fell between above dates

W. 7,500, XI. 12

See D.L.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
20 JAN 1914

Kept at Agricultural College, Uckfield
in the County of Sussex
by R. C. Saxby

4

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station Uckfield 1/2 mile
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·37	·09	·15	·00	·03	·00	·00	·02	·10	·12	·13	1
2	·23	·16	·00	·00	·02	·00	·07	·00	·01	·13	·10	·02	2
3	·00	·00	·04	·60	·28	·00	·00	·00	·02	·00	·00	·15	3
4	·27	·00	·04	·00	·01	·00	·02	·00	1·06	·23	·11	·01	4
5	·37	·06	·01	·00	·00	·16	·09	·00	·51	·02	·18	·00	5
6	·00	·00	·08	·01	·04	·15	·48	·00	·03	·43	·16	·18	6
7	·00	·34	·04	·00	·03	·07	·04	·00	·00	·27	·16	·01	7
8	·00	·10	·00	·00	·16	·04	·00	·21	·00	·27	·01	·00	8
9	·00	·02	·00	·01	·09	·00	·09	·00	·16	·02	·02	·00	9
10	·03	·00	·00	·00	·00	·00	·41	·00	·00	·00	·76	·00	10
11	·75	·01	·00	·50	·00	·00	·00	·00	·00	·79	·26	·00	11
12	·00	·00	·01	·00	·23	·00	·00	·00	·00	·01	·91	·00	12
13	·50	·00	·03	·00	·00	·00	·00	·06	·08	·00	·21	·01	13
14	·30	·00	·14	·03	·00	·00	·68	·02	·24	·04	·13	·00	14
15	·16	·00	·29	·49	·00	·00	·20	·00	·06	·00	·01	·00	15
16	·21	·00	·48	·18	·00	·00	·00	·00	·29	·00	·00	·00	16
17	·11	·06	·04	·40	·00	·00	·28	·00	·00	·00	·00	·02	17
18	·01	·00	·18	·23	·00	·00	·04	·00	·00	·00	·08	·00	18
19	·23	·00	·07	·00	·00	·01	·10	·00	·35	·00	·00	·00	19
20	·58	·00	·19	·14	·00	·16	·00	·00	·00	·52	·02	·00	20
21	·01	·00	·22	·13	·00	·00	·00	·00	·00	·60	·53	·00	21
22	·30	·00	·15	·00	·00	·00	·02	·00	·08	·00	·00	·02	22
23	·00	·00	·00	·00	·00	·01	·00	·04	·00	·00	·00	·72	23
24	·08	·00	·00	·02	·00	·03	·00	·04	·00	·01	·03	·00	24
25	·00	·01	·10	·21	·00	·00	·01	·00	·00	·02	·00	·02	25
26	·00	·00	·09	·00	·00	·00	·01	·19	·01	·89	·00	·21	26
27	·01	·00	·33	·00	·16	·00	·00	·00	·00	·05	·00	·00	27
28	·14	·00	·04	·10	·00	·00	·00	·07	·00	·17	·01	·00	28
29	·16		·00	·60	·08	·00	·00	·06	·01	·09	·01	·00	29
30	·61		·00	·21	·00	·00	·00	·38	·00	·00	·00	·00	30
31	·00		·15		·00		·00	·86		·24		·00	31
Total	5·10	1·13	2·81	4·01	1·10	·66	2·54	1·93	2·93	4·90	3·82	1·50	YEAR'S TOTAL 32·43
Rain Days.	21	9	22	17	10	9	15	10	15	20	20	12	180

W.7,000, XI. 13

Exd DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Agricultural College, Uckfield.
in the County of East Sussex. 4
by R. C. Sasely.

Lat. .... Long. ....
Nearest Railway Station Uckfield.
Time of Observation 9.0 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 160 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·03	·05	·00	·00	·04	·05	·00	·00	·17	·09	1
2	·01	·00	·00	·02	·00	·02	·33	·02	·00	·00	·03	·28	2
3	·00	·00	·03	·00	·16	·00	·01	·01	·00	·00	·01	·00	3
4	·01	·00	·00	·34	·07	·00	·00	·06	·00	·00	·32	·47	4
5	·13	·01	·10	·29	·00	·01	·14	·01	·00	·00	·00	·00	5
6	·00	·07	·02	·30	·04	·11	·00	·06	·00	·00	·01	·59	6
7	·00	·63	·13	·14	·01	·02	·08	·00	·00	·00	·00	·23	7
8	·10	·43	·42	·01	·02	·19	·05	·08	·00	·00	·00	·16	8
9	·16	·00	·59	·10	·00	·01	·00	·00	·24	·00	·01	·77	9
10	·02	·15	·01	·12	·06	·00	·00	·00	·04	·00	·01	·04	10
11	·09	·36	·40	·06	·00	·00	·00	·00	·31	·00	·02	·45	11
12	·00	·09	·10	·00	·00	·00	·29	·00	·37	·03	·02	·77	12
13	·00	·69	·27	·00	·00	·01	·00	·00	·12	·01	·14	·52	13
14	·02	·25	·17	·00	·00	·00	·00	·00	·00	·30	·31	·58	14
15	·00	·03	·31	·00	·00	·00	·00	·08	·02	·00	·65	·01	15
16	·00	·10	·00	·00	·00	·00	·03	·00	·07	·00	·01	·00	16
17	·00	·33	·19	·00	·00	·00	·00	·00	·24	·00	·00	·40	17
18	·00	·06	·55	·00	·00	·00	·02	·00	·00	·00	·00	·53	18
19	·00	·10	·93	·00	·00	·00	·12	·00	·00	·06	·25	·25	19
20	·00	·17	·10	·00	·00	·08	·00	·00	·00	·00	·00	·27	20
21	·00	·66	·06	·00	·00	·00	·00	·06	·00	·05	·00	·04	21
22	·00	·07	·11	·00	·09	·04	·13	·08	·00	·31	·00	·02	22
23	·00	·00	·28	·00	·02	·56	·00	·00	·00	·01	·00	·01	23
24	·00	·00	·04	·00	·00	·00	·00	·00	·00	·00	·19	·00	24
25	·11	·01	·20	·00	·00	·00	·00	·12	·00	·34	·01	·03	25
26	·00	·00	·06	·00	·00	·00	·02	·26	·00	·21	·16	·56	26
27	·01	·00	·00	·00	·00	·00	·00	·00	·00	·00	·17	·56	27
28	·03	·15	·01	·00	·01	·00	·00	·00	·00	·33	·27	·46	28
29	·12		·03	·00	·00	·00	·00	·00	·00	·72	·21	·02	29
30	·01		·07	·00	·00	·00	·00	·00	·00	·08	1·30	·27	30
31	·02		·00		·18		·00	·00		·00		·06	31
Total	·84	4·36	5·26	1·43	·70	1·05	1·26	·89	1·41	2·45	4·27	8·44	TOTAL for year 32·36
No. of Rain Days	14	19	26	10	10	10	12	12	8	12	21	27	181

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

corrected WD from July 23 to Dec 31 30.111.16.

592

FORM A. BRITISH RAINFALL.

2-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Agric College, Uckfield

in the County of Sussex

by R C Saxby

4

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Uckfield

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·20	·06	·00	·00	·00	·01	·00	·00	·01	·89	·43	1
2	·31	·19	·27	·15	·00	·00	·00	·00	·41	·02	·13	·27	2
3	·27	·00	·01	·22	·12	·00	·00	·17	·55	·04	·00	·18	3
4	·07	·00	·00	·00	·00	·00	·00	·09	·01	·00	·00	·46	4
5	·06	·53	·00	·04	·00	·00	·00	·04	·06	·00	·00	·47	5
6	·52	·26	·07	·63	·00	·00	·32	·03	·00	·00	·03	·73	6
7	·21	·44	·03	·09	·00	·15	·04	·10	·00	·00	·00	·12	7
8	·03	·40	·01	·01	·00	·00	·16	·00	·00	·00	·00	·30	8
9	·02	·19	·00	·16	·00	·26	·00	·00	·00	·00	·03	·01	9
10	·25	·01	·00	·00	·00	·04	·00	·00	·00	·00	·64	·72	10
11	·00	·02	·02	·00	·00	·00	·00	·04	·00	·00	·00	·66	11
12	·06	·16	·00	·13	·31	·00	·00	·00	·00	·00	·81	·00	12
13	·00	·78	·00	·00	1·58	·00	·00	·00	·00	·00	·96	·01	13
14	·02	·03	·00	·00	·00	·00	·17	·00	·06	·00	·00	·00	14
15	·15	·02	·00	·00	·06	·00	·26	·00	·03	·00	·00	·45	15
16	·00	·84	·00	·03	·10	·00	1·15	·00	·00	·00	·17	·40	16
17	·00	·37	·00	·00	1·00	·00	·00	·04	·00	·00	·00	·03	17
18	·00	·17	·00	·00	·13	·00	·00	·26	·00	·00	·00	·06	18
19	·00	·01	·00	·00	·00	·00	·00	·21	·00	·00	·03	·00	19
20	·22	·00	·00	×	·25	·00	·00	·00	·00	·03	·00	·00	20
21	·10	·03	·00		·00	·00	·00	·00	·00	·00	·00	·19	21
22	·08	·02	·05	×	·00	·00	·90	·00	·00	·08	·00	·04	22
23	·01	·07	·07		·00	·00		·00	·00	·00	·00	·21	23
24	·00	·00	·03		·00	·01	·02	·00	·51	·28	·00	·49	24
25	·00	·00	·01	·04	·00	·00	·14	·00	·25	·41	·00	·47	25
26	·00	·12	·00	·00	·00	·04	·63	·00	·00	·00	·00	·25	26
27	·00	·02	·00	·00	·00	·00	·01	·00	·00	·00	·00	·75	27
28	·06	·06	·01	·00	·00	·16	·10	·00	·00	·43	·00	·07	28
29	·00		·00	·00	·00	·02	·02	·00	1·38	·32	·00	·00	29
30	·15	✕	·00	·00	·00	·20		·00	·01	·00	·63	·02	30
31	·02	✕	·00	✕	·00	✕	·28	·25	✕	·14	✕	·03	31
							=	—	·01	·89	·43	·22	YEAR'S TOTAL
Total	3·00	4·94	·64	1·50	3·55	·88	~~4·21~~ 4·21	~~1·23~~ 1·23	~~3·27~~ 3·28	~~1·76~~ 2·64	~~4·32~~ 3·86	~~7·82~~ 7·61	~~37·12~~ 37·34
Rain Days.	19	23	12	12 ~~10(2)~~	8	8	15(3)	10	~~10~~ 11	10	10	26	~~162~~ 164

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

JAN. 1916

UCKFIELD

HORSTED PLACE

SUSSEX

1915

REGIS

Kept at Horsted Plac

in the County of Suss

by F. Barchar

r. m

sfield

Gauge 8 in.

e Ground 1 ft. in.

Sea Level 140 ft.

IMPORTANT NOTE the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·53	·19					·2	·18	1·07		·17	·28	2
3	·58	·20	·33	·28				·08		·08		·19	3
4	·13		·01	·09	·15			·05	·07			·49	4
5			·09									·44	5
6	·05	·49		·04				·15				·80	6
7	·42	·24		·63			·34					·09	7
8	·26	·49	·06	·08		·14	·11					·34	8
9	·04	·38					·32				·05		9
10	·27	·21		·17		·22		·05			·65	·83	10
11												·72	11
12		·09									·84		12
13	·06			·13	·23						·91		13
14		·98			1·70		·15		·04				14
15	·03	~~·77~~							·04			·49	15
16	·15			·3	·07		·25	·08			·16	·43	16
17		·77					1·38	·20				·02	17
18		·60			1·25			·37				·07	18
19		·15			·20								19
20													20
21	·19				·31							·19	21
22	·09									·11			22
23			·07				·95					·26	23
24	·12		·06				·09		·42			·51	24
25			·07				·		·30	·78		·72	25
26				·4			·70					·15	26
27		·20										·75	27
28		·10				·05	·07			·32		·01	28
29									1·35	·47			29
30		╳				·40	·27	·30			1·09		30
31	·18	╳		╳		╳			╳	1·02	╳	·26	31
Total	3·10	5·09	·69	1·49	3·91	·81	4·65	1·46	3·29	2·78	3·87	8·04	YEAR'S TOTAL 39·18
Rain Days.	15	14	7	9	7	4	12	9	7	6	7	21	118

W. 8,000. X. 15.

REGISTER OF

FORM A.
BRITISH RAINFALL.
3. JAN 1916

Kept at Horsted Place, Uckfield
in the County of Sussex.
by F. Barchard.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Isfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·53	·19					·2	·18	1·07		·17	·28	2
3	·58	·20	·33	·28				·08		·08		·19	3
4	·13		·01	·09	·15			·05	·07			·49	4
5			·09									·44	5
6	·05	·49		·04				·15				·80	6
7	·42	·24		·63			·34					·09	7
8	·26	·49	·06	·08		·14	·11					·34	8
9	·04	·38					·32				·05		9
10	·27	·21		·17		·22		·05			·65	·83	10
11												·72	11
12		·09									·84		12
13	·06			·13	·23						·91		13
14		·98			1·70		·15		·04				14
15	·03	~~·77~~							·04			·49	15
16	·15			·3	·07		·25	·08			·16	·43	16
17		·77					1·38	·20				·02	17
18		·60			1·25			·37				·07	18
19		·15			·20								19
20													20
21	·19				·31							·19	21
22	·09									·11			22
23			·07				·95					·26	23
24	·12		·06				·09		·42			·51	24
25			·07						·30	·78		·72	25
26				·4			·70					·15	26
27		·20										·75	27
28		·10				·05	·07			·32		·01	28
29									1·35	·47			29
30		✕				·40	·27	·30			1·09		30
31	·18	✕		✕		✕			✕	1·02	✕	·26	31
Total	3·10	5·09	·69	1·49	3·91	·81	4·65	1·46	3·29	2·78	3·87	8·04	YEAR'S TOTAL 39·18
Rain Days.	15	14	7	9	7	4	12	9	7	6	7	21	118

W. 8,000. X. 15.

51/ 0431H.0M3

REGIST 11

UPPER PORTSLADE

{BRIGHTON W.W. MILE OAK}

SUSSEX

1911-20

FORM A2. BRITISH RAINFALL.

4 - JAN

Kept at Brighton Corporation Mile

in the County of Su

by The Brighton Corporation Wa

Office Pattern & Zambra's ma 8 in.

ve Ground 1 ft. 3 in.

Sea Level 167.0 ft.

9 Am

Name Southwick

Distance 1¾ M Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	.04	—	—	.78	—	—	.01	.03	—	—	.06	.01	1
2	Snow .05	—	—	.09	.24	—	—	—	—	—	.36	.29	2
3	—	—	—	—	.21	—	—	—	—	—	.12	.30	3
4	10	.01	—	Snow .10	—	—	—	.02	—	.13	.13	.16	4
5	.01	.01	—	Snow .14	—	—	—	—	—	.72	.05	.05	5
X 6	.28	—	.07	—	—	—	—	—	—	—	01	.52	6
7	.04	—	.01	—	—	—	—	—	—	.24	1.23	.23	7
8	06	—	.17	—	—	—	—	—	—	—	.69	.18	8
9	.11	—	.01	.02	—	—	—	—	—	—	33	.07	9
10	—	.10	.10	.05	—	—	—	—	—	—	01	.32	10
11	.58	—	.04	—	.04	—	—	—	—	—	1.23	.04	11
12	—	—	Snow & Rain 1.04	—	—	—	—	—	—	—	.03	.01	12
13	—	—	Snow & Rain .07	—	.14	—	—	—	.48	.15	—	.22	13
14	—	.07	Snow 02	—	.21	—	—	—	—	—	—	.45	14
15	—	.03	Snow & Rain .07	—	—	—	—	—	—	—	.10	05	15
16	—	—	—	—	—	.47	—	—	—	—	.84	.14	16
X 17	—	—	—	—	—	.02	—	—	—	—	.83	.17	17
18	—	.12	.08	.02	—	—	—	—	—	—	1.61	.40	18
19	—	.03	—	—	—	03	—	—	16	.25	.03	.11	19
20	.03	—	.01	—	—	—	—	.19	29	.03	—	.61	20
21	.03	.20	—	—	—	—	—	.04	—	.69	—	.38	21
22	.28	02	.11	—	—	.12	—	.09	—	.44	—	.47	22
23	—	.15	.05	—	—	.88	—	—	.35	.83	.02	.20	23
24	.02	.25	—	—	—	.15	.01	.01	—	.14	—	.31	24
25	—	.02	Snow .10	.11	—	.05	.04	—	.08	.03	—	.02	25
26	—	—	Snow & Rain .13	.28	—	.07	.01	—	—	.22	Snow .15	.34	26
27	—	.47	.34	.09	—	—	—	—	03	.43	.15	.22	27
28	—	.14	—	.15	—	—	—	.04	—	—	.03	.01	28
29	—		—	.02	—	.14	.32	—	37	.35	—	—	29
30	—		—	.04	—	.12	—	.02	.03	.20	—	.02	30
31	—		—		—		—	—		—		—	31
99 Total	1.63	1.62	2.42	1.89	.84	2.05	.39	.44	1.79	4.85	8.01	6.20	32.13
No. of Rain Days	13	14	17	13	5	10	5	8	8	15	21		

9,000, IX: '10.

55/04314.073

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

4 - JAN

Kept at Brighton Corporation Waterworks Mile Oak Works

in the County of Sussex. 3

by The Brighton Corporation Waterworks.

RAIN GAUGE
Pattern Met. Office Pattern Negretti & Zambra's ma...
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 167.0 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Southwick
Distance 1¾ M Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.78	—	—	.01	.03	—	—	.06	.01	1
2	Snow .05	—	—	.09	.24	—	—	—	—	—	.36	.29	2
3	—	—	—	—	.21	—	—	—	—	—	.12	.30	3
4	10	.01	—	Snow .10	—	—	—	.02	—	.13	.13	.16	4
5	.01	.01	—	Snow .14	—	—	—	—	—	.72	.05	.05	5
6	.28	—	.07	—	—	—	—	—	—	—	01	.52	6
7	.04	—	.01	—	—	—	—	—	—	.24	1.23	.23	7
8	06	—	.17	—	—	—	—	—	—	—	.69	.18	8
9	.11	—	.01	.02	—	—	—	—	—	—	33	.07	9
10	—	.10	.10	.05	—	—	—	—	—	—	01	.32	10
11	.58	—	.04	—	.04	—	—	—	—	—	1.23	.04	11
12	—	—	Snow & Rain 1.04	—	—	—	—	—	—	—	.03	.01	12
13	—	—	Snow & Rain .07	—	.14	—	—	—	.48	.15	—	.22	13
14	—	.07	Snow .02	—	.21	—	—	—	—	—	—	.45	14
15	—	.03	Snow & Rain .07	—	—	—	—	—	—	—	.10	05	15
16	—	—	—	—	—	.47	—	—	—	—	.84	.14	16
17	—	—	—	—	—	.02	—	—	—	—	.83	.17	17
18	—	.12	.08	.02	—	—	—	—	—	—	1.61	.40	18
19	—	.03	—	—	—	03	—	—	16	.25	.03	.11	19
20	.03	—	.01	—	—	—	—	.19	.29	.03	—	.61	20
21	.03	.20	—	—	—	—	—	.04	—	.69	—	.38	21
22	.28	02	.11	—	—	.12	—	.09	—	.44	—	.47	22
23	—	.15	.05	—	—	.88	—	—	.35	.83	.02	.20	23
24	.02	.25	—	—	—	.15	.01	.01	—	.14	—	.31	24
25	—	.02	Snow .10	.11	—	.05	.04	—	.08	.03	—	.02	25
26	—	—	Snow & Rain 13	.28	—	.07	.01	—	—	.22	Snow .15	.34	26
27	—	.47	.34	.09	—	—	—	—	03	.43	.15	.22	27
28	—	.14	—	.15	—	—	—	.04	—	—	.03	.01	
29	—		—	.02	—	.14	.32	—	37	.35	—	—	
30	—		—	.04	—	.12	—	.02	.03	.20	—	.02	
31	—		—		—		—	—		—		—	
99 Total	1.63	1.62	2.42	1.89	.84	2.05	.39	.44	1.79	4.85	8.01	6.20	32.13
No. of Rain Days	13	.14	.17	.13	.5	.10	5	8	8	15	21		

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

Ex. 18[illegible]

Kept at Brighton Corporation Waterworks Mile Oak.

in the County of Sussex 3

by Jas. [illegible]

Lat. .... Long. ....

Time of Observation 9.0 am

Nearest Railway Station Portslade

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 167.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
12 1	.01	—	.05	02	.05	.28	.13	.01	02	.86	—	.23	1
2	—	Snow .02	42	—	—	.04	23	—	—	—	—	—	2
3	.02	Snow .04	07	—	—	.20	—	63	03	—	—	—	3
4	.24	Snw Rain 07	45	—	—	22	—	.06	—	—	.22	.02	4
5	29	.06"	07	—	—	03	—	.35	—	—	.13	—	5
6	60	.12	—	—	.05	01	—	90	.01	—	.02	17	6
7	—	—	—	—	.26	.70	—	27	—	—	—	.08	7
8	66	31	.14	—	—	.04	01	07	—	—	—	06	8
9	11	04	03	02	—	.10	07	22	—	—	—	12	9
10	01	07	04	—	—	—	—	27	—	—	.28	37	10
11	04	46	—	—	.01	—	—	—	—	—	—	14	11
12	—	08	03	—	.12	09	01	32	—	—	—	03	12
13	—	02	02	—	—	—	.17	—	—	—	.03	31	13
14	—	—	01	—	13	—	—	09	—	10	—	04	14
15	01	13	09	—	10	47	—	—	—	—	01	.27	15
16	13	01	18	—	14	.13	—	.15	—	.08	02	—	16
17	34	—	25	—	02	.10	—	10	—	—	.13	.40	17
18	07	—	39	—	—	—	—	12	—	.03	01	.40	18
19	04	08	.35	—	—	01	.06	30	—	—	.02	—	19
20	07	02	66	—	—	—	—	02	—	.55	.01	—	20
21	.01	24	36	—	.09	—	01	14	—	.27	.09	—	21
22	09	63	07	—	—	—	—	26	—	.01	—	.03	22
23	39	17	33	—	.01	—	—	33	—	18	.17	10	23
24	03	09	01	—	—	—	.01	38	—	01	—	.17	24
25	11	—	—	—	—	.27	—	1.10	—	03	.39	.46	25
26	—	06	—	—	—	—	—	.11	—	50	.85	.27	26
X 27	—	01	.01	—	—	02	—	—	—	.20	—	.54	27
28	—	08	—	—	—	.06	15	09	19	83	.68	.20	28
29	—	.02	—	—	—	—	15	81	1.53	.05	St rain .01	—	29
30	—		—	—	.34	—	04	53	1.14	.40	St Rain 02	.01	30
31	—		.05		—		.14	.20		—		—	31
99 Total	3.27	2.83	4.08	04	1.32	2.77	1.18	7.73	2.92	4.10	3.09	4.42	YEAR'S TOTAL 37.75
Rain Days.	20	23	.23	2	12	.17	.13	.26	6	15	.18	22	197

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
8- JAN 1914

REGISTER OF RAINFALL IN 1913

Brighton Corporation Waterworks
Kept at Mile Oak Works
in the County of Sussex 3
by Mr James Johnston. Waterworks Engineer

Lat. Long.
Time of Observation 9. am
Nearest Railway Station ~~Portslade~~ Southwick
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 167 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	.05	.52	.10	.15	—	23	—	—	.04	.03	.06	.10	1
2	.06	.13	—	—	—	—	.07	—	—	.29	12	.04	2
3	.02	—	.07	.41	.21	—	—	—	—	.01	—	.14	3
4	.37	—	.11	—	.02	—	02	—	1.23	.26	11	01	4
5	20	05	03	—	—	22	07	—	.19	04	21	01	5
6	01	04	.10	02	19	20	.18	—	.01	34	15	27	6
7	—	28	.11	—	07	.03	09	—	—	.23	15	—	7
8	—	12	—	—	.17	.08	—	.34	—	.27	—	06	8
ME 9	—	12	—	02	.24	.03	09	02	.13	—	06	02	9
10	03	—	—	05	.01	.04	.55	—	—	.22	.58	.01	10
11	.90	—	—	.53	—	—	—*	—	—	69	.27	.02	11
12	—	—	—	—	.87	—	—	—	—	01	1.02	.01	12
13	.46	—	.03	—	—	—	—	02	.06	—	.16	—	13
14	30	—	.13	02	—	—	1.75	—	15	.04	.30	—	14
15	20	04	.35	.32	—	—	.22	—	06	—	.01	.01	15
16	17	—	48	.17	—	—	02	—	04	—	—	.01	16
17	08	Snow 07	—	.21	—	—	.30	—	—	—	.04	.02	17
18	02	—	06	.16	—	—	.03	—	.02	—	09	—	18
19	.24	—	07	—	.06	.02	.11	—	.50	—	—	—	19
20	.45	—	.02	.26	.02	.24	—	—	—	.53	.01	—	20
21	—	—	.16	.21	—	—	—	—	—	.64	.82	—	21
22	32	—	.35	—	—	—	.03	.07	.16	.06	—	—	22
23	—	—	.13	—	—	.02	—	.08	—	—	—	.87	23
24	12	—	—	.04	—	—	—	.11	—	01	.09	—	24
25	—	.03	—	.16	—	—	—	—	—	—	.01	—	25
26	—	—	.11	—	—	—	—	.11	—	73	.01	.21	26
27	—	.04	.11	07	—	—	—	—	—	07	.01	—	27
28	.10	—	24	.05	—	—	—	.02	—	08	.01	—	28
29	12		.05	.33	.73	—	—	.09	—	22	.01	—	29
30	67		—	.14	—	—	—	29	—	10	—	—	30
31	.01		.10		—		—	1.04		24		—	31
99 Total	4.90	1.44	2.91	3.32	2.59	1.11	3.48	2.19	2.59	5.11	4.20	1.81	YEAR'S TOTAL 35.65
Rain Days.	~~22~~	~~11~~	~~21~~	~~19~~	~~11~~	.10	14	11	12	22	23	16	192

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL
FORM A.
7 - JAN 1915

Brighton Corporation Waterworks
Kept at Mile Oak works
in the County of Sussex 3
by Mr. J. Johnston. Ex. M.G.

Lat. 50° 51' 30" Long. 0° 14
Time of Observation 9. am.
Nearest Railway Station ~~Portslade~~ Southwick
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 167 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·47

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	—	—	—	.09	—	—	—	·15	—	—	.14	09	1
2	02	—	—	.01	—	—	04	—	—	—	13	14	2
3	—	01	09	·05	26	—	02	02	—	—	01	—	3
4	—	01	-	.35	—	—	01	03	—	—	.29	.46	4
5	.16	01	11	.44	03	02	16	—	—	—	04	—	5
6	—	09	01	25	06	09	—	03	—	—	.01	50	6
7	02	35	25	16	04	06	13	—	—	—	—	20	7
8	06	59	38	06	01	25	11	·05	—	—	—	20	8
9	08	01	62	10	—	—	—	.02	12	—	—	1.42	9
10	12	08	—	18	28	—	—	—	06	—	02	02	10
11	—	53	45	.04	02	.01	—	—	26	—	.04	71	11
12	—	10	13	—	—	—	44	—	65	—	02	53	12
13	—	42	21	—	—	.05	—	—	26	02	10	41	13
14	—	14	14	—	—	—	13	—	—	46	18	60	14
15	—	10	29	—	—	—	—	.21	—	02	1.05	01	15
16	—	16	—	—	—	—	07	—	17	—	—	—	16
17	—	58	.14	—	—	—	—	—	07	—	—	·18	17
18	—	07	.31	—	—	—	—	—	—	—	—	28	18
19	—	23	St Rain .90	—	—	—	27	—	—	.01	24	21	19
20	—	14	11	—	—	12	01	—	—	—	—	31	20
21	—	54	.07	—	—	—	—	—	—	08	—	—	21
22	—	07	.08	—	.15	09	05	—	—	64	—	-01	22
23	—	—	.23	—	—	56	02	—	—	03	—	—	23
24	—	—	06	—	—	—	—	—	—	—	15	—	24
25	08	—	27	—	—	—	—	14	—	·40	02	03	25
26	—	—	23	—	—	—	—	16	—	.12	13	.55	6.85 26
27	03	—	—	—	—	—	—	—	—	—	13	.44	27
28	02	.05	—	—	.03	—	22	—	—	34	38	.42	28
29	14	×	06	—	—	—	—	—	—	70	11	.03	29
30	02	×	.13	.18	—	—	—	—	—	12	1.06	.27	30
31	.02	×	—	×	16	×	.02	—	×	—	×	01	31
99 Total	·77	4.28	5.27	1.91	1.04	1.25	1.70	·81	1.59	2.94	4.25	8.02	YEAR'S TOTAL 33.83
Rain Days.	12	21	23	12	10	9	15	9	7	12	20	25	175.

W. 8,000. X. 14.

Ed. List

5-3-5

FORM A.
BRITISH RAINFALL.

8. JAN 1916

REGISTER OF RAINFALL IN 1915

Brighton Corporation Waterworks

Kept at Mile Oak Works

in the County of Sussex. 3

by

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Portslade

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground -1 ft. 3 in.

" " " " Sea Level 167.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	.47	.24	—	—	—	—	.03	—	1.10	07	.09	.32	1
2	.33	.16	.27	.15	—	01	—	.07	.10	31	—	.20	2
3	.29	—	.11	.22	.09	01	—	.04	—	—	—	.63	3
4	.07	—	—	.02	—	—	—	.24	—	—	—	.41	4
5	.17	39	—	.02	—	—	—	.15	—	—	02	.61	5
6	.91	.30	.02	.44	—	—	.42	—	—	—	—	.20	6
7	.40	.35	.09	.04	—	.03	.12	—	—	—	—	.23	7
8	.03	.37	01	—	—	—	.29	—	—	—	03	03	8
9	.06	19	—	.17	—	.08	—	05	—	—	.42	1.05	9
10	.31	—	—	—	—	—	—	—	—	—	—	82	10
11	.01	01	.06	—	—	—	—	—	—	.06	.87	.06	11
12	.06	16	—	.25	.33	—	—	—	—	—	.81	—	12
13	.02	52	—	—	2.14	—	—	—	.06	—	—	—	13
14	.08	—	—	—	—	—	13	02	.10	—	—	.57	14
15	.13	03	—	—	.07	—	37	.40	—	—	Snow & rain 13	30	15
16	.02	.55	—	.01	.07	—	1.32	.16	—	—	—	08	16
17	—	37	—	—	1.16	—	.03	.47	—	—	—	—	17
18	.01	.10	—	—	21	—	—	—	—	—	.08	02	18
19	—	.07	—	—	02	—	—	—	—	—	—	—	19
20	.23	—	—	—	13	—	—	—	—	—	—	10	20
21	Snow, Rain 09	—	—	—	—	—	—	—	—	29	—	05	21
22	Snow .30	05	.10	.10	—	—	.87	—	—	.11	—	17	22
X 23	—	Snow 05	.18	—	—	.01	.03	—	02	01	—	98	23
24	—	—	.01	.01	—	—	—	—	32	.60	—	43	24
25	—	—	.04	—	—	—	19	—	—	—	—	.40	25
26	—	.10	—	—	—	.04	01	—	—	—	—	1.03	26
27	—	.02	—	—	—	—	06	—	—	52	—	03	27
28	—	.10	—	—	—	.29	01	—	1.28	20	—	—	28
29	—		—	—	—	.01	—	24	—	02	47	.04	29
30	.23		—	—	—	—	—	—	06	33	.48	.03	30
31	.02		—		—		—	.18		.67		.23	31
99 Total	4.24	4.07	.89	1.43	4.22	.48	3.88	2.02	3.04	3.39	3.40	9.02	YEAR'S TOTAL 40.08
Rain Days.	22	20	10	11	9	8	14	11	8	12	10	26	161

W. 8,000. X. 15.

543

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Brighton Corporation Waterworks

REGISTER OF RAINFALL IN 1916

Kept at Mile Oak Works

in the County of Sussex

by Jas. Phelan

Lat. Long.
Time of Observation 9. Am
Nearest Railway Station Portslade
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 167.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.02	.01	—	.14	.05	—	—	.05	.06	.48	—	1
2	.47	.05	.49	—	.21	.02	.03	—	—	.88	.05	—	2
3	.02	.38	.19	—	~~0~~	.01	.04	—	.17	.62	.65	—	3
4	.17	.07	—	—	.01	.47	—	—	.16	.05	.29	—	4
5	.05	.01	—	.04	.17	.05	—	—	—	.06	.48	—	5
6	.02	.04	$.03^{5}$	.06	.03	.03	.30	—	—	.02	.24	—	6
7	—	.03	$.76^{5}$	—	.20	.07	—	—	—	.06	.41	.03	7
8	—	.06	$.03^{5}$	—	.32	—	—	—	—	—	.06	.48	8
9	—	—	.01	—	.21	—	—	—	—	—	—	.09	9
10	—	.51	.04	.05	.01	.36	.06	—	—	.01	.03	.38	10
11	.02	.18	.01	.14	—	.36	—	—	—	—	—	.17	11
12	.06	.09	.04	.09	.09	.13	.08	—	.02	.03	.01	.01	12
13	—	.32	.29	.01	.03	.03	—	.01	—	.01	.01	.04	13
14	—	.53	.09	.04	.13	—	—	.04	—	.01	—	.19	14
15	—	.26	.12	.02	—	—	—	—	—	—	—	—	15
16	.04	.03	.24	.26	—	—	.05	.02	—	—	—	—	16
17	.36	.20	—	.13	—	—	—	.04	.29	.75	—	—	17
18	.01	.07	.02	.02	—	—	—	.11	.18	.11	.80	.13	18
19	.16	—	.16	.16	—	.04	—	.04	.04	—	.76	.09	19
20	.11	—	.12	.15	—	.07	—	—	—	—	.27	.54	20
21	.03	—	.26	—	—	—	.08	—	—	—	.07	.42	21
22	.02	.01	.02	—	—	.01	—	—	—	.17	.02	.73	22
23	.02	.20	.03	—	—	.06	—	.01	—	.13	.01	.02	23
24	.01	—	—	—	.25	.01	—	.02	—	.17	.04	.38	24
25	—	.59	.15	—	—	—	—	.68	.03	.08	.05	—	25
26	.06	.59	—	—	—	.38	—	.04	.22	.20	—	.06	26
27	.01	.21	.81	—	—	—	—	.06	.06	.35	—	.02	27
28	.01	.60	.03	—	—	.50	—	.10	.33	.34	—	.41	28
29	—	.27	—	—	—	.29	—	.65	.18	.48	—	.50	29
30	—	✕	—	—	.06	—	—	.02	—	.54	—	—	30
31	-	✕	—	✕	—	✕	-	.07	✕	.02	✕	—	31
99 Total	1.71	5.12	3.95	1.17	1.86	2.94	.64	1.91	1.73	5.15	4.73	4.69	YEAR'S TOTAL 35.60
Rain Days.	20	24	23	.13	14	19	7	15	12	23	19	19	✓ 208

W. 8,000, VIII. 16

521

FORM A.
BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917

Brighton Corporation Waterworks

Kept at Mile Oak Works

in the County of Sussex.

by Jas: Johnston

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Portslade

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 167.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	~~STR~~ .15	–	–	–	1.40	.09	–	.14	–	1
2	–	–	–	~~STR~~ .08	–	–	–	.02	–	.01	.12	–	2
3	.02	– ~~S~~	–	~~STR~~ .07	–	–	.81	.18	–	.05	.02	–	3
4	–	.13	~~STR.~~ .19	–	–	–	.05	.54	–	.20	–	–	4
5	.35	–	.03	.18	–	.02	–	–	.22	.18	.05	–	5
6	–	–	.30	.05	–	.96	–	–	.22	–	.17	.01	6
7	.31	–	–	–	–	–	.10	–	–	.33	–	.11	7
8	.09	–	– S	~~Rt Snow~~ .10	–	–	.14	.05	–	.36	.29	.50	8
9	.01	–	.13	~~Snow~~ .03	01	–	.15	.01	–	.03	.06	.54	9
10	.15	–	.15	~~RtS~~ .04	–	.22	–	.09	–	–	.01	.01	10
11	.14	–	.14	~~RtS~~ .45	–	–	–	.08	–	.55	–	–	11
12	.04	–	.10	~~Rt~~ .10	–	–	–	.17	–	.27	.01	–	12
13	.02	–	.20	–	.10	–	–	.03	.05	.25	–	–	13
14	–	–	.01	.14	–	–	–	.16	–	–	.01	–	14
15	– ~~S~~	–	–	–	–	–	–	.11	–	.28	–	.05	15
16	.03	.23	–	.11	.09	–	–	–	–	.26	–	~~STR.~~ 1.10	16
17	.02	.03	–	.11	.19	–	.42	–	.44	.11	–	–	17
18	.01	.04	–	.09	.12	–	.18	.15	.36	–	–	–	18
19	.01	.38	.08	–	–	.23	–	–	.20	–	–	–	19
20	– ~~S~~	.19	.02	–	.37	.02	–	–	–	–	.01	–	20
21	.06	–	~~Snow~~ .11	–	.02	.01	–	–	–	.01	–	.03	21
22	–	–	–	–	–	.23	–	21	–	.30	–	–	22
23	–	.33	–	–	.21	–	–	.08	–	–	–	.05	23
24	–	.22	–	–		.03	.27	.01	–	.26	.05	–	24
25	–	.17	.03	–	–	.07	.10	–	–	–	–	–	25
26	–	–	~~STR~~ .06	–	–	.01	–	.47	.08	–	.87	–	26
27	–	–	–	–	.04	–	–	1.10	–	–	–	–	27
28	–	–	.07	–	–	1.39	–	.69	–	–	–	~~STR~~ .07	28
29	–	X	.04	–	.02	–	.07	.06	–	.36	–	.12	29
30	– S	X	.45	–	–	.02	.47	.37	–	.09	–	.06	30
31	.03	X	.03	X	–	X	.13	–	X	.06	X	~~Snow~~ .12	31
99 Total	1.29	1.72	2.14	1.70	1.17	3.61	2.89	5.98	1.66	3.96	1.81	2.77	YEAR'S TOTAL 30.70
Rain Days.	15	9	18	14	10	12	12	21	8	19	13	13	164

W, 8 000, IX. 17.

51

FORM A.
BRITISH RAINFALL

24.1.19

REGISTER OF RAINFALL IN 1918

Brighton Corporation Waterworks
Kept at Mile Oak
Upper Portslade
in the County of Sussex
by Jas: Johnston

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Portslade
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 167.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.02	Snow .03	–	–	–	–	.01	–	–	.18	.13	1
2	–	.02	–	.02	–	–	–	.40	–	–	.32	.33	2
3	–	.01	.12	.04	.25	–	–	.04	–	.01	.28	.03	3
4	.01	.06	.02	.01	–	–	–	.06	.10	–	.53	.07	4
5	–	.04	.06	–	.07	–	–	.12	.03	.02	–	.02	5
6	.20	.22	–	.17	.18	–	–	.55	.04	–	–	.03	6
7	.02 Sn	.06	–	.22	.36	.01	–	.05	.16	.03	.11	–	7
8	–	.02	–	–	–	–	–	–	.27	.04	.05	.07	8
9	Sn .03	–	–	.08	–	.14	.02	–	.42	.17	.01	.33	9
10	–	–	–	.05	–	.01	.17	–	.22	.17	–	.28	10
11	–	.01	–	–	–	–	.18	–	.07	.16	.06	.09	11
12	–	.08	–	–	.23	–	–	–	.04	.01	–	.03	12
13	.24	.01	–	–	.08	–	.16	–	.35	–	–	.03	13
14	.30	–	.11	–	.02	.09	.16	–	.48	.40	–	.06	14
15	1.68	–	–	.19	–	.04	.08	–	.01	–	–	.13	15
16	sleet .39	–	.01	.07	–	–	.07	–	.32	–	–	–	16
17	Sn .34	–	–	.17	–	–	.39	.02	–	–	–	.36	17
18	.40	–	–	–	–	.40	.01	–	.75	–	–	.07	18
19	.07	–	.16	.03	–	.38	.04	–	–	.05	–	–	19
20	.05	.24	–	.46	–	.05	.48	.01	.24	.12	–	–	20
21	.22	.01	.01	.82	–	–	.19	–	.33	.16	–	.05	21
22	.15	–	–	–	.13	–	.41	–	.65	–	–	.18	22
23	.13	–	–	.02	–	–	.60	.07	.02	–	–	.10	23
24	.01	.20	–	–	–	–	.02	–	.30	–	.08	.01	24
25	.02	–	–	.16	–	–	–	.23	–	.04	–	–	25
26	.01	–	–	–	–	–	.23	–	.12	.02	.13	.10	26
27	–	.05	.02	.07	–	–	.03	.22	.26	–	.10	.05	27
28	–	S .06	.16	.10	–	.10	–	–	–	.07	.14	.05	28
29	.01	X	.01	–	–	–	–	–	1.24	.01	.02	.02	29
30	.01	X	.60	–	–	–	–	–	.02	.17	–	.04	30
31	–	X	–	X	–	X	–	–	X	.05	X	–	31
99 Total	4.21	1.11	1.31	2.68	1.32	1.22	3.24	1.78	6.24	1.70	2.01	2.45	YEAR'S TOTAL 29 27
Rain Days.	21	16	12	17	8	9	17	12	23	18	13	25	191

W, 6,500, VII 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Brighton Corporation Waterworks Mile Oak.
in the County of Sussex
by Jas: [illegible] M. Inst: C.E.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Portslade
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
" " " " Sea Level 167·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	.04	.01	—	.02	—	.18	—	—	.09	.02	.64	1
2	.14	—	.04	—	.02	—	.02	—	.01	.04	.04	.08	2
3	.24	—	.58	—	.05	—	.01	—	.05	—	.01	.34	3
4	.25	.07	.46	—	.01	.04	.13	.04	.01	—	.01	.06	4
5	.	~~[illegible]~~ .43	1.00	—	—	—	.01	—	.03	—	.43	.37	5
6	.33	—	.09	—	—	—	—	—	—	—	—	.05	6
7	.08	—	.36	—	—	—	—	—	—	—	—	—	7
8	.21	—	.11	—	—	—	—	—	—	—	—	—	8
9	.44	—	.15	.05	.08	—	—	—	—	—	.19	—	9
10	.64	—	.09	.05	—	—	—	—	—	—	—	.14	10
11	.22	—	.19	.43	.12	—	.03	—	—	—	—	.15	11
12	.13	—	.01	—	.01	—	.05	—	—	.04	~~Snow~~ .06	—	12
13	.03	.03	.08	.22	—	—	—	—	—	.01	—	.02	13
14	.43	—	—	.42	—	—	.08	—	.25	.01	—	.28	14
15	.13	.05	.18	.04	—	—	—	—	—	—	—	1.04	15
16	.18	.66	—	—	—	—	—	—	—	—	.07	.03	16
17	—	~~S&R~~ .29	—	—	—	—	—	—	—	—	.11	.04	17
18	—	.05	.08	—	.02	—	—	.02	—	—	.10	.02	18
19	.07	.65	.86	—	—	.09	.76	.44	—	—	.30	.02	19
20	.56	.04	.03	—	—	.69	.03	.14	—	—	—	.06	20
21	.06	.38	—	—	—	—	.04	—	—	—	.02	.02	21
22	—	.02	~~Snow~~ .01	—	—	—	.17	—	.62	—	—	.19	22
23	—	—	.01	—	—	—	—	—	.25	—	.04	.02	23
24	—	.03	—	.19	—	.04	.07	—	—	.19	.15	.08	24
25	.04	.01	—	—	—	—	—	.47	—	—	—	.01	25
26	.02	.18	.10	.09	—	—	.02	.02	.05	—	.50	.42	26
27	~~Snow~~ .66	—	.04	~~S&R~~ .41	—	—	—	.44	—	—	~~S&R~~ .29	.03	27
28	~~Snow~~ .02	—	~~Snow~~ .38	.01	—	—	—	.68	—	—	.48	.52	28
29	~~S&Rain~~ .06		—	.04	—	.01	—	.73	—	.18	.11	.20	29
30	—		—	.26	—	.02	—	.36	—	.03	.24	.66	30
31	~~Snow~~ .07		~~S&R~~ .08		—		—	—		.02		.15	31
99 TOTAL	5.44	2.93	4.94	2.21	.33	.89	1.60	3.34	1.27	.61	3.07	5.64	YEAR'S TOTAL 32.27
Days with ·01 in. or more	24	15	23	12	8	6	14	10	8	9	19	27	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd WSWD 466

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 1921

REGISTER OF RAINFALL IN 1920.

Brighton Corporation

Kept at Waterworks. Mile Oak

in the County of Sussex

by Jas. [illegible]

Lat. Long.

Time of Observation 9 Am.

Nearest Railway Station Portslade

Diameter of Funnel of Rain Gauge ·8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 167.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	—	·04	·02	·08	—	·42	—	—	·32	—	·27	1
2	—	—	·07	·05	·04	—	·03	·23	·12	·15	—	·07	2
3	·05	—	—	—	—	—	—	·02	—	·12	—	·02	3
4	—	·15	—	·04	—	—	·90	·12	—	·20	—	—	4
5	—	—	·09	—	—	—	·50	·02	—	·02	—	—	5
6	—	—	·10	—	·32	—	·31	—	—	—	—	·01	6
7	·06	—	—	·19	·05	—	·13	—	—	—	—	—	7
8	·01	·01	—	·07	·03	—	·48	—	—	—	—	—	8
9	·25	·02	·01	·02	·02	·05	—	—	—	—	—	—	9
10	·94	·26	·15	·03	—	·09	·25	—	—	—	·01	—	10
11	·33	—	·10	·23	·01	·03	·27	—	—	—	—	·15	11
12	·08	·04	·02	·29	·02	·61	—	—	—	—	—	—	12
13	·21	·01	·22	—	—	—	—	—	—	—	·10	—	13
14	—	·03	·50	·37	—	—	—	—	·04	·33	·53	—	14
15	·10	·03	·02	·20	—	·03	—	—	·40	·33	·09	—	15
16	·01	—	·13	·02	—	—	—	—	·35	—	—	—	16
17	·03	—	—	·03	·23	—	—	—	·51	—	—	·08	17
18	·04	—	—	·02	·21	·01	—	·69	·88	—	—	·10	18
19	·09	—	—	·22	—	—	—	—	·02	—	—	·03	19
20	·10	·15	—	·07	—	·83	—	—	·02	—	—	·01	20
21	—	—	—	·03	—	—	·61	—	·36	—	—	·24	21
22	—	—	—	·40	—	—	—	—	·10	—	—	·41	22
23	—	—	—	—	—	—	·53	·19	—	—	—	·76	23
24	·02	—	·07	—	—	—	—	—	—	—	—	·19	24
25	—	—	·02	·01	·01	—	·23	—	—	—	·01	·01	25
26	·05	—	·16	·04	—	—	—	—	—	—	·03	·08	26
27	·39	—	—	·30	—	·16	·13	—	—	—	1·03	·32	27
28	·47	02	·07	·01	·17	—	·16	—	—	—	·07	·08	28
29	·65	—	·06	·17	·02	—	—	—	—	—	·21	·18	29
30	·06		·01	—	—	—	·03	—	·36	—	·52	·21	30
31	·01		·10		—		—	—		·78		·31	31
99 TOTAL	4·15	·72	1·94	2·83	1·51	1·81	4·98	1·57	3·36	2·25	2·60	3·53	YEAR'S TOTAL 30·65
Days with ·01 in. or more	22	16	19	23	13	8	15	6	11	8	10	20	165
Days with ·04 in. or more	17	4	14	15	7	5	13	4	9	7	7	15	117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WADHURST

{LOWER COUSLEY WOOD}

SUSSEX

1911-20

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIST 11

Kept at Lower Cousley Woo

in the County of Sussex

by Frederick Wilkin

Snowdon

5 in.

ove Ground 1 ft. — in.

„ Sea Level 416 ft.

Same

Name Wadhurst

Distance 3 by road Direction W N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	S .09	—	—	.92	.01	—	—	.14	—	—	.03	.01	1
2	S .02	—	.03	.02	.28	—	.01	—	—	—	.19	.20	2
3	.06	.01	—	—	.20	—	—	—	—	—	.12	.25	3
4	.21	.02	.06	S .38	—	—	—	—	—	.78	.25	.13	4
5	.03	.02		S .18	—	—	—	—	—	.52	—	.10	5
6	.25	—	.02	—	—	—	—	—	—	.01	—	.48	6
7	.02	—	.05	—	—	—	—	—	—	.47	.70	.38	7
8	.10	—	.11	—	—	—	—	—	—	—	.81	.17	8
9	.21	—	.02	.02	—	—	—	—	—	.02	.20	.06	9
10		.10	.04	S .14	—	—	—	—	—	—	.02	.75	10
11	S .54	—	.03	—	—	—	—	—	—	—	1.12	—	11
12	S .01	—	S .75	—	—	—	—	—	—	—	.08	.01	12
13	—	—	S .02	—	.17	—	—	—	.74	.22	.05	.24	13
14	—	.06	—	—	.16	—	—	—	—	—	—	.43	14
15	—	.02	S .24	—	—	—	—	—	—	.01	.12	.04	15
16	—	—	—	—	—	.56	—	—	—	—	.45	.11	16
17	—	—	—	—	—	.01	—	—	—	—	.70	.16	17
18	—	.20	.05	—	—	.01	—	—	—	.01	.67	.43	18
19	—	—	—	—	—	.07	—	—	.20	.29	.22	.13	19
20	.03	—	.02	.01	—	.01	—	.32	.11	.12	—	.75	20
21	.02	.13	—	—	—	.01	—	.02	—	.75	—	.17	21
22	S .02	.03	.38	—	—	.06	—	.12	—	.45	—	.50	22
23	—	.28	.01	—	—	1.14	—	—	.23	.23	.06	.14	23
24	.01	.12	—	—	—	.03	.10	.05	—	.36	—	.31	24
25	—	.02	S .40	.06	—	.14	—	.03	.12	.01	S .04	—	25
26	—	—	S .23	.27	—	.08	—	—	—	.26	S .23	.21	26
27	—	.21	S .15	.14	—	—	—	—	.11	.43	S .01	.05	27
28	—	.20	—	.15	—	—	—	—	—	—	.02	—	28
29	—		—	.20	—	.02	.49	—	.23	.36	—	—	29
30	—		—	.01	—	.01	—	—	—	.35	—	—	30
31	—		—		—		—	—		—			31
Total	1.62	1.42	2.61	2.50	.82	2.25	.60	.68	1.74	5.65	6.09	6.21	TOTAL for year 32.19
No. of Rain Days	15	14	18	13	5	13	3	6	7	19	21	25	159

9,000, IX. '10.

REGIST 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Lower Cousley Wood

in the County of Sussex

7

by Frederick Wilkin

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 416 ft.

Time of Observation 9 am

Nearest Railway Station
Name Wadhurst
Distance 3 by road Direction WNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	S .09	—	—	.92	.01	—	—	.14	—	—	.03	.01	1
2	S .02	—	.03	.02	.28	—	.01	—	—	—	.19	.20	2
3	.06	.01	—	—	.20	—	—	—	—	—	.12	.25	3
4	.21	.02	.06	S .38	—	—	—	—	—	.78	.25	.13	4
5	.03	.02		S .18	—	—	—	—	—	.52	—	.10	5
6	.25	—	.02	—	—	—	—	—	—	.01	—	.48	6
7	.02	—	.05	—	—	—	—	—	—	.47	.70	.38	7
8	.10	—	.11	—	—	—	—	—	—	—	.81	.17	8
9	.21	—	.02	.02	—	—	—	—	—	.02	.20	.06	9
10	—	.10	.04	S .14	—	—	—	—	—	—	.02	.75	10
11	S .54	—	.03	—	—	—	—	—	—	—	1.12	—	11
12	S .01	—	S .75	—	—	—	—	—	—	—	.08	.01	12
13	—	—	S .02	—	.17	—	—	—	.74	.22	.05	.24	13
14	—	.06	—	—	.16	—	—	—	—	—	—	.43	14
15	—	.02	S .24	—	—	—	—	—	—	.01	.12	.04	15
16	—	—	—	—	—	.56	—	—	—	—	.45	.11	16
17	—	—	—	—	—	.01	—	—	—	—	.70	.16	17
18	—	.20	.05	—	—	.01	—	—	—	.01	.67	.43	18
19	—	—	—	—	—	.07	—	—	.20	.29	.22	.13	19
20	.03	—	.02	.01	—	.01	—	.32	.11	.12	—	.75	20
21	.02	.13	—	—	—	.01	—	.02	—	.75	—	.17	21
22	S .02	.03	.38	—	—	.06	—	.12	—	.45	—	.50	22
23	—	.28	.01	—	—	1.14	—	—	.23	.23	.06	.14	23
24	.01	.12	—	—	—	.03	.10	.05	—	.36	—	.31	24
25	—	.02	S .40	.06	—	.14	—	.03	.12	.01	S .04	—	25
26	—	—	S .23	.27	—	.08	—	—	—	.26	S .23	.21	26
27	—	.21	S .15	.14	—	—	—	—	.11	.43	S .01	.05	27
28	—	.20	—	.15	—	—	—	—	—	—	.02	—	28
29	—		—	.20	—	.02	.49	—	.23	.36	—	—	29
30	—		—	.01	—	.01	—	—	—	.35	—	—	30
31	—		—		—		—	—		—			31
Total	1.62	1.42	2.61	2.50	.82	2.25	.60	.68	1.74	5.65	6.09	6.21	TOTAL for year 32·19
No. of Rain Days	15	14	18	13	5	13	3	6	7	19	21	25	159

9,000, IX. '10.

Ex J.C.

FORM A2.
BRITISH RAINFALL
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lower Cousley Wood

in the County of Sussex 7

by Frederick Wilkin

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 416 ft.

Time of Observation 9 am

Nearest Railway Station
Name Wadhurst
Distance 2 3/4 Direction WSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.15	.01	—	.11	.08	—	.05	1.01	—	.24	1
2	—	S .13	.33	—	—	.01	.17	—	.02	.01	—	—	2
3	.02	S .10	.01	—	.05	.36	—	.08	.02	—	.01	.04	3
4	.25	—	.80	—	.07	.52	—	.05	—	—	.13	—	4
5	.17	S .10	.26	—	—	.34	—	27	—	—	.13	.02	5
6	.47	.07	—	—	.02	—	—	.96	—	—	.01	.18	6
7	—	—	—	—	.14	.48	—	50	—	—	—	.14	7
8	.34	.32	.24	.01	—	.13	—	.11	—	—	—	.02	8
9	.01	.05	—	.08	—	—	.17	.32	—	—	—	.16	9
10	—	.07	.08	—	—	—	—	.28	—	—	.08	.33	10
11	.03	.29	.01	—	—	.09	—	—	—	Dew .01	—	.27	11
12	—	.20	.02	—	.07	—	—	.33	—	do .01	S .02	.03	12
13	—	.02	.01	—	—	—	—	—	—	—	.19	.06	13
14	—	—	—	—	.03	—	—	.13	—	.04	—	.02	14
15	—	—	.07	—	.18	.66	—	—	—	—	.01	.33	15
16	.12	—	.13	—	.11	.08	—	.13	—	.07	.01	—	16
17	.38	—	.57	—	—	.03	—	.04	—	—	.12	.32	17
18	.08	—	.38	—	—	—	.09	.16	—	.05	—	.40	18
19	.04	.24	S .39	—	—	—	.05	.61	—	—	.01	—	19
20	.01	.05	S .67	—	—	—	.02	.07	—	.62	.05	—	20
21	.01	.05	.54	—	.03	—	—	.08	—	.28	.08	—	21
22	.06	.55	.15	—	.01	—	.04	.15	—	—	—	.01	22
23	.50	.27	.32	—	.02	.02	—	40	—	.12	.13	.04	23
24	.08	.01	—	—	—	—	—	.16	—	.01	—	.11	24
25	.16	.03	—	—	—	.29	—	.83	—	—	.38	.49	25
26	—	.04	—	—	—	.13	—	.51	—	.34	.32	.54	26
27	—	—	—	—	—	—	.07	—	—	.19	—	.32	27
28	—	.05	—	—	—	.02	.15	.06	.09	.94	.61	.35	28
29	—	.02	—	—	—		.27	.28	1.59	.15	S .04	—	29
30	—		—	—	.11	—	.03	.12	1.57	.30	—	—	30
31	S .01		.01		—		.35	.11		—		—	31
Total	2.74	2.66	5.14	.10	.84	3.27	1.49	6.74	3.34	4.15	2.33	4.42	TOTAL for year 37.22
No. of Rain Days	18	20	20	3	12	15	12	25	6	16	18	22	187

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
15 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Lower Cousley Wood

in the County of Sussex

by Frederick Wilkin

7

Lat. 51°4'42" Long. 0°2'25"

Time of Observation 9 am

Nearest Railway Station Wadhurst

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.32	.08	.20	.05	.02	—	—	—	.09	.14	·07	1
2	.04	.20	—	—	.07	—	.16	—	—	.02	.15	—	2
3	—	—	.04	.57	.22	—	—	—	—	—	—	.14	3
4	0.20		.03	.02	.02	.05	.04		.05	.04	.09	·01	4
5	0.22	.11	.01	—	—	.07	.08	—	.78	.05	.26	04	5
6	—	.01	.10	.04	.01	.08	.16	—	.02	.39	.13	07	6
7	—	.22	.04	.01	.08	.08	.06	—	—	.21	.09	01	7
8	—	.03	S .03	—	.09	.07	—	—	—	.27	.14	02	8
9	—	.03	—	.02	—	—	—	.16	.09	—	.02	01	9
10	.03	—	—	.02	—	—	.19	—	—	—	.81	—	10
11	S .55	—	—	S .43	—	—	—	—	—	.62	.17	—	11
12	—	—	—	—	.06	—	—	—	—	—	1.38	—	12
13	S .48	—	.02	—	—	—	—	.04	.02	.01 dew	.21	—	13
14	.20	.01	.12	.09	—	—	1.69	—	.18	.11	.21	—	14
15	.15	—	.23	.29	—	—	.25	—	.04	—	—	—	15
16	.28	—	.57	.28	—	—	—	—	.54	—	—	—	16
17	.10	S .08	S .07	.13	—	—	.30	.01	.01	—		03	17
18	.05	—	.09	.13	—	—	.02	—	.01	—	·10	—	18
19	.21	—	.18	—	.01	—	.09	—	.19	—	—	—	19
20	.90	—	.09	.10	—	.26	—	—	—	.52	·02	—	20
21	—	—	.19	.06	—	—	—	—	—	.57	·90	—	21
22	S .27	—	.22	—	—	—	.03	—	.08	.05	—	—	22
23	—	—	.02	—	—	.02	.03	.05	—	—	—	Snow 71	23
24	.06	—	—	.05	—	—	—	.03	—	—	·02	—	24
25	.01	—	—	.25	—	.08	.02	—	—	.01	—	—	25
26	—	—	.17	—	—	—	.02	.07	—	1.20	—	35	26
27	—	—	.03	—	.05	—	—	—	—	.17	—	—	27
28	.15	—	.22	.06	—	—	—	—	—	.26	—	—	28
29	.16	—	.01	.13	.18	—	—	.58 Dew	.01	.02	:01	—	29
30	.54	—	—	.32	.04	—	—	.19	—	.09	—	—	30
31	—		.01		—		—	1.06		.12		—	31
Total	4.63	1.01	2.57	3.20	.88	.73	3.14	2.19	2.02	4.82	4.85	1.46	YEAR'S TOTAL 31.5
Rain Days.	20	9	23	20	12	9	15	9	13	20	18	11	179

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19~~14~~.

Ex. MG

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Lower Cousley Wood, Wadhurst
in the County of Sussex
by Frederick Wilkin

7

Lat. 51° 4' 48" Long. 0° 2' 25"
Time of Observation 9 am
Nearest Railway Station Wadhurst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.08	—	—	.02	.04	—	—	.06	.18	1
2	—	—	—	.04	—	—	.16	.01	—	—	.11	.21	2
3	.01	—	.25	.01	.26	—	—	—	—	—	.01	—	3
4	—	—	—	.25	.04	—	—	.04	—	—	.31	.30	4
5	.11	D .01	.10	.49	.07	.03	.20	.04	—	—	.01	—	5
6	—	.05	.01	.18	.03	.11	—	.09	—	—	—	.41	6
7	—	.53	.37	.32	.01	.06	.05	—	—	—	—	.31	7
8	.08	.41	.41	.01	.02	.13	.06	.05	—	—	—	.11	8
9	.28	—	.90	.13	—	—	—	—	.09	—	—	1.60	9
10	—	.07	—	.08	.09	—	—	—	.04	—	—	.06	10
11	—	.34	.44	.04	.03	—	—	—	.21	—	.05	.38	11
12	S .02	.06	.07	—	.01	—	.09	—	.29	—	.02	.58	12
13	S .03	.42	.31	—	—	.02	—	—	.12	.05	.09	.56	13
14	—	.17	.37	—	—	—	—	—	.01	.37	.09	.54	14
15	—	.02	.36	—	—	—	.14	.03	—	—	.81	.04	15
16	—	.12	.05	—	—	—	.19	—	.07	—	—	—	16
17	—	.41	.12	—	—	—	—	—	.15	—	—	.13	17
18	—	.14	S .17	—	—	—	—	—	—	.01	—	.47	18
19	—	.16	S 1.25	—	—	—	.12	—	—	.14	S .36	.21	19
20	—	.23	S .10	—	—	.10	—	—	—	.01	—	.17	20
21	—	.87	S .08	—	—	—	—	.04	—	.02	—	S .04	21
22	—	.04	.01	—	.14	.05	.15	.03	—	.30	—	.01	22
23	—	—	.37	—	.15	.42	.01	—	—	.01	—	S .08	23
24	—	—	.01	.02	.01	—	—	—	—	.01	.15	—	24
25	.09	—	.18	—	.01	—	—	.04	—	.32	.05	—	25
26	—	—	.04	—	—	—	—	.26	—	.11	.29	.40	26
27	.02	—	.01	—	—	—	—	—	—	—	.10	.53	27
28	.03	.01	—	—	—	—	—	—	—	.14	.22	.48	28
29	.09		—	—	—	—	—	—	—	.86	.26	—	29
30	—		.08	—	—	—	—	—	—	.13	1.19	.17	30
31	.03		—		.28		.01	—		—		.05	31
Total	.79	4.06	6.08	1.65	1.15	.92	1.20	.67	.98	2.48	4.18	8.02	YEAR'S TOTAL 32.18
Rain Days.	11	18	25	12	14	8	12	11	8	14	18	25	176

W.7,000, XI. 13

ex'd JS

653

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Lower Cousley Wood

in the County of Sussex 7

by Frederick Wilkin

Lat. 51.4.48 Long. 0.2.25

Time of Observation 9am

Nearest Railway Station Wadhurst

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.51	.10	.02	—	—	—	—	.03	.38	.01	.23	.49	1
2	.38	.14	.23	.12	.01	—	—	.33	.05	.02	—	.13	2
3	S .26	—	.01	.23	.13	—	—	.07	.09	—	—	.55	3
4	S .06	—	—	—	—	—	—	.83	—	—	—	.51	4
5	.03	.26	—	.07	—	—	—	.13	—	.02	.03	.50	5
6	.50	.15	—	.51	—	—	.11	—	—	—	D .01	.11	6
7	.33	.35	S .04	—	—	—	.06	—	—	—	—	.31	7
8	.01	.49	S .02	.01	—	—	.21	.01	—	—	.01	—	8
9	.04	.28	—	.10	—	.07	—	.03	—	—	.68	.80	9
10	.36	—	—	—	—	.18	—	—	—	—	—	.55	10
11	—	S .03	.01	—	—	—	—	—	—	—	.53	.03	11
12	.05	.09	—	.21	.26	—	—	—	—	.02	1.	—	12
13	.02	.89	—	.01	2.14	—	—	—	.02	—	—	—	13
14	.05	.03	—	—	—	—	.10	—	.07	—	—	.40	14
15	.22	—	—	—	.08	—	.15	.04	—	—	S .23	.39	15
16	.01	.55	—	.01	.15	—	1.59	.02	—	—	—	.03	16
17	—	.55	—	—	1.75	—	.01	.35	—	—	—	.21	17
18	—	.19	S .01	—	.27	—	—	—	—	—	.02	.01	18
19	—	.16	—	—	—	—	—	—	—	.04	—	—	19
20	.24	—	—	.08	.22	—	—	—	—	—	—	.19	20
21	S .12	.01	—	—	—	—	—	—	—	.01	—	.09	21
22	S .04	.04	.03	—	—	—	1.08	—	—	—	—	.19	22
23	.02	S .15	.15	.04	—	.02	.06	—	—	.20	—	.40	23
24	—	—	.07	.03	—	—	.09	—	.29	.30	—	.52	24
25	—	—	.02	.03	—	—	.45	—	—	—	—	.27	25
26	—	.06	—	—	—	.06	—	—	—	—	—	.64	26
27	—	.05	—	—	—	.01	.06	—	—	.27	—	.04	27
28	—	.13	S .01	—	—	.12	—	—	1.62	.32	—	—	28
29	.20		—	—	.02	.01	.28	.33	—	—	.55	—	29
30	—	X	—		—	.06	—	—	.02	.06	.58	.02	30
31	S .02	X		X		X		.13	X	.64	X	.28	31
Total	3.47	4.70	0.62	1.45	5.03	0.53	4.25	2.30	2.54	1.94	3.87	7.66	YEAR'S TOTAL 38.36
Rain Days.	21	21	12	13	10	8	13	12	8	12	11	25	166

W. 8,000. X. 14.

Exe DL

643

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Lower Cousley Wood

in the County of Sussex

by Frederick Wilkin

Lat. 51° 4' 48" Long. 0° 2' 25" E.

Time of Observation 9 am

Nearest Railway Station Wadhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	—	.01	—	.86	.01	—	—	.16	.04	.30	—	1
2	.40	.07	S .52	—	.21	—	—	—	.02	.27	—	—	2
3	—	.71	S .16	—	.01	—	.03	—	.07	.36	.38	—	3
4	.21	.17	S .01	—	—	.43	—	—	.13	.04	44	—	4
5	—	.01	S .01	.02	.14	.19	—	—	—	.15	54	S —	5
6	.01	.08	S .04	.46	.04	.18	.26	—	—	.05	46	—	6
7	.06	.02	S .83	—	.32	.09	.01	—	—	.04	.39	.01	7
8	—	—	—	—	.14	—	—	—	—	—	—	.31	8
9	—	—	S .03	—	.31	—	—	—	—	—	—	.20	9
10	—	.25	S .07	.06	—	.55	.12	—	—	—	—	.35	10
11	.04	.26	.02	.14	—	.28	—	—	—	—	—	.05	11
12	.05	.12	—	.06	.27	.14	.14	—	—	.12	—	—	12
13	—	.22	.16	.09	.10	.13	.13	.03	.03	03	—	—	13
14	—	.41	.02	.01	.15	—	—	.09	—	.01	—	S .23	14
15	—	.09	.21	.01	—	—	—	.05	—	—	—	S .16	15
16	—	.01	.13	.14	—	—	.14	.21	—	—	—	—	16
17	.19	.11	—	.10	—	—	.08	.21	.30	.80	—	—	17
18	.01	.10	.01	.07	—	—	—	.16	.18	.68	S .73	—	18
19	.15	.03	.07	.26	—	.07	—	—	.21	—	S .81	S .10	19
20	.09	—	.02	.19	—	—	—	.08	—	—	.06	.44	20
21	.01	—	.46	.06	—	—	—	—	—	—	—	.47	21
22	.01	S .11	S .18	.03	—	.02	—	—	—	.09	—	.53	22
23	—	S .28	S .05	—	—	.30	—	.02	—	—	.03	.02	23
24	—	—	S .02	—	.11	—	—	—	—	.30	.06	.28	24
25	—	S .98	.17	—	—	—	—	.51	—	.15	.03	.01	25
26	.01	S .49	—	—	—	.09	—	.17	—	.17	S .05	—	26
27	.02	S .01	S .66	—	—	.40	—	.04	.12	.42	—	.01	27
28	—	S .55	S .11	—	.03	.57	—	.09	.14	.09	—	.14	28
29	—	.24	—	—	—	.33	—	.65	.06	.55	—	.38	29
30	—	X	.01	—	.02	—	—	.19	—	.43	—	—	30
31	—	X	—	X	—	X	—	.02	X	.07	X	03	31
Total	1.34	5.32	3.98	1.70	2.71	3.78	.91	2.52	1.42	4.86	4.28	3.72	YEAR'S TOTAL 36.54
Rain Days.	15	23	25	15	14	16	8	15	11	21	13	18	194

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

JAN 1918

Kept at Lower Cousley Wood
in the County of Sussex
by Frederick Wilkin

Lat. 51° 4' 48" Long. 0° 2' 25"
Time of Observation 9 am
Nearest Railway Station Wadhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	S .15	—	—	—	1.29	.20	—	.05	.03	1
2	—	—	—	S .09	—	—	—	.21	—	—	.01	—	2
3	—	—	—	S .10	—	—	.28	.58	—	.18	.06	—	3
4	—	—	S .08	—	—	—	.45	.04	—	.42		—	4
5	.25	S .12	.04	S .18	—	—	—	—	.49	.17	.02	—	5
6	—	—	.03	S .11	—	.24	—	—	.07	—	.18	—	6
7	.33	—	—	—	—	—	.50	—	—	.46		.04	7
8	S .05	—	—	.12	—	—	.32	.08	—	.37	.37	.12	8
9	—	—	S .01	S .12	—	—	.11	.01	—	—	.04	S .95	9
10	S .11	—	.12	S .11	—	.06	—	.10	—	—	—	—	10
11	S .13	S .04	.19	S .27	—	—	—	.06	.02	.48	—	—	11
12	S .09	—	.04	S .04	—	—	—	.19	—	.24	—	—	12
13	S .03	—	.15	—	—	—	—	.01	.01	.31	—	—	13
14	S .07	—	.01	.21	—	—	—	.20	.02	—	—	—	14
15	S .06	—	—	—	—	—	—	.20	—	.11	—	.05	15
16	S .08	.11	—	S .28	.24	—	—	—	—	.25	—	S 1.32	16
17	—	.01	—	S .08	.45	—	.19	.01	.26	.21	—	—	17
18	S .04	.04	—	.12	.06	—	.15	.11	.15	.01	—	—	18
19	—	.11	.16	—	.57	.05	—	.02	.21	—	—	—	19
20	—	.14	S .05	—	1.13	.01	.06	—	.06	—	.03	—	20
21	—	—	S .09	.01	—	—	—	—	—	—	—	S .09	21
22	S .02	—	S .06	—	—	.34	—	.19	—	.16	—	S .04	22
23	—	.17	—	—	.27	—	—	.22	—	S .06	—	S .01	23
24	—	.01	—	—	—	.03	—	.10	—	.19	.10	.02	24
25	—	.10	.03	—	—	.02	—	—	—	—	S .03	—	25
26	—	—	S .01	—	—	—	—	.30	.04	—	.83	—	26
27	—	—	—	—	—	.04	—	1.04	—	—	—	—	27
28	—	—	.07	—	—	1.41	.10	.54	—	—	—	S .12	28
29	—		.03	—	—	.02	.36	.04	—	.56	—	.17	29
30	S .06		S .28	—	—	.02	.42	.23	—	.10	—	.07	30
31	S .03		S .03		—		.47	.01		.01		S .09	31
Total	1.35	.85	1.48	1.99	2.72	2.24	3.41	5.78	1.53	4.29	1.72	3.12	YEAR'S TOTAL 30.48
Rain Days.	14	10	19	15	6	11	12	24	11	18	11	14	165

W. 8,000, VIII. 16

132

FORM A.
BRITISH RAINFALL.

9.1.19

REGISTER OF RAINFALL IN 1918.

Ex DL

Kept at Lower Cousley Wood

in the County of Sussex

by Frederick Wilkin

Lat. 51° 4′ 48″ Long. 0° 2′ 25″

Time of Observation 9 am

Nearest Railway Station Wadhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	S .04	—	—	—	—	—	—	—	.18	.03	1
2	—	.02	—	—	—	—	—	.29	—	—	.43	.16	2
3	—	.01	S .12	.06	.40	—	—	—	—	.05	.48	.01	3
4	—	.08	.02	.01	.06	—	—	.03	.30	—	.64	—	4
5	.11	.13	—	—	.14	—	—	.22	—	.10	—	.02	5
6	S .09	.14	—	.23	.22	—	—	.14	.05	.04	.05	.03	6
7	—	.08	—	.50	.07	—	—	.01	.22	.04	.02	—	7
8	—	.01	—	—	—	—	—	—	.18	—	.12	.12	8
9	S .03	—	—	.15	—	.01	.08	—	.50	.19	—	.17	9
10	—	—	—	.08	—	.01	.30	—	.71	.18	—	.20	10
11	—	—	—	—	—	—	.21	—	.04	.95	.08	.12	11
12	—	.08	—	—	.18	—	.09	—	.14	.14	—	.02	12
13	S .15	.01	—	.01	.08	—	.05	—	.06	—	—	.01	13
14	.15	—	.02	—	—	.09	.09	—	.25	.32	—	.05	14
15	1.76	—	—	S .30	—	.13	.03	—	—	—	—	.18	15
16	S .32	—	—	.10	—	.07	.03	—	.04	—	—	—	16
17	S .18	—	—	.20	—	.01	.55	.01	—	—	—	.28	17
18	.39	—	—	—	—	.23	—	—	.44	.02	—	.09	18
19	.10	—	.03	S .03	—	.01	—	—	—	.15	.01	.01	19
20	.04	.12	—	S .64	—	.02	1.08	—	.22	.55	—	.04	20
21	.17	—	—	.44	—	—	.25	—	.33	.08	—	.02	21
22	.10	—	—	.01	.01	—	.35	—	.58	—	—	.15	22
23	.04	—	—	.01	.05	—	.45	.04	.02	—	—	.04	23
24	—	.22	—	.05	—	.01	.19	—	.19	—	.04		24
25	—	—	—	—	—	—	.13	.26	—	—	—	S .01	25
26	—	—	—	.10	—	—	.57	.04	.07	—	.03	.14	26
27	—	.10	—	.17	—	—	.11	.19	.06	—	.04	.05	27
28	—	S .01	.31	.14	—	.03	—	—	—	—	.25	.03	28
29	—		—	.09	—	—	—	—	1.17	—	—	.02	29
30	—	✕	.35		—		—	—	.05	.08		.22	30
31	—	✕	—	✕	—	✕	—	—	✕	.02	✕	.02	31
Total	3.63	1.01	.89	3.32	1.21	.62	4.56	1.23	5.62	2.91	2.37	2.24	YEAR'S TOTAL 29.61
Rain Days.	14	13	7	20	9	11	17	10	21	15	13	27	177

W. 8,000, IX. 17.

571

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Lower Cousley Wood
in the County of Sussex
by Frederick Wilkins

Lat. 51. 4. 48 Long. 0. 2. 25
Time of Observation 9 am
Nearest Railway Station Wadhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					.02								
1	.44	S .06	—	—	.18	~~.36~~	.36	—	—	.08	.04	.63	1
2	.36	—	.05	—	.01	~~.18~~	.18	—	—	.11	S .27	.17	2
3	.27	—	.36	—	—	~~.31~~	.31	—	.15	—	S .05	.26	3
4	S .26	S .05	.36	—	—	.03	.01	.05	.01	—	.18	.11	4
5	.02	S .26	S 1.10	—	—	—	—	—	—	—	.17	.32	5
6	.07	—	.04	—	—	—	—	—	—	.01	.02	.04	6
7	.10	—	.49	—	—	—	—	—	—	.01	.13	—	7
8	.40	—	.07	—	—	—	—	—	—	—	.01	—	8
9	.48	—	.05	.21	.07	—	—	—	—	—	.34	—	9
10	.70	—	.03	.01	—	—	—	—	—	—	S .02	.04	10
11	.27	—	.19	.26	.02	—	.29	—	—	—	—	.04	11
12	.17	—	—	—	—	—	.36	—	—	.02	S .03	—	12
13	—	—	.01	.37	—	—	—	—	—	.01	—	.04	13
14	.52	—	—	.43	—	—	.04	—	.17	.02	—	.02	14
15	.14	02	—	.09	—	—	—	~~.04~~	—	—	—	.08	15
16	.15	.40	—	.01	—	—	—	—	—	—	S .11	.05	16
17	—	S .35	03	.01	—	—	—	—	—	—	.15	.05	17
18	—	S .06	S 05	—	—	—	—	.04	.02	—	.07	.02	18
19	.01	.08	.49	—	—	.06	.27	.20	.02	—	.11	—	19
20	.14	.13	S .12	—	—	.64	.12	.19	—	—	—	.01	20
21	.04	.41	S .06	—	—	—	.05	—	—	D .01	.02	.02	21
22	—	.03	S .03	—	—	—	.21	—	.33	—	.03	.17	22
23	—	—	—	—	—	.01	.06	—	.42	—	.02	.05	23
24	—	—	—	.11	—	.01	.01	.05	—	.04	.22	.11	24
25	S .04	—	—	—	.07	—	—	.56	—	.01	—	.01	25
26	.02	.12	.08	.12	—	—	.21	.02	.06	—	S .10	.44	26
27	S .23	.02	S .07	S 1.42	—	—	—	.37	—	—	S .21	—	27
28	—	—	S .29	S .03	—	—	—	.98	—	—	S .46	.25	28
29	S .10			—	—	.01	—	.69	—	S .25	.08	.18	29
30	S .02	X		.20	—	—	—	.48	—	.12	.15	.53	30
31	S .15	X	S .02	X	—	X	.01	—	X	S .[illegible]	X	.02	31
Total	5.10	1.99	3.99	3.27	.37	.76	2.49	3.63	1.18	.80	2.99	3.66	YEAR'S TOTAL 30.2
Rain Days.	24	13	21	13	6	6	15	11	8	13	24	25	17

W. 6,500, VII. 18. W W C

C X 842

537

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lower Cousley Wood

in the County of Sussex

by Frederick Wilkin

Lat 51° 4' 48" Long 0° 2' 25"

Time of Observation 9am

Nearest Railway Station Wadhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	—	.09	.08	—	.16	.01	—	.87	—	.21	1
2	—	—	.25	—	.01	—	—	.18	.03	.03	—	.08	2
3	—	—	—	—	.01	—	—	—	—	.01	—	.03	3
4	—	.10	—	.09	—	—	.50	.11	—	—	—	.06	4
5	—	—	—	—	—	—	.33	.06	.04	—	.01D	.07	5
6	—	—	.30	—	.13	—	.22	—	—	—	—	.02	6
7	.02	—	S .01	.04	.11	—	.05	—	—	.01	—	.06	7
8	—	—	—	.03	.04	—	.31	—	—	—	—	—	8
9	.27	.01	—	.02	.16	—	.14	—	—	—	—	—	9
10	.71	.12	.04	.13	—	.11	.23	—	—	—	.03	S .05	10
11	.30	—	.06	.20	.04	.03	.44	—	—	—	—	S .04	11
12	.06	.03	—	.14	—	.50	—	—	—	—	—	—	12
13	.32	.01	.18	.01	—	—	—	—	—	—	.10		13
14	—	.01	.38	.48	—	.02	.04	—	.04	.32	.34		14
15	.01	.01	S .05	.08	—	—	—	—	1.11	.17	.06	S .04	15
16	—	—	.01	—	.16	—	—	—	.13	—	—	S ~~.06~~ .03	16
17	—	—	—	.08	.24	—	—	—	.39	—	—	S .10	17
18	.06	—	—	—	.11	—	—	1.21	.41	—	—	.10	18
19	.12	—	—	.26	—	—	—	—	.02	—	—	.08	19
20	.04	S .33	—	.15	—	.48	—	—	.49	—	—		20
21	—	—	—	—	—	—	.54	—	.14	—	—	.22	21
22	.02	—	—	.24	—	—	—	—	.08	—	—	.37	22
23	—	—	—	—	—	—	.47	—	—	—	—	.30	23
24	.01	—	.05	—	—	—	—	—	.03	—	—	.09	24
25	—	—	.01	.01	—	—	.47	—	.01	—	—		25
26	.06	—	.11	.04	—	—	—	—		.02Dew	—	.06	26
27	.36	.07	—	.14	—	.01	.16	—		—	.20	.23	27
28	.34	—	.04	.02	—	—	.13	—		—	.45	.03	28
29	.87	—	.03	.27	.15	—		—		—	.07	.20	29
30	.01	X	—	—	.01	—	.05	—	.09	—	.37	.15	30
31	.01	X	.05	X	.01	X	—	—	X	.25	X	.37	31
TOTAL	3.64	.69	1.57	2.52	1.26	1.15	4.24	1.57	3.01	1.68	1.63	2.99	YEAR'S TOTAL 25.95
Days with ·01 in. or more	19	9	15	20	14	6	16	5	14	8	9	24	159
	13	4	11	13	10	3	16	4	10	4	7	20	117

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WADHURST
THE OLIVES
SUSSEX
1911 - 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REC l

rdon.

Kept at The Olives 5 in.

Ground 1 ft. — in.

in the County of Suss Sea Level 380 ft. Estimated from O.B.M

.m

by Miss E. P. Luc Name Ticehurst Road

Distance 3 m Direction S.E.

IMPORTANT NOTE. the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·73	—	—	—	·18	—	—	·05	·03	1
2	·02	—	·03	·04	·30	—	—	—	—	—	·22	·22	2
3	·06	·03	—	·01	·17	—	—	—	—	—	·12	·19	3
4	·26	·03	·05	·28	—	·54	—	—	—	·43	·24	·15	4
5	·06	·03	·01	·18	—	—	—	—	—	·36	—	·28	5
6	·25	·01	·02	·02	—	—	—	—	—	·01	—	·47	6
7	·05	—	·07	—	—	—	—	—	—	·56	·71	·70	7
8	·05	—	·10	—	—	—	—	—	—	·02	·64	·21	8
9	·20	—	·08	·02	—	—	—	—	—	·02	·32	·05	9
10	·01	·09	·05	·16	—	—	—	—	—	·01	·08	1·05	10
11	·50	·02	·03	—	·02	—	—	—	—	—	1·20	·01	11
12	·05	—	·77	—	—	—	—	—	—	—	·10	—	12
13	·01	—	·06	—	·15	—	—	—	·50	—	·05	·30	13
14	—	—	·01	—	·18	—	—	—	—	·02	—	·64	14
15	—	·08	·20	—	·02	—	—	—	—	·02	·09	·05	15
16	—	·04	·01	—	—	·63	—	—	—	—	·58	·15	16
17	—	·01	—	—	—	·02	—	—	—	·01	·54	·19	17
18	—	—	·07	—	—	·05	—	—	—	—	·84	·50	18
19	—	·13	·01	—	—	·08	—	—	·12	·15	·14	·14	19
20	·03	·04	·03	·03	—	·03	—	·41	·12	·33	—	·75	20
21	·03	—	·01	—	—	—	—	·09	—	·66	—	·20	21
22	·03	·16	·44	—	—	·07	—	·13	—	·67	—	·59	22
23	·01	·03	·01	—	—	1·05	—	—	·30	·26	·07	·24	23
24	·01	·23	—	—	—	·12	·13	·22	—	·60	·01	·31	24
25	·01	·13	·50	·07	—	·13	—	·13	·08	·10	—	—	25
26	—	·05	·27	·30	—	·38	—	—	—	·35	·33 (snow)	·21	26
27	—	·23	·21	·10	—	·01	—	—	·07	·42	·03	·07	27
28	—	·28	·01	·15	—	—	—	·02	—	·01	·03	·02	28
29	—		—	·07	—	·20	·23	—	·27	·47	·01	—	29
30	—		—	·02	—	·03	—	·06	—	·33	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·72	1·62	3·05	2·18	·84	3·34	0·36	1·24	1·46	5·80	6·40	7·73	TOTAL for year 35·74 35·74
No. of Rain Days	19	18	24	15	6	14	2	8	7	22	22	27	184

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

RE

Kept at The Olives Wadhurst.

in the County of Sussex 6

by Miss E. P. Luck.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 380 ft. Estimated from O.B.M.

Time of Observation 8 a.m.

Nearest Railway Station
Name Ticehurst Road
Distance 3 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·73	—	—	—	·18	—	—	·05	·03	1
2	·02	—	·03	·04	·30	—	—	—	—	—	·22	·22	2
3	·06	·03	—	·01	·17	—	—	—	—	—	·12	·19	3
4	·26	·03	·05	·28	—	·54	—	—	—	·43	·24	·15	4
5	·06	·03	·01	·18	—	—	—	—	—	·36	—	·28	5
6	·25	·01	·02	·02	—	—	—	—	—	·01	—	·47	6
7	·05	—	·07	—	—	—	—	—	—	·58	·71	·70	7
8	·05	—	·10	—	—	—	—	—	—	·02	·64	·21	8
9	·20	—	·08	·02	—	—	—	—	—	·02	·32	·05	9
10	·01	·09	·05	·16	—	—	—	—	—	·01	·08	1·05	10
11	·50	·02	·03	—	·02	—	—	—	—	—	1·20	·01	11
12	·05	—	·77	—	—	—	—	—	—	—	·10	—	12
13	·01	—	·06	—	·15	—	—	—	·50	—	·05	·30	13
14	—	—	·01	—	·18	—	—	—	—	·02	—	·64	14
15	—	·08	·20	—	·02	—	—	—	—	·02	·09	·05	15
16	—	·04	·01	—	—	·63	—	—	—	—	·58	·15	16
17	—	·01	—	—	—	·02	—	—	—	·01	·54	·19	17
18	—	—	·07	—	—	·05	—	—	—	—	·84	·50	18
19	—	·13	·01	—	—	·08	—	—	·12	·15	·14	·14	19
20	·03	·04	·03	·03	—	·03	—	·41	·12	·33	—	·75	20
21	·03	—	·01	—	—	—	—	·09	—	·66	—	·20	21
22	·03	·16	·44	—	—	·07	—	·13	—	·67	—	·59	22
23	·01	·03	·01	—	—	1·05	—	—	·30	·26	·07	·24	23
24	·01	·23	—	—	—	·12	·13	·22	—	·60	·01	·31	24
25	·01	·13	·50	·07	—	·13	—	·13	·08	·10	—	—	25
26	—	·05	·27	·30	—	·38	—	—	—	·35	·33 (Snow)	·21	26
27	—	·23	·21	·10	—	·01	—	—	·07	·42	·03	·07	27
28	—	·28	·01	·15	—	—	—	·02	—	·01	·03	·02	28
29	—		—	·07	—	·20	·23	—	·27	·47	·01	—	29
30	—		—	·02	—	·03	—	·06	—	·33	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·72	1·62	3·05	2·18	·84	3·34	0·36	1·24	1·46	5·80	6·40	7·73	TOTAL for year 35·74 35·74
No. of Rain Days	19	18	24	15	6	14	2	8	7	22	22	27	184

9,000, IX. '10.

BRITISH RAINFALL FORM A.

18 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. Rob

Kept at The Olives · Wadhurst

in the County of Sussex. 6

by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30

Time of Observation 8·a·m.

Nearest Railway Station Ticehurst Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level Estimated 380 ft. from O.B.M.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·16	·02	—	·09	·15	—	·10	·98	—	·27	1
2	—	·08	·40	·02	—	·04	·14	—	—	·01	—	·02	2
3	·02	·07	·06	—	—	·45	·01	·14	·03	—	·02	·04	3
4	·21	—	·8[illegible]	—	·02	·48	—	·03	·02	—	·08	·01	4
5	·13	·15	·17	—	—	·31	—	·25	—	—	·28	—	5
6	·50	·10	·02	—	·03	—	—	1·03	—	—	·03	·03	6
7	—	·02	—	—	·14	·50	—	·57	—	—	—	·15	7
8	·35	·38	·28	—	—	·35	·09	·65	—	—	·01	·07	8
9	·03	·07	·02	·04	—	·02	·12	·07	—	—	—	·13	9
10	—	·08	—	—	—	—	—	·27	—	—	·06	·32	10
11	·04	·32	·30	—	—	·06	—	—	·03	—	—	·27	11
12	·02	·22	·04	—	·07	·02	—	·32	—	·01	·02	·03	12
13	—	·02	·04	—	—	—	—	—	—	—	·22	·07	13
14	·01	—	·01	—	·05	—	—	·15	—	·06	·01	·03	14
15	—	·02	·08	—	·15	·67	—	·01	—	·07	—	·26	15
16	·10	·03	·14	—	·15	·15	—	·14	—	·08	·03	—	16
17	·43	·01	·69	—	—	·05	—	·08	—	—	·11	·15	17
18	·11	—	·37	·04	—	—	·09	·16	—	·05	·02	·62	18
19	·07	·22	·32	—	—	—	·66	·83	—	—	·03	·01	19
20	·03	·05	·78	—	—	·03	·06	·23	—	·70	·05	—	20
21	·02	·06	·55	—	—	—	—	·19	—	·11	·08	—	21
22	·08	·52	·04	—	·04	—	·08	·09	—	·01	·01	·02	22
23	·46	·26	·32	—	—	—	·07	·53	—	·15	·19	—	23
24	·15	·02	—	—	—	—	—	·14	—	·07	—	·04	24
25	·16	·01	—	—	—	·34	—	·84	—	—	·42	·36	25
26	·01	·04	—	—	—	·20	—	·22	—	·44	·41	·69	26
27	—	·01	—	—	—	—	·05	—	—	·19	·01	·38	27
28	—	·06	—	—	—	—	·16	·06	·06	1·08	·55	·38	28
29	—	·03	—	·02	—	—	·26	·34	1·63	·18	·17	—	29
30	—		—	—	·16	—	—	·19	2·13	— ·30	·01	—	30
31	·03		·07		·01		·36	·06		—	tr	—	31
Total	2·97	2·84	5·65	—·14	·82	3·76	1·64	7·59	4·00	4·37	2·82	4·35	YEAR'S TOTAL 40·95
Rain Days.	22	25	22	5	10	16	14	26	7	17	23	23	210

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
24 JAN 1914

Kept at The Olives. Wadhurst
in the County of Sussex. 6
by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8·a·m.
Nearest Railway Station Ticehurst Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·35	·07	·19	—	·03	—	—	—	·26	·09	·03	1
2	·07	·18	·03	—	—	—	·14	—	—	·03	·10	·05	2
3	·02	·01	·08	·70	·20	—	—	—	—	·02	·01	·13	3
4	·22	—	·04	·03	·03	·05	·05	—	·08	·03	·13	·02	4
5	·23	·04	·02	—	—	·04	·08	—	·85	·11	·14	·04	5
6	·02	·02	·12	·06	·01	·02	·32	—	·03	·25	·25	·08	6
7	—	·26	·04	·02	·03	·05	·01	—	—	·37	·06	·02	7
8	·02	·02	·05	—	·03	·08	—	—	—	·28	·23	·03	8
9	·01	·02	—	·02	·08	—	—	·02	·10	·01	·03	—	9
10	·04	·01	—	—	·07	—	·32	—	—	—	·70	—	10
11	·66	—	—	·50	·01	—	—	—	—	·69	·20	—	11
12	·01	—	—	—	·08	—	—	—	—	·02	1·38	—	12
13	·47	—	·03	—	—	—	—	·03	·04	·11	·12	—	13
14	·26	—	·11	—	—	—	2·32	·01	·20	—	·38	—	14
15	·27	—	·28	·27	—	—	·22	—	·03	·01	—	—	15
16	·26	—	·65	·41	—	—	—	—	·32	—	—	—	16
17	·06	·08	·05	·02	—	—	·25	·01	·02	—	—	·03	17
18	·02	·02	·10	·17	—	—	·10	—	—	—	·09	—	18
19	·22	—	·19	—	—	—	·10	—	·19	—	—	—	19
20	·90	—	·06	·12	—	·40	—	—	—	·43	·03	—	20
21	·02	—	·11	·11	—	·01	—	—	—	·83	·91	—	21
22	·26	—	·27	—	—	—	·03	—	·07	·13	—	—	22
23	·01	—	·04	—	—	·05	·03	·06	·02	·01	—	·70	23
24	·05	—	—	·06	—	—	—	·03	—	—	·05	—	24
25	·04	—	—	·25	—	·01	·02	—	—	—	—	—	25
26	—	—	·15	—	—	—	·03	·11	—	1·16	—	·23	26
27	·01	—	·03	—	·12	—	·01	—	—	·17	—	—	27
28	·18	—	·30	·06	—	—	—	—	—	·39	—	—	28
29	·18		·03	·14	·14	—	—	·40	—	·01	—	—	29
30	·58		—	·34	·05	—	—	·52	—	·10	—	—	30
31	—		·04		—		—	·68		·15		·03	31
Total	5·06	1·01	2·89	3·47	·85	·74	4·03	1·87	1·95	5·57	4·90	1·39	YEAR'S TOTAL 33·73
Rain Days.	27	11	24	18	12	10	16	10	12	23	18	12	193

W.7,000, XI. 13

W 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at The Olives . Wadhurst.
in the County of Sussex. 6
by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8 a.m.
Nearest Railway Station Ticehurst Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·63

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	·05	·01	—	·05	·04	—	—	·04	·13	1
2	·01	—	—	·06	—	·01	·13	·03	—	—	·20	·18	2
3	—	—	·20	·02	·25	—	—	—	—	—	·02	·02	3
4	—	—	·02	·30	·04	—	—	·04	—	—	·37	·38	4
5	·09	—	·10	·50	·03	·04	·26	·07	—	—	—	—	5
6	—	·06	—	·33	·04	·09	—	—	—	—	·02	·50	6
7	—	·68	·30	·11	—	·03	·07	—	—	—	—	·31	7
8	·14	·56	·48	—	—	·15	·09	·06	—	—	·02	·15	8
9	·31	—	·87	·14	—	·02	—	—	·10	—	—	1·60	9
10	·03	·03	·02	·06	·13	—	—	—	·04	—	—	·13	10
11	—	·53	·50	·08	·18	—	—	—	·29	—	·06	·42	11
12	·01	·05	·08	—	—	·01	·16	—	·35	—	—	·38	12
13	·04	·55	·33	—	—	—	—	—	·15	·05	·11	·90	13
14	·01	·27	·38	—	—	—	—	—	·02	·45	·04	·45	14
15	—	·07	·43	—	—	—	·56	·06	—	·01	·88	·08	15
16	—	·17	·03	—	—	—	·28	—	·06	—	—	—	16
17	—	·30	·12	—	—	—	·01	—	·32	—	—	·20	17
18	—	·17	·08	—	—	—	—	—	—	·01	—	·62	18
19	—	·16	1·25	—	—	—	·18	—	—	·17	·33	·42	19
20	—	·27	·25	—	—	·20	·01	—	—	·02	—	·23	20
21	—	·95	·07	—	—	—	—	·14	—	—	—	·04	21
22	—	·10	—	—	·16	·02	·10	·04	—	·35	—	—	22
23	—	—	·45	—	·33	·35	—	—	—	·02	—	·13	23
24	—	—	—	·02	—	—	—	—	—	·03	·19	—	24
25	·13	—	·16	—	·03	—	—	·04	—	·37	·05	—	25
26	·03	—	·11	—	—	—	·07	·16	—	—	·21	·35	26
27	·02	—	·02	—	—	—	—	·08	—	·16	·18	·95	27
28	·03	·03	—	—	·02	—	—	—	—	·22	·26	·47	28
29	·11		—	—	—	—	—	—	—	·85	·22	·19	29
30	—	×	·10	—	—	—	—	—	—	·13	1·50	—	30
31	·03	×	—	×	·28	×	—	—	×	—	×	·09	31
Total	·99	4·95	6·40	1·67	1·50	·92	1·97	·75	1·33	2·84	4·70	9·32	YEAR'S TOTAL 37·34
Rain Days.	14	17	24	11	12	10	13 12	11	8	14	18	25	176 177

W. 8,000. X. 14.

cnd 26.11.16 12 646

FORM A. BRITISH RAINFALL.

18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Olives, Wadhurst

in the County of Sussex 6

by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21.30

Time of Observation 8 a.m

Nearest Railway Station ~~Wadhurst~~ Ticehurst Road

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level Estimated 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. — ·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·63	·15	·04	·11	—	—	—	·05	·54	—	·35	·50	1
2	·40	·25	·25	·25	·02	—	—	·27	·03	·05	—	·16	2
3	·29	·02	·04	·02	·12	—	—	·16	·08	—	—	·52	3
4	·07	—	—	·17	—	—	—	·68	—	—	—	·55	4
5	·04	·33	—	·64	—	—	—	·16	—	·03	·01	·61	5
6	·45	·22	·02	·02	—	—	13	·02	—	—	—	·10	6
7	·41	·52	·03	·03	—	—	·05	—	—	—	—	·37	7
8	·06	·53	07	·11	—	—	·05	·03	—	—	·05	—	8
9	·04	·35	—	—	—	·08	—	·05	—	—	·57	·86	9
10	·36	·02	—	—	—	·17	—	—	—	—	—	·61	10
11	·02	·04	·03	—	—	—	—	—	—	—	·61	·04	11
12	·06	·06	—	—	·17	—	—	—	—	—	1·05	—	12
13	·03	1·15	—	·03	2·25	—	—	—	·03	—	—	—	13
14	·03	·04	—	—	—	—	·09	—	·06	—	—	·53	14
15	·18	—	—	—	·08	—	·04	·05	—	—	·13	·53	15
16	—	·66	—	·03	·02	—	1·50	·03	—	—	·12	·06	16
17	—	·89	—	—	1·45	—	—	—	—	—	—	·20	17
18	—	·21	—	—	·30	—	—	—	—	—	·03	·02	18
19	·02	·16	—	—	—	—	—	—	—	·04	—	—	19
20	·25	·03	—	·08	·20	—	—	—	—	—	—	·16	20
21	·15	—	—	—	—	—	—	—	—	·04	—	·10	21
22	—	·09	·04	—	—	—	1·13	—	—	—	—	·21	22
23	·08	—	·17	—	—	·03	·11	—	—	·20	—	·51	23
24	·02	—	·11	·01	—	—	·23	—	·30	·36	—	·61	24
25	—	·02	—	·05	—	—	·47	—	·03	·02	—	·30	25
26	—	·07	—	—	—	—	·06	—	·01	—	—	·75	26
27	—	·08	—	—	—	·07	·14	—	—	·22	—	·07	27
28	·01	·10	—	—	—	·10	—	—	1·81	·46	—	—	28
29	—		—	—	·03	·08	·25	·40	—	·02	·61	—	29
30	·22	X	—	—	—	·04	—	—	—	·07	·55	·04	30
31	·02	X	—	X	—	X	—	(·04)	X	·91	X	·32	31.
Total	3·84	5·99	—·80	1·55	4·64	—·57	4·25	1·94	2·89	2·42	4·08	8·73	YEAR'S TOTAL 41·70
Rain Days.	23	23	10	13	10	7	13	12	9	12	11	25	168

W. 8,000. X. 15.

636

FORM A.
BRITISH RAINFALL.
20 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Olives. Wadhurst
in the County of Sussex.
by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8 a.m
Nearest Railway Station Ticehurst Road 3 miles S.E
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level Estimated 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	—	·03	—	·68	·02	—	—	·17	·04	·32	—	1
2	·40	·11	·75	—	·22	·03	—	—	·02	·33	·08	—	2
3	—	·73	·20	—	·01	—	·04	—	·67	·33	·46	—	3
4	·18	·20	—	·01	·02	·50	—	—	·15	·12	·58	—	4
5	—	—	—	·02	·10	·15	—	—	·02	·15	·70	—	5
6	—	·15	·04	·48	·03	·38	·26	—	—	·08	·54	—	6
7	·08	·02	·91	—	·29	·12	·05	—	—	·05	·43	·03	7
8	—	·07	—	—	·13	—	—	—	—	—	·02	·37	8
9	—	—	·04	—	·40	—	—	—	—	—	—	·28	9
10	—	—	·06	·04	—	·41	·03	—	—	—	—	·36	10
11	·05	·32	·04	·06	—	·23	—	—	—	—	—	·07	11
12	·04	·13	—	·15	·25	·13	·13	—	·01	—	—	—	12
13	—	·18	·23	·09	·04	·12	·05	—	·04	·13	—	—	13
14	—	·42	·02	—	·15	—	—	·20	—	·03	—	—	14
15	—	·18	·22	—	—	—	—	·07	—	·02	—	·36	15
16	—	·03	·13	·19	—	—	·16	—	—	—	—	·09	16
17	·25	·08	·02	·14	—	—	·08	·13	·29	1·00	—	—	17
18	·03	·15	·03	—	—	—	—	·18	·21	·62	·70	—	18
19	·23	·04	·08	·20	—	—	—	—	·19	·01	·87	·12	19
20	·08	—	·02	·07	—	·02	—	—	—	—	·05	·38	20
21	·03	—	·47	—	—	—	—	—	—	—	·02	·55	21
22	·02	·13	·21	·04	—	·03	—	—	—	·07	·02	·78	22
23	—	·25	·06	—	—	·35	·03	·04	—	·01	—	·07	23
24	—	—	·04	—	·12	·01	—	—	—	·32	·12	·38	24
25	—	·75	·16	—	—	—	—	·77	—	·21	—	·07	25
26	·04	·40	·04	—	—	·12	—	·14	—	·25	—	—	26
27	—	·04	·75	—	—	·32	—	—	·17	·55	—	—	27
28	—	·60	·11	—	—	·31	—	·08	·44	·22	—	·26	28
29	—	·29	—	—	—	·32	—	·70	·08	·72	—	·36	29
30	—	X	·03	—	·02	—	—	·12	—	·55	—	·02	30
31	—	X	—	X	—	X	—	—	X	·08	X	·03	31
Total	1·58	5·27	4·89	1·49	2·46	3·59 7	—·83	2·43	1·86	5·89	4·91	4·58	YEAR'S TOTAL 39·76
Rain Days.	13	22	25	12	14	18	9	10	13	23	14	18	99

W. 8,000, VIII. 16

✓ Exd HW 608

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 14 JAN 1918

Kept at The Olives · Wadhurst

in the County of Sussex.

by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8 a.m
Nearest Railway Station Ticehurst Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·08	—	—	—	1·45	·12	—	·10	—	1
2	—	—	—	·20	—	—	—	·23	—	—	·02	—	2
3	—	—	—	·13	—	—	·43	·60	—	·15	·06	—	3
4	—	·08	·16	—	—	—	·64	·12	—	·45	—	—	4
5	·26	—	·05	·05	—	·01	—	·01	·54	·78	·03	—	5
6	—	—	·03	·20	—	·30	—	—	·08	·03	·22	·01	6
7	·40	—	—	—	—	—	·31	—	—	·60	—	·05	7
8	·03	—	—	·11	—	—	·27	·15	—	·44	·31	·10	8
9	·05	—	·05	·07	—	—	·09	—	—	—	·03	1·15	9
10	·09	—	·14	·09	—	·04	—	·14	—	—	—	·02	10
11	·29	·05	·21	·28	—	—	—	·03	—	·50	—	—	11
12	·07	·03	·03	·04	—	—	—	·22	—	·23	—	—	12
13	·04	—	·14	—	—	—	—	·04	—	·33	—	—	13
14	·02	—	·03	·24	—	—	—	·26	·05	—	—	—	14
15	·07	—	—	·01	—	—	—	·42	—	·08	—	·07	15
16	·06	·10	—	·32	·09	—	—	—	—	·33	—	·87	16
17	—	·06	—	·21	·43	—	·22	—	·23	·23	—	—	17
18	·07	·02	—	·07	·07	—	·28	—	·23	·03	—	—	18
19	·02	·13	·25	—	·46	·04	—	—	·20	—	—	—	19
20	—	·21	·05	—	1·35	·02	·03	—	·05	—	·02	—	20
21	—	·02	·04	—	·02	—	—	—	—	·07	—	·08	21
22	·02	—	·10	—	—	·48	—	·20	—	·15	—	—	22
23	—	·22	·03	—	·32	—	—	·16	—	·03	—	—	23
24	—	·02	—	—	—	·05	·04	·12	—	·21	—	·04	24
25	—	·11	·03	—	—	·03	—	—	—	—	·04	—	25
26	—	—	·03	—	—	·02	—	·32	·04	—	·87	—	26
27	—	—	—	—	—	—	—	1·22	—	—	·02	—	27
28	—	—	·08	—	—	1·30	—	·70	—	—	—	·06	28
29	—		·02	—	·11	·03	·50	·04	—	·65	—	·21	29
30	·06	X	·21	—	—	·04	·35	·32	—	·11	—	·08	30
31	·02	X	·12	X	—	X	·33	—	X	·04	X	·08	31
Total	1·57 ✓	1·05 ✓	1·81 ✓	2·10 ✓	2·85 ✓	2·36 ✓	3·49 ✓	6·75 ✓	1·54 ✓	4·78 ✓	1·72 ✓	2·82 ✓	YEAR'S TOTAL 32·84 ✓
Rain Days.	16 ✓	12 ✓	21 ✓	15 ✓	8 ✓	12 ✓	12 ✓	20 ✓	9 ✓	20 ✓	11 ✓	13 ✓	169 ✓

W. 8 000, IX. 17.

3·46

CX 914

126

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21.1.19

Kept at The Olives, Wadhurst
in the County of Sussex.
by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8·a.m.
Nearest Railway Station Ticehurst Road 3 miles S.S.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level est? 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	—	·01	—	—	·02	—	—	·23	·06	1
2	—	·02	·13	—	—	—	—	·30	·03	—	·28	·23	2
3	—	·02	·11	·07	·43	—	—	·01	—	·07	·58	·02	3
4	—	·12	·03	·02	·01	—	—	·04	·22	—	·83	—	4
5	—	·16	·02	—	·16	—	—	·12	·01	·08	—	·05	5
6	·14	·13	—	·23	·23	—	—	·41	·20	·05	·04	·05	6
7	·02	·06	—	·25	·06	·01	—	·01	·31	—	·01	—	7
8	—	·06	—	·02	—	—	—	—	·22	—	·13	·09	8
9	—	—	—	·14	—	·02	·10	—	·62	·25	·02	·15	9
10	—	—	—	·06	—	·02	·50	—	1·12	·25	—	·29	10
11	—	—	—	·02	—	—	·16	—	·20	1·13	—	·08	11
12	—	·12	—	—	·17	—	·25	—	·10	·15	—	·05	12
13	·18	·02	—	—	·14	—	·05	—	·07	·01	—	·03	13
14	·23	—	·03	—	—	·12	·21	—	·25	·38	—	·07	14
15	1·63	—	—	·26	—	·10	·03	—	·02	—	—	·21	15
16	·25	—	—	·09	—	·06	·05	—	—	—	—	—	16
17	·30	—	—	·16	—	—	·70	·03	—	—	—	·38	17
18	·40	—	—	—	—	·27	·01	—	·65	·06	—	·06	18
19	·14	—	·05	—	—	·02	—	—	—	—	·02	·07	19
20	·08	·13	—	·68	—	·04	1·23	—	·20	·56	—	·07	20
21	·25	·02	—	·62	—	—	·18	—	·35	·13	—	·06	21
22	·11	—	—	·02	·05	—	·16	—	·82	·02	—	·15	22
23	·08	—	—	·02	·04	—	·76	·03	·01	—	·02	·08	23
24	—	·32	—	·03	—	—	·20	—	—	—	·07	—	24
25	·02	·01	—	—	—	·03	·55	·30	—	—	·06	—	25
26	—	—	—	·07	—	—	·32	·08	·05	·02	·06	·21	26
27	—	·12	·02	·14	—	—	·23	·20	·11	—	·06	·09	27
28	·02	·02	·45	·08	—	·20	·02	·02	—	—	·23	—	28
29	·02		—	·03	—	—	—	—	1·03	—	·03	·03	29
30	·01	X	·37	·01	—	—	—	—	·03	·11	—	·12	30
31	·02	X	—	X	—	X	—	—	X	·04	X	·10	31
Total	3·90	1·33	1·28	3·02	1·30	·89	5·71	1·57	6·62	3·31	2·67	2·68	YEAR'S TOTAL 34·28
Rain Days.	18	15	10	21	10	11	19	13	22	16	16	25	196

W. 6,500, VII. 18. W W C

Ex ML

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN

Kept at Wadhurst (The Olives)
in the County of Sussex.
by Miss E. P. Luck

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8 am.
Nearest Railway Station Ticehurst Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level estd 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·07	—	—	·03	—	·25	—	—	·09	·06	·56	1
2	·34	·03	·05	—	·15	—	·16	—	—	·05	·31	·35	2
3	·30	—	·34	—	·03	—	·25	—	·13	—	·05	·25	3
4	·30	·07	·45	—	—	·03	·04	·02	·03	—	·16	·13	4
5	·03	·36	1·30	—	—	—	—	—	—	—	·17	·37	5
6	·09	·04	·04	—	—	—	—	—	—	·01	·02	·04	6
7	·17	—	·54	—	—	—	—	—	—	—	·15	—	7
8	·44	—	·05	—	—	—	—	—	—	—	·09	—	8
9	·40	—	·10	·03	·07	—	—	—	—	—	·40	—	9
10	·73	—	·08	·03	—	—	—	—	—	—	·05	·02	10
11	·35	—	·20	·30	·03	—	—	—	—	—	—	·16	11
12	·23	—	·02	·03	·01	—	·52	—	—	·03	·02	·02	12
13	·02	—	·01	·57	—	—	—	—	—	·01	—	·05	13
14	·62	—	—	·56	—	—	·05	—	·17	—	—	·06	14
15	·15	·03	—	·06	—	—	—	—	—	—	·02	·12	15
16	·17	·43	—	·01	—	—	—	—	—	—	·13	·06	16
17	—	·40	·05	—	—	—	—	—	—	—	·14	·06	17
18	—	·07	·05	—	—	—	—	·03	·01	—	·08	·06	18
19	·03	·25	·60	—	—	·04	·18	·20	—	—	·19	·02	19
20	·28	·15	·14	·02	—	·65	·16	·16	—	—	—	·05	20
21	·06	·57	·04	—	—	—	·17	—	—	—	—	·02	21
22	—	·05	·06	—	—	—	·19	—	·53	—	·08	·13	22
23	—	—	—	—	—	·02	·04	—	·37	—	·03	·06	23
24	—	—	—	·10	—	·02	—	·04	—	—	·12	—	24
25	·06	·12	—	—	·01	—	—	·72	—	·06	·01	·11	25
26	·03	·05	·07	·06	—	—	·03	·04	·07	·02	·06	·46	26
27	·25	—	·13	1·00	—	—	—	·35	—	—	·37	·03	27
28	·06	—	·23	·12	—	—	·02	1·20	—	—	·53	·28	28
29	·11		—	—	—	—	—	·78	—	·20	·11	·18	29
30	·02		—	·18	—	—	—	·46	—	·13	·17	·73	30
31	·16		·03		—		—	—		·10		·09	31
TOTAL	5·89	2·69	4·58	3·07	·33	·76	2·06	4·00	1·31	·70	3·54	4·47	YEAR'S TOTAL 23·40
Days with ·01 in. or more	26	15	22	14	7	5	13	11	7	10	25	27	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sw 532

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at The Olives · Wadhurst
in the County of Sussex
by Miss E. P. Luck.

Lat. 51·2·30 Long. 0·21·30
Time of Observation 8 am.
Nearest Railway Station Ticehurst Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·02	·04	—	·20	—	—	·91	—	·26	1
2	—	—	·27	—	·04	—	—	·24	·05	·07	—	·11	2
3	—	—	—	—	—	·01	—	—	—	·03	—	·08	3
4	—	·12	—	—	—	—	·82	·14	—	—	—	·05	4
5	—	—	·02	—	·03	—	·32	·04	—	—	—	·06	5
6	—	—	·48	—	·20	—	·25	—	—	—	—	·02	6
7	·03	—	—	·09	·10	—	·09	—	—	—	—	·07	7
8	—	—	—	·06	·07	—	·28	—	—	—	—	—	8
9	·31	·03	—	·62	·20	—	·02	—	—	—	—	—	9
10	·62	·13	·07	·17	—	·19	·16	—	—	—	·03	·03	10
11	·47	·03	·08	·18	—	·06	·45	—	—	—	—	—	11
12	·06	—	—	·21	·04	·70	·03	—	—	—	—	·03	12
13	·25	·03	·20	·01	—	·01	—	—	·05	—	·10	—	13
14	—	·02	·54	·45	—	·03	·03	—	·05	·22	·38	—	14
15	·03	—	·02	·15	—	—	—	—	1·05	·32	·11	·03	15
16	·02	—	·02	·17	·04	—	—	—	·23	·01	—	·05	16
17	—	—	—	·07	·24	—	—	1·10	·83	—	—	·09	17
18	·09	—	—	·01	·20	—	—	—	·28	—	·01	·11	18
19	·10	—	—	·22	—	—	—	—	·33	—	—	·08	19
20	·05	·33	—	·11	—	·54	—	—	·48	—	—	·03	20
21	—	·02	—	·17	—	—	·55	—	·17	—	—	·28	21
22	·04	—	—	·28	—	—	—	—	·18	—	—	·38	22
23	—	—	—	·01	—	—	·48	—	—	—	—	·36	23
24	—	—	·06	—	—	—	—	—	·02	—	—	·10	24
25	—	—	·02	·02	—	—	·42	—	·02	—	—	—	25
26	·10	—	·13	—	—	·02	·35	—	—	—	·02	·06	26
27	·56	·06	·06	·08	—	·04	·20	—	—	—	·25	·30	27
28	·44	—	·03	·02	·20	—	·14	—	—	—	·25	·03	28
29	·95	—	—	·12	·02	—	—	—	—	—	·15	·20	29
30	·03	×	·02	·02	—	—	·05	—	·09	—	·48	·13	30
31	·04	×	—	×	—	×	—	—	×	·35	×	·45	31
TOTAL	4·22	·77	2·02	2·66	1·42	1·60	4·84	1·52	3·83	1·91	1·78	3·39	YEAR'S TOTAL 29·96
Days with ·01 in. or more	19	9	15	23	13	9	18	4	14	7	10	25	166
Days with ·04 in. or more	14	4	9	15	11	5	15	4	12	5	7	19	120

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. **Gp.132.** A.&E.W.

490

WASHINGTON VICARAGE
SUSSEX
1915 – 20

NFALL IN 1915

FORM A.
BRITISH RAINFALL.

19 JAN 19

Lat. 50.54'.15" Long. 0°24 33" W.
Time of Observation 9.0 a.m
Nearest Railway Station Steyning (We use Worthing 7 miles)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 251.0 ft.

asured daily at 9 a.m. and the result entered to the conform to this almost universal rule, he is earnestly January of the following year in the space provided instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.68	.20	–	–	–	–	.04	.01	.29	.06	.07	.16	1
2	.54	.21	.34	.11	.01	–	–	.08	.09	.08	–	.23	2
3	.41	.01	.13	.18	.14	–	–	.01	–	–	–	.49	3
4	.05	–	.01	.01	–	–	–	.01	–	–	–	.48	4
5	.04	.30	–	.01	.01	–	–	.31	–	–	–	.56	5
6	.59	.11	.01	.50	–	–	.45	–	–	.01	–	.19	6
7	.40	.49	.01	.03	–	–	.04	–	–	–	–	.27	7
8	.03	.52	–	–	–	–	.10	.01	–	–	.11	.03	8
9	.02	.04	–	.07	–	.09	–	.02	–	–	.31	1.00	9
10	.35	.01	.01	–	–	–	–	–	–	–	–	.37	10
11	.02	–	.03	–	–	–	.01	–	–	.12	1.11	–	11
12	.03	.27	–	.10	.31	–	–	.01	–	.01	.72	–	12
13	.01	.60	.01	–	1.54	–	–	–	.08	–	–	–	13
14	.14	.01	–	–	–	–	.07	.04	.08	–	–	.90	14
15	.17	–	–	–	.05	–	.22	.43	–	–	.07	.32	15
16	.01	.76	–	–	.09	–	1.13	.22	–	–	–	.03	16
17	–	.26	–	–	.94	–	–	.10	–	–	–	–	17
18	–	.04	.01	–	.16	–	–	–	–	–	.10	.01	18
19	–	.03	–	–	.03	–	–	–	–	.01	–	–	19
20	–	–	–	.02	.11	–	–	–	–	–	–	.08	20
21	.06	–	–	–	–	–	.01	–	–	.28	–	.07	21
22	.72	.02	.11	.01	–	–	1.24	–	–	.01	–	.26	22
23	.01	.04	.09	.01	–	.01	.15	–	.06	.26	–	.70	23
24	–	–	.02	–	–	–	.01	–	.34	.57	–	.71	24
25	–	–	.01	–	–	–	.11	–	–	–	–	.21	25
26	–	.16	–	–	–	.05	.15	–	–	–	–	.89	26
27	–	.02	–	–	–	.07	.01	–	–	.60	–	.03	27
28	–	.05	–	–	–	.11	–	–	1.43	.24	.01	–	28
29	–	×	–	–	–	.11	–	.18	–	–	.43	.02	29
30	.25	×	–	–	–	.01	–	–	–	.36	.69	.03	30
31	.01	×	–	×	–	×	–	.38	×	.81	×	.94	31
Total	4.54	4.15	.79	1.05	3.39	.45	3.74	1.81	2.37	3.42	3.62	8.28	YEAR'S TOTAL 37.61
Rain Days.	21	21	13	11	11	7	15	14	7	14	10	25	169

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

9 JAN 19

Kept at Washington

in the County of Sussex

by A. H. S. Pattrick

Lat. 50.54'.15" Long. 0°24 33" W.

Time of Observation 9.0 a.m

Nearest Railway Station Steyning (We use Worthing 7 miles)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 251.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.68	.20	–	–	–	–	.04	.01	.29	.06	.07	.16	1
2	.54	.21	.34	.11	.01	–	–	.08	.09	.08	–	.23	2
3	.41	.01	.13	.18	.14	–	–	.01	–	–	–	.49	3
4	.05	–	.01	.01	–	–	–	.01	–	–	–	.48	4
5	.04	.30	–	.01	.01	–	–	.31	–	–	–	.56	5
6	.59	.11	.01	.50	–	–	.45	–	–	.01	–	.19	6
7	.40	.49	.01	.03	–	–	.04	–	–	–	–	.27	7
8	.03	.52	–	–	–	–	.10	.01	–	–	.11	.03	8
9	.02	.04	–	.07	–	.09	–	.02	–	–	.31	1.00	9
10	.35	.01	.01	–	–	–	–	–	–	–	–	.37	10
11	.02	–	.03	–	–	–	.01	–	–	.12	1.11	–	11
12	.03	.27	–	.10	.31	–	–	.01	–	.01	.72	–	12
13	.01	.60	.01	–	1.54	–	–	–	.08	–	–	–	13
14	.14	.01	–	–	–	–	.07	.04	.08	–	–	.90	14
15	.17	–	–	–	.05	–	.22	.43	–	–	.07	.32	15
16	.01	.76	–	–	.09	–	1.13	.22	–	–	–	.03	16
17	–	.26	–	–	.94	–	–	.10	–	–	–	–	17
18	–	.04	.01	–	.16	–	–	–	–	–	.10	.01	18
19	–	.03	–	–	.03	–	–	–	–	.01	–	–	19
20	–	–	–	.02	.11	–	–	–	–	–	–	.08	20
21	.06	–	–	–	–	–	.01	–	–	.28	–	.07	21
22	.72	.02	.11	.01	–	–	1.24	–	–	.01	–	.26	22
23	.01	.04	.09	.01	–	.01	.15	–	.06	.26	–	.70	23
24	–	–	.02	–	–	–	.01	–	.34	.57	–	.71	24
25	–	–	.01	–	–	–	.11	–	–	–	–	.21	25
26	–	.16	–	–	–	.05	.15	–	–	–	–	.89	26
27	–	.02	–	–	–	.07	.01	–	–	.60	–	.03	27
28	–	.05	–	–	–	.11	–	–	1.43	.24	.01	–	28
29	–		–	–	–	.11	–	.18	–	–	.43	.02	29
30	.25		–	–	–	.01	–	–	–	.36	.69	.03	30
31	.01		–		–		–	.38		.81		.94	31
Total	4.54	4.15	.79	1.05	3.39	.45	3.74	1.81	2.37	3.42	3.62	8.28	YEAR'S TOTAL 37.61
Rain Days.	21	21	13	11	11	7	15	14	7	14	10	25	169

W. 8,000. X. 15.

End CSC.

556

REGISTER OF RAINFALL IN 1916

as last year no change

FORM A. BRITISH RAINFALL

20 MAY

Kept at Washington Vicarage

in the County of Sussex

by C. H. S. Patrick

Lat. .... Long. ....

Time of Observation 9 a.m. S. time

Nearest Railway Station Steyning (we use Worthing

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 251 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.03	.01	–	.35	.02	–	–	.11	.04	.35	–	1
2	.78	.08	.21	–	.14	–	.01	–	.01	.77	.01	–	2
3	.06	.45	.12	–	–	–	.04	–	.22	.69	.67	–	3
4	.18	.06	–	–	.01	.63	–	–	.17	.02	.23	–	4
5	.01	.02	–	–	.13	.10	–	–	–	.07	.51	–	5
6	.01	.06	.14	.03	.21	.03	.38	–	–	.05	.58	–	6
7	–	.06	.49	–	.19	.24	.01	–	–	.02	.76	.02	7
8	–	.01	–	–	.39	–	–	–	–	–	.07	.60	8
9	–	–	.01	–	.28	–	–	–	–	–	–	.13	9
10	–	.46	.01	.03	–	.37	.04	–	–	.07	.01	.17	10
11	.04	.06	.01	.19	.01	.46	–	–	.01	–	–	.07	11
12	.02	.09	.09	.01	.04	.11	.16	.01	.01	.02	.01	.01	12
13	–	.27	.08	.01	.06	.02	–	.01	.06	.01	–	–	13
14	–	.42	.40	.05	.12	–	–	–	–	.03	–	.05	14
15	–	.16	.20	.01	.01	–	–	.05	–	–	–	–	15
16	.78	.02	.27	.20	–	–	.08	.05	–	–	–	–	16
17	.26	.20	–	.15	–	–		–	.15	.95	–	–	17
18	.01	.05	.02	.04	–	–		.13	–	.06	.61	.35	18
19	.32	–	.15	.22	–	.07		02	.16	–	.61	.06	19
20	.28	–	.18	.05	–	.01			.03	–	.11	.63	20
21	.03	–	.19	–	–	–	.04	–	–	–	.01	.38	21
22	.01	–	.01	–	–	.04	–	–	–	.02	.02	.78	22
23	.03	.03	.01	–	–	.01	–	.01	–	.24	–	.02	23
24	.01	.01	–	–	.26	06	–	.02	–	.24	.09	.47	24
25	–	.52	.11	–	–	–	–	.40	.42	.03	.02	–	25
26	.02	.29	–	–	–	.20	–	.05	.12	.30	–	.04	26
27	–	.36	.92	–	–	.37	–	.03	.15	.47	–	–	27
28	–	.60	.05	–	–	.15	–	.14	.21	.13	–	.41	28
29	–	.40	.02	–	–	.47	–	.78	–	.40	–	.56	29
30	–	╳	–	–	.44	.01	–	–	–	.36	–	.01	30
31	–	╳	–	╳	–	╳	–	–	╳	.06	╳	–	31
Total	2.91	4.71	3.75	.99	2.64	3.37	.76	1.70	1.83	5.05	4.67	4.76	YEAR'S TOTAL 37.14
Rain Days.	18	24	23	12	15	19	8	13	14	23	17	18	204

W. 8,000, VIII. 16

531

FORM A.
BRITISH RAINFALL.

29 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Washington

in the County of Sussex

by A. H. S. Pattrick

Lat. 50° 54′ 15″ Long. 0° 24′ 33

Time of Observation 9.0 a.m.

Nearest Railway Station Steyning (West Worthing)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 251.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.04	.09	.	.	-	1.30	.07	-	.05	-	1
2	-	-	.01	.57	.	.	-	.05	-	-	.04	-	2
3	-	-	-	.08	.	.	-	.22	-	.10	.10	-	3
4	.01	.14	.16	.01	.	.	.86	.13	-	.24	-	-	4
5	.33	-	.04	.27	.	.	.07	.01	.14	.18	.05	-	5
6	-	-	.15	.01	.	.	.	-	.15	-	.15	.01	6
7	.43	-	-	-	.	.13	.	-	.03	.86	-	.09	7
8	.10	-	-	.09	.	-	2.25	.18	.	.35	.19	.31	8
9	.	-	.12	.02	.	-	.20	.04	.	.03	.12	.25	9
10	.25	-	.18	.06	.02	.11	.07	.18	.	-	-	.	10
11	.10	.01	.15	.39	.	.	-	.07	.04	.54	-	.	11
12	.03	.	.01	.03	-	.	-	.04	.	.27	-	.	12
13	.01	.	.27	-	.04	.	.	.03	.03	.21	-	.	13
14	-	-	.01	.14	.	.	-	.11	.	.01	-	.	14
15	-	-	-	-	.	.	-	.15	.	.28	-	.12	15
16	.01	-	-	.14	.04	-	-	.01	-	.81	.	.72	16
17	.	.01	-	.20	.18	-	.01	.05	.45	.09	.	-	17
18	-	.03	-	.04	.18	-	.32	.10	.33	-	-	.	18
19	.01	.20	.03	-	.01	.02	.27	-	.16	.	-	.	19
20	.	.13	-	-	1.01	.01	-	-	.01	.	-	-	20
21	.02	.02	-	-	.01	-	.01	-	.	.	.01	.	21
22	.01	-	-	-	-	.17	-	.19	.	.22	-	.	22
23	-	.36	-	-	.12	.01	-	.12	.	-	-	.05	23
24	-	.11	-	-	.	.12	.16	.01	.	.21	.06	.	24
25	-	.13	.03	-	.	-	.01	-	.	.01	-		25
26	-	-	.02	-	.	.04	-	.33	.07	-	.59		26
27	-	-	-	-	.03	.03	-	1.37	-	-	-	.01	27
28	-	.01	.06	-	-	-	-	.46	-	-	-	.03	28
29	-	X	.02	-	.04	2.30	.03	.07	-	.40	.01	.10	29
30	-	X	.42	-	-	-	.36	.48	.	.02	-	.01	30
31	.01	X	.03	X	-	X	.20	.05	X	.04	X	.04	31
Total	1.32	1.15	1.75	2.14	1.68	2.94	4.82	5.75	1.48	4.87	1.37	1.74	YEAR'S TOTAL 31.01
Rain Days.	13	11	18	15	11	10	14	25	11	19	11	12	170

W. 8,000, VIII. 16

W D f cnd fr anth.

58

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Washington

in the County of Sussex

by A. H. S. Pattrick

Lat. 50° 54′ 15″ Long. 0° 24′ 33″

Time of Observation 9.0 a.m.

Nearest Railway Station Steyning (Worthing most convenient)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 257.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept	Oct.	Nov.	Dec.	Date.
1	-	·01	-	-	-	-	-	·02	-	-	·20	·06	1
2	-	·01	-	·02	-	-	-	·38	-	·01	·25	·34	2
3	-	·04	·03	·04	·54	-	-	·03	-	-	·26	·02	3
4	-	·15	·01	·01	-	-	-	·08	·08	·01	·55	·10	4
5	-	·08	·09	-	·04	-	-	·16	-	·08	-	·03	5
6	·11	·12	-	·12	·19	-	-	·36	-	·02	-	·04	6
7	-	·11	-	·18	·30	-	-	·04	·59	·08	·12	·03	7
8	-	·02	-	-	-	-	-	-	·21	·04	·05	·18	8
9	-	-	-	·08	-	·12	·07	-	·50	·24	·02	·41	9
10	·02	-	-	·05	-	·04	·26	-	·48	·14	·01	·30	10
11	-	-	-	-	-	-	·18	-	·02	·20	·04	·09	11
12	-	·18	-	-	·23	-	·01	-	·03	·01	-	·03	12
13	·28	·01	-	-	·09	-	·16	-	·19	-	-	·07	13
14	·25	-	·10	-	·03	·07	·17	-	·42	·31	-	·10	14
15	1·54	-	-	·17	-	·03	·56	-	·01	·01	-	-	15
16	·47	-	·02	·04	-	·25	·01	-	·31	·07	-	-	16
17	·17	-	·01	·13	-	·06	·53	·02	-	·01	-	·29	17
18	·47	-	·01	-	-	·45	·01	-	·53	-	-	·08	18
19	·05	-	·17	·02	-	·08	·07	-	·01	·01	·01	·02	19
20	·03	·22	-	·65	-	·04	·21	-	·17	·06	-	-	20
21	·20	·02	·01	·55	-	-	·39	-	·39	·18	-	·05	21
22	·15	·01	-	-	·15	-	·61	-	·57	-	-	·15	22
23	·12	-	-	-	·01	-	·38	·04	-	-	·01	·09	23
24	-	·20	-	-	-	·01	·23	-	·25	-	·04	-	24
25	·01	-	-	·45	-	-	·06	·27	-	·03	·01	-	25
26	-	-	-	-	-	-	·33	·01	·11	·01	·14	·15	26
27	-	-	·03	·02	-	-	·02	·17	·35	-	·11	·04	27
28	·01	·03	·19	-	-	·20	-	-	-	·02	·09	·01	28
29	·01		·01	-	-	-	-	-	1·04	-	-	·05	29
30	·01	✕	·50	-	-	-	-	·01	·03	·17	·02	·04	30
31	-	✕	·01	✕	-	✕	-	-	✕	·06	✕	-	31
Total	3·90	1·21	1·19	2·53	1·58	1·35	4·26 ~~4·24~~	1·59	6·31	1·77 ~~1·47~~	1·93	2·77 ~~2·67~~	YEAR'S TOTAL 30·39 ~~30·17~~
Rain Days.	17	15	14	15	9	11	19	~~15~~ 13	21	22	17	25	~~200~~ 198

W. 6,500, VII. 18. w w c

4/BR 499

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Washington

in the County of Sussex

by A. H. S. Pattrick (Rev.)

Lat. 50°54'15" Long. 0°24'33"

Time of Observation 9.0 a.m.

Nearest Railway Station Steyning (West Worthing)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 257.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.04	.04	.01	.01	–	.26	–	–	.01	–	.13	1
2	.16	–	.03	–	.02	–	.03	–	.20		.02	.65	2
3	.25	–	.51	–	.02	–	.07	–	.02		.01	.17	3
4	.32	.08	.35	–	–	.03	.11	.02	.06		.08	.05	4
5	–	.36	.89	–	–	–	.02	–	.01		.08	.25	5
6	.25	–	.12	–	–	–	.01	–	–		–	.05	6
7	.09	–	.35	–	–	–	–	–	–		–	–	7
8	.21	–	.12	–	–	–	–	–	–		–	–	8
9	.91	–	.09	.05	.06	–	–	–	–		.09	–	9
10	.15	–	.06	.03	–	–	–	–	–		–	.39	10
11	.38	–	.12	.29	.11	–	.03	–	–		–	.11	11
12	.42	–	.01	.02	.01	–	.06	–	.01	.04	.07	–	12
13	.09	–	–	.33	–	–	–	–	–		–	.03	13
14	.83	–	–	.25	–	–	.14	–	.46		–	.26	14
15	.30	.03	.05	.05	–	–	–	–	–	.02	–	1.49	15
16	.15	.54	–	.02	–	–	–	–	–	–	.07	.01	16
17	–	.22	–	.01	–	–	–	–	–	–	.07	.09	17
18	–	.08	.14	–	–	–	–	.05	.02	–	.17	.04	18
19	.20	.55	1.36	–	–	.07	.53	.20	–	–	.10	.01	19
20	.77	.04	.08	–	–	1.05	.03	.20	–	–	–	.01	20
21	.07	.44	–	–	–	–	–	–	–	–	.02	.01	21
22	–	.01	–	–	–	–	.16	–	.52	–	.01	.11	22
23	–	–	–	–	–	–	–	–	.35	.01	.03	.01	23
24	–	.05	–	.14	–	.01	.03	.03	.01	.19	.07	.06	24
25	.03	–	–	–	–	–	–	.41	–	–	–	.02	25
26	.02	.14	.07	.06	–	–	.02	.02	.09	–	.18	.64	26
27	.58	–	.02	.50	–	–	–	.53	–	–	.13	.02	27
28	–	–	.30	.01	–	–	–	.71	–	–	.41	.32	28
29	–		–	.01	–	.02	–	.39	–	.11	.02	.08	29
30	–		.01	.22	–	.04	–	.69	–	.01	.38	.56	30
31	.13		.13		–		–	–		.01		.19	31
Total	6.98	2.58	4.85	2.00	0.23	1.22	1.50	3.25	1.75	0.40	2.01	5.76	Year's Total 32.53
Days with ·01 in. or more	22	13	21	16	6	6	14	11	11	8	19	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

A. H. S. Pattrick Jan 8 1920.

473

-8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Washington

in the County of Sussex

by A. H. S. Pettrick

Lat. 50° 54′ 15″ Long. 0° 24′ 33″
Time of Observation 9.0 a.m.
Nearest Railway Station Steyning
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 251 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	.01	.06	.12	-	.41	-	-	.45	.01	.27	1
2	.03	-	.14	.03	.03	-	-	.27	.08	.12	-	.01	2
3	.08	-	-	-	-	-	-	-	-	.21	-	.10	3
4	-	.11	-	.06	-	-	.94	.23	-	.36	-	.01	4
5	-	-	.12	.01	-	-	.58	.03	-	.01	-	.01	5
6	-	-	.14	-	.20	-	.27	-	-	-	-	.02	6
7	.08	-	-	.09	.01	-	.06	-	-	-	-	-	7
8	.01	.01	-	.05	.09	-	.22	-	-	-	-	-	8
9	.22	.03	-	.06	.17	.06	.06	-	-	-	-	-	9
10	.75	.13	.10	.08	-	.26	.37	-	-	-	-	-	10
11	.25	-	.10	.27	.01	.01	.19	-	-	-	-	.18	11
12	.07	.10	.01	.29	-	.43	-	-	-	-	.01	-	12
13	.26	.04	.32	-	-	-	-	-	-	-	.08	-	13
14	.02	.03	.55	.40	-	-	-	-	.10	.11	.96	-	14
15	.07	.01	.01	.12	.01	.02	-	-	.84	.51	.03	-	15
16	.01	.02	.02	.02	-	-	-	-	.55	-	-	-	16
17	.01	-	-	.01	.21	-	-	-	.67	-	-	.08	17
18	.04	-	-	-	.08	-	-	.72	.87	-	-	.07	18
19	.06	-	-	.47	-	.02	-	-	.28	-	-	.05	19
20	.08	.10	-	.15	-	.63	-	-	.05	-	-	.04	20
21	-	-	-	.02	-	-	.83	-	.30	-	-	.24	21
22	.03	-	-	.42	-	-	.01	-	.01	-	-	.48	22
23	-	-	-	-	-	-	.18	.18	-	-	-	-	23
24	.01	.01	.07	.01	-	-	-	-	-	-	.01	.01	24
25	-	-	.01	-	.01	-	.35	-	.01	-	.01	-	25
26	.03	-	.10	.02	-	.01	.01	-	-	-	.02	.11	26
27	.59	.01	- ~~.06~~	.21	-	.04	.01	-	.01	-	.75	.49	27
28	.36	.01	.09	.01	.26	-	.28	-	-	-	.03	.04	28
29	.67	-	.04	.11	.03	-	-	-	-	-	.36	.28	29
30	.08		-	-	-	.01	.01	-	.14	.01	.27	.43	30
31	.05		.10		-		-	-		.77		.35	31
TOTAL	3.89	0.61	1.93	2.97	1.23	1.49	4.78	1.43	3.91	2.55	2.54	3.27	YEAR'S TOTAL 30.60
Days with ·01 in. or more	25	13	17	23	13	10	17	5	13	9	12	20	177
Days with ·04 in. or more	16	5	11	15	7	5	13	4	10	7	5	15	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

23 JAN 19

WESTBOURNE
{RECTORY}
SUSSEX
1911-20

REGIS 19 11

Kept at Westbourne R
in the County of Sussex
by Rev. J. B. Birkett

top 5 in.
above Ground ft. 12 in.
„ Sea Level 50 ft.
9 a.m.

ion { Name Emsworth G.
Distance 1½ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·31	–	–	–	·12	–	–	·06	·08	1
2	·08	–	·01	·08	·36	–	–	–	–	–	·34	·25	2
3	–	·02	–	–	·28	–	–	·10	–	·02	·26	·10	3
4	–	–	·02	·13	–	–	–	–	·01	·07	·19	·44	4
5	–	–	–	·02	–	–	–	–	–	·48	·01	·01	5
6	·24	–	·07	–	–	–	–	–	–	–	·11	·94	6
7	·08	–	–	–	–	–	–	–	–	·47	·71	·07	7
8	·05	–	·18	–	–	–	–	–	–	–	·41	·45	8
9	·12	–	–	–	–	–	–	–	–	–	·09	·20	9
10	·01	·17	·22	·02	·01	–	–	–	–	–	–	·54	10
11	·36	–	·04	–	·06	–	–	–	–	–	1·10	–	11
12	–	–	·82	–	–	–	–	–	·83	–	·15	·12	12
13	–	–	·04	–	·34	–	–	–	·04	·10	–	·41	13
14	–	·09	–	–	·12	–	–	–	–	–	–	·48	14
15	–	·03	·02	–	–	·01	–	–	–	–	·12	·06	15
16	·02	·02	–	–	–	·59	–	–	–	–	1·02	·15	16
17	–	–	–	–	–	·03	–	–	–	–	·44	·26	17
18	–	·21	·07	·02	–	–	–	–	–	·12	·28	·49	18
19	–	·06	–	–	–	·15	–	–	·63	·14	·02	·16	19
20	·06	·02	·08	·01	–	–	–	·07	·21	·63	–	·94	20
21	·03	·31	–	–	–	–	–	–	·04	·53	–	·23	21
22	·15	·02	–	–	–	·17	–	·03	–	·30	·02	·48	22
23	–	·16	·01	–	–	·42	–	–	·21	·27	·02	·26	23
24	·02	·16	–	–	–	·15	·03	·07	–	1·96	–	·55	24
25	–	·09	·04	·15	1·48	·15	·38	·04	·04	·02	–	·06	25
26	–	–	·02	·31	·63	–	·03	·01	–	·25	–	·41	26
27	–	·57	·25	·08	–	–	·06	–	·07	·29	·05	·20	27
28	–	·24	–	·28	–	–	–	·18	–	–	·01	–	28
29	–		–	·06	–	·20	·03	–	·27	·31	–	–	29
30	–		–	·02	·15	·12	–	·17	–	·37? ·37	–	·02	30
31	–		–		–		·01	–		–		·01	31
Total	1·24	2·17	1·89	1·49	3·43	1·99	·54	·79	1·55	5·53 5·53	5·41	8·40	TOTAL for year ~~34·43~~ 34·43
No. of Rain Days.	13	15	15	13	9	10	6	9	10	17	20	28	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 JAN 19

REGISTER OF RAINFALL IN 1911

W 1885

Kept at Westbourne Rectory

in the County of Sussex

by Rev: J. B. Birkett

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level 50 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Emsworth S.
Distance 1¼ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	–	–	.31	–	–	–	.12	–	–	.06	.08	1
2	.08	–	.01	.08	.36	–	–	–	–	–	.34	.25	2
3	–	.02	–	–	.28	–	–	.10	–	.02	.26	.10	3
4	–	–	.02	.13	–	–	–	–	.01	.07	.19	.44	4
5	–	–	–	.02	–	–	–	–	–	.48	.01	.01	5
6	.24	–	.07	–	–	–	–	–	–	–	.11	.94	6
7	.08	–	–	–	–	–	–	–	–	.47	.71	.07	7
8	.05	–	.18	–	–	–	–	–	–	–	.41	.45	8
9	.12	–	–	–	–	–	–	–	–	–	.09	.20	9
10	.01	.17	.22	.02	.01	–	–	–	–	–	–	.54	10
11	.36	–	.04	–	.06	–	–	–	–	–	1.10	–	11
12	–	–	.82	–	–	–	–	–	.83	–	.15	.12	12
13	–	–	.04	–	.34	–	–	–	.04	.10	–	.41	13
14	–	.09	–	–	.12	–	–	–	–	–	–	.48	14
15	–	.03	.02	–	–	.01	–	–	–	–	.12	.06	15
16	.02	.02	–	–	–	.59	–	–	–	–	1.02	.15	16
17	–	–	–	–	–	.03	–	–	–	–	.44	.26	17
18	–	.21	.07	.02	–	–	–	–	–	.12	.28	.49	18
19	–	.06	–	–	–	.15	–	–	.63	.14	.02	.16	19
20	.06	.02	.08	.01	–	–	–	.07	.21	.03	–	.94	20
21	.03	.31	–	–	–	–	–	–	.04	.53	–	.23	21
22	.15	.02	–	–	–	.17	–	.03	–	.30	.02	.48	22
23	–	.16	.01	–	–	.42	–	–	.21	.27	.02	.26	23
24	.02	.16	–	–	–	.15	.03	.07	–	1.96	–	.55	24
25	–	.09	.04	.15	1.48	.15	.38	.04	.04	.02	–	.66	25
26	–	–	.02	.31	.63	–	.03	.01	–	.25	–	.41	26
27	–	.57	.25	.08	–	–	.06	–	.07	.29	.05	.20	27
28	–	.24	–	.28	–	–	–	.18	–	–	.01	–	28
29	–		–	.06	–	.20	.03	–	.27	.31	–	–	29
30	–		–	.02	.15	.12	–	.17	–	.37 .37	–	.02	30
31	–		–		–		.01	–		–		.01	31
Total	1.24	2.17	1.89	1.49	3.43	1.99	.54	.79	1.55	5.53 5.53	5.41	8.40	TOTAL for year
No. of Rain Days.	13	15	15	13	9	10	6	9	10	17	20	28	~~34.43~~ 34.43 166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 18 JAN 1913

W. H.

Kept at Westbourne Rectory

in the County of Sussex.

by Rev: L. B. Burkett.

Lat. 50, 53-40 Long. 0,55·30

Time of Observation 9 A.M.

Nearest Railway Station Emsworth 1 mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·21	—	·02	·55	·30	·10	·03	·66	—	·21	1
2	—	—	·38	·01	·05	·05	·35	—	—	—	—	—	2
3	·01	—	·08	—	—	·15	·02	·75	·04	—	·03	·02	3
4	·21	·07	·72	—	·01	·12	—	·05	—	—	·21	—	4
5	·33	·04	·19	—	—	—	—	·52	—	—	·06	·06	5
6	·56	·06	—	—	·18	·01	·15	·81	·01	—	·02	·37	6
7	—	—	·06	—	·37	·69	—	·02	—	—	—	·05	7
8	·64	·30	·24	·03	—	·10	—	·16	—	—	—	—	8
9	·02	·26	·15	·05	—	·05	·04	·18	—	—	—	·17	9
10	—	·05	—	—	—	—	—	·37	—	—	·11	·30	10
11	·10	·25	·01	—	—	·02	—	·04	—	—	·03	·19	11
12	·03	·09	·10	—	·12	·44	·24	·36	—	—	·02	—	12
13	—	·06	·03	—	—	—	·09	·10	—	—	·08	·14	13
14	·02	—	·01	—	·03	—	—	·06	—	·03	—	·03	14
15	·02	·14	·20	—	·10	·57	—	·02	—	—	—	·32	15
16	·15	·02	·20	—	—	·07	—	·19	—	·08	·14	—	16
17	·57	—	·21	—	·04	—	—	·24	—	—	—	·12	17
18	·39	—	·24	—	—	·02	—	·44	—	·03	—	·12	18
19	·07	·05	·15	—	—	·02	·05	·50	—	—	·02	—	19
20	·02	·02	·32	—	—	—	—	·19	—	·47	·05	—	20
21	—	·17	·14	—	·48	—	—	·21	—	·15	—	—	21
22	·07	·55	·09	—	—	—	—	·44	—	—	—	·07	22
23	·42	·22	·30	—	·02	—	—	60 ·00	—	·11	·23	·12	23
24	·18	·08	·01	—	—	·05	—	·30	—	·03	—	·17	24
25	·16	—	—	—	—	·35	—	1·07	—	·04	·30	·70	25
26	—	·06	·01	—	—	·01	·03	·13	—	·44	·35	·24	26
27	—	·02	—	—	—	·15	·22	—	—	·17	—	·65	27
28	—	·05	—	—	—	·08	·15	·20	·05	·71	·47	·16	28
29	—	·07	—	—	—	—	·09	·17	1·43	·19	·03	—	29
30	—		—	—	·22	—	·06	·07	1·08	·16	—	—	30
31	·02		·09		—		·37	·22		·06		·01	31
Total	3·69	2·63	4·14	·09	1·64	3·50	2·16	6·51	2·64	3·33	2·15	4·22	YEAR'S TOTAL 36·70
Rain Days.	20	21	24	3	12	19	14	29	6	15	16	21	200

W. 7,500, XI. 12

Ex'd 432

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

12 JAN 1914

Kept at Westbourne

in the County of Sussex

by Rev L. B Birkett

Lat. 50, 53·40 Long. 0·55·30
Time of Observation 9·AM
Nearest Railway Station Emsworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·54	·16	·10	—	·02	—	—	·44	·01	·19	·18	1
2	·11	·13	·01	·10	—	—	·07	—	·06	·53	·16	·03	2
3	·08	—	·05	·21	·35	—	—	—	—	·10	—	·28	3
4	·35	—	·06	—	·43	—	·02	—	·91	·27	·16	·18	4
5	·36	·26	·09	—	·02	·13	·03	—	·80	·03	·23	·04	5
6	·03	·07	·08	—	·15	·16	1·25	—	—	1·03	·15	·42	6
7	—	·25	·12	—	·19	·05	·21	·05	—	·36	·14	·02	7
8	—	·08	—	—	·30	·03	—	·15	—	·20	—	·10	8
9	—	·08	—	—	·03	·02	·13	·02	·09	—	·08	·02	9
10	·05	—	—	·02	—	·03	·12	—	—	·03	·39	—	10
11	·91	—	—	·43	·03	—	—	—	—	·66	·20	·02	11
12	—	—	—	—	1·04	—	—	—	·02	—	·61	·01	12
13	·27	—	·09	—	—	—	—	·01	·03	—	·16	—	13
14	·32	—	·14	·02	—	—	·11	·01	·03	·03	·11	—	14
15	·60	·06	·28	·41	—	—	·26	—	·18	—	·01	—	15
16	·21	—	·47	·15	—	·03	·02	—	·27	—	—	—	16
17	·11	·02	·03	·12	—	—	·08	—	—	—	·10	·01	17
18	·02	—	·17	·13	—	—	·06	—	—	—	·06	—	18
19	·30	—	·03	—	·05	·10	·04	—	·21	—	—	—	19
20	·39	—	·15	·15	—	·05	—	—	—	1·35	·02	—	20
21	—	—	·19	·20	·01	—	—	—	—	·42	·51	—	21
22	·48	—	·32	—	—	—	—	·13	·28	·05	—	·04	22
23	—	—	·05	—	—	·04	—	·12	—	—	·01	·89	23
24	·11	—	—	·07	—	—	—	·08	—	—	·07	—	24
25	—	·03	—	·24	—	—	—	—	—	·01	·04	·02	25
26	—	—	·08	·03	—	—	—	·19	—	·49	—	·27	26
27	—	—	·27	·10	—	—	—	—	·01	·06	—	—	27
28	·17 ~~58~~	—	·13	·12	—	—	—	—	—	·18	—	—	28
29	·11		·15	·37	·59	—	—	·04	—	·14	·02	·07	29
30	·58		—	·07	—	—	—	·32	—	·16	—	—	30
31	—		·07		—		—	1·40		·14		—	31
Total	5·59	1·52	3·19	3·04	3·19	·66	2·40	2·52	3·83	6·25	3·42	2·60	YEAR'S TOTAL 37·71
Rain Days.	21	~~7 11~~ 10	23	19	12	11	13	11 12	13	21	21	17	192 193

W.7,000, XI. 13

Ex M L

REGISTER OF RAINFALL IN 191~~5~~4

FORM A. BRITISH RAINFALL.

11 JAN 1915

Kept at Westbourne

in the County of Sussex

by the Rev L B Birkett

Lat. 50.51.40 Long. 0 55. 20.

Time of Observation 9 Am.

Nearest Railway Station Emsworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	·03	–	–	–	·24	–	–	·07	·14	1
2	–	–	–	–	–	–	·01	·03	–	–	·09	·17	2
3	–	–	·08	·06	·28	–	·05	·01	–	–	–	·02	3
4	–	–	·03	·22	·05	–	·04	·10	–	–	·33	·39	4
5	·11	–	·12	·40	·09	–	·25	·05	–	–	·08	–	5
6	–	·17	·04	·36	·05	·02	–	·05	–	–	–	·57	6
7	·03	·59	·22	·29	·03	–	·16	·07	–	–	–	·38	7
8	·08	·54	·37	·05	·02	·08	·01	·18	–	–	·01	·10	8
9	·08	–	·84	·10	·01	·02	–	·03	·08	–	–	2·21	9
10	·08	·17	·03	·12	·27	–	–	–	·34	–	·02	–	10
11	–	·53	·66	–	·08	–	·88	–	·14	–	·10	·74	11
12	–	·21	·25	–	–	–	·20	–	·45	·03	·03	·46	12
13	–	·41	·13	–	–	–	–	–	·29	·06	·14	·85	13
14	–	·21	·14	–	–	1·31	·13	·11	·01	·37	·21	·26	14
15	–	·07	·25	–	–	–	·02	·43	·03	·03	·88	–	15
16	–	–	–	–	–	–	·07	–	·23	–	·02	·02	16
17	–	·52	·09	–	–	–	–	–	·08	–	–	·30	17
18	–	·02	·31	–	–	–	–	–	–	–	–	·42	18
19	–	·17	·75	–	–	–	1·66	–	–	–	·18	·06	19
20	–	·37	·22	–	–	–	–	–	·02	·02	–	·31	20
21	–	·55	·07	–	–	–	–	–	–	·12	–	·05	21
22	–	·03	·05	–	·05	·04	·10	·09	–	·13	–	–	22
23	–	·17	·23	–	–	·41	–	–	–	·08	–	–	23
24	·01	–	·03	–	–	–	·03	–	–	–	·20	–	24
25	·03	–	·23	–	–	–	·03	·35	–	·28	·04	·13	25
26	–	–	·01	–	–	–	·06	·10	–	·18	·29	·72	26
27	·05	–	–	–	–	–	–	–	–	–	·09	·34	27
28	·01	·04	·02	–	·19	–	·34	–	–	·48	·58	·64	28
29	·15		·23	·02	–	–	–	–	–	·28	·12	·03	29
30	·03	X	·06	·15	–	–	·10	–		·14	·66	·44	30
31	·02	X	–	X	·05	X	–	–	X	·06	X	·02	31
Total	·68	4·77	5·49	1·80	1·17	1·88	4·14	1·76	1·67	2·26	4·14	9·71	YEAR'S TOTAL 39·47
Rain Days.	12	17	27	11	12	6	18	14	10	14	20	25	186

W. 8,000. X. 14.

511

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Westbourne

in the County of Sussex

by Rev. L. B. Birkett

Lat. 50,51,40 Long. 055,30

Time of Observation 9 A.M.

Nearest Railway Station Emsworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·20	·03	–	·03	–	–	·12	·34	·16	·05	·49	1
2	·34	·19	·29	·08	·01	·01	–	·04	·08	·22	–	·25	2
3	·84	–	·19	·16	·20	–	–	–	·04	–	–	·57	3
4	·05	–	–	·03	–	–	–	·03	–	–	–	·58	4
5	·05	·33	·01	·02	–	–	–	·09	–	–	–	·62	5
6	·87	·23	–	·54	–	–	·77	·05	–	–	–	·15	6
7	·23	·37	–	·06	–	–	·07	–	–	–	–	·27	7
8	·05	·84	·01	–	–	–	·04	·02	–	–	·05	·03	8
9	·02	·07	–	·13	–	·17	–	·04	–	–	·43	·89	9
10	·18	·13	·02	–	–	–	–	–	–	·03	–	·30	10
11	–	·02	·11	–	–	–	–	–	–	–	·97	·01	11
12	·09	·28	–	·31	·56	–	–	–	–	·03	·52	–	12
13	·02	·65	–	–	1·86	–	·04	–	·15	–	–	–	13
14	·04	·02	–	–	–	–	·05	·29	·08	–	–	·78	14
15	·12	–	–	–	·08	–	·14	·05	–	–	·09	·38	15
16	·02	·64	–	–	·28	–	1·02	–	·02	–	–	·05	16
17	–	·27	–	–	·71	–	·02	·03	–	–	–	–	17
18	–	·21	–	–	·05	–	–	–	–	–	·03	–	18
19	–	·06	–	–	·12	–	·06	–	–	–	–	–	19
20	·28	–	–	·04	·05	–	–	–	–	·02	–	·11	20
21	·05	·07	–	–	–	–	·03	–	–	·35	–	·15	21
22	·80	·47	·18	·03	–	–	·77	–	–	–	–	·18	22
23	–	·05	·18	·03	–	·03	·11	–	·35	·31	–	·67	23
24	–	–	·03	–	–	–	·04	–	·85	·81	–	·61	24
25	–	–	·03	·02	–	·15	·02	–	–	·02	–	·23	25
26	·02	·06	–	–	–	·26	·12	–	–	–	–	·89	26
27	–	·03	–	–	–	·04	–	–	–	·35	–	·04	27
28	–	·14	–	–	–	·15	·02	–	·61	·32	·01	·02	28
29	–		–	–	–	·30	–	·16	–	·02	·35	·08	29
30	·26	X	–	–	–	–	–	·43	–	·56	·70	·04	30
31	·02	X	–	X	–	X	–		X	1·25	X	·30	31
Total	4·85	5·33	1·08	1·45	3·95	1·11	3·32	1·35	2·52	4·65	3·20	8·69	YEAR'S TOTAL 41·30
Rain Days.	21	22	11	12	11	8	16	12	9	14	10	26	172

W. 8,000. X. 15. N.B. The wettest year since I have kept records – i.e. 32 years

Ex DL

498

FORM A. BRITISH RAINFALL.

13 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Westbourne
in the County of Sussex
by The Rev. L B Birkett

Lat. 50, 51:40 Long. 055-30
Time of Observation 9 Am
Nearest Railway Station Emsworth
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·02	·03	–	·17	·05	–	–	·14	·16	·35	–	1
2	·26	·11	·08	–	·13	–	·02	–	·03	·65	·05	–	2
3	·03	·33	·12	–	–	–	·07	–	–	·65	·59	–	3
4	·16	·19	–	–	–	·33	–	–	·32	–	·33	–	4
5	·05	·02	·02	–	·16	·09	–	–	–	·08	·50	–	5
6	·01	·06	·04	·04	·03	·02	·37	–	–	·08	·35	–	6
7	·02	–	·53	–	·11	·14	·02	–	–	·16	·89	·06	7
8	–	–	·01	–	·31	–	–	–	–	–	·02	·34	8
9	–	–	–	–	·09	–	–	–	–	–	–	·05	9
10	–	·72	·02	·04	·02	·25	·02	–	–	·05	·04	·12	10
11	·03	·06	·02	·19	–	·14	–	–	–	–	–	·06	11
12	·04	·09	·07	·08	·05	·05	·09	·01	–	·06	·07	–	12
13	–	·22	·02	·02	–	·03	–	·02	–	·03	–	–	13
14	·01	·41	·03	·02	·03	–	–	·04	–	·02	–	·02	14
15	–	·14	·26	·03	–	–	–	·22	·07	–	–	–	15
16	·13	·03	·22	·28	–	–	·08	·17	–	·07	–	–	16
17	·21	·30	–	·15	–	–	–	·05	·40	·83	·07	–	17
18	·02	·13	–	·11	–	–	–	·03	·07	·11	·43	·12	18
19	·15	–	·16	·03	–	·15	–	–	·06	–	·40	·03	19
20	·14	–	·59	·03	–	–	–	·01	–	–	·03	·87	20
21	·01	–	·18	–	–	–	·03	–	–	–	–	·22	21
22	·02	·02	·02	·03	–	·03	–	–	–	·10	·02	·69	22
23	·03	·14	·02	–	–	·36	–	·06	–	·07	·03	·12	23
24	–	–	–	–	·20	·03	–	·03	–	·25	·15	·43	24
25	–	·65	·09	–	–	~~[illegible]~~	–	·25	·89	·04	·06	–	25
26	·03	·16	–	–	–	·25	–	·07	·09	·33	–	·02	26
27	–	·02	·90	·04	–	·30	–	·06	·10	·50	–	–	27
28	–	·42	·09	–	–	–	–	·20	·25	·20	·02	·30	28
29	·01	·29	–	–	–	·31	–	·45	·11	·35	–	·39	29
30	–	X	–	–	·42	–	–	·02	–	·32	–	·02	30
31	–	X	–	X	–	X		·04	X	·16	X	·03	31
Total	1·46	4·53	3·52	1·04	1·72	2·53	·70	1·67	2·47	5·21	4·28	3·89	YEAR'S TOTAL 33·02
Rain Days.	20	22	22	14	12	16	8	17	12	23	19	18	203

Bse 8c

479

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Westbourne
in the County of Sussex
by Rev. L. B. Birkett

Lat. 50.51.40 Long. 0.55.30.
Time of Observation 9. a. m.
Nearest Railway Station Emsworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·19	·33	—	—	—	1·32	·05	—	·08	·02	1
2	—	—	·03	·62	—	—	—	·02	·03	·04	·22	—	2
3	·01	—	—	·16	—	—	·40	·17	—	·06	·28	—	3
4	—	·16	·28	—	—	—	—	·10	—	·21	—	—	4
5	·31	—	·05	·21	—	·07	—	·09	·13	·39	·06	—	5
6	—	—	·21	—	—	·10	—	·07	·03	·03	·12	·07	6
7	·33	—	·01	—	—	—	·04	—	—	·37	·02	·06	7
8	·29	—	·03	·07	—	—	·26	·08	—	·28	·28	·31	8
9	—	—	·17	·01	·02	—	·03	·03	—	·11	·03	·10	9
10	·16	—	·26	·20	—	·13	—	·16	—	—	—	·02	10
11	·17	—	·29	·18	—	·05	—	—	—	·30	—	—	11
12	·11	—	·07	·02	·02	—	—	·02	·07	·23	·02	—	12
13	·05	—	·30	·01	—	—	—	·05	·02	·17	—	·02	13
14	—	—	—	·05	—	—	—	·11	—	—	—	—	14
15	—	—	—	·01	·12	—	·01	·04	—	·17	—	·08	15
16	·02	·11	—	·13	·08	—	—	·01	—	·39	—	·74	16
17	—	·02	—	·18	·06	—	·42	·13	·28	·09	—	—	17
18	—	·03	—	·02	·03	·03	·05	·04	·25	·03	—	—	18
19	·01	·37	·11	—	—	—	—	·05	·17	—	—	—	19
20	—	·12	·10	—	·83	·03	—	—	—	—	—	—	20
21	·03	—	·03	—	·01	·02	—	—	—	·03	·04	·07	21
22	~~[illegible]~~	—	·04	—	—	—	—	·08	—	·25	·02	—	22
23	—	·26	—	—	·07	—	—	·13	—	·08	—	·02	23
24	—	·14	—	—	—	·10	·13	—	—	·25	·06	·03	24
25	—	·12	·08	—	—	—	·02	—	—	·02	—	—	25
26	—	—	·04	—	·02	—	—	·47	·10	—	·36	—	26
27	—	—	·01	—	·90	·05	—	1·11	—	—	—	—	27
28	—	—	·06	—	—	2·58	—	·18	—	—	—	·06	28
29	—		·01	—	·26	·05	·23	·03	—	·32	—	·08	29
30	—	X	·36	—	—	—	·50	·26	—	·02	·01	·03	30
31	·01	X	·62	X	—	X	·13	·03	X	·04	X	·03	31
Total	~~2·99~~ 1·50	1·33	2·68	2·17	2·42	3·21	2·22	4·72	1·97	3·80 3·88	1·60	1·62	YEAR'S TOTAL 28·42
Rain Days.	12	9	23	15	12	11	12	25	10	23	14	16	182

1 5 0

·25"

2·39

W. 8,000, IX. 17.

Exd C of

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7 · 1 · 19

Kept at Westbourne

in the County of Sussex

by The Rev. L B Birkett

Lat. 50 51, 40 Long. 055, 30

Time of Observation 9 am.

Nearest Railway Station Emsworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	–	·02	–	–	·40	–	–	·37	·13	1
2	–	·08	–	·05	–	–	–	·58	–	·01	·41	·23	2
3	–	·02	·03	·12	·36	–	–	·23	–	·03	·22	·04	3
4	·01	·07	·06	·05	–	–	–	·04	·13	–	·39	·02	4
5	–	·11	·08	–	·08	–	–	·17	·03	·11	–	·02	5
6	·21	·18	–	·18	·16	–	–	·35	·03	·02	–	·08	6
7	·01	·13	–	·13	·32	–	–	·03	·14	·10	·10	·01	7
8	[illegible]	·05	–	–	–	–	–	–	·05	·10	·06	·07	8
9	·02	–	–	·30	–	·15	·53	–	·33	·09	·01	·49	9
10	·03	–	–	·07	–	·03	·26	–	·40	·03	–	·31	10
11	·08	–	–	·02	–	–	·27	–	·04	·35	·04	·08	11
12	–	·09	–	–	·25	–	·01	–	·09	–	–	·08	12
13	·29	–	–	–	·05	–	·21	–	·32	–	–	·02	13
14	·18	–	·04	–	·01	·09	·09	–	·14	·19	–	·07	14
15	1·46	–	–	·17	–	·04	·11	–	·01	–	–	·11	15
16	·46	–	·02	·04	–	·01	–	–	·45	–	–	–	16
17	·19	–	–	·08	–	–	·14	–	–	–	–	·16	17
18	·35	–	·02	–	–	·34	·01	–	·80	–	–	·13	18
19	·05	~~·17~~	·16	·02	–	·10	·16	·01	–	·02	–	·03	19
20	·03	·17	–	·46	–	·02	·14	–	·21	·05	–	·01	20
21	·19	·05	–	–	–	·02	·02	–	·23	·13	–	·15	21
22	·20	·02	–	–	·23	–	·61	–	·16	–	–	·18	22
23	·11	~~·29~~	–	–	·02	–	·14	·01	·09	–	–	·05	23
24	–	·29	–	–	–	·03	·14	–	·13	·01	·19	–	24
25	·01	~~·01~~	–	·20	–	–	–	·23	–	·02	–	–	25
26	–	·01	–	·01	–	–	·45	–	·04	·03	·09	·13	26
27	–	·11	·03	·01	–	–	·08	·07	·25	·01	·10	·03	27
28	–	–	·12	·03	–	·05	–	–	–	·01	·21	·05	28
29	–		·05	–	–	–	–	–	1·37	–	–	·04	29
30	–		·49	–	–	–	–	–	·03	·05	·04	·03	30
31	–		·05		–		–	·01		·11		·01	31
Total	2·88	1·39	1·15	1·94	1·50	·88	3·37	2·13	5·47	1·47	2·23	2·76	YEAR'S TOTAL 28·17
Rain Days.	18	15	12	17	10	11	17	12	23	20	13	28	196

453

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Westbourne
in the County of Sussex
by The Rev. L. B. Birkett

Lat. 50.51.40 Long. 0.55.30
Time of Observation 9. am.
Nearest Railway Station Emsworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·01	·05	—	·02	—	·58	—	—	·04	·01	·71	1
2	·21	-	·01	—	·06	—	·05	—	·09	—	·06	·05	2
3	·35	-	·68	—	·04	—	·02	—	·09	—	·02	·33	3
4	·27	·02	·47	—	—	·03	·13	·09	·01	—	·18	·04	4
5	—	·38	·98	—	—	—	·19	—	·32	—	·25	·27	5
6	·32	-	·17	—	·01	—	—	—	—	—	·03	·23	6
7	·12	-	·34	—	—	—	—	—	—	—	—	·01	7
8	·27	-	·39	·01	—	—	—	—	—	—	—	—	8
9	·30	-	·15	·16	·26	—	—	—	—	—	·31	—	9
10	·97	-	·09	·05	—	—	—	—	·01	—	—	·21	10
11	·70	—	·07	·26	·08	—	·02	—	—	—	—	·04	11
12	·03	-	·02	—	·02	—	·06	—	—	·12	·10	—	12
13	·02	·03	·03	·24	—	—	—	—	—	—	—	·02	13
14	·24	·02	—	·15	—	—	·11	—	·31	·08	—	·08	14
15	·33	·03	—	·07	—	—	—	—	—	·02	—	·97	15
16	·10	·75	—	—	—	—	—	—	—	—	·14	—	16
17	-	·28	—	—	—	—	—	—	—	—	·15	·03	17
18	-	·11	·24	—	—	—	—	·03	—	—	·08	·03	18
19	·23	·68	1·14	—	—	·11	·40	·07	·01	—	·07	·02	19
20	·53	·06	·01	—	—	·40	—	·17	—	—	—	·01	20
21	·04	·39	—	—	—	—	·07	—	—	—	·02	·04	21
22	-	·01	—	—	—	—	·13	—	·27	—	·04	·20	22
23	-	—	—	—	—	—	—	—	—	·06	·04	·08	23
24	-	-	—	·01	—	·03	·02	·07	·01	·26	·08	·19	24
25	·05	·03	—	·02	—	·07	·01	·31	—	—	—	·16	25
26	·03	·11	·12	·18	—	—	·01	·06	·12	—	·26	·39	26
27	·33	—	·02	·34	—	—	—	·73	—	—	·17	·05	27
28	·04	—	·50	·02	—	—	—	·37	—	-	·46	·60	28
29	·01		—	·05	—	—	—	·28	—	·12	—	·13	29
30	-		·01	·25	—	·07	—	·51	—	·01	·41	·61	30
31	·04		·08		—		—	—		—		·07	31
TOTAL	5·93	2·91	5·57	1·81	·49	·71	1·74	2·69	1·24	·71	2·83	5·47	YEAR'S TOTAL 32·10
Days with ·01 in. or more	24	15	21	14	7	6	14	11	10	8	20	27	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Esc Ah

428

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Westbourne

in the County of Sussex

by The Rev. L. B. Birkett,

Lat. 50, 51·40 Long 0 55, 30

Time of Observation 9.0.

Nearest Railway Station Emsworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	·01	·11	·14	—	·24	·01	—	·80	·12	·29	1
2	·03	—	·08	·10	·09	—	—	·08	·08	·01	—	·14	2
3	·07	—	—	—	—	—	·25	—	—	·30	—	·03	3
4	—	·09	·01	·03	—	—	·55	·12	—	·66	—	·07	4
5	—	—	·15	·03	—	—	1·08	·22	—	·32	—	·02	5
6	—	—	·12	—	·29	—	·29	—	—	·01	—	·02	6
7	·06	—	—	·10	·02	—	·17	—	—	—	—	—	7
8	—	·01	—	·05	·09	—	·19	—	—	—	—	—	8
9	·30	·03	·04	·13	·09	·06	·07	—	—	—	—	—	9
10	·75	·24	·13	·01	—	·20	·27	—	—	—	—	—	10
11	·19	·02	·08	·50	·02	·05	·39	—	—	—	—	·19	11
12	·07	·07	—	·20	—	·77	—	—	—	·01	·01	—	12
13	·28	·02	·20	·01	—	—	—	—	—	—	·05	—	13
14	·01	·03	·44	·22	—	—	—	—	·25	·06	·45	—	14
15	·13	—	·07	·10	·04	—	—	—	·75	·60	·06	—	15
16	—	·02	·02	—	—	—	—	—	·24	·02	—	—	16
17	·03	—	—	·02	·14	—	·01	—	·64	—	—	·02	17
18	·05	—	·01	—	·04	·05	—	·66	·05	—	—	·07	18
19	·12	—	—	·22	—	·05	—	—	·02	—	—	·02	19
20	·13	·04	—	·09	—	·89	—	—	—	—	—	·01	20
21	—	—	—	·02	—	—	·88	—	·10	—	—	·13	21
22	·03	—	—	·30	—	—	—	·02	·03	—	—	·26	22
23	—	—	—	—	—	—	·38	—	—	—	·02	·60	23
24	·01	—	·12	·02	—	—	—	·03	—	—	·04	·10	24
25	—	·04	·02	—	·21	—	·26	—	·03	—	·02	—	25
26	·05	—	·19	·06	—	·01	·01	—	—	—	·03	·10	26
27	·33 ~~·33~~	·02	—	·15	—	·06	—	—	—	—	·22	·17	27
28	·47	·02	·05	—	·07	—	·08	—	—	—	·01	·04	28
29	·48	—	·09	·12	·04	—	—	—	—	—	·16	·18	29
30	·06	╳	—	—	—	·05	·03	—	·15	—	·14	·17	30
31	·03	╳	·32	╳	·01	╳	—	—	╳	·84	╳	·15	31
TOTAL	3·77	·65	2·15	2·59	1·29	2·19	5.15	1·14 ~~[illegible]~~	2·34	3.63	1.33	2.68	YEAR'S TOTAL 28.91
Days with ·01 in. or more	23	13	19	22	14	10	17	7	11	11	13	21	181
Days with ·04 in. or more	17	5	14	15	11	9	14	4	8	7	8	15	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4 31

WEST BROYLE

1916–20

N 1916 1½ miles N of Chichester Cross

FORM A. BRITISH RAINFALL.

9. FEB 1917

33 Long. 50°·50

Kept at

servation 7. a. m.

ailway Station Chichester

in the Coun

f Funnel of Rain Gauge 5 in.

op of Gauge above Ground 1 ft. 4 in.

by T. W

" " Sea Level 107 ft.

IMPO
t 9 a.m. and the result entered to the
previous
s almost universal rule, he is earnestly
requested
following year in the space provided
for it at
the measurement of rain,
the selection
to the British Rainfall
Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·8	·6	·2	x	·14	·2	x	x	x	·9	·55	x	1
2	·20	·7	·12	x	·27	x	x	x	·31	·65	·2	x	2
3	x	·35	·15	x	x	x	·8	x	·1	·59	·74	x	3
4	·10	·14	x	x	·1	·32	x	x	·28	·6	·30	x	4
5	·7	·1	x	·7	·17	·7	x	x	x	·7	·52	x	5
6	·1	·6	x	x	x	·2	·33	x	x	·7	·40	x	6
7	x	·1	·44	x	·17	x	·3	x	x	·13	·51	·6	7
8	x	x	·12	x	·20	x	x	x	x	x	x	x	8
9	x	x	·1	x	·14	x	x	x	x	x	x	·32	9
10	x	·53	·1	x	x	·22	·8	x	x	·2	·5	·10	10
11	x	·16	x	·18	x	·11	x	x	x	x	x	·13	11
12	·6	·6	x	·11	·5	·7	·8	x	x	x	x	·14	12
13	x	·18	·5	x	x	x	x	x	x	·5	x	·2	13
14	x	·46	·4	·4	·3	x	x	x	x	x	x	x	14
15	x	·8	·29	x	x	x	x	·6	x	·1	x	x	15
16	·1	·7	·32	·17	x	x	·9	·30	x	·2	x	x	16
17	·26	·12	x	·22	x	x	x	·3	·37	·73	x	x	17
18	x	·21	·3	·15	x	x	x	·5	·6	·12	·43	x	18
19	·13	x	·19	·2	x	x	x	x	·19	x	·48	·17	19
20	·11	·1	·10	·3	x	·25	x	x	x	x	·6	·73	20
21	x	x	·48	x	x	x	x	x	x	x	·3	·17	21
22	x	x	x	x	x	·2	x	x	x	·5	x	·79	22
23	x	x	x	x	x	·9	x	·3	x	·12	x	·5	23
24	x	x	x	x	·9	·5	x	x	x	·21	x	·44	24
25	x	Snow-melt	x	x	x	x	x	·36	·21	·16	·22	x	25
26	·3	·83	x	x	x	·29	x	x	1·34	·32	x	·2	26
27	x	x	·93	x	x	·2	x	·7	·12	·54	x	x	27
28	x	·50	·6	x	x	x	x	x	·41	·6	·2	·30	28
29	x	·30	x	x	x	·40	x	x	·10	·37	x	·43	29
30	x		x	x	·20	x	x	·62	x	·27	x	x	30
31	x		x		x		x	x		·11		·3	31
Total	1·06	4·21	3·36	·99	1·47	1·95	·69	1·52	3·40	4·82	4·33	3·90	YEAR'S TOTAL 31·70
Rain Days.	11	19	17	9	11	14	6	8	11	23	14	16	159

W. 8,000, VIII. 16

N 1916 ⁊ 1½ miles N of Chichester Cross

FORM A. BRITISH RAINFALL.

8 FEB 191

Kept at West Broyle Gardens
in the County of Sussex (Chichester)
by J. Weller Poley Esq^rs Gardener

Lat. 33 Long. 50° 50
Time of Observation 7 a.m.
Nearest Railway Station Chichester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 107 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·8	·6	·2	x	·14	·2	x	x	x	·9	·55	x	1
2	·20	·7	·12	x	·27	x	x	x	·31	·65	·2	x	2
3	x	·35	·15	x	x	x	·8	x	·1	·59	·74	x	3
4	·10	·14	x	x	·1	·32	x	x	·28	·6	·30	x	4
5	·7	·1	x	·7	·17	·7	x	x	x	·7	·52	x	5
6	·1	·6	x	x	x	·2	·33	x	x	·7	·40	x	6
7	x	·1	·44	x	·17	x	·3	x	x	·13	·51	·6	7
8	x	x	·12	x	·20	x	x	x	x	x	x	x	8
9	x	x	·1	x	·14	x	x	x	x	x	x	·32	9
10	x	·53	·1	x	x	·22	·8	x	x	·2	·5	·10	10
11	x	·16	x	·18	x	·11	x	x	x	x	x	·13	11
12	·6	·6	x	·11	·5	·7	·8	x	x	x	x	·14	12
13	x	·18	·5	x	x	x	x	x	x	·5	x	·2	13
14	x	·46	·4	·4	·3	x	x	x	x	x	x	x	14
15	x	·8	·29	x	x	x	x	·6	x	·1	x	x	15
16	·1	·7	·32	·17	x	x	·9	·30	x	·2	x	x	16
17	·26	·12	x	·22	x	x	x	·3	·37	·73	x	x	17
18	x	·21	·3	·15	x	x	x	·5	·6	·12	·43	x	18
19	·13	x	·19	·2	x	x	x	x	·19	x	·48	·17	19
20	·11	·1	·10	·3	x	·25	x	x	x	x	·6	·73	20
21	x	x	·48	x	x	x	x	x	x	x	·3	·17	21
22	x	x	x	x	x	·2	x	x	x	·5	x	·79	22
23	x	x	x	x	x	·9	x	·3	x	·12	x	·5	23
24	x	x	x	x	·9	·5	x	x	x	·21	x	·44	24
25	x	Snow-melt	x	x	x	x	x	·36	·21	·16	·22	x	25
26	·3	·83	x	x	x	·29	x	x	1·34	·32	x	·2	26
27	x	x	·93	x	x	·2	x	·7	·12	·54	x	x	27
28	x	·50	·6	x	x	x	x	x	·41	·6	·2	·30	28
29	x	·30	x	x	x	·40	x	x	·10	·37	x	·43	29
30	x		x	x	·20	x	x	·62	x	·27	x	x	30
31	x		x		x		x	x		·11		·3	31
Total	1·06	4·21	3·36	·99	1·47	1·95	·69	1·52	3·40	4·82	4·33	3·90	YEAR'S TOTAL 31·70
Rain Days.	11	19	17	9	11	14	6	8	11	23	14	16	159

W. 8,000, VIII. 16

408

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at West Broyle Chichester
in the County of Sussex
by Chas Fogden. Head Gardener

Lat. 50·51 Long. 0·48
Time of Observation 7 a.m.
Nearest Railway Station Chichester
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 3¼ in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
[illegible] 9 a.m.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13	·07				1·26	·06		·23		1
2			·3	·60							·13		2
3				·12			·42	·17		·02	·20		3
4			·29					·26		·19			4
5	·29	·25	·05	·16		·04		·12	·20	·39			5
6			·19	·03		·04			·05		·20		6
7	·32						·04			·33		·05	7
8	·27			·06			·26	·09		·31	·21	·28	8
9			·20		·02		·02			·10	·02	·20	9
10			·27			·12		·24				·03	10
11	·29		·27	·36					·02	·39			11
12	·7			·02				·04					12
13			·31					·09	·02	·41			13
14			·01	·06				·09					14
15					·22			·03		·20		·10	15
16		·18		·12						·44		·64	16
17				·17	·13		·44		·37	·11			17
18					·01		·11	·16	·30				18
19		·35	·07						·15				19
20		·11	·05		·96								20
21			·03			·01					·02		21
22			·02			·03		·10					22
23		·28			·09			·09		·25		·05	23
24		·21				·13	·10			·27	·06		24
25		·9	·06										25
26						·05		·46	·12		·38		26
27					·63			1.20					27
28			·10			1.86		·09				·09	28
29					·16	·06	·09	·11		·32		·06	29
30		X	·35				·48	(·27)				·02	30
31		X		X		X	·08		X		X	·03	31
Total	1·24	1·47	2·43	1·77	2·22	2·34	2·04	4·87	1·29	3·73	1·45	1·55	YEAR'S TOTAL 26·40
Rain Days.	5	7	17	11	8	9	10	18	9	14	9	11	~~128~~

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at West Broyle, Chichester

in the County of Sussex

by T. Weller Poley Esq.rs Gardener

Lat. 50-51 Long. 0-48

Time of Observation 9 a.m.

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·1

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	x	x	x	x	x	x	x	·2	x	x	·32	·18	1
2	x	·11	x	·8	x	x	x	1·13	x	x	·21	·29	2
3	x	x	·3	·10	·50	x	x	·31	x	·3	·39	·3	3
4	x	·7	·8	·3	x	x	x	·8	·18	x	·60	x	4
5	x	·9	·8	x	·6	x	x	·13	·6	·6	x	·6	5
6	·23	·21	·6	·18	x	x	x	·35	x	·8	x	·7	6
7	x	x	x	·15	·45	x	x	·8	·18	·13	·5	x	7
8	x	·6	x	x	x	x	x	x	·12	x	·11	·5	8
9	·2	·15	x	·35	x	·10	x	x	·48	·23	x	·67	9
10	·1	x	x	·7	x	·2	·41	x	·28	x	x	·39	10
11	·5	x	x	x	x	x	·29	x	·15	·29	·4	·6	11
12	x	·7	x	x	·11	x	x	x	·10	x	x	·8	12
13	·24	x	x	x	·23	x	·5	x	·26	x	x	x	13
14	x	x	·2	x	·2	·9	·26	x	·35	·27	x	x	14
15	1·33	x	x	·12	x	·1	·49	x	·3	x	x	·19	15
16	·18	x	·1	·3	x	·2	x	x	·20	x	x	x	16
17	·37	x	x	·11	x	x	·4	x	x	x	x	·22	17
18	·40	x	x	x	x	·40	x	x	·85	x	x	·9	18
19	·7	x	·25	x	x	·12	·14	x	x	x	x	·4	19
20	·4	·18	x	·49	x	·2	·22	x	·14	·5	x	x	20
21	·27	·1	x	·11	x	·1	x	x	·25	·5	x	·13	21
22	·19	·2	x	x	·15	x	·14	x	·36	x	x	·18	22
23	·9	x	x	x	x	x	·73	·6	·5	x	x	x	23
24	x	·28	x	x	x	x	·8	x	·23	x	·6	·6	24
25	x	x	x	·49	x	x	x	·12	x	·3	x	x	25
26	x	x	x	x	x	x	·85	x	·5	·2	·13	·12	26
27	x	·8	·3	x	x	x	x	·10	·21	·3	·7	·4	27
28	x	x	x	·2	x	·22	x	x	x	x	·15	·3	28
29	x	0	·12	x	x	x	x	x	1·25	x	x	·4	29
30	x	X	·55	x	x	x	x	x	x	·2	x	·8	30
31	x	X	·5	X	x	X	x	x	X	·41	X	·1	31
Total	3·49	1·33	1·28	2·33	1·52	1·01	3·70	2·38	5·78	1·40	2·13	3·11	YEAR'S TOTAL 29·46
Rain Days.	14	12	11	14	7	10	12	10	21	14	11	23	159

W. 6,500. VII. 18. w w c

Ent RL

45

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at West Broyle Chichester

in the County of Sussex

by Charles Fogden. Head gardener

Lat. 50·51 Long. 0-48

Time of Observation 7. a.m.

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·13

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	·07	·02	·01	·05	×	·12	×	×	·06	·03	·65	1
2	·20	×	×	×	·05	×	·02	×	·13	×	·01	·38	2
3	·29	×	·50	×	·05	×	·01	×	·04	×	×	·38	3
4	·33	×	·48	×	·02	×	·16	·06	·05	×	·11	·05	4
5	·01	·41	·87	×	×	×	·56	×	·05	×	·19	·30	5
6	·25	×	·12	×	×	×	×	×	×	×	·06	·13	6
7	·17	×	·41	×	×	×	×	×	×	×	×	×	7
8	·22	×	·12	×	×	×	×	×	×	×	×	×	8
9	·29	×	·20	·04	·28	×	×	×	×	×	·20	×	9
10	·86	×	·04	·08	×	×	×	×	×	×	×	·21	10
11	·50	×	·12	·30	×	×	×	×	×	×	×	·07	11
12	·43	×	·02	·02	·13	×	·09	×	×	·13	·07	×	12
13	×	×	×	·20	×	×	×	×	×	×	×	·02	13
14	·37	×	×	·38	×	×	·08	×	·39	·13	×	·08	14
15	·21	×	·02	·08	×	×	×	×	×	·03	×	1·00	15
16	·14	·71	×	×	×	×	×	×	×	×	·11	×	16
17	×	×	×	×	×	×	×	×	×	×	·13	·07	17
18	×	·38	·17	×	·02	×	×	·03	·02	×	·06	·03	18
19	·09	·52	1·25	×	×	×	·38	·16	×	×	·12	·03	19
20	·72	·05	·03	×	×	·58	·01	·22	×	×	×	×	20
21	·03	·40	×	×	×	×	·02	×	×	×	·07	·02	21
22	×	×	×	×	×	×	·11	×	·55	×	×	·23	22
23	×	×	×	×	×	×	×	×	·05	×	·04	·05	23
24	×	·03	×	·02	×	·03	×	·07	×	·25	·12	·13	24
25	×	·02	×	×	×	·05	×	·45	×	×	×	·09	25
26	·08	·10	·03	·17	×	×	×	×	·10	×	·37	·40	26
27	·27	×	·6	·34	×	×	×	·54	×	×	·21	·04	27
28	·10	×	·56	·06	×	×	×	·76	×	×	×	·55	28
29	×		×	·07	×	×	×	·32	×	·	·37	·06	29
30	×		×	·18	×	×	×	1·03	×	·11	·35	·77	30
31	×		·09		×		×	×		×		·06	31
TOTAL	6·10	2·69	5·11	1·95	·60	·66	1·56	3·64	1·38	·71	2·62	5·80	YEAR'S TOTAL 32·82
Days with ·01 in. or more	21	10	19	14	7	3	11	19	9	6	18	25	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6 X M° 427

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at West Broyle, Chichester
in the County of Sussex
by J. Weller Poley Esq. J. P.

Lat. 50° 51 Long. 0° 48
Time of Observation 9. a.m.
Nearest Railway Station Lavant
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 15½ in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 054

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	×	×	·20	·13	×	·45	×	×	·82	·9	·25	1
2	×	×	·5	·07	·10	×	×	·16	·8	·11	×	·11	2
3	·5	×	×	×	×	×	·2	×	×	·19	×	·12	3
4	×	·9	×	×	×	×	·81	·15	×	·51	×	×	4
5	×	×	·15	·07	×	×	·78	·8	×	·9	×	·7	5
6	×	×	·13	×	·36	×	·28	×	×	·3	×	·2	6
7	·4	×	×	·08	·1	×	·22	×	×	×	×	×	7
8	×	·2	×	·07	×	×	·21	×	×	×	×	×	8
9	·22	·4	·5	·09	·13	[illegible]	·4	×	×	×	×	×	9
10	·73	·23	·30	·07	×	·9	·33	×	×	×	×	×	10
11	·31	·4	·11	·33	·3	×	·59	×	×	×	×	×	11
12	·7	·5	·7	·38	×	·69	×	×	×	×	×	×	12
13	·28	·3	·33	·03	×	×	×	×	×	×	·7	×	13
14	×	·2	·50	·34	×	×	·1	×	·14	·10	·49	·26	14
15	·18	×	·5	·11	·5	×	×	×	·51	·76	·6	×	15
16	×	·2	×	·12	×	×	×	×	·54	×	×	×	16
17	·3	×	×	×	·12	×	·1	×	1·08	×	×	·3	17
18	·5	×	·1	·01	·5	·3	×	·65	·9	×	×	·6	18
19	·8	×	×	·27	×	×	×	×	·8	×	×	·3	19
20	·10	·3	×	·09	×	1·08	×	×	×	×	×	·2	20
21	×	×	×	·02	×	×	·98	×	·15	×	×	·17	21
22	×	×	×	·35	×	×	×	×	·6	×	×	·45	22
23	×	×	×	×	×	×	·37	·7	×	×	×	·58	23
24	×	×	·12	×	×	×	×	×	×	×	·3	·11	24
25	·3	×	·6	×	·13	×	·26	×	×	×	×	·11	25
26	·3	×	·12	·5	×	×	·1	×	×	×	·3	·30	26
27	·47	×	×	~~·72~~ ·12	×	·7	×	×	×	×	·26	·3	27
28	·47	·4	·12	×	·5	×	·15	×	×	×	×	×	28
29	·66	×	·10	·10	·2	×	×	×	×	×	·21	·16	29
30	·5		·1	×	×	·17	·4	×	·27	×	·19	·11	30
31	·4		·12		·1		×	×		·75		·26	31
TOTAL	4·02	·061	·240	2·97 ~~2·97~~	·119	·218	5·56	·111	·200	·336	·143	·325	YEAR'S TOTAL 31·08
Days with ·01 in. or more	× 10	× 11	× 15	× 21	× 13	1 · 7	× 18	× 5	1 10	× 9	× 9	× 20	161
Days with ·04 in. or more	17	6	16	18	9	6	14	5	10	8	7	15	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WESTDEAN

SUSSEX

1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

REG

Kept at Westdean

in the County of Suss

by C. Groom.

in.

round 1 ft. — in.

a Level 111.66 ft.

me Berwick

tance 5 M Direction N

IMPORTANT NOTE.— … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·72				·18			·05		1
2	·03		·01	·03	·20						·22	·23	2
3	·01				·14			·01			·04	·53	3
4	·15	·01	·06	·16						·36	·12	·15	4
5	·06	·02		·02						·04	·08	·15	5
6	·15		·01	·03						·06	·02	·53	6
7	·03		·04							·59	·80	·30	7
8	·07		·10								·85	·45	8
9	·19		·01	·03							·62	·06	9
10		·13	·03	·06							·02	·32	10
11	·67		·01		·01						1·24		11
12	·02		·98							·02	·11	·03	12
13			·06		·18	·05			·19	·32		·16	13
14		·08	·03		·19					·01		·38	14
15		·03	·14								·08	·19	15
16						·39					·26	·08	16
17			·02								·31	·07	17
18		·09	·10								·69	·25	18
19		·01			·01	·08			·10	·19	·02	·05	19
20	·01							·72	·20	·13		·41	20
21	·03	·11								·37		·16	21
22	·02		·32	·04		·06		·98		·17		·46	22
23	·09	·13	·04	·02		·99			·38	1·32	·01	·10	23
24	·02	·28				·20	·08	·03		·17		·25	24
25		·03	·03	·08		·03			·03	·02		·02	25
26			·18	·23		·11				·22	·02	·26	26
27		·31	·27	·04					·05	·91	·01	·16	27
28		·18		·11							·01	·03	28
29						·11	·30		·38	·30		·01	29
30				·02		·10			·01	·13		·01	30
31												·01	31
Total	1·67	1·41	2·44	1·59	·73	2·12	·38	1·92	1·34	5·33	5·58	5·81	TOTAL for year 30·32
No. of Rain Days	16	13	19	14	6	10	2	5	8	18	21	29	161

9,000, IX. '10.

REG

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Westdean

in the County of Sussex 5

by C. Groom.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 111·66 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Berwick
Distance 5 M Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·72				·18			·05		1
2	·03		·01	·03	·20						·22	·23	2
3	·01				·14			·01			·04	·53	3
4	·15	·01	·06	·16						·36	·12	·15	4
5	·06	·02		·02						·04	·08	·15	5
6	·15		·01	·03						·06	·02	·53	6
7	·03		·04							·59	·80	·30	7
8	·07		·10								·85	·45	8
9	·19		·01	·03							·62	·06	9
10		·13	·03	·06							·02	·32	10
11	·67		·01		·01						1·24		11
12	·02		·98							·02	·11	·03	12
13			·06		·18	·05			·19	·32		·16	13
14		·08	·03		·19					·01		·38	14
15		·03	·14								·08	·19	15
16						·39					·26	·08	16
17			·02								·31	·07	17
18		·09	·10								·69	·25	18
19		·01			·01	·08			·10	·19	·02	·05	19
20	·01							·72	·20	·13		·41	20
21	·03	·11								·37		·16	21
22	·02		·32	·04		·06		·98		·17		·46	22
23	·09	·13	·04	·02		·99			·38	1·32	·01	·10	23
24	·02	·28				·20	·08	·03		·17		·25	24
25		·03	·03	·08		·03			·03	·02		·02	25
26			·18	·23		·11				·22	·02	·26	26
27		·31	·27	·04					·06	·91	·01	·76	27
28		·18		·11							·01	·03	28
29						·11	·30		·38	·30		·01	29
30				·02		·10			·01	·13		·01	30
31												·01	31
Total	1·67	1·41	2·44	1·59	·73	2·12	·38	1·92	1·34	5·33	5·58	5·81	TOTAL for year 30·32
No. of Rain Days	16	13	19	14	6	10	2	5	8	18	21	29	161

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

23 APR 191

REGISTER OF RAINFALL IN 1912

Kept at Westdean
in the County of Sussex 5
by A. J. Howard

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Seaford (L. B. & S. C. Rly. Coy)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03		·01	·12	·06	·01	·12	·56		·13	1
2			·10			·01	·16		·01	·02			2
3			·02			·33	·03	·09	·05		·04		3
4	·21	·02	·28			·40		·07			·09		4
5	·20	·33	·07			·29		·06			·16		5
6	·58	·14			·05	·01	·02	1·10	·01			·07	6
7					·32	·43		·24				·02	7
8	·59	·18	·12		·01		·01	·48				·01	8
9		·05		·02			·06	·09				·04	9
10		·02						·21			·05	·42	10
11	·04	·34			·01	·07		·13				·14	11
12		·10	·01			·06		·86			·02	·04	12
13		·04	·02				·04	·04			·07	·07	13
14		·07			·09			·04		·08	·01	·02	14
15		·01	·08		·15	·61		·02				·21	15
16	·11		·15		·05	·12		·22		·10	·03		16
17	·45		·19			·09		·10			·04	·06	17
18	·05	·10	·51					·21		·04	·01	·27	18
19	·04	·02	·27			·02	·03	·43			·02		19
20	·01		·47					·02		·71	·04		20
21		·11	·08		·06		·03	·29		·48	·08		21
22	·05	·39	·01				·02	·28		·03		·02	22
23	·36	·21	·30					·30		·26	·14	·03	23
24	·03	·02					·01	·16		·06		·15	24
25	·34	·01				·23		·87		·05	·30	·23	25
26		·03					·09	·07		·19	·16	·32	26
27							·02			·11	·15	·48	27
28		·06				·03	·17	·06	·13	·47	·31	·07	28
29							·06	·15	1·23	·14	·06		29
30			·01		·49	·14		·02	1·19	·24	·03		30
31			·02				·09	·33					31
Total	3·06	2·25	2·74	·02	1·24	2·96	·90	6·95	2·74	3·54	1·81	2·80	YEAR'S TOTAL 31·01
Rain Days.	14	20	19	1	10	16	16	29	7	16	20	20	188

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
17 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Westdean
in the County of Sussex 5
by A. J. Howard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·57	·05	·16		·03				·06	·07	·20	1
2	·08	·15					·08		·02	·04	·11	·04	2
3			·06	·20	·09							·24	3
4	·14		·05		·01		·07		·59	·31	·16	·01	4
5	·05		·01			·29	·09		·16	·12	·24	·02	5
6		·02	·09		·03	·11	·13		·02	·65	·32	·17	6
7		·11	·10	·01	·02	·05	·15			·14	·16	·01	7
8		·06			·12	·03		·39	·01	·44	·02	·02	8
9		·07			·09		·10		·11	·01	·02	·02	9
10	·02			·03		·02	·20				·92		10
11	·82			·71						·87		·01	11
12					·46					·02	·64	·01	12
13	·43		·04					·03	·03	·01	·17		13
14	·17		·05	·03			·27	·07	·26	·06	·12		14
15	·15		·29	·21	·02		·31		·14		·01	·01	15
16	·18		·41	·19					·25				16
17	·10	·05		·03			·16		·02		·05	·03	17
18	·03		·05	·16			·11	·01			·08		18
19	·06		·06		·14		·14		·28				19
20	·26		·01	·16	·01	·15				·43			20
21			·02	·30		·01			·02	1·02	·76		21
22	·33		·14		·01		·03		·07		·02		22
23	·02		·01			·01	·02	·05				·85	23
24	·06			·03		·01		·01			·04		24
25		·02		·23									25
26			·10				·02	·19		1·01	·02	·26	26
27			·04							·09			27
28	·07		·25	·12				·21		·13	·01		28
29	·11		·05	·64	·04			·03					29
30	·39			·24	·02			·36	·01	·09			30
31	·02		·14					1·82		·14		·01	31
Total	3·50	1·05	2·02	3·45	1·06	·71	1·88	3·17	1·99	5·64	3·94	1·91	YEAR'S TOTAL 30·32
Rain Days.	21	8	21	17	13	10	15	11	15	19	20	16	186

W.7,000, XI. 13

Exd DJJ

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
13 FEB 1915

Kept at Westdean
in the County of Sussex 5
by Mr A J Howard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03			·27	·04			·05		1
2				·01		·04	·19				·12	·14	2
3			·15	·02	·21						·02		3
4	·01		·02	·25				·09			·39	·34	4
5	·12		·16	·26	·01	·01	·25						5
6		·01		·10		·10		·05			·02	·27	6
7	·08	·24	·19	·03	·02	·20	·14				·02	·28	7
8	·07	·22	·17	·04		·07	·11	·02				·08	8
9	·12		·36	·06					·10		·01	1·35	9
10	·07	·04		·12	·14				·02		·02	·11	10
11		·28	·38	·07					·23		·06	·62	11
12		·04	·09			·08	·28		·35	·03	·03	·59	12
13		·26	·17			·07			·24	·02	·05	·37	13
14		·05	·09			·11		·02	·02	·63	·13	·48	14
15		·06	·25				·01	·11	·07	·07	·32	·02	15
16		·57					·04		·06				16
17		·29	·14				·02		·09			·08	17
18		·10	·24							·04		·33	18
19		·22	·78				·23			·05	·19	·26	19
20		·07	·23			·05	·02			·02		·35	20
21		·56	·08							·04		·04	21
22		·04	·02		·01	·24	·16	·02		·09			22
23			·41			·11	·05			·04			23
24			·09		·05					·01	·11		24
25	·10		·18					·08		·23	·03		25
26	·02		·04					·40		·07	·14	·39	26
27	·03							·02	·02		·09	·35	27
28	·02	·03			·02		·05			·64	·51	·32	28
29	·10		·02							·51	·05	·04	29
30	·01	×	·09	·01						·10	1·26	·12	30
31	·02	×		×	·22	×			×		×	·15	31
Total	·77	3·08	4·35	1·00	·68	1·08	1·83	·85	1·20	2·59	3·62	7·08	YEAR'S TOTAL 28·13
Rain Days.	13	17	23	12	8	11	14	10	10	16	21	23	178

W. 8,000. X. 14.

614

FORM A.
BRITISH RAINFALL.

19 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Westdean

in the County of Sussex 5

by Mr A J Howard

Lat. ………… Long. …………

Time of Observation …………

Nearest Railway Station …………

Diameter of Funnel of Rain Gauge …………in.

Height of top of Gauge above Ground …………ft. …………in.

" " " " Sea Level …………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·16	·04					·03	·43	·02	·17	·19	1
2	·51	·18	·22	·11	·03	·01		·04	·02	·05		·18	2
3	·29		·05	·29	·13			·08	·03			·52	3
4	·09		·01	·04	·01							·98	4
5	·05	·29		·13		·02		·22				·51	5
6	·56	·27	·03	·40			·15	·01				·11	6
7	·30	·24	·02	·02			·02				·02	·19	7
8	·13	·21	·04				·30				·06	·06	8
9	·05	·16		·23		·33					·05	·92	9
10	·18					·03						·48	10
11		·09	·01								·48		11
12	·05	·15		·28	·27					·07	·58		12
13	·02	·55			1·50				·06				13
14	·02	·04					·50	·21	·07			·31	14
15	·07	·03			·11		·02	·07			·18	·21	15
16		·39		·05	·12		1·03	·03				·03	16
17		·42			·98		·06					·24	17
18		·16			·14						·07	·02	18
19		·02								·04			19
20	·24			·03	·18							·13	20
21	·07									·16		·06	21
22	·03		·03	·01		·01	·67					·17	22
23	·02	·03	·10			·01	·02		·01	·11		·48	23
24			·02	·01			·04		·31	1·24		·26	24
25			·05	·02			·15					·33	25
26		·04				·07						·57	26
27		·02				·17	·03			·29		·01	27
28		·07				·18			·82	·24			28
29					·02			·16		·09	·30	·03	29
30	·26	X								·35	·22	·02	30
31	·07	X		X		X		·02	X	·58	X	·07	31
Total	3·44	3·52	·62	1·62	3·50	·83	3·00	·87	1·75	3·24	2·13	7·08	YEAR'S TOTAL 30·90
Rain Days.	20	20	12	13	11	9	12	10	8	12	10	26	163

W. 8,000. X. 15.

Exd e.c 655

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
14 FEB 1917

Kept at Westdean
in the County of Sussex
by A. J. Howard

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03				·17	·05			·01	·03	·66		1
2	·21	·04	·33		·24					·74	·08		2
3	02	·12	·07				·09		·12	·19	·37		3
4	·08	·02				·22			·25	·08	·41		4
5	·02	·01		·02	·14	·56				·05	·32		5
6	·02	·05	·08	·25	·04	·02	·30			·03	·24		6
7		·01	·53		·22		·03			·07	·23	·05	7
8		·03			·24						·02	·27	8
9			·01		·23							·38	9
10		·41		·07		·35	·06					·39	10
11	·03	·24	·03	·14		·28						·21	11
12	·05	·06	·29	·15	·17	·20	·09			·09	·02	·02	12
13		·11	·22	·02	·10	·31	·02	·07	·10	·02	·02	·06	13
14		·30	·16	·01	·18			·26		·04		·41	14
15		·17	·05	·03									15
16		·11	·19	·24			·10	·04					16
17	·26	·14		·06			·04	·05	·32	·69			17
18	·04	·13		·01				·07	·21	·22	·79	·08	18
19	·11		·10	·26		·02		·08	·04		·65	·13	19
20	·08		·12	·06		·03					·23	·35	20
21	·02		·23	·09			·02				·02	·48	21
22	·01	·02	·09	·01		·03				·02		·61	22
23		·04	·05			·15	·02	·07			·04	·02	23
24	·01		·04		·19			·02		·46	·09	·37	24
25		·42	·13			·03		·36	·01	·39	·16		25
26		·81				07			·03	·09		·14	26
27	01	·09	·74			05	·01	·08	·10	·46		·02	27
28		·82	·06			·24		·14	·26	·43		·31	28
29		·20				·22		·41	·09	·57		·43	29
30		X			·02	·02		·07		·26		·03	30
31		X		X		X			X	·39	X		31
Total	1·00	4·35	3·52	1·42	1·94	2·85	·78	1·72	1·54	5·32	4·35	4·76	YEAR'S TOTAL 33·55
Rain Days.	16	23	20	15	12	18	11	13	12	21	14	20	198

W. 8,000, VIII. 16

574

FORM A.
BRITISH RAINFALL.
FEB. 1918

REGISTER OF RAINFALL IN 1917

Kept at Westdean (Nr. Seaford)
in the County of Sussex
by A. D. Howard

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·11				1·82	·05		·08	·04	1
2				·07				·11			·11		2
3				·08			·32	·16		·11	·04		3
4		·08	·46				·05	·17		·18			4
5	·37		·02	·02		·15		·01	·35	·26	·01		5
6			·28	·22		·53			·15		·22	·02	6
7	·35						·08			·22		·09	7
8	·04			·11			·11			·34	·35	·24	8
9	·02		·08	·01			·03			·06	·04	·88	9
10	·11		·10	·05		·92		·11					10
11	·16	·01	·14	·08				·08		·30			11
12			·05	·04	·01			·21		·31		·02	12
13	·04		·19		·11			·03	·03	·35	·01	·01	13
14			·01	·21		·01	·01	·30		·14	·01		14
15								·02		·08		·12	15
16	·03	·12		·07	·24					·11		·98	16
17		·03		·14	·12		·29		·19	·22		·09	17
18	·02	·02		·05	·11		·18	·06	·12				18
19	·01	·21	·05		·02	·12			·10		·02		19
20	·02	·14			·52	·01					·02		20
21		·01	·05		·04		·31					·08	21
22	·03		·07		·01	·15		·15		·29			22
23		·26			·34			·08				·05	23
24		·05					·23	·07		·18	·03	·07	24
25		·12	·07			·02	·05		·02	·03			25
26			·03			·03		·63	·06	·01	·76		26
27					·31	·03		·88		·16			27
28			·06			1·82	·15	·42				·03	28
29			·01				·12	·10		·22		·08	29
30	·01	×	·09				·65	·19		·09	·03	·06	30
31	01	×	08	×		×	·32		×	05	×	·03	31
Total	1.22	1.05	1·85	1·26	1·83	3·79	2.90	5·60	1·07	3·41	1·43	2·92	YEAR'S TOTAL 28.93
Rain Days.	14	11	19	14	11	11	15	20	9	21	14	14	176

W. 8,000, IX. 17.

Exe H 96

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8. 2. 19

Kept at Westdean
in the County of Sussex
by A J Howard

Lat. 50° 46' 35" Long. 0° 10' 12"
Time of Observation 9 am
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·04				·07		·02	·07	·08	1
2		·02						·49			·55	·16	2
3			·06	·06	·53			·10			·31	·04	3
4		·03	·02	·05	·06			·06	·24		·38		4
5		·22	·01	·01	·08			·11	·01	·02		·03	5
6	·34	·08		·11	·39			·54	·07	·01	·05	·05	6
7		·06		·05	·07	·02		·05	·49	·04	·02		7
8		·02							·23		·12	·07	8
9	·03	·01		·06		·16	·03		·25	·19		·11	9
10				·05		·06	·20		·51	·06		·15	10
11	·01	·01					·02		·39	·71	·07	·06	11
12		·09			·22		·02		·13	·13		·04	12
13			·01		·06		·24		·28			·02	13
14	·26		·13			·05	·16		·38	·24		·05	14
15	1·06			·07			·02			·13		·17	15
16	·24			·09			·06		·03	·03			16
17	·29			·12		·06	·44					·16	17
18	·14					·20			·39	·06		·04	18
19	·03		·16	·01		·06			·01	·08		·01	19
20		·10		·88		·07	1·22	·02	·41	·32			20
21	·18		·02	·42					·25	·21		·02	21
22	·13			·01	·07		·73		·51	·02		·21	22
23	·07			·02			·34		·03			·02	23
24		·17				·04			·20		·11	·03	24
25								·36					25
26				·03			·11		·08	·03	·08	·15	26
27		·04	·01	·07			·07	·28	·29	·01	·07	·08	27
28		·02	·23	·11	·10					·04	·22	·03	28
29			·01	·05					·83"		·05	·01	29
30		X	·48							·21		·15	30
31		X	·03	X		X			X	·08	X	·02	31
Total	2·78	·87	1·18	2·61	1·58	·72	3·69	2·08	6·01	2·67	2·03	1·96	YEAR'S TOTAL 28·18
Rain Days.	12	13	13	20	9	9	14	10	22	21	13	26	182

W, 6,500, VII. 18. W W C

536

Good 9p

9 FEB 20

FORM A.1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Westdean
in the County of Sussex
by A. J. Howard

Lat. 50° 46′ 35″ Long. 0° 10′ 12″
Time of Observation 9 am.
Nearest Railway Station Seaford L.B.&S.C.Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·03			·11		·02			·08	·02	·41	1
2	·12		·03		·03		·12		·02	·10	·09	·18	2
3	·21		·69		·09				·23		·04	·22	3
4	·41	·06	·44		·02		·08	·09	·02		·15	·06	4
5	·03	·38	·74								·14	·37	5
6	·14		·05								·03	·07	6
7	·11		·29										7
8	·18		·08	·01					·01				8
9	·17		·10		·15				·02		·30		9
10	·45		·08	·06								·05	10
11	·26		·11	·62	·06							·44	11
12	·19		·03	·01	·04		·14			·22	·02		12
13	·02		·01	·12								·02	13
14	·29			·23			·06		·11	·03		·16	14
15	·13	·02		·05								·34	15
16	·10	·64									·15	·03	16
17		·24	·06	·03							·16	·04	17
18		·01	·03						·01		·09	·02	18
19	·05	·28	·74			·03	·28	·15	·02		·15	·03	19
20	·45	·05	·26			·25	·29	·14		·01		·01	20
21	·21	·42	·06				·06				·05	·03	21
22		·04	·01				·20		·26		·03	·20	22
23			·04			·02	·05		·08		·02	·02	23
24		·14		·14		·02	·01	·10			·31	·14	24
25	·04	·02						·26				·03	25
26	·11	·23	·05	·02				·02	·05		·27	·31	26
27	·46		·09	·48				·22			1·09	·02	27
28	·01		·27	·14				1·15			·81	·46	28
29	·05			·03				·35		·18	·06	·11	29
30	·01	✕	·01	·19				·28		·07	·09	·28	30
31	·05	✕		✕		✕			✕	·03	✕	·07	31
TOTAL	4·64	2·56	4·21	2·13	·50	·32	1·31	2·76	·83	·72	4·07	4·12	YEAR'S TOTAL 28·17
Days with ·01 in. or more	26	14	23	14	7	4	11	10	11	8	21	27	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

505

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1 JUN 1921

Kept at Westdean
in the County of Sussex
by A. Wilkins

Lat. 50° 46' 35" Long. 0° 10' 17"
Time of Observation 9 a.m.
Nearest Railway Station Seaford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25			·06	·07		·19			·64	·02	·15	1
2			·13	·04	·03			·77	·16	·05		·08	2
3				·01						·02		·13	3
4		·07		·07			2·01	·06	·01			·03	4
5			·04	·02	·02		·35	·06	·04			·07	5
6			·21		·25		·34						6
7	·04			·10			·08			·04		·03	7
8	·02			·30	·05		·45					·02	8
9	·19	·02	·01		·02	·03	·01						9
10	·64	·10	·09	·33		·08	·14					·01	10
11	·51	·02	·18	·27		·03	·23						11
12	·07	·01	·02	·15	·03	·38	·02				·02		12
13	·21	·04	·28							·05	·15		13
14		·02	·31	·29		·03			·04	·18	·24		14
15	·05	·01	·04	·01					·81	·43	·11	·01	15
16	·02		·05	·09		·04			·51		·02	·01	16
17	·04			·02	·18		·02		·50			·02	17
18	·06				·09			·89	·15			·06	18
19	·05			·16				·02				·07	19
20	·10	·16		·07		·28		·02	·48			·01	20
21				·05			·12		·30			·38	21
22				·35								·32	22
23				·01			·32	·04				·49	23
24			·05	·01	·02				·02			·05	24
25	·01	·01	·01	·02	·03		·16				·01		25
26	·06		·17	·10	·01		·04				·02	·03	26
27	·20	·02	·01	·08	·01	·08	·07				·42	·26	27
28	·22	·01	·20	·07	·47	·01	·12				·27	·06	28
29	·36		·05	·16							·20	·07	29
30	·03		·04	·01					·22		·17	·15	30
31	·02		·11							·54		·29	31
TOTAL	3·16	·49	2·00	2·85	1·28	0·66	4·65	1·86	3·24	1·90	1·63	2·80	YEAR'S TOTAL 27·53
Days with ·01 in. or more	21	12	19	26	14	9	17	7	12	8	12	24	181
Days with ·04 in. or more	16	4	15	18	6	5	14	5	10	5	7	15	120

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. **Gp.132.** A.&E.W.

referred to 18-III-19

REGIS

WESTFIELD
VICARAGE
SUSSEX
1918 - 1920

FORM A.
BRITISH RAINFALL.

16. 1. 19

Kept at Westfield Vica ... u.
... Battle.

in the County of Susse ...

auge 5 in.

by Rev. Ernest. J. Mo ...

Ground 5 ft. 6 in.

Sea Level 100·6 ft.

IMPORTANT NOTE.– ... he result entered to the previous day. If an Obser ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·01	.	·02	.	.	.	.	.	·12	·03	1
2	.	·03	·01	·03	.	.	.	·25	.	.	·45	·23	2
3	.	·01	·07	·15	·22	.	.	·16	.	·03	·39	·02	3
4	.	·02	·02	·03	·04	.	.	·09	·18	.	·46	.	4
5	.	·22	.	.	·21	.	.	·19	.	·03	.	·05	5
6	·14	·11	.	·14	·22	.	.	·13	·02	·02	·08	.	6
7	·05	·22	.	·22	.	·01	.	·03	·70	·02	·01	·09	7
8	.	·01	.	·02	.	.	.		·13	·16	·11	·06	8
9	.	.	.	·11	.	.	.	.	·56	·31	.	·21	9
10	.	.	.	·03	.	.	·16	.	·21	·05	.	·15	10
11	.	.	.	.	·07	·10	·05	.	·15	·47	·08	·10	11
12	.	·19	.	.	·11	.	.	.	·01	·21	.	·02	12
13	·20	·01	.	.	·19	.	·06	.	·12	.	.	·02	13
14	·21	.	·03	.	·01	.	·22	.	·40	·17	.	·05	14
15	1·84	.	.	·03	.	·11	.		·01	·02	.	·25	15
16	·40	.	.	·10	.	·06	·19	.	·02	.	.	·01	16
17	·18	.	.	·05	.		·07	·03	.	.	.	·30	17
18	·21	.	.	.	.	·34	.	.	·43	·21	.	·03	18
19	·09	.	.	·01	.	·28	.	.	.	·16	.	·02	19
20	·04	·15	·08	·15	.	.	·92	.	·27	·71	.	.	20
21	·14	.	.	·27	.	·02	·01	.	·12	·09	.	·06	21
22	·09	.	.	·01	·07	.	·47	.	·78	.	.	·26	22
23	·11	.	.	.	.	.	·60	.	.	.	.	·03	23
24	·01	·12		.	.	·02	·08	.	·20	.	·06	.	24
25	.	·01		.	.	·03	·01	·22	.	·01	·04	.	25
26	.	.	·01		.	.	·14	·21	·07	.	·08	·16	26
27	.	·02	.	·07	.	.	·27	.	·57	·06	·08	·11	27
28	.	·03	·22	·03	·08	·04	·01	·01	.	.	·16 }	·01	28
29	.	×	.	·14	.	.	.	.	1·45	.		.	29
30	.	×	·40	·01	.	.	.	.	·02	·21	.	·25	30
31	.	×	.	×	.	×	.	.	×	·03	×	·03	31
Total	3·71	1·15	·85	1·60	1·24	1·01	3·26	1·32	6·42 ~~5·42~~	2·97	2·12	2·55	YEAR'S TOTAL 28·20 ~~27·20~~
Rain Days.	14	14	9	19	11	10	15	10	21	19	14	25	181 ✓

W, 6,500, VII. 18. W W C

referred to 10·III·19

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
16. 1 19

Kept at Westfield Vicarage
in the County of Sussex.
by Rev. Ernest J. Morgan.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Battle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 100·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept	Oct.	Nov.	Dec.	*Date.*
1	.	.	·01	.	·02	.	.	.	.	.	·12	·03	1
2	.	·03	·01	·03	.	.	.	·25	.	.	·45	·23	2
3	.	·01	·07	·15	·22	.	.	·16	.	·03	·39	·02	3
4	.	·02	·02	·03	·04	.	.	·09	·18	.	·46	.	4
5	.	·22	.	.	·21	.	.	·19	.	·03	.	·05	5
6	·14	·11	.	·14	·22	.	.	·13	·02	·02	·08	.	6
7	·05	·22	.	·22	.	·01	.	·03	·70	·02	·01	·09	7
8	.	·01	.	·02	.	.	.	.	·13	·16	·11	·06	8
9	.	.	.	·11	.	.	.	.	·56	·31	.	·21	9
10	.	.	.	·03	.	.	·16	.	·21	·05	.	·15	10
11	.	.	.	.	·07	·10	·05	.	·15	·47	·08	·10	11
12	.	·19	.	.	·11	.	.	.	·01	·21	.	·02	12
13	·20	·01	.	.	·19	.	·06	.	·12	.	.	·02	13
14	·21	.	·03	.	·01	.	·22	.	·40	·17	.	·05	14
15	1·84	.	.	·03	.	·11	.		·01	·02	.	·25	15
16	·40	.	.	·10	.	·06	·19	.	·02	.	.	·01	16
17	·18	.	.	·05	.		·07	·03	.	.	.	·30	17
18	·21	.	.	.	.	·34	.	.	·43	·21	.	·03	18
19	·09	.	.	·01	.	·28	.	.	.	·16	.	·02	19
20	·04	·15	·08	·15	.	.	·92	.	·27	·71	.	.	20
21	·14	.	.	·27	.	·02	·01	.	·12	·09	.	·06	21
22	·09	.	.	·01	·07	.	·47	.	·78	.	.	·26	22
23	·11	.	.	.	.	.	·60	.	.		.	·03	23
24	·01	·12		.	.	·02	·08	.	·20	.	·06	.	24
25	.	·01	.	.	.	·03	·01	·22	.	·01	·04	.	25
26	.	.	·01		.	.	·14	·21	·07	.	·08	·16	26
27	.	·02	.	·07	.	.	·27	.	·57	·06	·08	·11	27
28	.	·03	·22	·03	·08	·04	·01	·01	.	.	·16 }	·01	28
29	.	×	.	·14	.	.	.	.	1·45	.		.	29
30	.	×	·40	·01	.	.	.	.	·02	·21	.	·25	30
31	.	×	.	×	.	×	.	.	×	·03	×	·03	31
Total	3·71	1·15	·85	1·60	1·24	1·01	3·26	1·32	6·42 ~~5·42~~	2·97	2·12	2·55	YEAR'S TOTAL 28·20 ~~27·20~~
Rain Days.	14	14	9	19	11	10	15	10	21	19	14	25	181 ✓

W, 6,500, VII. 18. W W C

FORM C'

BRITISH RAINFALL.

W. 8,000. IX. 17.

1919

PLEASE fill in name of place and month.

RAINFALL *at* Westfield Vicarage *in the Month of* September 1918

Copy

DATE	Inches	REMARKS ON THE DAYS.
1		
2		
3		
4	·18	
5		
6	·02	
7	·70	
8	·13	
9	·56	
10	·21	
11	·15	
12	·01	
13	·12	
14	·40	
15	·01	
16	·02	
17		
18	·43	
19		
20	·27	
21	·12	
22	·78	
23		
24	·20	
25		
26	·07	
27	·57	
28		
29	1·45	adds to 6·42
30	·09	
31		
TOTAL	6·42	No. of Days with Rain 21

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

ADDITIONAL REMARKS.

Westfield Vicarage
Battle.

I am sorry I made a mistake
The total should be 6·42.

Ernest. J. Morgan

19/3/19

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. „ „ „ ° on the
Temp. in shade, at or below 32° on days.
„ on grass, „ „ 32° on days.

SIGNED..

No writing on this side of the line.

POSTAGE & REVENUE
ONE PENNY

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.1.

FORM A2.
BRITISH RAINFALL.

8 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Westfield Vicarage

in the County of Sussex

by Rev. Ernest J. Morgan

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 5 ft. 6 in.
" " " Sea Level 100½ ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Battle.
Distance 5 mls Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·05	·01	·	·04	·	·20	·	·	·21	·17	·62	1
2	·17	·	·07	·	·06	·	·06	·	·	·03	·10	·28	2
3	·24	·	·65	·	·03	·	·01	·	·08	·	·02	·25	3
4	·32	·09	·41	·	·01	·02	·	·04	·04	·	·13	·06	4
5	·01	·46	·81	·	·	·	·	·33	·	·01	·09	·35	5
6	·19	·01	·05	·	·	·	·	·	·	·	·02	·07	6
7	·08	·	·47	·	·	·	·	·	·	·	·36	·	7
8	·26	·	·10	·	·	·	·	·	·	·01	·	·	8
9	·27	·	·04	·03	·06	·	·	·	·	·	·28	·	9
10	·50	·	·12	·06	·	·	·	·	·	·	·04	·03	10
11	·33	·	·07	·43	·02	·	·	·	·	·	·	·19	11
12	·07	·	·02	·01	·01	·	·20	·	·	·18	·03	·01	12
13	·01	·02	·	·15	·	·	·	·	·	·01	·	·12	13
14	·50	·02	·	·43	·	·	·10	·	·07	·	·	·08	14
15	·14	·02	·	·12	·	·	·	·	·	·	·04	·15	15
16	·09	·63	·	·02	·	·	·	·	·	·	·18	·03	16
17	·	·42	·02	·	·	·	·	·	·	·	·17	·04	17
18	·	·03	·07	·	·	·	·05	·02	·01	·	·12	·05	18
19	·01	·32	·80	·	·	·03	·09	·24	·03	·	·26	·	19
20	·47	·10	·15	·	·	·44	·38	·10	·	·	·	·01	20
21	·01	·56	·04	·	·	·	·05	·	·	·	·	·18 }	21
22	·	·06	·	·	·	·	·24	·	·37	·	·03		22
23	·	·	·01	·01	·	·01	·05	·	·45	·	·09	·02	23
24	·	·17	·	·15	·	·	·01	·03	·02	·07	·03	·06	24
25	·06	·01	·	·01	·03	·	·03	·35	·	·	·39	·	25
26	·05	·12	·16	·08	·	·	·24	·02	·05	·	·19	·44	26
27	·30	·01	·02	·72	·	·	·	·19	·	·	·52	·02	27
28	·02	·	·29	·24	·	·	·	·67	·	·	·42	·43	28
29	·05		·	·05	·	·02	·	·19	·	·	·28	·21	29
30	·01		·03	·20	·	·	·	·46	·	·17	·17	·29	30
31	·11		·	·	·	·	·01	·04	·	·17		·04	31
Total	4·77 ✓	3·10 ✓	4·41 ✓	2·71 ✓	·26 ✓	·52 ✓	1·72 ✓	2·68 ✓	1·12 ✓	·86 ✓	4·13 ✓	4·03 ✓	TOTAL for year 30·31 ✓
No. of Rain Days.	26 ✓	18 ✓	22 ✓	16 ✓	8 ✓	5 ✓	15	13 ✓	9 ✓	9 ✓	24 ✓	26 ✓	191 ✓

W. 8,000, X. '11.

Max Daily Fall 0·81 in on March 5

C X M L over 2 in

519

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Westfield Vicarage.
in the County of Sussex.
by Rev E. J. Morgan.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Battle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft 6 in.
" " " " Sea Level 100½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·	·	·08	·03	·	·11	·	·	·56	·01	·32	1
2	·	·	·05	·01	·02	·	·	·65	·05	Rain Funnel not in position	·	·13	2
3	·01	·	·02	·	·	·	·	·	·01	·	·	·06	3
4	·	·08	·07	·04	·	·	·73	·06	·	·01	·	·08	4
5	·	·	·01	·	·03	·	·37	·04	·03	·	·	·13	5
6	·	·	·07	·	·19	·	·35	·	·	·	·	·01	6
7	·07	·	·	·17	·14	·	·04	·	·	·05	·	·04	7
8	·	·01	·	·20	·04	·	·23	·	·	·01	·	·	8
9	·35	·07	·01	·01	·05	·01	·09	·	·	·	·	·	9
10	·76	·25	·05	·20	·	·07	·06	·	·	·	·02	·02	10
11	·37	·01	·17	·16	·	·02	·16	·	·	·	·	·16· s	11
12	·09	·05	·02	·16	·02	·41	·08	·	·	·	·	·	12
13	·32	·07	·29	·01	·	·01	·	·	·	·	·06	·	13
14	·01	·	·42	·32	·	·07	·	·	·01	·40	·51	·	14
15	·05	·	·04	·01	·01	·	·	·	·81	·25	·16	·04 s	15
16	·01	·02	·02	·06	·35	·	·	·	·56	·	·	·12 s	16
17	·02	·	·	·05	·11	·	·06	·	·46	·	·	·02	17
18	·09	·	·	·	·23	·	·	1·11	·73	·	·	·04	18
19	·09	·	·	·34	·	·	·	·02	·06	·	·	·	19
20	·06	·11	·	·09	·	·73	·	·02	·75	·	·01	·06	20
21	·	·01	·	·	·	·	·12	·	·09	·	·	·58	21
22	·	·01	·	·38	·	·	·	·01	·	·	·	·60	22
23	·	·01	·	·01	·	·	·69	·	·	·	·	·56	23
24	·03	·01	·05	·01	·	·	·02	·	·	·	·01	·12	24
25	·	·01	·	·01	·01	·	·22	·	·02	·	·01	·	25
26	·06	·	·30	·08	·	·	·06	·	·	·	·01	·02	26
27	·40	·07	·02	·14	·	·06	·	·01	·	·	·09	·28	27
28	·37	·02	·01	·02	·26	·	·26	·	·	·	·60	·05	28
29	·45	·	·02	·35	·01	·01	·05	·	·	·	·22	·12	29
30	·04	X	·01	·02	·	·01		·	·20	·02	·21	·21	30
31	·03	X	·03	X	·	X	·	·	X	·17	X	·46	31
TOTAL	3·83	·81	1·62	2·93	1·50	1·40	3·70	1·92	3·78	(1·57)×	1·92	4·23	YEAR'S TOTAL (29·21)
Days with ·01 in. or more	22 16	16 7	20 9	25 16	15 8	10 5	18 17	8 4	13 9	9 6+	13 7	24 20	193 124

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

× This is exclusive of fall on Oct 2. which was probably about ·10

+ Including Oct. 2nd

WEST ~~TH~~ORNEY

SUSSEX

1911 - 1916

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

RE

Kept at West Th

in the County of Su

by H. Padw

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	4		1	34				13			5	4	1
2	3			26	27						25	19	2
3					19						19	6	3
4				7						4	14	34	4
5				1						61	2		5
6	21		6							1	5	92	6
7										42	52	8	7
8	8		18								55	43	8
9	10		2								4	25	9
10		17	17									34	10
11	31				6						105		11
12			87						3		11	5	12
13			3		41				52	16	1	41	13
14		11			18							40	14
15											8	3	15
16						63					110	13	16
17											44	23	17
18		18	11							8	28	41	18
19			1			10			26	13	2	14	19
20		2	9					3	13	2		76	20
21	4	20								64		33	21
22	14					15	~~15~~			38	2	45	22
23		18				45	~~45~~		17	21		23	23
24		14					1	~~1~~ 9		109		46	24
25			1	13	173	10	~~10~~36	~~36~~		2		9	25
26			5	28	8	5	~~5~~ 3	~~8~~		24		35	26
27		38	14	5			4	~~4~~	6	27		19	27
28		20		30				16.			4	1	28
29				5		14	~~14~~ 3	~~3~~	23.	23			29
30				4	3	5	~~5~~			28			30
31													31
Total	·95	1·58 ~~[illegible]~~	1·75.	1·53	2·95 ~~[illegible]~~	1·67	·47	·41	1·40 1·40	4·83	4·96.	7·32	TOTAL for year 29·82
No. of Rain Days.	8	9	13	10	8	8	5	4	7	17	19	26	134

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at West Thorney

in the County of Sussex 1

by H. Padwick

RAIN GAUGE	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	4		1	34				13			5	4	1
2	3			26	27						25	19	2
3					19						19	6	3
4				7						4	14	34	4
5				1						61	2		5
6	21		6							1	5	92	6
7										42	52	8	7
8	8		18								55	43	8
9	10		2								4	25	9
10		17	17									34	10
11	31				6						105		11
12			87						3		11	5	12
13			3		41				52	16	1	41	13
14		11			18							40	14
15											8	3	15
16						63					110	13	16
17											44	23	17
18		18	11							8	28	41	18
19			1			10			26	13	2	14	19
20		2	9					3	13	2		76	20
21	4	20								64		33	21
22	14					15	~~15~~			38	2	45	22
23		18				45	~~45~~		17	21		23	23
24		14					1	~~1~~ 9		109		46	24
25			1	13	173	10	~~10~~ 36	~~36~~		2		9	25
26			5	28	8	5	~~5~~ 3	~~3~~		24		35	26
27		38	14	5			4	~~4~~	6	27		19	27
28		20		30				16.			4	1	28
29				5		14	~~14~~ 3	~~3~~	23.	23			29
30				4	3	5	~~5~~			28			30
31													31
Total	·95	1·58 ~~[illegible]~~	1·75.	1·53	2·95 ~~[illegible]~~	1·67	·47	·41	1·40 1.40	4·83	4·96.	7·32	TOTAL for year 29·82
No. of Rain Days.	8	9	13	10	8	8	5	4	7	17	19	26	134

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at West Thorney

in the County of Sussex

by Herbert Padwick

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Emsworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·	11	·	4	17	23	-	2	53	·	35	1
2	-	1	34	-	·	6	31	-	-	1	-	-	2
3	2	-	6	-	-	17	2	70	2	·	2	2	3
4	18	9	58	·	-	14	·	5	·	·	21	-	4
5	31	6	15	-	-	·	·	34	-	-	5	4	5
6	56	5	1	-	9	1	·	66	-	-	1	11	6
7	-	1	3	-	35	65	·	33	-	-	-	5	7
8	56	29	23	3	-	3	-	17	-	-	-	1	8
9	3	22	12	-	-	10	3	6	-	-	-	14	9
10	-	6	2	-	-	·	-	23	-	-	22	30	10
11	8	22	-	-	-	3	-	3	-	-	2	16	11
12	2	4	11	-	17	33	12	32	-	·	-	1	12
13	-	4	4	-	-	-	10	14	-	1	2	5	13
14	2	-	1	-	3	-	-	20	-	-	-	-	14
15	2	8	18	·	9	52	-	1	·	-	-	25	15
16	17	1	15	-	1	2	-	10	-	4	10	-	16
17	67	-	14	-	15	6	-	14	-	-	4	5	17
18	8	-	29	-	-	-	-	15	-	2	-	6	18
19	6	2	13	-	-	1	4	40	-	-	-	-	19
20	-	2	31	-	-	-	-	17	-	49	4	2	20
21	2	15	20	-	47	-	-	9	-	7	-	-	21
22	4	45	5	-	1	-	-	25	-	1	·	6	22
23	46	17	26	-	2	-	-	57	·	4	16	6	23
24	12	6	1	-	-	2	-	14	-	11	-	17	24
25	16	1	-	-	-	33	-	73	-	4	23	48	25
26	-	4	-	·	-	-	3	11	-	35	34	-	26
27	-	1	-	-	-	13	20	-	-	28	-	54	27
28	·	5	-	-	·	8	14	16	2	82	54	14	28
29	-	8	-	·	-	1	3	41	144	17	-	1	29
30	-		6	-	24	-	3	1	95	24	-	-	30
31	-		7		-		39	20		3		-	31
Total	3·58 3·56	2·24	3·66.	·03	1·66	2·87	1·67	6·87 ~~6·82~~	2·45	3·26	2·00	3·08 ~~3·28~~	YEAR'S TOTAL ~~33·37~~ ~~33·50~~ 33·37
Rain Days.	19	24	25	1	12	19	13	28	5	17	14	22	199

W. 7,500, XI. 12

√ Exd DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
12 JAN 1914

Kept at West Thorney
in the County of Sussex
by F. H. Padwick Esq.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Emsworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·47	-	·06	-	·15	-	-	39	-	·20	·07	1
2	·13	·09	·14	·06	·01	-	·05	-	·04	·45	·12	·04	2
3	·05	-	-	·09	·20	-	-	-	~~0~~	·24	·17	·16	3
4	·34	-	·04	-	·37	-	·05	-	1·11	·20	-	·03	4
5	·66	·15	·05	-	·02	·21	-	-	·84	·03	·18	·04	5
6	·06	·04	·07	-	·09	·11	·70	-	-	·75	·15	·40	6
7	-	·22	·12	-	·23	·02	·38	-	-	·37	·15	-	7
8	-	·08	-	-	·28	·04	·01	-	-	·20	-	-	8
9	-	·05	-	-	·03	-	·13	-	·09	-	·09	-	9
10	·04	-	-	·03	·03	·01	·11	-	-	·01	·42	-	10
11	·77	-	-	·36	·72	-	-	-	-	·64	·18	-	11
12	-	-	-	-	·01	-	-	-	·02	-	·46	-	12
13	·23	-	·05	-	-	-	-	-	·02	·01	·13	-	13
14	·35	-	·09	-	-	-	·09	·02	-	·03	·10	·01	14
15	·42	·08	·22	·36	-	-	·22	-	·34	-	-	-	15
16	·16	-	·50	·13	-	-	·01	-	·07	-	·02	-	16
17	·16	-	-	·09	-	-	·05	-	-	-	·05	-	17
18	·03	-	17	-	-	·02	·04	-	-	-	·03	-	18
19	·25	-	·07	-	·04	·01	·05	-	·24	-	-	-	19
20	·53	-	·12	·20	-	·15	-	-	-	1·00	-	-	20
21	-	-	·03	·15	-	-	-	-	-	·44	·38	-	21
22	·40	-	·27	-	-	-	-	·05	·30	·05	-	·04	22
23	·02	-	·11	-	-	-	-	-	·02	·01	·01	·85	23
24	·05	-	·01	·04	-	-	-	·23	-	·01	·02	-	24
25	-	·05	-	·19	-	-	-	-	-	-	-	·02	25
26	-	-	·07	·03	-	-	-	·24	-	·48	-	·21	26
27	-	-	·17	·06	-	-	-	-	-	·02	·01	-	27
28	·16	-	·21	·11	-	-	-	·02	-	·20	-	-	28
29	·13		·15	·39	·58	-	-	·04	-	·10	-	·04	29
30	·48		·01	·05	-	-	-	·29	-	·17	-	-	30
31	-		·05		-		-	1·34		·36		-	31
Total	5·44	1·23	2·72	2·39	2·61	·72	1·89	2·23	3·48	5·77	2·83	1·91	YEAR'S TOTAL 33·22
Rain Days.	22	9	22	17	13	9	13	8	12	22	19	12	178

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

9 - JAN 1915

Esc. M.g.

Kept at Manor House, West Thorney
in the County of Sussex
by Herbert Patrick

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Emsworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	3	—	—	—	14	—	—	5	8	1
2	—	—	—	—	—	—	3	—	—	—	16	18	2
3	—	—	5	5	27	—	1	—	—	—	—	2	3
4	1	—	2	19	2	—	2	5	—	—	35	36	4
5	9	—	13	28	4	—	23	—	—	—	6	—	5
6	—	17	2	13	7	3	—	1	—	—	—	45	6
7	3	60	19	17	1	2	—	—	—	—	—	38	7
8	5	59	21	2	2	5	16	10	—	—	—	17	8
9	8	1	76	8	—	—	—	2	6	—	3	113?	9
10	5	20	1	14	19	—	—	—	13	—	3	2	10
11	—	50	51	—	10	2	62	—	30	—	13	72	11
12	—	22	20	—	1	—	41	—	29	2	3	39	12
13	—	38	15	—	—	—	—	—	26	8	9	83	13
14	—	15	16	—	—	76	23	11	—	45	21	29	14
15	—	10	21	—	—	—	2	57	—	6	103	1	15
16	—	2	—	—	—	75	7	—	13	1	2	—	16
17	—	36	11	—	—	—	—	—	10	—	—	26	17
18	—	2	30	—	—	—	—	—	—	—	—	48	18
19	—	11	66	—	—	—	136	—	—	—	15	8	19
20	—	33	13	—	—	—	—	—	—	—	—	36	20
21	—	48	5	—	—	—	—	—	—	12	—	1	21
22	—	2	19	—	5	2	13	4	—	11	—	—	22
23	—	17	18	—	—	—	1	—	—	7	1	—	23
24	—	1	8	—	—	—	2	—	—	—	17	—	24
25	2	—	30	—	—	—	1	30	—	28	3	11	25
26	—	—	1	—	—	—	4	8	—	18	10	82	26
27	—	—	—	—	—	—	—	—	—	—	8	37	27
28	5	3	21	—	16	—	4	—	—	160	45	54	28
29	13	—	8	3	1	—	—	—	—	27	9	3	29
30	1	X	—	17	—	—	—	—	—	15	61	46	30
31	3	X	—	X	5	X	11	—	X	4	X	3	31
Total	·55	4·47	4·92	1·29	1·00	1·65	3·52	1·42	1·27	2·44	3·88	8·58?	YEAR'S TOTAL 34·99 ~~34·[illegible]~~
Rain Days.	11	20	25	11	13	7	18	10	7	14	21	26	183

W. 8,000. X. 14.

506

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
17 JAN 1916

Kept at West Thorney
in the County of Sussex
by Herbert Padwick Esq

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Emsworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~.12~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.49	.18	.01	-	-	-	-	.09	.22	.13	.03	.17	1
2	.24	.17	.21	.05	.04	-	-	.10	.06	.30	-	.30	2
3	.75	.01	.16	.13	.26	-	-	-	.11	.01	-	.61	3
4	-	-	.01	.05	-	-	-	.04	-	-	-	.66	4
5	.07	.30	-	-	-	-	-	.06	-	-	-	.53	5
6	.81	.23	-	.49	-	-	.69	.02	-	-	-	.10	6
7	.18	.34	-	.10	-	-	.12	.03	-	-	-	.07	7
8	.06	.74	-	-	-	-	.08	.06	-	-	-	.02	8
9	.04	.04	-	.07	-	-	-	-	-	-	-	.30	9
10	.13	.10	-	-	-	.24	-	-	-	-	.29	.32	10
11	.01	.02	.09	-	.37	-	-	.02	-	-	-	.03	11
12	.07	.17	-	.22	1.85	-	-	-	-	-	.85	-	12
13	.02	.52	-	-	-	-	-	-	.15	-	.56	-	13
14	.02	.02	.	-	.10	-	.04	.06	.05	-	-	.66	14
15	.05	-	.	-	-	-	1.18	.18	.01	-	.07	.22	15
16	.01	.56	.	-	.26	-	-	.04	-	-	-	.04	16
17	-	.32	.	-	.55	-	-	-	-	-	-	-	17
18	-	.30	-	-	.10	-	-	-	-	-	-	-	18
19	-	.06	-	-	.11	-	.19	-	-	-	-	-	19
20	.23	-	-	-	.03	-	-	-	-	-	-	.03	20
21	-	.07	-	-	-	-	.02	-	-	.48	-	.18	21
22	1.28	.26	.13	-	-	-	.61	-	.20	.01	-	.19	22
23	-	.02	.13	-	-	-	-	-	.83	.26	-	.56	23
24	.01	.	.03	.06	-	-	.05	-	-	.88	-	.36	24
25	-	-	.03	-	-	.11	-	-	-	-	-	.08	25
26	.02	.03	-	-	-	.30	.13	-	-	.28	-	.78	26
27	-	.06	.	.	-	.03	-	-	.03	.	-	.03	27
28	-	.08	-	.	-	.16	.10	-	.50	.16	-	.01	28
29	-		-	.	-	.31	-	.14	-	.03	.43	.06	29
30	.30	X	-	-	-	.02	.	-	-	.50 ~~1.07~~	.61	.03	30
31	.05	X	-	X	-	X	-	.19	X	1.07	X	.28	31
Total	4.84	4.60	.80	1.17	3.67	1.17	3.21	1.03	2.16	4.11	2.84	6.62	YEAR'S TOTAL 36.22
Rain Days.	21	23	9	8	10	7	11	13	10	12	7	26	157

W. 8,000. X. 15.

494

FORM A.
BRITISH RAINFALL.

11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at West Thorney

in the County of Sussex

by H. Padwick Esq

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Emsworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	-	·02	-	·17	·03	-	-	·17	-	·42	-	1
2	·27	·11	·12	-	·08	-	-	-	·10	·70	·04	-	2
3	·02	·33	-	-	-	-	·08	-	-	·59	·66	-	3
4	·11	·19	-	-	-	·21	-	-	·31	·02	·18	-	4
5	·05	-	-	-	·15	-	-	-	-	·06	·70	-	5
6	-	·07	·02	·04	-	-	·32	-	-	·09	·52	-	6
7	·02	-	·39	-	·12	·10	-	-	-	-	·56	·06	7
8	-	-	-	-	·22	-	·05	-	-	-	-	·32	8
9	-	·61	·02	-	·09	-	-	-	-	-	-	·05	9
10	-	-	-	·04	~~·06~~	·22	-	-	-	-	·03	·10	10
11	-	-	-	·16	·06	·06	·04	-	-	-	-	·06	11
12	·06	-	·10	·07	-	·03	-	-	-	-	-	·02	12
13	-	·37	·02	-	-	·02	-	-	-	·05	·02	·01	13
14	-	·53	-	-	-	-	-	-	-	-	-	-	14
15	-	·13	·24	-	-	-	-	·21	·03	·02	-	-	15
16	·04	·03	·20	·12	-	-	·08	·21	-	·61	-	-	16
17	·24	·30	-	·17	-	-	-	·02	·27	·15	-	-	17
18	-	·13	-	·08	-	-	-	·03	·03	-	·70	·13	18
19	·12	-	·21	·06	-	·08	-	-	·14	-	·19	·03	19
20	·09	-	·59	·02	-	-	-	-	-	-	·03	·77	20
21	·01	-	·22	-	-	-	·03	-	-	-	·06	·35	21
22	-	·05	·01	-	-	-	-	-	-	·10	·02	·87	22
23	·03	-	·03	-	-	·20	-	·05	-	·16	·04	-	23
24	-	-	-	-	·17	-	-	·03	-	·24	·13	·38	24
25	-	·10	-	-	-	-	-	·17	·96	·06	-	-	25
26	·02	·50	·03	-	-	-	-	·03	·10	·39	-	·05	26
27	-	·04	1·04	-	-	·23	-	-	·14	·46	·10	-	27
28	-	·47	-	-	-	·10	-	·13	·31	·40	-	·23	28
29	-	·33	-	-	-	·28	-	·51	·11	·14	-	·37	29
30	-	X	-	-	·26	-	-	-	-	·18	-	-	30
31	-	X	-	X	-	X	-	-	X	·14	X	·05	31
Total	1·20	4·29	3·26	·76	1·32	1·56	·60	1·39	2·67	4·56	4·40	3·85	YEAR'S TOTAL 29·86 29·86
Rain Days.	14	17	16	9	9	12	6	10	12	19	17	17	158

W. 8,000, VIII. 16

WEST WORTHING

SUSSEX

1911 - 1916

FORM A2.
BRITISH RAINFALL.

JAN 1912

REGI

Kept at West Wo

in the County of Sus

by Alfred Morris

andard

e in.

ound one ft. in.

Level 22 ft.

A.M

me West Worthing

tance 150 yds Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	–	·58	–	–	·01	·09			·05	–	1
2	·07	–	–	·10	·20	–	–	–	–	–	·24	·23	2
3	r	–	–	–	·15	–	–	·05	–	–	·09	·17	3
4	·03	–	·01	·06	–	–	–	–	–	·09	·11	·15	4
5	–	–	–	·09	–	–	–	–	–	·57	·01	·03	5
6	·29	–	·02	–	–	–	–	–	–	·01	·02	·57	6
7	·04	–	–	–	–	–	–	–	–	·28	1.00	·22	7
8	·06	–	·14	–	–	–	–	–	–	–	·55	·25	8
9	·06	–	–	–	–	–	–	–	–	–	·25	·11	9
10	–	·06	·11	·02	–	–	–	–	–	–	–	·27	10
11	·38	–	·03	–	–	–	–	–	–	–	1.16	·03	11
12	·01	–	·97	–	–	–	–	–	·02	–	·02	·03	12
13	–	–	·03	–	·13	–	–	–	·38	·17	–	·26	13
14	–	·07	–	–	·14	–	–	–	–	–	–	·36	14
15	–	·01	·01	–	–	–	–	–	–	–	·04	·03	15
16	–	–	–	–	–	·59	–	–	–	–	·78	·11	16
17	–	–	–	–	–	·05	–	–	–	–	1.22	·13	17
18	–	·10	·06	–	–	–	–	–	–	–	·89	·37	18
19	–	·01	–	–	–	·02	–	–	·17	·19	·01	·15	19
20	·01	–	·02	–	–	–	–	·19	·14	·01	–	·50	20
21	·02	·13	–	–	–	–	–	·12	–	·67	–	·26	21
22	·34	–	·03	–	–	·10	–	33 ·33	–	·38	–	·47	22
23	·01	·09	·01	–	–	·74	–	–	·27	·80	·03	·16	23
24	–	·15	–	–	–	·11	·01	·04	–	·55	–	·39	24
25	–	·02	·03	·10	·12	·07	·11	–	·07	·14	–	–	25
26	–	–	·04	·30	–	·01	·02	–	–	·15	–	·28	26
27	–	·30	·30	·02	–	–	–	–	·10	·40	·05	·20	27
28	–	·11	–	·15	–	–	–	·04	–	–	·02	–	28
29	–		–	·01	–	·13	·16	–	·24	·25	–	–	29
30	–		–	·08	–	·10	–	·08	–	·14	–	–	30
31	–		–		–		–			–		–	31
Total	1.34	1.05	1.81	1.51	·74	1.92	31 ·30	·94	1.39	4.80 4.80	6.54	5.73	TOTAL for year 28.08 27.98
No. of Rain Days	13	11	15	11	5	10	5	8	8	16	19	25	146

7,000. X. '09.

∫

REGI

FORM A2.
BRITISH RAINFALL.

JAN 1912

Kept at West Worthing

in the County of Sussex 3

by Alfred Morris Butler F.R.I.B.A

RAIN GAUGE
Pattern Zinc standard
Diameter of top five in.
Height of top above Ground one ft. in.
" " " Sea Level 22 ft.

Time of Observation nine A.M

Nearest Railway Station
Name West Worthing
Distance 150 yds Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	–	·58	–	–	·01	·09			·05	–	1
2	·07	–	–	·10	·20	–	–	–	–	–	·24	·23	2
3	–	–	–	–	·15	–	–	·05	–	–	·09	·17	3
4	·03	–	·01	·06	–	–	–	–	–	·09	·11	·15	4
5	–	–	–	·09	–	–	–	–	–	·57	·01	·03	5
6	·29	–	·02	–	–	–	–	–	–	·01	·02	·57	6
7	·04	–	–	–	–	–	–	–	–	·28	1.00	·22	7
8	·06	–	·14	–	–	–	–	–	–	–	·55	·25	8
9	·06	–	–	–	–	–	–	–	–	–	·25	·11	9
10	–	·06	·11	·02	–	–	–	–	–	–	–	·27	10
11	·38	–	·03	–	–	–	–	–	–	–	1.16	·03	11
12	·01	–	·97	–	–	–	–	–	·02	–	·02	·03	12
13	–	–	·03	–	·13	–	–	–	·38	·17	–	·26	13
14	–	·07	–	–	·14	–	–	–	–	–	–	·36	14
15	–	·01	·01	–	–	–	–	–	–	–	·04	·03	15
16	–	–	–	–	–	·59	–	–	–	–	·78	·11	16
17	–	–	–	–	–	·05	–	–	–	–	1.22	·13	17
18	–	·10	·06	–	–	–	–	–	–	–	·89	·37	18
19	–	·01	–	–	–	·02	–	–	·17	·19	·01	·15	19
20	·01	–	·02	–	–	–	–	·19	·14	·01	–	·50	20
21	·02	·13	–	–	–	–	–	·12	–	·67	–	·26	21
22	·34	–	·03	–	–	·10	–	33 ·33	–	·38	–	·47	22
23	·01	·09	·01	–	–	·74	–	–	·27	·80	·03	·16	23
24	–	·15	–	–	–	·11	·01	·04	–	·55	–	·39	24
25	–	·02	·03	·10	·12	·07	·11	–	·07	·14	–	–	25
26	–	–	·04	·30	–	·01	·02	–	–	·15	–	·28	26
27	–	·30	·30	·02	–	–	–	–	·10	·40	·05	·20	27
28	–	·11	–	·15	–	–	–	·04	–	–	·02	–	28
29	–		–	·01	–	·13	·16	–	·24	·25	–	–	29
30	–		–	·08	–	·10	–	·08	–	·14	–	–	30
31	–		–		–		–			–		–	31
Total	1.34	1.05	1.81	1.51	·74	1.92	31 ·30	·94	1.39	4·80 4.80	6.54	5.73	TOTAL 28·08 28·98
No. of Rain Days	13	11	15	11	5	10	5	8	8	16	19	25	146

7,000. X. '09.

REGISTER OF RAINFALL IN 19 12

Ex. H. 36

3

FORM A. BRITISH RAINFALL. 1 JAN 1913

Kept at Hillmorton Lodge, Rugby Road West Worthing

in the County of Sussex

by Alfred Morris Butler F.R.I.B.A.

Lat. .... Long. ....

Time of Observation 9. A.M.

Nearest Railway Station West Worthing

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	·04	·03	·03	·37	·12	–	·01	·70	–	·28	1
2	–	–	·35	–	–	·01	·24	–	–	–	–	–	2
3	·02	–	·05	–	–	·14	–	·47	·02	–	–	–	3
4	·19	·10	·48	–	–	·35	–	·07	–	–	·19	–	4
5	·34	·05	·07	–	–	·04	–	·26	–	–	·13	·01	5
6	·55	·10	·01	–	·06	–	–	·50	–	–	–	·11	6
7	–	·02	·02	–	·28	·59	–	·18	–	–	–	·04	7
8	·70	·39	·18	·01	–	·03	–	·25	–	–	–	·01	8
9	·04	·05	·08	·06	–	·03	·13	·41	–	–	–	·10	9
10	–	·09	–	–	–	–	–	·19	–	–	·02	·36	10
11	·04	·54	–	–	·01	·01	–	·06	–	–	·02	·15	11
12	–	·06	·03	–	·13	·10	·09	·41	–	–	–	–	12
13	–	·02	·01	–	–	–	·36	·03	–	–	·03	·23	13
14	–	–	–	–	·07	–	~~·36~~ –	·10	–	·04	–	·02	14
15	–	·08	·14	–	·15	·61	–	–	–	–	·01	·22	15
16	·11	·01	·22	–	·11	–	–	·16	–	·08	·02	–	16
17	·45	–	·29	–	·25	·08	–	·15	–	–	·12	·50	17
18	·10	–	·28	–	–	–	–	·16	–	–	–	·35	18
19	·08	·09	·28	–	–	·01	0.3	·07	–	·02	·03	–	19
20	·02	·01	·57	–	–	–	–	·01	–	·48	·03	–	20
21	–	·15	·25	–	·09	–	–	·19	–	·19	·09	–	21
22	·12	·60	·03	–	–	–	–	·21	–	–	–	·06	22
23	·39	·15	·32	–	–	–	–	·42	–	·15	·16	·03	23
24	·01	·07	·01	–	–	–	–	·35	–	·11	–	·19	24
25	·10	–	–	–	–	·24	–	·91	–	·09	·28	·60	25
26	–	·04	–	–	–	·02	–	·05		·40	·96	·25	26
27	–	·02	·01	–	–	·03	·01	–		·19	–	·48	27
28	–	·06	–	–	–	–	·08	·12	·17	·78	·57	·15	28
29	–	·03	–	–	–	–	·13	1.20	1.61	·05	·05	–	29
30	–		–	–	·20	–	·03	·39	1.20	·42	·02	–	30
31	–		·06		·02		·15	·19		–		–	31
Total	3.26	2.73	3.78	·10	1.40	2.66	1.37	7.51	3.01	3.70	2.73	4.14	YEAR'S TOTAL 36.39
Rain Days.	16	22	23	3	12	16	11	27	5	14	17	20	186

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 12 JAN 1914

Kept at Hillmorton Lodge, Grand Avenue West Worthing
in the County of Sussex. 3
by A. Morris Butler F.R.I.B.A

Lat. .... Long. ....
Time of Observation 9.0 A.M
Nearest Railway Station West Worthing
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·42	·12	·11	–	–	–	–	·11	–	·09	·09	1
2	·04	·15	–	·02	–	–	·08	–	–	·34	·13	·03	2
3	·01	·02	·05	·13	·33	–	–	–	–	–	–	·14	3
4	·43	–	·08	–	·07	–	·01	–	1.60	·08	·10	·02	4
5	·07	·05	·02	–	–	·20	·05	–	·06	–	·30	·03	5
6	–	·04	·08	–	·08	·14	·23	–	–	·61	·11	·26	6
7	–	·29	·13	–	·11	–	·05	·13	–	·29	·16	–	7
8	–	·16	·01	–	·15	·06	–	–	–	·15	–	·08	8
9	–	·07	–	·02	·15	·02	·03	·01	·17	–	·06	·01	9
10	·07	–	–	–	–	·02	·95	–	–	·04	·50	–	10
11	·78	–	–	·43	–	–	–	–	·01	·57	·31	–	11
12	–	–	–	–	·67	–	–	–	–	–	1.22	–	12
13	·28	–	·03	–	–	–	–	·01	·18	–	·17	–	13
14	·30	–	·13	–	–	–	·81	·01	·13	·04	·16	–	14
15	·20	·10	·40	·38	–	–	·19	–	·18	–	·01	–	15
16	·23	–	·35	·09	–	–	·01	·02	–	–	–	–	16
17	·09	·01	–	·11	–	–	·27	–	–	–	·03	–	17
18	·01	–	·10	·15	–	–	·09	–	·01	–	–	–	18
19	·29	–	·04	–	·01	·04	·06	–	·42	–	–	–	19
20	·27	–	·09	·12	–	·60	–	–	–	·56	–	–	20
21	–	–	·15	·20	–	–	–	–	–	·65	·66	–	21
22	·36	–	·52	–	–	–	–	·04	·20	–	–	·01	22
23	–	–	·14	–	–	·02	–	·10	–	–	–	·82	23
24	·11	–	–	·04	–	·02	–	·25	–	–	·02	–	24
25	–	·02	–	·22	–	–	–	–	–	·01	–	–	25
26	–	–	·13	–	–	–	–	·10	–	·74	–	·22	26
27	–	–	·17	·07	–	–	–	–	–	·07	–	–	27
28	·13	–	·23	·03	–	–	–	–	–	·11	–	–	28
29	·13		·04	·30	·80	–	–	·13	–	·22	·01	–	29
30	·54		–	·14	–	–	–	·71	–	·10	–	–	30
31	·02		·10		–		–	2.25		·10		–	31
Total	4.38	1.33	3.11	2.56	2.37	1.12	2.83	3.76	3.07	4.68	4.04	1.71	YEAR'S TOTAL 34.96
Rain Days.	21	11	22	17	9	9	13	12	11	17	17	11	170

W.7,000, XI. 13

cnd by Obs 12.1.15

REGISTER OF RAINFALL IN 1914

Ex. M.G.

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at "Hillmorton Lodge", West Worthing
in the County of Sussex
by Alfred Morris Butler F.R.I.B.A.

3

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station West Worthing
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·10	–	–	·01	·22	–	–	·21	·04	1
2	–	–	–	–	–	–	·09	–	–	–	·06	·14	2
3	–	–	·04	–	·23	–	·03	–	–	–	–	–	3
4	–	–	–	·32	–	–	·05	·08	–	–	·36	·43	4
5	·12	–	·12	·33	·01	–	·23	·16	–	–	–	–	5
6	–	·11	·02	·13	·05	·05	–	–	–	–	–	·57	6
7	·01	·37	·23	·16	·03	–	·18	–	–	–	–	·22	7
8	·04	·47	·32	·11	·02	·10	·02	·06	–	–	–	·19	8
9	·06	–	·48	·07	–	–	–	·01	·05	–	–	1.45	9
10	·09	·19	·03	·17	·21	–	–	–	·17	–	·01	–	10
11	–	·50	·55	·01	·09	·01	–	–	·19	–	·02	·85	11
12	–	·14	·17	–	–	–	·48	–	·58	·07	–	·56	12
13	–	·39	·13	–	–	·02	–	–	·21	·02	·11	·42	13
14	–	·25	·17	–	–	–	–	·03	–	·45	·25	·49	14
15	–	·02	·20	–	–	–	–	·33	–	·02	·96	–	15
16	–	·08	–	–	–	–	·24	–	·20	–	–	–	16
17	–	·57	·17	–	–	–	–	–	·06	–	–	·20	17
18	–	·01	·44	–	–	–	–	–	–	–	–	·25	18
19	–	·14	·69	–	–	–	·23	–	–	–	·15	·15	19
20	–	·18	·08	–	–	·11	–	–	–	–	–	·37	20
21	–	·46	·08	–	–	·01	–	–	–	·12	–	–	21
22	–	·05	·13	–	·11	·09	·05	·04	–	·27	–	–	22
23	–	–	·31	–	–	·67	–	–	–	·03	–	–	23
24	–	–	·02	–	–	–	–	–	–	–	·14	–	24
25	·03	–	·31	–	–	–	–	·23	–	·43	·01	·16	25
26	·01	–	–	–	–	–	–	·08	–	·09	·17	·61	26
27	·04	–	–	–	–	–	–	–	–	–	·10	·44	27
28	·01	·03	–	–	·03	–	–	–	–	·70	·34	·40	28
29	·13		·07	–	–	–	–	–	–	·48	·17	·03	29
30	–	X	·09	·49	–	–	–	–	–	·08	·90	·42	30
31	·01	X	–	X	·13	X	·02	–	X	·02	X	·01	31
Total	·55	3.96	4.85	1.89	·91	1.06	1.63	1.24	1.46	2.78	3.96	8.40	YEAR'S TOTAL 32.69
Rain Days.	11	17	23	10	10	8	12	10	7	13	16	22	~~144~~

W. 8,000. X. 14.

159

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
8 JAN 1916

B

Kept at West Worthing
in the County of Sussex
by A. Morris Butler F.R.I.B.A

Lat. Long.
Nearest Railway Station West Worthing
Time of Observation 9. A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. – in.
" " " Sea Level 25 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	·22	·04	–	–	–		–		·10	·03	·49	1
2	·22	·22	·20	·14	–	–	–	·09	·45	·05	–	·40	2
3	·36	–	·13	·22	·24	–	–	–	·16	–	–	·45	3
4	·07	–	–	·02	–	–	–	·02	·01	–	–	·45	4
5	·10	·36	–	·02	–	–	–	·15	–	–	–	·59	5
6	·87	·20	–	·46		–	·28	–	–	–	–	·20	6
7	·30	·41	·05	·09	–	–	·15	–	–	–	–	·15	7
8	·04	·54	–	–	–	–	·37	·01	–	–	·05	·03	8
9	·03	·08	–	·08	–	·10	–	·07	–	–	·42	·92	9
10	·29	·04	·04	–	–	–	–	–	–	–	–	·61	10
11	·04	–	·08	–	–	–	–	–	–	·24	·99	·03	11
12	·05	·34	–	·29	·45	–	–	–	–		·43	–	12
13	·06	·38	–	–	1.88	–	–	–	·11	–	–	–	13
14	·04	·01	–	–	–	–	·18	·02	·10	–	–	·70	14
15	·12	–	–	–	·10	–	·10	·48	·~~10~~	–	·08	·27	15
16	·02	·71	–	–	·16	–	·93	·71	–	–	–	·01	16
17	–	·43	–	–	1.14	–	·03	–	–	–	–	–	17
18	–	·04	–	–	.07	–	–	–	–	–	–	–	18
19	–	·08	–	–	.06	–	–	–	–	–	–	–	19
20	·25	–	–	·03	.05	–	–	–	–	–	–	·09	20
21	·06	–	–	–	–	–	·02	–	–	·66	–	·13	21
22	·40	·05	·09	–	–	–	·80	–	–	–	–	·19	22
23	–	·06	·22	–	–	–	–	–	–	·21	–	1.08	23
24	·01	–	–	·01	–	–	·02	–	·25	·77	–	·40	24
25	–	–	·02	–	–	–	·19	–	–	–	–	·20	25
26	–	·12	–	–	–	·07	·05	–	–	–	–	·83	26
27	–	·01	–	–	–	·04	–	–	–	·45	–	·03	27
28	–	·07	–	–	–	·30	·07	–	1.16	·10	·04	–	28
29	–		–	–	·02	–	–	·21	–	·02	·55	·04	29
30	·25		–	–	–	·03	–	–	–	·54	·50	·03	30
31	·01		–		–		–	1.07		·79		·32	31
Total	4.22	4.37	·87	1.36	4.17	·54	3.19	2.83	2.24	3.93	3.09	8.64	TOTAL for year 39.45
No. of Rain Days	22	20	9	10	10	5	13	10	7	11	9	25	151

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

535

FORM A.
BRITISH RAINFALL.

JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at West Worthing

in the County of Sussex

by A. Morris Butler F.R.I.B.A.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station West Worthing

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. - in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	-	-	-	·16	·03	-	-	·06	·10	·44	-	1
2	·29	·09	·26	-	·35	-	·06	-	-	·66	·03	-	2
3	·04	·38	·14	-	-	-	·06	-	·13	·56	·64	-	3
4	·15	·07	-	-	·16	·59	-	-	·20	·03	·23	-	4
5	·04	·03	-	-	-	·03	-	-	-	·05	·47	-	5
6	·01	·05	·06	-	·05	·04	·36	-	-	·03	·35	-	6
7	-	-	·58	-	·24	-	-	-	-	·05	·63	·04	7
8	-	-	·01	-	·28	-	-	-	-	-	-	·62	8
9	-	-	-	-	·18	-	-	-	-	-	-	·10	9
10	-	·72	·02	·05	-	·49	·06	-	-	-	·03	·28	10
11	·06	·04	·03	·11	·04	·27	-	-	-	-	-	·18	11
12	·04	·08	·06	·03	·03	·15	·10	-	-	-	·01	-	12
13	-	·22	·08	·01	·01	·08	-	-	-	-	-	·08	13
14	-	·78	·27	·03	·10	-	-	·01	-	-	-	·11	14
15	-	·27	·19	-	-	-	-	-	-	-	-	-	15
16	·08	-	·22	·21	-	-	·10	-	-	-	-	-	16
17	·21	·22	-	·12	-	-	-	-	·34	·71	-	-	17
18	·01	·03	·01	·03	-	-	-	·45	·10	·09	·59	·40	18
19	·15	-	·19	·12	-	·05	-	·05	·02	-	·59	·01	19
20	·10	-	·17	·01	-	-	-	-	-	-	·22	·69	20
21	·01	-	·33	-	-	·01	·04	-	-	-	·09	·63	21
22	-	-	-	-	-	-	-	-	-	·03	·01	·57	22
23	·01	·12	·02	-	-	-	-	·02	-	·40	-	-	23
24	-	-	-	-	·20	-	-	·03	-	·41	·04	·36	24
25	-	·55	·21	-	-	-	-	1.31	·13	·12	·03	-	25
26	·03	·48	-	-	-	·22	-	·03	·29	·27	-	·07	26
27	-	·47	·96	-	-	·03	-	-	·20	·47	-	-	27
28	-	·57	·11	-	-	·02	-	·28	·33	·40	-	·33	28
29	-	·28	-	-	-	·33	-	·62	·14	·25	-	·43	29
30	-		-	-	·03	-	-	·01	-	·31	-	-	30
31	-		-		-		-	·05		·03		·01	31
Total	1.30	5.45	3.92	·72	1.83	2.34	·78	2.86	1.94	4.97	4.40	4.91	YEAR'S TOTAL 35.42
Rain Days.	16	19	20	10	13	14	7	11	11	19	16	17	173

WHATLINGTON
LEEFORD ~~LODGE~~
SUSSEX
1911 - 1917

stats 30.1.12

FORM A.
BRITISH RAINFALL.
8 JAN 1912

R

911

Kept at Leeford Lod

g.

n Battle S.E.

9.30 a.m

in the County of

5 in.

by Miss Hilda

above Ground 1 ft. 3 in.

Sea Level 90 ft.

NOTE.—Rain should be measur … Full instructions for the measurement of rain and particulars as to the Britis … *…servers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, …

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	·	·66	·	·	·01	·19	·	·	·06	·02	1
2	·03	·	·04	·03	·32	·	·	·	·	·04	·25	·44	2
3	·09	·04	·01	-	·12	-	-	-	·	·01	·11	·36	3
4	·09	·03	·04	·15	-	-	-	-	·	·52	·35	·26	4
5	·12	-	·	-	-	-	-	-	·	·41	·04	·17	5
6	·24	·03	·	-	-	-	-	·	·	·15	-	·60	6
7	·09	-	·02	-	·	-	-	·	·	·76	·82	·51	7
8	·08	·	·21	-	·	·	·	·	·	·02	·73	·20	8
9	·10	·	(·10)	·06	·	-	·	·	·	-	·71	·06	9
10	-	·14	·	·	·	-	·	·	·	-	·05	·66	10
11	·67	-	·07	·	·	·	·	-	·	-	1·26	-	11
12	·03	·	·81	·	·	·	·	·	·	·	·14	·03	12
13	·	·	·02	·	·17	·	·	·	·43	·08	·03	·23	13
14	·	·11	·02	·	·03	·	·	·	·	·02	-	·50	14
15		·04	·23	·	·	·	·	·	·	·	·17	·13	15
16	-	-	·02	-	-	·37	~~·37~~	·	-	·	·49	·14	16
17	-	·03	-	·08	-	·02	·	·	-	·	·24	·10	17
18	·	·14	·06	-	·	-	·	·	-	·	·86	·25	18
19	·	·01	-	·	·	·05	·	·	·06	·32	·10	·13	19
20	·	·16	·03	·	·	-	·	1·29	·13	·17	·	·70	20
21	·	·	·	·		-	·	·01	·	·61	·	·18	21
22	·	·04	·55	-	·	·14	·	·10	-	·35	-	·73	22
23	·09	·31	·02	·	·	1·12	·	·	·35	·86	·	·20	23
24	·	·17	-	-	·	·36	·06	·06	-	·34	-	·47	24
25	-	·07	·15	·13	·	·09	·	·	·09	·04	·08	-	25
26	·	·	·13	·31	·	·26	·	·	-	·47	·04	·37	26
27	·	·42	·10	·11	·	·01	·	·	·06	·50	·19	·	27
28	·	·30	·01	·34	·	-	·	·	·	-	-	-	28
29	·		·	·03	·	·14	·39	·	·39	·63	·	·08	29
30	·		·	·	·	·06		·05	-	·26	·	·	30
31			·		·02							·	31
Total	1·73	2·04	(2·64)	1·90	·66	2·62	·46	1·70	1·51	6·56	6·72	7·52	TOTAL for year (36·06)
No. of Rain Days	12	16	20	10	5	11	3	6	7	20	20	25	155

(36·06)

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

tats 30.1.12

8 JAN 1912 FORM A. BRITISH RAINFALL.

F [redacted] 11

Kept at Seaford Lo

in the County of Sussex 6

by Miss Hilda Gripper

Battle S.E.

Time of Observation 9.30 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 90 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	.	·66	.	.	·01	·19	.	.	·06	·02	1
2	·03	.	·04	·03	·32	.	.	.	.	·04	·25	·44	2
3	·09	·04	·01	-	·12	-	-	-	.	·01	·11	·36	3
4	·09	·03	·04	·15	-	-	-	-	.	·52	·35	·26	4
5	·12	-	.	-	-	-	-	-	.	·41	·04	·17	5
6	·24	·03	.	-	-	-	-	-	.	·15	-	·60	6
7	·09	-	·02	-	.	-	-	.	.	·76	·82	·51	7
8	·08	.	·21	-	.	.	-	.	.	·02	·73	·20	8
9	·10	-	(·10) ~~P.T.O.~~	·06	.	-	-	.	.	-	·71	·06	9
10	-	·14	.	.	.	-	.	.	.	-	·05	·66	10
11	·67	-	·07	.	.	.	.	-	.	-	1·26	-	11
12	·63	.	·81	.	.	.	.	.	.	.	·14	·03	12
13	.	.	·02	.	·17	.	.	.	·43	·08	·03	·23	13
14	.	·11	·02	.	·03	.	.	.	.	·02	-	·50	14
15		·04	·23	.	.	.	.	.	.	.	·17	·13	15
16	-	-	·02	-	-	·37	~~·37~~	.	-	.	·49	·14	16
17	-	·03	-	·08	-	·02	-	.	-	.	·24	·10	17
18	.	·14	·06	-	.	-	.	.	-	.	·86	·25	18
19	-	·01	-	-	.	·05	-	.	·06	·32	·10	·13	19
20	-	·16	·03	.	.	-	.	1·29	·13	·17	.	·70	20
21	.	.	.	.		-	.	·01	-	·61	.	·18	21
22	.	·04	·55	-	.	·14	.	·10	-	·35	-	·73	22
23	·09	·31	·02	.	.	1·12	.	-	·35	·86	.	·20	23
24	..	·17	-	-	.	·36	·06	·06	-	·34	-	·47	24
25	-	·07	·15	·13	.	·09	.	.	·09	·04	·08	-	25
26	.	.	·13	·31	.	·26	.	.	-	·47	·04	·37	26
27	.	·42	·10	·11	.	·01	.	.	·06	·50	·19	.	27
28	.	·30	·01	·34	.	-	.	.	.	-	-	-	28
29	.		.	·03	.	·14	·39	-	·39	·63	.	·08	29
30	.		.	.	.	·06		·05	-	·26	.	.	30
31			.		·02							.	31
Total	1·73	2·04	(2·64)	1·90	·66	2·62	·46	1·70	1·51	6·56	6·72	7·52	TOTAL for year (35·96)
No. of Rain Days	12	16	20	10	5	11	3	6	7	20	20	25	155

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

(36·06)

Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

1 JAN 1913

Kept at Leeford Lodge Whatlington

in the County of Sussex 6

by Miss Hilda Gripper

RAIN GAUGE
Pattern Howards - L. Castle
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 90 ft.

Time of Observation 9. 30 a m

Nearest Railway Station
Name Battle SE. CR
Distance 3 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07	·01		·26	·23	·01	·06	·63	—	·27	1
2	·02	·03	·13			·06	·13		·03		—		2
3			·07			·37	·04	·26	·04		·02		3
4	·30		·46			·73	·01	·03			·26		4
5	·26	·25	·12			·36		·25					5
6	·53	·17	·01		·08	·63		·93				·08	6
7		·02	·02		·18	·79		·20				·18	7
8	·56	·37	·38			·03		·04				—	8
9		·02	·03	·07		·01		·14					9
10	~~0~~							·50	·02		·19	·49	10
11	·07	·46			·01	·11		·02				·24	11
12		·25.	·06			·63		·73				·05	12
13		·01	·05			·01		·01			·16	·10	13
14		—	·03		·04					·07	·03	·03	14
15		·05.	·09		·08	·79		·02		—		·34	15
16	·10		·25		·16	·08		·19		·09			16
17	·30		·53		·03	·04		·08				·10	17
18		·0·1	·40				·36	·38		·04		·51	18
19	·10	·33	·33				·04	·29					19
20	·03	·04	·90		·02	·01		·12		1·09	·08		20
21		·15	·10		·08		·03	·25		·52	·11		21
22	·05	·57	·32		·01	·01	·05	·20	·04	·01			22
23	·44	·33	·37			·03		·46		·19	·22		23
24	·13	·03	·02					·25		·03		·23	24
25	·18	·02				·38		·70			·60	·57	25
26	·04	·07				·01		·15		·38	·20	·28	26
27		·02					·28	·01		·15		·37	27
28		·07					·09	·11	·06	·58	·64	·16	28
29		·09		·02		·01	·20	·12	1·29	·27	·07		29
30			·04		·10	—	·03	·27	1·62	·15			30
31					·03		·21	·16		—			31
Total	3·11	3·29	4·78	·10	·82	4·75	1·70	6·88	3·16	4·20	2·58	4·00	TOTAL for year 39·37
No. of Rain Days	15	22	23	3	12	21	13	29	8	14	12	16	188

9,000, IX. '10.

BRITISH RAINFALL FORM A.
6 - JAN 1914

REGISTER OF RAINFALL IN 1913 "Howards' gauge"

Kept at Seaford Lodge Whatlington
in the County of Sussex
by Miss Hilda Gripper

6

Lat. .... Long. ....
Time of Observation 9·30
Nearest Railway Station Battle S.E. & C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~90~~ 1 ft. 3 in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·45	·10	·11		·03			·01	·17	·18	·07	1
2		·19			·24		·12			·03	·11	·03	2
3		·01	·06	·63						·02		·19	3
4	·28		·05	·02		·04	·05		·62	·12	·18	·02	4
5	·17		·04	·02			·06		·77	·14	·22	·03	5
6	·01		·10			·14	·23			·74	·24	·07	6
7		·26	·08		·06	·07	·28			·20	·16	·02	7
8		·12	·03		·15	·07	·01	·02		·26	·06	·04	8
9		·06		·02	·11	·01	·31	·12	·14	·02	·03		9
10					·01						·91		10
11	·86		·02	·51						·61	·03		11
12				·01	·05				·02	·02	·72	·02	12
13	·85	·02	·05					·06	·09	·01	·25		13
14	·25		·16	·06			1·02		·21	·07	·15		14
15	·18		·35	·35			·26		·03		·02		15
16	·38		·66	·33			·01		·58				16
17	·14		·06	·09			·26				·04	·05	17
18			·10	·30			·08		·02		·13		18
19	·09		·08	·01	·10		·09		·24				19
20	·49			·20	·03	·71			·01	·60	~~·72~~		20
21				·12	·08	·01		·01	~~·7~~	·79	·72		21
22	·29		·29		·02		·05		·07	·03			22
23	·03		·03			·02	·03	·05			·02	·68	23
24			·02				·03	·04			·07		24
25				·32							·01		25
26	·14			·02			·02	·07		1·05		·39	26
27		·07	·28		·05					·21			27
28				·04				·22		·25			28
29	·34		·26	·13	·13			·17		·02			29
30	·61		·04	·25	·09			·54		·08			30
31	·01		·05					1·14		·05			31
Total	5·12	1·18	2·91	3·54	1·12	1·12	2·89	2·44	2·81	5·49	4·25	1·61	YEAR'S TOTAL 34·48
Rain Days.	17	8	23	20	13	10	17	11	13	22	20	12	186

W. 7,500, XI. ·12

ex LWCC

w

REGISTER OF RAINFALL IN 1914 Howards gauge

BRITISH RAINFALL FORM A.

5 JAN 1915

1

Kept at Leyford Lodge Whatlington

in the County of Sussex 6

by Mrs Hilda Gripper

Lat. 50°56′N Long. 0°30 E
Time of Observation 9.30 a.m
Nearest Railway Station Battle SE & CR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, ,, ,, ,, Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03		·01	·07	·06			·14		1
2	·04						·15				·06	·36	2
3			·23	·06	·28		·02				·02		3
4	·02		·02	·40	·01		-	·21			·39	·40	4
5	·13		·13	·30	·02		·33	·02					5
6		·05	·04	·27		·06		·14				·22	6
7	·05 ·05	·53	·25	·08		·11	·10	·02				·37	7
8	·13	·29	·43		·04	·07	·04	·07				·08	8
9	·27		·66	·12		·02			·12		·02	1·42	9
10	·04	·05	·02	·11	·14				·08		-	·04	10
11		[illegible]	·75	·09	·04				·21		·08	·50	11
12		·52	·15			·03	·10		·45	·18	·02	·67	12
13		·55	·34	·01		·29			·16	·13	·15	·75	13
14		·26	·16				·11		·04	·28	·27	·27	14
15		·04	·51				·05	·02	·02		1·05	·02	15
16		·42	·04				·12		·11			-	16
17		·43	·28				·03		·19			·18	17
18		·07	·15							·04	·02	·35	18
19		·13	·84				·19			·13	·22	·42	19
20		·17	·16			·05	·03			·03		·52	20
21		·86	·06			·01				·05		·05	21
22		·05	·75		·07	·06	·30	·06		·16			22
23						·99	·03						23
24			·02	·01		·01				·06	·23		24
25	·18		·15					·15		·42	·04		25
26			·05					·27		·09	·13	·40	26
27			·03					·05		+	·15	·62	27
28	·06	·05					·19			·46	·51	·34	28
29	·10		·02							·71	·17	·02	29
30	·03		·13							·12	1·35	·20	30
31	·03				·30		·02			·01		·05	31
Total	1·08	4·47	6·38	1·48	·90	1·71	1·88	1·07	1·37	2·87	5·02	8·25	YEAR'S TOTAL 36·48
Rain Days.	12	17	27	11	8	12	17	11	9	15	19	23	~~186~~

W.7,000, XI. 13

/81

written 24.11.16

Aug 29 est^d. 24.11.16

638

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Leeford Lodge Whatlington

in the County of Sussex

6

by Miss Hilda Gripper

Lat. ______ Long. ______

Time of Observation 9 a m

Nearest Railway Station Battle S.E. & C.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·61	·16	-	-	-	-	-	·04	·58	·02	·11	·35	1
2	·51	·18	·24	·16	·02	·	·	·07	·17	·	·01	·18	2
3	·46	·	·03	·24	·19	·	·	·15	·15	·	·	·60	3
4	·02	·	·01	·04	·01	·	·	·26	·	·	·	·42	4
5	·13	·27	-	·04	·	·	·	·06	·	·	·	·50	5
6	·72	·25	·02	·64	·	·	·11	·	·	-	·	·18	6
7	·32	·45	-	·05	-	-	·24	-	-	-	·	·50	7
8	·04	·35	·09	·02	·	-	·22	-	-	-	·10	1·10	8
9	·03	·22	-	·10	-	·08	-	-	-	-	·54	·70	9
10	·36	-	-	-	·	·38	-	-	-	-	·02	·03	10
11	·02	·06	·	~~·31~~	~~·27~~	-	-	-	·	·02	1·05	-	11
12	·08	·25	-	·31	·27	-	·	-	-	·12	·89	-	12
13	-	·72	·	·03	1·97	-	-	·	-	-	·02	-	13
14	·08	·04	-	-	·02	-	·43	·	-	-	-	·60	14
15	·23	·59	-	-	·10	-	·14	·11	-	·	·24	·30	15
16	·	·	-	·06	·31	·	1·53	·14	-	·	·	·02	16
17	-	·55	·	-	1·14	-	·01	·19	-	·03	·	·25	17
18	·	·12	-	-	·10	·	-	-	-	-	·03	-	18
19	-	·01	-	-	-	-	·03	·01	-	·04	-	-	19
20	·37	-	-	·02	-	-	-	-	-	-	-	·21	20
21	-	-	-	-	-	-	-	-	-	·	-	·06	21
22	-	-	·09	·04	-	-	1·06	-	-	·15	-	·18	22
23	-	-	-	·04	-	-	·19	-	-	·21	-	1·06	23
24	-	-	·14	-	-	·01	·14	-	·36	·49	-	·49	24
25	-	-	-	·02	-	-	·22	-	·04	·02	-	·36	25
26	-	·16	-	-	-	·29		-	-	·01	-	·82	26
27	-	-	-	-	-	·08	·10	-	-	·48	-	·03	27
28	-	·07	-	·	-	·02	-	-	1·24	·46	-	-	28
29	-		·	·	·05	·08	·08	(·50)	·01	·02	·56	·02	29
30	·47		·	-	-		·02		·02	·14	·24	·	30
31	·04		-		-		-			·78		·20	31
Total	4·49	4·45	·62	1·81	4·18	·94	4·52		2·57	2·99	3·81	9·16	YEAR'S TOTAL 40·61 (41·11)
Rain Days.	17	17	7	15	11	7	16		8	15	12	24	~~159~~ 160

Aug 29th a heavy shower for three hours. Rain gauge unfortunately upset.

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14 W.C.
Waterlow and Sons Limited, Printers, Lon lon.

Price 2d.

8 ✓ W C J E and [illegible] Howards Gauge 630

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Leeford Lodge Whatlington

in the County of Sussex

by Miss Hilda Gripper

Lat. 50° 56′ N Long. 0° 30′ E

Time of Observation 9, ~~30~~ a.m

Nearest Railway Station Battle SE. CR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·03	-	-	·41	·04			·03	·03	·59	·02	1
2	·33	·10	·62	-	·20	-			-	·35	·03	-	2
3	·02	·35	·14	-	·01	-	·13	-	·10	·28	·48		3
4	·22	·13	-	·04	-	·57		-	·20	·23	·39		4
5	·02		·02	·02	·15	·13		-		·11	·46		5
6	·01	·19	·03	·50	-	·36	·40			·05	·39	·02	6
7	·04	·03	·62	·01	·43	·04	·17			·03	·32	-	7
8	-		-	-	·20	-		-		-	·06	·55	8
9	·02				·38	·03	-	-		·02	-	x	9
10		·35	·02	·10	·02	·40	·09		·02	-	-	x ·78	10
11	·03	·40	-	·16	-	·21				-	-	·20	11
12	·05	·09		·10	·21	·15	·14	·03	·02	·08	x	·03	12
13	-	·24	·27	·06	·12	·10	·01	·07		·03	x	·07	13
14	-	·55	-	-	·16	·01		·31		·02	x	·30	14
15		·14	·17	·01				·02				·12	15
16	-	·03	·10	·34			·21	·03				-	16
17	·64	·11	-	·12			·12	·02	·35	1·06		-	17
18	·05	·10	-	·03			·02	·11	·28	53	x ·89	-	18
19	·48	·04	·06	·27				·01	·09	·02	1·23	·13	19
20	·08	-	·05	-		·03					·15	·70	20
21	·04	-	·28	-		-				-	·04	·47	21
22	-	·06		-		·04	-			·03	·05	·78	22
23	·03	·30	·20	-		·13	·04	·10		-	·11	·04	23
24	-	-	·04	-	·08	·01	-	·01		·39	·20	·50	24
25	-	·54	·17	-	-	-	-	·42		·20	·13		25
26	·03	·56	-	-	-	·12	-	·06		·14	·05		26
27	-	·15	·61	-	-	·08	-	-	·16	·65			27
28	-	·68	·03	-	-	·12	-	·17	·31	1·06		·38	28
29	-	·22	-	-	-	·60	-	·80	·06	·72		·52	29
30	-	X	-	-			-	·04		·29			30
31	-	X	-	X	-	X	-	·01	X	·25	X	·02	31
Total	2·16	5·39	3·43	1·76	2.37	3.17	1·33 1·33	2.21	1·62	6·57	5·57	5.63	YEAR'S TOTAL 41·21 41·21
Rain Days.	17	23	17	13	12	19	10	16	11	23	20 ✓	19	200 ✓

✓ Ex of 600

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2 JAN

Kept at Lexford Lodge Whatlington

in the County of Sussex

by Miss Hilda Gripper

Lat. 50°56′ N Long. 0°30′ E

Time of Observation 9.30 AM

Nearest Railway Station Battle S.E. C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·23		-	-	1·48	·26	-	·11		1
2				·15	-	-	-	·27	·01		·08		2
3	·01			·13	-	-	·43	·36		·41	·08		3
4	-	·15	·21	·04		-	-	·03		·30	-		4
5	·36		·09	·17		-	·38		·25	·22	·02		5
6	·02		·01			·22			·08	·03	·20		6
7	·66						·18			·76	-		7
8	·05			·34			·19	·08		·44	·38		8
9	·09			·06			·04			·04	·03		9
10	·22		·20	·12		·56	-	·16		·10	·		10
11	·23		·21	·09			-	·19		·59	-		11
12	·06		·03	·05			-	·32		·32	-		12
13	·05		·20	·01	·05		-	·05	·02	·29	·02		13
14	·02		·03	·31	·02	-	·02	·06	·12		-		14
15	-					-	-	·26	·01	·16	-		15
16	·09	-		·33	·19		-		·27	·27	-		16
17	-	·02		·10	·21		·40	·	-	·31	-		17
18	·04	·05		·08	·15	-	·39	·14	·25	·02	-		18
19		·17	·19		·03	·05	-	·04	·17	-	-		19
20		·16	·05		1·33		·02	-	·03	-	·04		20
21		·03	·02		·03	·05		-	-	-	·02		21
22			·03		-	·74		·10	-	·27	·98		22
23		·24	-		·30	·02		·08	-	·02			23
24		·04	·03	-	·01	·02	·08	·22	-	·43			24
25		·13	·14	-		-	·13	-	·03	·04			25
26		·02	·07	-	-	·02		·39		·02			26
27			·02	-		·03		·05		·02			27
28	·06		·13	-		1·71	·09	·80					28
29			·14	-	·02	·08	1·03	·06		·44			29
30		✕	·15	-			·42	·45		-			30
31		✕		✕	-	✕	·47	·02	✕	·20	✕		31
Total	1·89	1·01	1·95	2·21	2·34	3·50	4·27	7·61	1·50	5·70	✓ imp		YEAR'S TOTAL
Rain Days.	14	10	19	15	11	12	15	22	12	24	✓		

4·03

8,000, VIII. 16

Smale

REC

WILLINGDON

(SEWAGE FARM)

SUSSEX

1912 - 20

912

FORM A2.
BRITISH RAINFALL.
16 APR 1913

Kept at Sewage Fa
in the County of Susse
EASTB
RURAL DISTR
by the

p 5 in.
bove Ground 1 ft. 0 in.
„ Sea Level 24 ft.
am. about
on { Name Polegate
Distance 1m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	—	—	—	·07	·13	·37	1·63	—	—	1
2	—	—	·06	—	—	—	·19	—	—	·54	—	·27	2
3	—	—	—	—	—	·29	·17	—	—	—	—	—	3
4	—	—	·19	—	—	·45	·06	—	—	—	—	—	4
5	·32	—	·54	—	—	·55	—	·18	·03	—	·20	—	5
6	·31	·35	·10	—	—	·32	—	·11	—	—	·08	—	6
7	—	·20	—	—	·08	—	—	15	·06	—	—	·08	7
8	·72	·55	—	—	·18	·73	—	·36	—	—	—	—	8
9	·75	·22	·34	—	—	—	—	·21	—	—	—	·13	9
10	—	·07	—	—	—	—	·09	·20	—	—	—	·13	10
11	—	—	—	—	—	—	—	—	—	—	·17	·38	11
12	·04	·49	—	—	—	·07	—	·99	—	—	—	·26	12
13	—	·15	·03	—	—	·07	—	·62	—	—	—	·06	13
14	—	·03	·06	—	—	—	—	—	—	—	·08	·36	14
15	—	—	—	—	·05	—	—	—	—	·04	—	—	15
16	—	·04	·12	—	·19	—	—	—	—	—	—	·40	16
17	·15	—	—	—	·09	·83	—	32	—	·08	—	—	17
18	·42	—	·77	—	·07	·07	—	—	—	—	·03	·08	18
19	·10	—	·57	—	—	—	—	·62	—	·02	—	56	19
20	·12	·22	·43	—	—	·03	—	·43	—	—	·04	—	20
21	—	—	·67	—	—	—	—	—	—	·86	·08	—	21
22	·02	·18	·17	—	—	—	—	·36	—	·60	·06	—	22
23	·07	·50	·03	—	·05	—	—	·31	—	—	—	·02	23
24	·32	·31	—	—	—	—	—	·45	—	·49	—	·04	24
25	·08	—	·37	—	—	—	·08	—	—	·04	·20	·17	25
26	·34	·04	—	—	—	·42	—	1·20	—	·02	·47	·54	26
27	—	·11	—	—	—	—	—	·06	—	—	·21	·31	27
28	—	—	—	—	—	—	—	—	—	·48	·14	·61	28
29	—	·08	—	—	—	—	·30	·08	—	·56	·74	—	29
30	—	—	—	—	—	—	·09	·12	1·74	·15	·05	·11	30
31	—	—	·07	—	·52	—	—	—	—	·31	—	—	31
	—	—	—	—	—	·07	·13	·37	1·63	—	—	—	
Total	~~3·78~~	~~3·54~~	~~4·52~~	—	~~1·23~~	~~3·83~~	~~1·05~~	~~6·90~~	~~2·20~~	~~5·82~~	~~2·55~~	~~4·51~~	TOTAL for year 39·91
No. of Rain Days.	15+	16	16	—	8	12	8	19	[illegible]	13	14	18	142
	3·76	3·54	4·52	·00	1·23	3·90	1·11	7·14	3·46	4·19	2·55	4·51	39·91

W. 8,000, X.-11.

FORM A2.
BRITISH RAINFALL.

16 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Sewage Farm, Willingdon

5

in the County of Sussex

by the EASTBOURNE RURAL DISTRICT COUNCIL.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 24 ft.

Time of Observation 10 a.m. about

Nearest Railway Station
Name Polegate
Distance 1m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	—	—	—	·07	·13	·37	1·63	—	—	1
2	—	—	·06	—	—	—	·19	—	—	·54	—	·27	2
3	—	—	—	—	—	·29	·17	—	—	—	—	—	3
4	—	—	·19	—	—	·45	·06	—	—	—	—	—	4
5	·32	—	·54	—	—	·55	—	·18	·03	—	·20	—	5
6	·31	·35	·10	—	—	·32	—	·11	—	—	·08	—	6
7	—	·20	—	—	·08	—	—	·15	·06	—	—	·08	7
8	·72	·55	—	—	·18	·73	—	·36	—	—	—	—	8
9	·75	·22	·34	—	—	—	—	·21	—	—	—	·13	9
10	—	·07	—	—	—	—	·09	·20	—	—	—	·13	10
11	—	—	—	—	—	—	—	—	—	—	·17	·38	11
12	·04	·49	—	—	—	·07	—	·99	—	—	—	·26	12
13	—	·15	·03	—	—	·07	—	·62	—	—	—	·06	13
14	—	·03	·06	—	—	—	—	—	—	—	·08	·36	14
15	—	—	—	—	·05	—	—	—	—	·04	—	—	15
16	—	·04	·12	—	·19	—	—	—	—	—	—	·40	16
17	·15	—	—	—	·09	·83	—	·32	—	·08	—	—	17
18	·42	—	·77	—	·07	·07	—	—	—	—	·03	·08	18
19	·10	—	·57	—	—	—	—	·62	—	·02	—	·56	19
20	·12	·22	·43	—	—	·03	—	·43	—	—	·04	—	20
21	—	—	·67	—	—	—	—	—	—	·86	·08	—	21
22	·02	·18	·17	—	—	—	—	·36	—	·60	·06	—	22
23	·07	·50	·03	—	·05	—	—	·31	—	—	—	·02	23
24	·32	·31	—	—	—	—	—	·45	—	·49	—	·04	24
25	·08	—	·37	—	—	—	·08	—	—	·04	·20	·17	25
26	·34	·04	—	—	—	·42	—	1·20	—	·02	·47	·54	26
27	—	·11	—	—	—	—	—	·06	—	—	·21	·31	27
28	—	—	—	—	—	—	—	—	—	·48	·14	·61	28
29	—	·08	—	—	—	—	·30	·08	—	·56	·74	—	29
30	—	—	—	—	—	—	·09	·12	1·74	·15	·05	·11	30
31	—	—	·07	—	·52	—	—	—	—	·31	—	—	31
Total	~~3·78~~	~~3·54~~	~~4·52~~	—	~~1·23~~	·07 ~~3·83~~	·13 ~~1·05~~	·37 ~~6·90~~	1·63 ~~2·20~~	~~5·82~~	~~2·55~~	~~4·51~~	TOTAL for year
No. of Rain Days.	15	16	16	—	8	12	8	19	[illegible]	14	14	18	39·96 142
	3·76	3·54	4·52	·00	1·23	3·90	1·11	7·14	3·46	4·19	2·55	4·51	39·91

W. 8,000, X-'11.

FORM A2.
BRITISH RAINFALL.

16 APR 1913

REGISTER OF RAINFALL IN 19 12

Kept at Willingdon Sewage Farm

in the County of Sussex

by

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02						·07	13	37	1·63			1
2			·06				19			54		27	2
3						29	17						3
4			·19			45	·06						4
5	·32		·54			55		18	·03		·20		5
6	·31	·35	·10			32		11			·08		6
7		·20			·08			15	·06			·08	7
8	·72	·55			18	73		36					8
9	·75	·22	·34					21				13	9
10		·07					·09	20				13	10
11											17	38	11
12	·04	·49				·07		99				26	12
13		·15	·03			·07		62				·06	13
14		·03	·06								·08	36	14
15					·05					·04			15
16		·04	·12		19							40	16
17	·15				·09	83		32		·08			17
18	·42		·77		·07	·07					·03	·08	18
19	·10		·57					62		·02		56	19
20	·12	·22	·43			·03		43			·04		20
21			·67							86	·08		21
22	·02	·18	·17					36		60	·06		22
23	·07	·50	·03		·05			31				·02	23
24	·32	·31						45		49		·04	24
25	·08		·37				·08			·04	20	17	25
26	·34	·04				42		1·20		·02	47	54	26
27		·11						·06			21	31	27
28										48	14	61	28
29		·08					30	·08		56	74		29
30							·09	12	1·74	15	·05	11	30
31			·07		52					31			31
Total	3·78	3·54	4·52	—	1·23	3·83	1·05	6·90	2·20	5·82	2·55	4·51	TOTAL for year
No. of Rain Days.	15	16	16		8	11	8	19	4	14	14	18	39·93

W. 8,000, X. '11.

S. made

Fox. H56

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 MAR 1914

Kept at Willingdon Sewage Farm

in the County of Sussex 5

by Eastbourne R. D. C.

Lat. .... Long. ....

Time of Observation about 10 a.m

Nearest Railway Station Colegate (1 mile)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10	·30				1·84	·08	·18	·12	1
2				·10							·21	·09	2
3	·09	·89	·14				·06		·08			·25	3
4			·08	·21							·23		4
5			·14		·22		·04		·97	·30	·32		5
6	·26		·05			·28			·25	·74	·41	·18	6
7		·33	·18			·19	·36			·08	·23		7
8		·26	·08		·04		·21			·27		·04	8
9					·08	·09		·26			·09	·04	9
10		·23			·07		·09		·11	·06	·81		10
11	·03			·02			·33			·92			11
12				·55							·86	·04	12
13	1·05				·34						·24		13
14	·42		·03						·23		·18		14
15	·24		·16	·04			·30	·04	·06				15
16	·14			·42			·45		·52				16
17	·17		1·19	·26							·08	·03	17
18	·15	·04		·02			·33				·20		18
19			·09	·27			·04		·22				19
20	·16		·10		·07					·50	·05		20
21	·50			·20		·58	·09			·95	·85		21
22			·03	·36					·06				22
23	·30											·81	23
24	·05		·18				·02				·12		24
25	·11			·03									25
26		·02		·34						·96		·41	26
27			·12					·24		·11			27
28	·10		·05							·22			28
29	·14		·33	·07				·26					29
30	·73			·52						·09			30
31			·05		·10					·20			31
Total	4·94	1·47	3·00	3·51	1·22	1·14	2·32	~~·80~~	~~4·34~~	5·48	5·06	2·01	YEAR'S TOTAL 35·59
Rain Days.								5·14					

W.7,000, XI 3

Note the Guage is not taken on Sundays, but the measures for two days is entered on Monday written asked for original 20.XI.15

Ex LMCC · cord by originals : 27.11.15

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. -4 FEB 1915

Kept at Willingdon Sewage Farm
in the County of Sussex 5
by Eastbourne R. D. C.

Lat. Long.
Time of Observation about 10 a.m.
Nearest Railway Station Polegate
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	.06 ·60	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.08 ·80	Nil	1
2	"	"	Nil	"	"	"	·32	.06 ·60	"	"	·12	·22	2
3	"	"	·14	.04 ·40	·29	"	Nil	Nil	"	"	Nil	Nil	3
4	"	"	Nil	Nil	Nil	"	"	.08 ·80	"	"	·34	·51	4
5	·17	"	·18	·93	"	"	·18	Nil	"	"	Nil	Nil	5
6	Nil	.06 ·60	Nil	·10✓	"	"	Nil	·14	"	"	"	·65	6
7	·11	} Nil	"	.07 ·70	.06 ·60	·24	.09 ·90	Nil	"	"	"	·35	7
8	·15	} ·73	·82	.04 ·40	Nil	·22	.07 ·70	"	"	"	"	.05 ·50	8
9	·14	Nil	·59	·11	"	Nil	Nil	"	·11	"	"	1·21	9
10	.05 ·50	·10✓	Nil	·13	·22	"	"	"	Nil	"	"	Nil	10
11	Nil	·53	·63	.08 ·80	Nil	"	"	"	·33	"	.07 ·70	·50✓	11
12	Nil	Nil	·13	Nil	"	·10✓	·27	"	·31	"	.05 ·50	Nil	12
13	"	·59	·25	"	"	.07 ·70	Nil	"	·44	.07 ·70	·17	1·20✓	13
14	"	Nil	Nil	"	"	Nil	"	"	Nil	·38	Nil	·38	14
15	"	·21	·59	"	"	"	"	.05 ·50	.07 ·70	Nil	·84	Nil	15
16	"	·32	Nil	"	"	"	.07 ·70	·14	·12	"	Nil	"	16
17	"	·64	·24	"	"	"	Nil	Nil	·19	"	"	·11	17
18	"	·13	·16	"	"	"	"	"	Nil	"	"	·61	18
19	"	·21	·84	"	"	"	·30✓	"	"	.04 ·40	·24	·53	19
20	"	·15	·13	"	"	"	Nil	"	"	Nil	Nil	·45	20
21	"	·80✓	.05 ·50	"	"	"	"	"	"	.07 ·70	"	Nil	21
22	"	Nil	Nil	"	"	·67	·36	"	"	·10✓	"	"	22
23	"	"	} "	"	"	·14	·10✓	.06 ·60	"	Nil	"	"	23
24	"	"	} ·70✓	"	"	Nil	Nil	Nil	"	"	·22	"	24
25	·13	"	·20✓	"	"	"	"	.07 ·70	"	·40✓	Nil	"	25
26	Nil	"	Nil	"	"	"	.05 ·50	·44	"	·10	·23	.08 ·80	26
27	.05 ·50	"	"	"	"	"	Nil	Nil	"	Nil	·21	1·14	27
28	.05 ·50	"	"	"	"	"	"	"	"	·59	Nil	·37	28
29	·22	–	"	"	"	"	"	"	"	·44	·78	.06 ·60	29
30	Nil	✕	·16	"	"	"	"	"	"	.07 ·70	1·90✓	·23	30
31	"	✕	Nil	✕	·30✓	✕	"	"	✕	Nil	✕	.09 ·90	31
Total	1·07 ~~2·12~~	4·47 ~~5·01~~	5·87 ~~6·86~~	1·50 ~~3·57~~	·87 ~~1·41~~	1·44 ~~2·07~~	1·81 ~~4·33~~	1·04 ~~3·92~~	1·57 ~~2·20~~	2·26 ~~4·51~~	5·25 ~~7·03~~	8·74 ~~11·26~~	35·89 ~~54·64~~
Rain Days.	9	12	17	8	4	6	10	8	7	10	13	19	123 √

W. 8,000. X. 14.

Ans.
Diary ret.
1.III.15

RURAL DISTRICT COUNCIL OF EASTBOURNE.

T. E. VARLEY KIRTLAN,
SOLICITOR.
CLERK TO THE COUNCIL.

NEXT MEETING FRIDAY..

TELEPHONE Nº 4 Y.

92, TERMINUS ROAD,
EASTBOURNE.

26th February 1915.

Dear Sir,

I am much obliged by your letter of 20th inst., in regard to the Rainfall Records made for this Council at their Sewage Works, and especially for drawing my attention to the slip in the entry at Pevensey on December 9th. The Obserfer had put the dot in the wrong place, although his entry at Pevensey Bay is correct.

In regard to the Records at Willingdon, I now forward the Observer's original Diary for your inspection. You will notice that he carries out your instructions to enter the Record at 9 a.m. to the previous day, so that the rubber stamp is misleading. For example, the Record for December 9th should really have been entered under Rainfall to 9 a.m. on December 10th, to comply with the wording of the stamp.

If you will kindly let me have a supply of monthly Record Forms, I will try to get the observations more accurately recorded.

Yours faithfully,

T. E. Varley Kirtlan

Clerk to the Council.

Dr. H. R. Mill,
British Rainfall Organization,
62 Camden Square,
N.W.

Ans
asked for original
20.II.15

[illegible] originals

4 FEB 1915

RURAL DISTRICT COUNCIL OF EASTBOURNE.

T.E. VARLEY KIRTLAN,
SOLICITOR.
CLERK TO THE COUNCIL.

NEXT MEETING FRIDAY..

TELEPHONE Nº 4 Y.

92, TERMINUS ROAD,
EASTBOURNE.

3rd February 1915.

Dear Sir,

Herewith I forward you the Registers of Rainfall Forms A and B for 1914 in respect of the three Sewage Works of the Council at Willingdon, Pevensey and Pevensey Bay.

These have been compiled in my office from the daily entries made in the Diaries by the men in charge of the Works and, as regards the two at Pevensey, I think they are quite reliable. But I fear that there is something very wrong with the Willingdon Record, probably due to the man having got mixed up with his decimal points. I will endeavour to get over there some day and explain matters to him.

Yours faithfully,

T. E. Varley Kirtlan

Clerk to the Council.

Dr. H. R. Mill,
British Rainfall Organization,
62 Camden Square,
N.W.

? 1·06 & 1·02 /

Cordly Obs. 30.v.16 / 2+RA

617

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

18 MAY 1916

Kept at Willingdon Sewage Farm
in the County of Sussex
by Eastbourne R.D.C.

Lat. .... Long. ....
Time of Observation about 10 am
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60	·25	·07	–	–	–	–	·02	·41	·04	·12	·35	1
2	–	·34	·31	·16	·02	–	–	·03	·06	·03	–	·22	2
* 3	~~1·60~~ 1·06 ·16	–	·05	·29	·18	–	–	·04	–	–	–	·53	3
4	–	–	–	–	·02	–	–	–	–	–	–	·34	4
5	·12	·33	–	·26	–	–	–	·13	–	–	–	·63	5
* 6	~~1·20~~ 1·02 ·12	·34	·10	·55	–	–	·07	–	–	–	–	·17	6
7	·51	·37	·04	–	–	–	–	–	–	–	–	·47	7
8	·05	·42	·05	–	–	–	·39	–	–	–	·08	·05	8
9	–	·36	–	·13	–	·24	·20	–	–	–	·40	1·15	9
10	·41	–	–	–	–	·10	–	–	–	–	–	·73	10
11	–	·08	–	–	–	–	–	–	–	–	1·14	·03	11
12	·08	·19	–	·19	·27	–	–	–	–	·07	·71	–	12
13	–	·90	–	–	1·65	–	–	–	·06	–	–	–	13
14	·15	–	–	–	–	–	·47	–	·05	–	–	·79	14
15	·16	–	–	–	·12	–	·24	·11	–	–	–	·39	15
16	–	·72	–	·03	·17	–	1·27	·07	–	–	–	·02	16
17	–	·55	–	–	1·22	–	·02	–	–	–	–	·17	17
18	–	·12	–	–	·10	–	–	–	–	–	·02	·02	18
19	–	–	–	–	–	–	–	–	–	–	–	–	19
20	·39	–	–	·03	·14	–	–	–	–	–	–	·15	20
21	·09	–	–	–	–	–	–	–	–	·37	–	·03	21
22	–	–	–	–	–	–	·98	–	–	–	–	·27	22
23	–	·06	·12	–	–	–	·06	–	–	·09	–	1·18	23
24	–	–	–	–	–	–	–	–	·24	·98	–	·42	24
25	–	–	·03	·02	–	–	·44	–	–	–	–	·37	25
26	–	·07	–	–	–	·15	–	–	–	–	–	·45	26
27	–	·05	–	–	–	·32	·08	–	–	·56	–	·02	27
28	–	·04	–	–	–	·06	–	–	·96	·42	–	–	28
29	–		–	–	·06	–	–	·12	–	·17	·42	·02	29
30	–	X	–	–	–	–	–	–	–	·52	·20	·02	30
31	·45	X	–	X	–	X	–	·05	X	·47	X	·26	31
													YEAR'S TOTAL
Total	3·99	5·19	·77	1·66	3·95	·87	4·22	·57	1·78	4·02	3·39	9·55	39·26
Rain Days.	5·09 13	17	8	9	11	5	11	8	6	11	8	27	41·06 134

W. 8,000. X. 15.

* The figures in pencil are those given by the Observer at Willingdon

18 MAY 1916

RURAL DISTRICT COUNCIL OF EASTBOURNE.

T. E. VARLEY KIRTLAN,
SOLICITOR.
CLERK TO THE COUNCIL.

NEXT MEETING FRIDAY..........

TELEPHONE No 4 Y.

92, TERMINUS ROAD,
EASTBOURNE.

16th May 1916.

Dear Sir,

Herewith I forward you the Rainfall Records of the three Pumping Stations of this Council for the past year.

I regret that they are so late owing to pressure of work and difficulty in adjusting the figures for Willingdon for January, as to which I am still not clear. I have, therefore, made some pencil notes and leave you to make any adjustments.

Enclosure

Yours faithfully,

T. E. Varley Kirtlan

Clerk to the Council.

Dr. H. R. Mill,
British Rainfall Organization,
62 Camden Square,
N.W.

RURAL DISTRICT COUNCIL OF EASTBOURNE.

T. E. VARLEY KIRTLAN,
SOLICITOR.
CLERK TO THE COUNCIL.

92, TERMINUS ROAD,
EASTBOURNE.

NEXT MEETING FRIDAY..

TELEPHONE Nº 4 Y.

30th June 1916.

Dear Sir,

I am in receipt of your letter of 27th inst. pointing out discrepancies in my Rainfall Returns for last year. I regret to say that the errors in addition and copying are undoubtedly slips on the part of my staff and I am very sorry for the trouble which you have been caused. I return the copy corrected.

I think that your suggestion in the case of Willingdon supplies the proper explanation.

Yours faithfully,

T. E. Varley Kirtlan

Clerk to the Council.

Carle Salter Esq.,
British Rainfall Organization,
62 Camden Square,
N.W.

608

FORM A.
BRITISH RAINFALL.
13. JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Willingdon Sewerage Farm
in the County of Sussex
by Eastbourne R. D. C.

Lat. Long.
Time of Observation 10 am about.
Nearest Railway Station Polegate (1 mile)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·02	–	–	·23	·06	–	–	·03	–	·73	–	1
2	·45	·06	·34	–	·26	–	–	–	–	1·14	·23	–	2
3	·02	·19	·09	–	–	·02	·05	–	·07	·38	·30	–	3
4	·17	–	–	–	–	·38	–	–	·31	·09	·51	–	4
5	·02	·03	–	·03	·20	·29	–	–	–	·10	·35	–	5
6	·02	·10	–	·31	·10	·02	·31	–	–	·13	·41	–	6
7	·02	·03	·54	–	·26	·05	·03	–	–	·06	·33	·03	7
8	–	·03	–	–	·39	–	–	–	–	–	–	·37	8
9	–	–	–	–	·34	·03	–	–	–	–	–	·30	9
10	–	·43	–	·09	–	·08	·06	–	–	·02	–	·51	10
11	·03	·25	·04	·14	–	·11	–	–	–	–	–	·12	11
12	·06	·10	·10	·08	·34	·17	·17	–	–	·11	–	–	12
13	–	·21	·08	·02	·12	·02	·04	–	–	·05	–	·04	13
14	–	·51	·04	–	·19	–	–	·38	–	–	–	·46	14
15	–	·46	·05	–	–	–	–	–	–	·03	–	–	15
16	–	·03	·17	·27	–	–	·08	·02	–	–	–	–	16
17	·41	·15	–	·04	–	–	·07	–	·40	·87	–	–	17
18	·04	·07	–	–	–	–	–	·13	·21	·17	·96	·02	18
19	·29	–	·06	·23	–	–	–	–	·05	–	1·07	·21	19
20	·31	–	·05	·07	–	·02	–	–	–	–	·14	·51	20
21	·08	–	·34	·07	–	–	–	–	–	–	–	·65	21
22	–	·03	·04	–	–	·03	–	–	–	·06	–	·64	22
23	·03	·09	·05	–	–	·23	·02	·04	–	–	·09	·03	23
24	–	–	–	–	·21	–	–	·02	–	·36	·22	·43	24
25	–	·29	·20	–	–	·02	–	·51	–	·16	·19	–	25
26	·03	·72	·03	–	–	·08	–	–	–	·11	–	·13	26
27	–	·12	·03	–	–	·46	–	·57	·15	·68	–	–	27
28	–	·70	·03	–	–	·21	–	·10	·20	·78	–	·44	28
29	–	·16	–	–	–	·46	–	·45	·06	·87	–	·61	29
30	–		–	–	–	–	–	·04	–	·23	–	·	30
31	–		–		–		–	–		·62		–	31
Total	2·08	4·78	2·28	1·35	2·64	2·74	·83	2·26	1·48	7·02	5·53	5·50	YEAR'S TOTAL 38·49
Rain Days.	16	23	18	11	11	19	9	10	9	21	13	17	178

W. 7,500, XI. 12

577

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Willingdon Sewerage Farm
in the County of Sussex
by Eastbourne R.D.C.

Lat. Long.
Time of Observation about 10 a.m.
Nearest Railway Station Polegate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24 ft.

23 JAN. 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·13	-	-	-	1·66	·12	-	·07	·04	1
2	-	-	-	·14	-	-	-	·07	-	·06	·13	-	2
3	-	-	-	·13	-	-	·17	·16	-	·50	·06	-	3
4	-	-	·27	-	-	-	·06	·14	-	·27	-	-	4
5	·50	-	·04	·08	-	·03	-	-	·58	·26	·02	-	5
6	-	-	·09	·23	-	·61	-	-	·49	-	·28	·04	6
7	·62	-	-	-	-	-	·11	-	-	·38	-	·17	7
8	·07	-	-	·17	-	-	·12	·07	-	·58	·61	·29	8
9	-	-	·09	-	-	-	·02	-	-	·04	-	·56	9
10	·19	-	·12	·05	-	·98	-	·12	-	-	-	-	10
11	·22	·05	·13	·14	-	-	-	·06	-	·56	-	-	11
12	-	-	-	·09	-	-	-	·36	-	·53	-	-	12
13	·04	-	·16	-	·08	-	-	·02	·03	·35	-	-	13
14	-	-	-	·21	·02	-	-	·04	-	·09	-	-	14
15	-	-	-	-	-	-	-	·31	-	·13	-	·06	15
16	·02	·05	-	·12	·21	-	-	-	-	·19	-	·79	16
17	-	-	-	·09	·12	-	·27	-	·35	·24	-	·03	17
18	-	·03	-	·03	·08	-	·29	·08	·14	-	-	-	18
19	-	·17	·08	-	·04	·04	-	-	·20	-	-	-	19
20	-	·12	·02	-	·67	-	-	-	-	-	·02	-	20
21	-	-	·03	-	-	-	·13	-	-	-	-	·05	21
22	·02	-	·04	-	-	·23	-	·10	-	·37	-	-	22
23	-	·19	-	-	·24	-	-	·15	-	·05	-	·03	23
24	-	-	-	-	-	-	·19	·10	-	·38	·02	·02	24
25	-	·12	·02	-	-	-	·02	-	-	-	-	-	25
26	-	-	-	-	-	-	-	1·12	·10	-	1·03	-	26
27	-	-	-	-	-	·11	-	1·54	-	·04	-	-	27
28	-	-	·11	-	-	1·49	·03	·69	-	-	-	·03	28
29	-		·03	-	-	-	·24	·13	-	·31	-	·07	29
30	-		·13	-	·02	-	·46	·39	-	·14	·03	·02	30
31	-		·09		-		·27	-		·03		-	31
Total	1·68	·73	1·45	1·61	1·48	3·49	2·38	7·31	2·01	5·50	2·27	2·20	YEAR'S TOTAL 32·11
Rain Days.	8	7	16	13	9	7	14	20	8	21	10	14	147

2.86

W. 8,000, IX. 17.

✓ 99

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1. 2. 19

Kept at Willingdon Sewerage Farm

in the County of Sussex

by Eastbourne R.D.C.

Lat. Long.

Time of Observation about 10 a.m.

Nearest Railway Station Polegate.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·02	·	·	·02	·	·	·	·	·	·09	·08	1
2	·	·02	·	·	·	·	·	·37	·	·	·66	·31	2
3	·	·	·03	·14	·43	·	·	·10	·	·	·33	·03	3
4	·	·05	·02	·04	·	·	·	·08	·22	·	·62	·	4
5	·	·25	·	·	·10	·	·	·15	·	·03	·	·05	5
6	·22	·21	·	·15	·35	·	·	·50	·	·	·04	·08	6
7	·	·12	·	·11	·16	·	·	·06	·60	·06	·06	·	7
8	·	·02	·	·	·	·	·	·	·29	·	·13	·05	8
9	·	·	·	·15	·	·08	·17	·	·61	·31	·	·14	9
10	·	·	·	·03	·	·21	·12	·	·34	·07	·	·21	10
11	·	·	·	·	·	·	·03	·	·40	·84	·05	·08	11
12	·	·17	·	·	·24	·	·	·	·06	·11	·	·04	12
13	·09	·	·02	·	·14	·	·18	·	·22		·	·05	13
14	·27	·	·05	·	·	·07	·17	·	·55	·26	·	·11	14
15	1·44	·	·	·02	·	·	·	·	·	·	·	·35	15
16	·32	·	·	·14	·	·	·03	·	·03	·	·	·	16
17	·39	·	·	·13	·	·30	·28	·	·	·	·	·32	17
18	·20	·	·	·	·23	·31	·	·	·50	·09	·	·05	18
19	·06	·	·11	·02	·	·05	·	·	·	·06	·	·	19
20	·02	·18	·	·10	·	·06	1·35	·	·27	·29	·	·	20
21	·24	·	·	·83	·	·	·	·	·32	·19	·	·04	21
22	·11	·	·	·	·49	·	·47	·	·73	·	·	·21	22
23	·15	·	·	·03	·	·	·61	·	·	—	·	·	23
24	·	·19	·	·	·	·	·	·	·25	·	·06	·02	24
25	·	·	·	·	·	·	·	·47	·	·03	·	·	25
26	·	·	·	·	·	·	·06	·	·20	·	·05	·24	26
27	·	·03	·02	·11	·	·	·15	·30	·23	·	·08	·15	27
28	·	·	·36	·04	·16	·	·	·	·	·02	·18	·04	28
29	·02	×	·	·05	·	·	·	·	1·20	·	·03	·	29
30	·	×	·53	·	·	·	·	·	·70	·20	·	·26	30
31	·	×	·04	×	·	×	·	·	×	·08	×	·03	31 ✓
Total	3·53	1·26	1·18	2·09	2·32	1·08	3·62	2·03	7·72	2·64	2·38	2·94	YEAR'S TOTAL 32·79
Rain Days.	13	11	9	16	10	7	12	8	19	15	13	23	156 ✓

✓

W, 6,500, VII. 18. w w c

~~tt~~ 9MS end [illegible]

539

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.
27 JAN 20

Kept at Willingdon Sewerage Farm
in the County of Sussex
by Eastbourne R. D. C

Lat. Long.
Time of Observation about 10. a. m.
Nearest Railway Station Polegate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·72	·04	-	-	·10	-	-	-	-	·05	-	·81	1
2	·20	-	·06	-	-	-	-	-	-	·07	·06	·20	2
3	·21	-	·80	-	·08	-	-	-	·08	-	·02	·24	3
4	·39	·07	·45	-	-	-	·04	·10	·03	-	·13	·08	4
5	·20	·37	·72	-	-	-	-	·07	-	-	·15	·59	5
6	·25	-	·06	-	-	-	-	-	-	-	-	·06	6
7	·13	-	·50	-	-	-	-	-	-	-	·06	-	7
8	·28	-	·07	-	-	-	-	-	-	-	-	-	8
9	·37	-	·04	-	·07	-	-	-	-	-	·29	-	9
10	·51	-	·18	·04	-	-	-	-	-	-	-	·10	10
11	·18	-	·16	·61	·05	-	-	-	-	-	-	·17	11
12	·08	-	·02	-	·02	-	·13	-	-	·27	·03	-	12
13	-	-	-	·22	-	-	-	-	-	-	-	·06	13
14	·67	-	-	·43	-	-	·05	-	·04	-	-	·11	14
15	·23	·04	-	·09	-	-	-	-	-	-	-	·20	15
16	·10	·63	-	-	-	-	-	-	-	-	·10	-	16
17	-	·22	·02	-	-	-	-	-	-	-	·27	·05	17
18	-	-	·03	-	-	-	-	-	-	-	·15	·03	18
19	·11	·32	·99	-	-	·04	·36	·36	-	-	·24	-	19
20	·57	·11	·15	-	-	·43	·22	·14	-	-	-	·03	20
21	·12	·62	·02	-	-	-	·05	-	-	-	·03	·12	21
22	-	·03	·03	-	-	-	·27	-	·44	-	·05	·17	22
23	-	-	-	-	-	-	·02	-	·11	-	·04	·02	23
24	-	·10	-	·13	-	·02	-	-	·02	·04	·37	·15	24
25	·06	-	-	-	-	-	-	·41	-	-	-	·03	25
26	·07	·26	·15	-	-	-	-	-	·07	-	·32	·65	26
27	·41	-	·07	·76	-	-	-	·27	-	-	·91	-	27
28	-	-	·21	·16	-	-	-	1·24	-	-	·62	·48	28
29	·03	×	-	-	-	-	-	·23	-	·15	·24	·18	29
30	-	×	-	·23	-	-	-	·45	-	·05	·19	·42	30
31	-	×	-	×	-	×	-	-	×	·10	×	·04	31
Total	5·89	2·81	4·73	2·67	·32	·49	1·14	3·27	·79	·73	4·27	4·99	YEAR'S TOTAL 32·10 ~~32·30~~
Rain Days	22	12	20	9	5	3	8	9	7	7	20	24	

W. 6,500, VII. 18. W W G

146

507

3 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Willingdon Sewerage Farm
in the County of Sussex
by Eastbourne R.D.C.

Lat. Long.
Time of Observation About 10-a.m.
Nearest Railway Station Polegate.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 94 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	-	-	·02	·08	-	·16	-	-	·76	-	·32	1
2	-	-	·15	·03	-	-	-	·71	·07	·02	-	·12	2
3	-	-	-	-	-	-	-	-	-	-	-	·09	3
4	-	·09	-	·02	-	-	1·71	·07	-	-	-	·06	4
5	-	-	·03	-	-	-	·32	·25	·04	-	-	·07	5
6	-	-	·26	-	·23	-	·39	-	-	-	-	-	6
7	·16	-	-	·14	-	-	·07	-	-	-	-	·04	7
8	-	-	-	·22	·04	-	·64	-	-	-	-	-	8
9	·39	·02	-	-	-	·03	-	-	-	-	-	-	9
10	1·07	·16	·11	·14	-	·07	·12	-	-	-	-	-	10
11	·49	-	·14	·32	-	·08	·23	-	-	-	-	-	11
12	·08	·03	-	·18	-	·14	-	-	-	-	-	-	12
13	·25	·09	·33	-	-	-	-	-	-	·02	·08	-	13
14	-	·02	·47	·41	-	·02	-	-	-	·14	·55	-	14
15	·10	-	·02	·02	-	-	-	-	1·02	·28	·18	-	15
16	-	-	·06	·06	-	·04	-	-	·79	-	-	-	16
17	·05	-	-	·02	·21	-	-	-	·27	-	-	·04	17
18	·09	-	-	-	·14	-	-	1·02	·28	-	-	·05	18
19	·04	-	-	·18	-	-	-	-	-	-	-	·06	19
20	·06	·14	-	·14	-	·76	-	·23	·61	-	-	-	20
21	-	-	-	-	-	-	·09	-	·10	-	-	·63	21
22	-	-	-	·44	-	-	-	-	-	-	-	·50	22
23	-	-	-	-	-	-	·57	·02	-	-	-	·62	23
24	-	-	·07	-	-	-	-	-	-	-	-	·15	24
25	-	-	-	-	-	-	·24	-	-	-	-	-	25
26	·07	-	·19	·10	-	-	-	-	-	-	-	·04	26
27	·41	-	-	·15	-	·09	·09	-	-	-	·33	·35	27
28	·26	·04	·11	·13	·34	-	·27	-	-	-	·28	·07	28
29	·51	-	·07	·12	-	-	-	-	-	-	·35	·13	29
30	·04		·03	-	-	-	·05	-	·17	-	·25	·32	30
31	·02		·06		-		-	-		·56		·38	31
Total	4·16	·59	2·10	2·84	1·04	1·23	4·95	2·30	3·35	1·78	2·02	4·04	Year's Total 30·40
Days with ·01 in. or more	18	8	15	19	6	8	14	6	9	6	7	19	~~135~~
Days with ·04 in. or more	17	5	12	14	6	6	14	5	9	4	7	19	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGIST 11

WIMBLEHURST

SUSSEX

1911-20

FORM A. BRITISH RAINFALL.

1 - JAN 1912

Kept at Wimblehurs

in the County of Susses

by Ethel M. Al

Long. 0.19'

Station Horsham

tion 9 a.m

in.

ove Ground 1 ft. in.

Sea Level 195 ft.

NOTE.—Full instructions respecting the Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.01	.37				.05			.02		1
2	.11			.14	.31						.14	.27	2
3					.18			.02			.12	.19	3
4	.04	.03	.01	.10					.01	.22	.21	.17	4
5	.01			.11						.43	.04	.05	5
6	.40		.09	.01						.01	.06	.75	6
7	.07			.01						.15	.58	.37	7
8	.14		.21								.40	.45	8
9	.19		.03	.05							.03	.15	9
10		.15	.15	.02							.01	.71	10
11	.33		.05		.03						.98		11
12	.02		.57		.02				.06		.15	.04	12
13			.09		.14				.16	.06	.01	.40	13
14		.12	.01		.28							.77	14
15		.04	.09		.01					.01	.09	.02	15
16			.01			.64					.63	.14	16
17			.06			.03					.85	.28	17
18		.13	.04	.01		.01					.61	.58	18
19					.02	.19			.16	.37	.07	.18	19
20	.03	.03						.12	.08	.01	.01	1.03	20
21	.02	.15						.43	.27	1.12		.18	21
22	.06		.23			.16		.42		.08	.01	.61	22
23		.17				.80			.21	.28	.02	.17	23
24	.01	.18				.07	.02	.03		1.18	.01	.34	24
25		.05	.01	.05	.05	.10	.09	.09	.05	.03		.01	25
26		.01	.06	.22	.01	.15	.11			.24		.32	26
27		.39	.28	.10			.01	.01	.14	.35	.24	.20	27
28		.20		.26				.09			.04	.01	28
29				.09		.09	.60		.17	.45			29
30				.05		.03		.05	.02	.37	.01	.01	30
31										.01			31
Totals	1.48	1.65	2.00	1.59	1.05	2.27	.83	1.31	1.33	5.37	5.34	8.40	32.62
Total from Jan. 1		3.13	5.13	6.72	7.77	10.04	10.87	12.18	13.51	18.88	24.22	32.62	✓
	14	13	18	15	10	11	5	10	11	18	25	27	177

K/1000/5/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wimblehurst, Horsham
in the County of Sussex 2
by Ethel M. Allcard

Lat. 51° 5' Long. 0. 19'
Nearest Railway Station Horsham

RAIN GAUGE.
Time of Observation 9 a. m
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 195 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.01	.37				.05			.02		1
2	.11			.14	.31						.14	.27	2
3					.18			.02			.12	.19	3
4	.04	.03	.01	.10					.01	.22	.21	.17	4
5	.01			.11						.43	.04	.05	5
6	.40		.09	.01						.01	.06	.75	6
7	.07			.01						.15	.58	.37	7
8	.14		.21								.40	.45	8
9	.19		.03	.05							.03	.15	9
10		.15	.15	.02							.01	.71	10
11	.33		.05		.03						.98		11
12	.02		.57		.02				.06		.15	.04	12
13			.09		.14				.16	.06	.01	.40	13
14		.12	.01		.28							.77	14
15		.04	.09		.01					.01	.09	.02	15
16			.01			.64					.63	.14	16
17			.06			.03					.85	.28	17
18		.13	.04	.01		.01					.61	.58	18
19					.02	.19			.16	.37	.07	.18	19
20	.03	.03						.12	.08	.01	.01	1.03	20
21	.02	.15						.43	.27	1.12		.18	21
22	.06		.23			.16		.42		.08	.01	.61	22
23		.17				.80			.21	.28	.02	.17	23
24	.01	.18				.07	.02	.03		1.18	.01	.34	24
25		.05	.01	.05	.05	.10	.09	.09	.05	.03		.01	25
26		.01	.06	.22	.01	.15	.11			.24		.32	26
27		.39	.28	.10			.01	.01	.14	.35	.24	.20	27
28		.20		.26				.09			.04	.01	28
29				.09		.09	.60		.17	.45			29
30				.05		.03		.05	.02	.37	.01	.01	30
31										.01			31
Totals	1.48	1.65	2.00	1.59	1.05	2.27	.83	1.31	1.33	5.37	5.34	8.40	32·62
Total from Jan. 1		3.13	5.13	6.72	7.77	10.04	10.87	12.18	13.51	18.88	24.22	32.62	
	14	13	18	15	10	11	5	10	11	18	25	27 – 177	

K/1000/5/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.
1 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex DL

Kept at Wimblehurst, Horsham
in the County of Sussex 2
by Ethel M. Allcard

Lat. 51° 5' Long. 0.19
Time of Observation 9. a. m
Nearest Railway Station Horsham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.13	.03		.10	.08		.03	.77		.31	1
2		.01	.43		.10	.03	.22			.01			2
3	.02	.03	.06		.01	.27	.01	.36	.02			.03	3
4	.16	.01	.69		.14	.11		.03			.24		4
5	.24	.04	.32					.61			.12	.02	5
6	.34	.16	.01		.05			.21	.03			.06	6
7		.02	.02		.20	.41		.23				.06	7
8	.39	.57	.32		.01	.08		.20				.05	8
9	.01	.11	.10	.04		.15	.06	.10				.11	9
10	.01	.11	.01	.01				.36			.07	.36	10
11	.04	.43	.09			.01		.01			.01	.20	11
12	.02	.08	.06		.16	.16	.01	.27			.03	.01	12
13	.01	.02	.01			.01	.01				.10	.05	13
14			.02		.07	.01		.05		.04	.01	.01	14
15	.02	.04	.13		.10	.64		.01			.01	.36	15
16	.25	.02	.19		.14	.08		.10		.05	.09	.01	16
17	.41		.46		.01	.08		.13			.06	.10	17
18	.08		.28					.27		.05	.02	.12	18
19	.05	.10	.18				.05	.42			.01		19
20	.04	.01	.53			.02		.08		.35	.02		20
21	.01	.10	.22		.11			.05		.16	.10		21
22	.05	.38	.04					.23		.01		.02	22
23	.40	.11	.36		.01	.05		.38		.09	.18	.17	23
24	.10	.04	.01			.07		.18		.04		.21	24
25	.09	.01				.30		.81		.02	.25	.65	25
26	.02	.03				.02		.85		.40	.35	.29	26
27		.01	.02			.05	.10			.25		.32	27
28		.07				.08	.15	.24	.16	.67	.45	.14	28
29		.05					.08	.32	2.15	.16	.02	.01	29
30					.34	.02	.04	.57	1.22	.38			30
31			.07				.28	.22		.01			31
Total	2.77	2.57	4.76	.08	1.45	2.75	1.09	7.29	3.61	3.46	2.14	3.67	YEAR'S TOTAL 35.64
Rain Days.	23	26	26	3	14	22	12	27	6	17	19	24	219

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Sx. Vol. 2

Kept at Whittlehurst, Horsham
in the County of Sussex
by Ethel M. Alleard

Lat. 51. 5' Long. 0. 19'
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.40	.08	.25	.03				.20	.02	.15	.26	1
2	.03	.16	.01	.01			.10		.05	.09	.07	.02	2
3	.04	.01	.07	.30	.57				.01	.04		.17	3
4	.63		.06	.01	.16		.01		.68	.10	.08	.02	4
5	.55	.04	.02		.01	.09	.13		.40	.01	.15	.02	5
6	.06	.09	.11		.05	.10	.32		.02	.50	.06	.26	6
7	.01	.29	.03		.12	.05	.19			.36	.14	.01	7
8	.01	.09	.03		.18	.02		.23		.18		.02	8
9		.06		.02	.13	.01	.13		.14	.01	.04	.01	9
10	.01		.01	.03	.01		.23	.02		.01	.57		10
11	.78			.46	.02					.49	.18	.02	11
12					.35				.01		.67	.01	12
13	.34	.01	.03					.01	.27		.21		13
14	.29	.01	.08	.10			1.55	.02	.09	.05	.23	.01	14
15	.31	.13	.26	.28			.34		.19		.01		15
16	.18	.01	.50	.15			.02		.22				16
17	.08	.02	.10	.06			.28		.01		.05	.01	17
18	.02		.17	.14			.04				.05		18
19	.32		.13		.01	.03	.13		.45		.01		19
20	.47		.22	.10		.13			.01	.63	.01		20
21			.19	.10	.01		.01			.48	.83		21
22	.35		.17	.18			.02	.05	.11	.02	.01	.02	22
23	.01		.19			.02		.17	.01			.75	23
24	.05			.06				.02			.04		24
25		.02		.26							.01		25
26		.01	.15	.08			.01			.85		.17	26
27			.13	.10	.23					.04	.01		27
28	.15		.40	.08						.11			28
29	.06		.08	.35	.45			.08		.12	.02	.01	29
30	.39		.01	.14				.21		.23	.12		30
31			.10					.61		.17			31
Total	5.16	1.35	3.33	3.26	2.33	.45	3.51	1.42	2.87	4.51	3.72	1.79	YEAR'S TOTAL
~~Rain~~ Days.		6.51	9.84	13.10	15.43	15.88	19:39	20.81	23.68	28.19	31.91	33.70	33.70
Rain days	24	15	26	22	15	8	16	10	17	21	24	17	215

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

Ex. 49

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Wimblehurst, Horsham

in the County of Sussex 2

by Miss Allard

Lat. 51.5' Long. 0.19'

Time of Observation 9 a.m.

Nearest Railway Station Horsham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.03				.40			.11	.09	1
2						.03	.08	.01			.20	.16	2
3	.01		.11	.04	.30		.02	.02				.01	3
4	.04		.02	.28	.11		.01	.23			.29	.25	4
5	.08		.09	.42	.25	.03	.22	.07			.15		5
6			.03	.11	.05	.09	.01	.01				.30	6
7		.75	.15	.19	.03	.01	.15	.02				.38	7
8	.09	.67	.31	.03	.01	.05	.05	.12				.04	8
9	.35		.99	.17		.01		.01	.19			1.48	9
10	.08	.16	.02	.12	.09				.29			.05	10
11	~~.01~~	.64	.50	.03		.01			.03		.06	.45	11
12	.01	.12	.09				.63		.32	.03	.02	.84	12
13	.01	.36	.16			.04			.14	.02	.11	1.31	13
14		.27	.23				.02		.01	.25	.24	.39	14
15	.01	.05	.18				.07	.07	.07		.84	.01	15
16	.01	.02	.01				.04		.16		.01		16
17		.50	.17									.18	17
18		.06	.22									.37	18
19		.08	.67							.01	.18	.14	19
20		.22	.26			.03	.01		.02			.37	20
21		.83	.08							.12		.03	21
22		.05	.02		.08	.02	.08	.03		.21		.01	22
23		.01	.20		.38	.02		.01		.01		.01	23
24			.07								.23		24
25	.04		.20					.13		.80	.03	.05	25
26			.19				.04	.14		.10	.21	.67	26
27	.04		.01					.01			.11	.45	27
28	.05				.03					.11	.76	.43	28
29	.11		.05							.38	.27	.02	29
30	.01	×	.10	.06						.08	.83	.47	30
31	.01	×		×		×			×	.03	×	.03	31
Total	.95	4.79	5.13	1.48	1.33	.34	1.43	1.28	1.23	1.65	4.65	8.99	YEAR'S TOTAL 33.25 ✓
Rain Days.	16	16	27	11	10	11	14	15	9	13	18	28	188 ✓

W. 8,000. X. 14.

Corr for S. 23.11.16 ext 9G

544

FORM A. BRITISH RAINFALL.

B.R. 3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wimblehurst, Horsham

in the County of Sussex 2

by Miss Allard

Lat. 51. 5' Long. 0. 19'

Time of Observation

Nearest Railway Station Horsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.75	.25	.04		.02		.02	.02	.29	.03	.06	.53	1
2	.33	.15	.22	.11		.01		.15	.04	.17		.13	2
3	.38		.09	.19	.05			.02	.04		.01	.45	3
4	.08	.01	.01	.01				.50				.63	4
5	.02	.65			.02			.10		.02		.52	5
6	.53	.19	.14	.63			.68	.02				.11	6
7	.17	.45	.05	.01			.06	.01				.45	7
8	.02	.76	.01	.01			.19	.07			.01	.01	8
9	.01	.10		.24		.07		.02			.39	.62	9
10	.23	.02	.01	.01		.01						.37	10
11	.01		.04							.02	.68	.02	11
12	.05	.21		.17	.39			.19		.01	.49		12
13	.02	.79			1.24			.02	.03				13
14	.01	.04			.01		.06	.08	.06			.40	14
15	.15	.02			.04		.02	.08	.01		.06	.35	15
16	.01	.69		.01	.06		.82	.10			.06	.11	16
17	.	.45			1.05		.01	.09					17
18	.01	.09	.03		.12						.06	.01	18
19	.01	.10			.03		.06			.03			19
20	.32	.01	.01	.01	.03		.01					.18	20
21	.09				.01		.02			.10		.03	21
22	(1.23) .73	.10	.06	.04			.76			.01		.15	22
23	.01	.07	.09			.03	.07		.03	.33		.43	23
24			.02	.02		.01	.20		.31	.27		.72	24
25				.10			.10		.01	.02		.30	25
26	.01	.08		.01		.12	.16					.63	26
27		.06				.04	.01			.52		.03	27
28		.11				.10			1.06	.38			28
29					.01	.13	.29	.12		.01	.46	.02	29
30	.11	✕				.31	.01		.04	.40	.72	.03	30
31	.04	✕		✕		✕		.40	✕	.97	✕	.38	31
Total	4.60	5.40	.82	1.57	3.08	.83	3.55	1.99	1.92	3.29	3.00	7.61	YEAR'S TOTAL 37.66
Rain Days.	25	23	14	15	14	10	19	17	11	16	11	26	201

W. 8,000 1/60 15.

(37.66)

531

FORM A.
BRITISH RAINFALL.

470

3 JAN 1917

REGISTER

Kept at Wimblehurst, H

in the County of Sussex.

by Miss Allcard

in.

ft. in.

195 ft.

IMPORTANT NOTE.—Rain
previous day. If an Observer pre
requested to add the reading at 9 a
for it at the end of this paragrap
the selection and placing of rain g
Organization are given in "*Rules fo*
Dr. H. R. Mill, 62, Camden Squar

ntered to the
e is earnestly
pace provided
n,
ll
o

Jan. 1, following.

TELEPHONE,
2 HORSHAM.

WIMBLEHURST,
HORSHAM.

On Jan. 22. there was measured in gauge .73 but there was a great deal of snow on the top which could not be measured – The depth on ground was 8½ inches.

Date	Jan.	Feb.	March.	April.	M							Dec.	Date.
1	.10	.01	.03										1
2	.30	.14	.07										2
3	.02	.63	.15										3
4	.18	.18	.01										4
5	.06	.03	.01									.01	5
6	.01	.07	.01	.05									6
7	.01	.01	.51									.05	7
8			.01									.50	8
9			.01									.18	9
10		.35	.09	.08	.03	.08	.20				.01	.20	10
11	.03	.14	.03	.21	.02	.33			.01			.05	11
12	.04	.09	.05	.08	.17	.19	.08	.01		.09	.01	.01	12
13		.23	.39	.12	.08	.13	.01	.11		.03			13
14	.01	.53	.24		.10	.06		.01				.05	14
15		.07	.15	.02	.01			.22		.02		.01	15
16	.02	.02	.32	.16			.10	.30					16
17	.19	.20		.05			.04	.13	.25	1.17		.01	17
18	.01	.08	.02	.04				.27	.48	.14	.64	.19	18
19	.18	.01	.13			.03		.08	.15		.61	.04	19
20	.14		.17	.06							.11	.58	20
21	.01		.24	.10			.11				.01	.39	21
22	.02	.02	.02			.02				.04	.01	.59	22
23	.02	.22	.03			.03	.01	.02		.12	.03	.04	23
24					.14	.03		.03		.28	.13	.34	24
25		1.01	.13		.01			.42		.10	.08	.02	25
26	.03	.25	.07			.12		.10	.20	.37			26
27	.02	.08	.95	.57		.10		.48	.07	.75			27
28		.42	.10			.05		.04	.04	.10		.12	28
29		.20	.02			.38		.85	.14	.40		.27	29
30		X			.28			.03		.32	.01	.01	30
31		X		X		X		.01	X	.10	X	.02	31
Total	1.40	4.99	3.96	1.54	2.40	2.29	1.12	3.11	2.11	5.74	5.70	3.68	YEAR'S TOTAL 38.04
Rain Days.	20	24	27	12	17	21	12	17	12	23	19	22	226

W. 8,000, VIII. 16

Ex d L

511

470

BRITISH RAINFALL
FORM A.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wimblehurst, Horsham
in the County of Sussex.
by Miss Allcard

Lat. Long.
Time of Observation 9 a.m. G.T. & Summer time
Nearest Railway Station Horsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.01	.03		.09	.02	.01		.28	.04	.33		1
2	.30	.14	.07		.26	.01	.01		.02	.85	.02		2
3	.02	.63	.15		.01	.01	.03		.24	.50	.78		3
4	.18	.18	.01			.37			.23	.03	.37		4
5	.06	.03	.01		.21	.09				.10	.71	.01	5
6	.01	.07	.01	.05	.02	.18	.44			.06	.76		6
7	.01	.01	.51		.43	.08	.08			.03	1.07	.05	7
8			.01		.24						.01	.50	8
9			.01		.30	.03				.01		.18	9
10		.35	.09	.08	.03	.08	.20				.01	.20	10
11	.03	.14	.03	.21	.02	.33			.01			.05	11
12	.04	.09	.05	.08	.17	.19	.08	.01		.09	.01	.01	12
13		.23	.39	.12	.08	.13	.01	.11		.03			13
14	.01	.53	.24		.10	.06		.01				.05	14
15		.07	.15	.02	.01			.22		.02		.01	15
16	.02	.02	.32	.16			.10	.30					16
17	.19	.20		.05			.04	.13	.25	1.17		.01	17
18	.01	.08	.02	.34				.27	.48	.14	.64	.19	18
19	.18	.01	.13			.03		.08	.15		.61	.04	19
20	.14		.17	.06							.11	.58	20
21	.01		.24	.10			.11				.01	.39	21
22	.02	.02	.02			.02				.04	.01	.59	22
23	.02	.22	.03			.03	.01	.02		.12	.03	.04	23
24					.14	.03		.03		.28	.13	.34	24
25		1.01	.13		.01			.42		.10	.08	.02	25
26	.03	.25	.07			.12		.10	.20	.37			26
27	.02	.08	.95	.57		.10		.48	.07	.75			27
28		.42	.10			.05		.04	.04	.10		.12	28
29		.20	.02			.38		.85	.14	.49		.27	29
30		X			.28			.03		.32	.01	.01	30
31		X		X		X		.01	X	.10	X	.02	31
Total	1.40	4.99	3.96	1.54	2.40	2.29	1.12	3.11	2.11	5.74	5.70	3.68	YEAR'S TOTAL 38.04
Rain Days.	20	24	27	12	17	21	12	17	12	23	19	22	226

W. 8,000, VIII. 16

FORM A.

509 470

BRITISH RAINFALL 2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wimblehurst, Horsham
in the County of Sussex
by Miss Ethel M. Allcard

Lat. Long.
Time of Observation 9.a.m. G.T. & B.S.
Nearest Railway Station Horsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.005	.17				1.43	.37	[illegible]	.05	.01	1
2				.67				.06		[illegible]	.21		2
3				.18			1.09	.32		.15	.01		3
4		.20	.16				.07	.23		.30			4
5	.33	.01	.15	.29		.005		.32	.20	.38	.06		5
6	[illegible]		.32	.01		.09			.17	.06	.12		6
7	.29						.10		.11	.23		.03	7
8	.12			.12			.41	.20		.28	.22	.36	8
9			.06	.06			.09	.09	.02	[illegible]	.02	.35	9
10	.17		.19	.11		.20		.12		.02	.01	.04	10
11	.19		.29	.40				.005	.02	.47			11
12	.08		.03	.04		.09		.03		.19	.005		12
13	.05		.19	.005				.05	.04	.28	.005	.01	13
14			.02	.20				.09					14
15							.07	.04		.15		.08	15
16	.04	.09		.08	.03		.16	.01		.56		1.26	16
17		.01		.13	.15		.20	.02	.29	.10			17
18	.03	.02		.10	.17	.02	.11	.10	.29	.01			18
19	.02	.15	.18		.03	.08		.02	.10				19
20	.01	.17	.05		.33			.23	.03		.02		20
21	.01		.01		.02					.03	.03	.005	21
22		.005				.28		.19		.15			22
23		.21			.18	.02		.17		[illegible]		.04	23
24		.07				.07	.01	[illegible]		.15	.12	.005	24
25		.09	.02			.04		.01		.01			25
26			.03			.005		.34	.07	[illegible]	.83		26
27								1.20		[illegible]			27
28		.01	.04		.05	.92		.23		[illegible]		.04	28
29			.03		.17	.08	.04	.02		.56		.12	29
30	.01	✕	.41			.02	1.13	.18		.03		.03	30
31	.06	✕	.03	✕		✕	.22	.02	✕	.01	✕	.03	31
Total	1.41	1.035	2.215	2.565	1.13	1.92	3.70	5.725	1.71	4.05	1.71	2.41	YEAR'S TOTAL 29.58 29.48
Rain Days.	14	12	18	14	9	13	13	26	12	20	12	18	178

W. 8,000, IX. 17.

42

FORM A. BRITISH RAINFALL.

470

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Wimblehurst, Horsham

in the County of Sussex

by Miss Ethel M. Allcard

Lat. Long.

Time of Observation 9 a.m. G.M.T. & B.S.T.

Nearest Railway Station Horsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov	Dec.	*Date.*
1		.01		.01				.04			.30	.12	1
2		.04	.06	.03				.40	.01	.005	.19	.18	2
3			.05	.10	.40			.13		.05	.47	.02	3
4		.20	.05	.02				.03	.38		.64	.02	4
5		.03			.05			.14	.22	.08		.02	5
6	.18	.14		.19	.17			.12		.04		.07	6
7		.07		.24	.13			.03	.14	.07	.08	.01	7
8	.03	.11				.01		.01	.14	.11	.17	.09	8
9		.005		.08		.17	.19		.47	.21		.52	9
10	.02			.07		.02	.85		.34	.19		.24	10
11							.27		.04	.32	.09	.17	11
12		.07			.20		.18		.04	.005		.02	12
13	.20	.005			.09		.08		.17			.04	13
14	.20		.06			.08	.07		.27	.18		.08	14
15	1.17			.44	.005	.25	.22		.005			.19	15
16	.31		.02	.07		.72	.005		.19				16
17	.23			.10		.07	1.19	.03				.26	17
18	.41					.32			.64			.07	18
19	.10	.005	.05	.06		.08	.10		.06	.02		.02	19
20	.06	.14		.78		.02	.19		.31	.14		.005	20
21	.20	.01		1.29			.12		.33	.18		.01	21
22	.15				.41		.32		.42		.01	.14	22
23	.05			.02	.13		.71	.06	.06			.005	23
24		.30		.01		.09	.01		.21				24
25				.89			.03	.24		.04			25
26	.005						.60		.02		.14	.13	26
27		.15	.02	.07			.10	.16	.08	.01	.14	.02	27
28		.02	.20	.07		.02		.01			.15		28
29				.01					.94	~~.07~~	.02	.02	29
30		╳	.50						.11	.07		.04	30
31		╳	.10	╳		╳			╳	.06	╳	.01	31
Total	3.315	1.305	1.11	4.55	1.585	1.85	5.235	1.40	5.595	1.78	2.40	2.52	YEAR'S TOTAL 32.645
Rain Days.	~~14~~ 15	~~13~~ 14	10	20	~~8~~ 9	12	17	13	~~23~~ 24	~~16~~ 17	12	~~25~~ 26	~~183~~ 189

W. 6,500, VII. 18. W W C

-Ex. 1806

481

470

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 19 19.

Kept at Wimblehurst, Horsham
in the County of Sussex
by Miss Ethel M. Allcard

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Horsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	.05	.005	.06	.03		.09			.04	.08	.84	1
2	.18	.01	.02		.13		.10		.18	.03	.04	.12	2
3	.31		.40		.03		.31		.02		.02	.31	3
4	.19	.06	.51			.005	.29	.06	.03		.03	.15	4
5		.34	.64				.02		.005		.03	.38	5
6	.25		.04		.005		.005				.005	.04	6
7	.07		.32								.06		7
8	.25		.07	.005							.01		8
9	.41		.12	.12	.03						.14		9
10	.41		.02	.04						.005	.02	.21	10
11	.34		.16	.28	.06		.22					.10	11
12	.07		.02	.05	.005		.34			.04	.03	.01	12
13	.04	.02	.01	.33								.01	13
14	.35	.01		.29			.07		.44			.11	14
15	.18	.01	.17	.02								.88	15
16	.08	.63	.005	.01							.09	.03	16
17		.23									.18	.03	17
18	.005	.09	.09					.01	.01		.05	.05	18
19	.02	.29	.78			.12	.47	.04	.06		.04	trace	19
20	.48	.07	.18			.54	.12	.20				.01	20
21	.16	.44	.005			.01	.03				.02	.04	21
22		.03	.01				.18		.41		.01	.23	22
23							trace	trace	.15	.20	.02	.02	23
24		.02		.19		.03	.06	trace	trace		.17	.03	24
25	.03	.03			.005			.36		trace		.01	25
26	.05	.16	.02	.09			.02	.01	.08		.08	.32	26
27	.49	.01	.04	.70			trace	.36			.30	.05	27
28			.29	.01				.72			.40	.35	28
29	.05			.005		.04		.40		.21	.03	.13	29
30			.01	.25		.06		.73		.02	.30	.70	30
31	.07		.01				.02	trace		.01		.08	31
TOTAL	4.885	2.50	3.945	2.45	.295	.805	2.345	2.89	1.385	.555	2.155	5.24	YEAR'S TOTAL 29.45
Days with ·01 in. or more	23	18	~~22~~ 24	~~14~~ 15	~~5~~ 6	~~6~~ 7	15	10	~~9~~ 10	7	~~23~~ 24	27	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Eg RR

456

470

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wimblehurst, Horsham
in the County of Sussex
by Miss Ethel M. Allard

Lat.................. Long..................
Time of Observation 9 a.m.
Nearest Railway Station Horsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.005	.09	.09		.45		.01	.45	.01	.26	1
2	.02		.03	.005	.04		.03	.20	.11	.15		.09	2
3	.10		.02		.19				.005	.16		.06	3
4		.09	.02	.07	.005		1.05	.15		.30		.02	4
5		.005	.17				.60	.16					5
6			.18	.02	.15		.24					.02	6
7	.02			.19	.02		.13			.01			7
8				.02	.04		.17						8
9	.21	.005	.01	.07	.06	.04	.07						9
10	.65	.12	.13	.05		.15	.20						10
11	.19	.03	.09	.34	.005	.07	.38					.12	11
12	.03	.02	.005	.37		1.45	.01				.01		12
13	.14	.02	.20	.005							.06		13
14		.03	.45	.45		.07			.14	.12	.37		14
15	.02	.01	.04	.24					1.27	.27	.09		15
16			.02	.14					.16			.01	16
17		.02			.12		.005		1.62			.08	17
18	.02		.01		.11			.77	.20			.10	18
19	.06			.37					.04			.03	19
20	.11	.22		.24		.59			.04			.02	20
21				.07			.95		.30			.13	21
22	.02			.23				.01	.10			.34	22
23							.40	.10				.37	23
24	.005	.02	.08								.005	.07	24
25	.005	.04	.01	.005			.26		.02				25
26	.02		.09	.02		.04	.02		.005		.005	.05	26
27	.55	.03	.005	.15		.06	.06				.75	.33	27
28	.46	.01	.09	.02	.19		.12				.02	.01	28
29	.57		.02	.04							.15	.19	29
30	.03	✕				.10	.12		.24		.25	.20	30
31	.02	✕	.15	✕	.01	✕			✕	1.30	✕	.19	31
TOTAL	3.33	.67	1.805	3.205	1.03	2.57	5.265	1.39	4.26	2.76	1.72	2.69	YEAR'S TOTAL 30.695
Days with ·01 in. or more	21 20	14 13	19 18	21 20	11 12	9	19 18	6	13 14	8	9 10	21	174
Days with ·04 in. or more	11	4	11	16	9	9	15	5	12 11	7	6	15	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WINCHELSEA
MARITEAN HSE
SUSSEX

1911- 1920

Cor. f

REG

FORM A2.
BRITISH RAINFALL.
10 FEB 1912

Kept at Maritea

in the County of Sus

by C W Cam

in.

round 1 ft. — in.

ea Level 120 ft.

tn

Name Winchelsea

istance Direction

IMPORTANT NOTE.- and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	0	0	79	0	0	0	5	0	0	0	0	1
2	3	0	0	2	47	0	0	0	0	0	29	36	2
3	0	0	2	1	11	0	0	0	0	0	14	17	3
4	5	10	5	0	0	0	0	0	0	39	35	41	4
5	9	0	0	0	0	0	0	0	0	0	0	8	5
6	23	0	0	25	0	0	0	0	0	3	0	46	6
7	0	0	0	0	0	0	0	0	0	65	1.09	57	7
8	16	0	28	4	0	0	0	0	0	4	92	2	8
9	9	0	0	5	0	0	0	0	0	0	57	22	9
10	0	14	2	0	0	0	0	0	0	0	11	74	10
11	75	0	2	0	0	0	0	0	0	0	1.45	3	11
12	0	0	73	0	0	0	0	0	0	6	13	0	12
13	0	0	0	0	29	2	0	0	53	0	0	21	13
14	0	8	0	0	0	0	0	0	0	0	0	47	14
15	0	6	0	0	0	0	0	0	0	2	18	16	15
16	0	0	14	0	0	37	0	0	0	0	41	9	16
17	0	0	0	0	0	2	0	0	0	0	20	7	17
18	0	0	9	0	0	0	0	0	0	2	83	42	18
19	0	17	0	0	0	0	0	0	10	10	3	12	19
20	0	0	0	0	0	0	0	89	16	12	0	44	20
21	9	0	0	0	0	0	0	0	0	36	0	15	21
22	0	16	0	0	0	14	0	56	0	49	0	63	22
23	0	30	4	0	0	1.02	0	0	20	1.08	5	3	23
24	0	10	0	5	0	4	0	3	0	97	0	51	24
25	0	3	19	0	0	6	0	0	6	3	0	0	25
26	0	0	17	37	0	18	0	0	0	36	0	42	26
27	0	35	9	0	0	0	0	0	8	48	0	6	27
28	0	38	0	27	0	0	0	0	0	0	24	1	28
29	0		0	0	0	16	39	1	29	54	0	0	29
30	0		0		0	5	0	7	0	27	0	0	30
31	0		0		0		0	0		2		0	31
Total	1.63	1-87	1.84	1.85	87	2.06	39	1.61	1.47	6.06	6.95 6.93	6.85	TOTAL for year 33.38
No. of Rain Days.	9	11	12	9	3	10	1	6	7	19	16	25	33.38 128

6.73

W. 8,000, X. '11.

REC

FORM A2.
BRITISH RAINFALL.
10 FEB 1912

Kept at Mariteau House Winchelsea

in the County of Sussex

by C W Campion Esq

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 120 ft.

Time of Observation 9 am

Nearest Railway Station
Name Winchelsea
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	0	0	79	0	0	0	5	0	0	0	0	1
2	3	0	0	2	47	0	0	0	0	0	29	36	2
3	0	0	2	1	11	0	0	0	0	0	14	17	3
4	5	10	5	0	0	0	0	0	0	39	35	41	4
5	9	0	0	0	0	0	0	0	0	0	0	8	5
6	23	0	0	25	0	0	0	0	0	3	0	46	6
7	0	0	0	0	0	0	0	0	0	65	1.09	57	7
8	16	0	28	4	0	0	0	0	0	7	92	2	8
9	9	0	0	5	0	0	0	0	0	0	51	22	9
10	0	14	2	0	0	0	0	0	0	0	11	74	10
11	75	0	2	0	0	0	0	0	0	0	1.45	3	11
12	0	0	73	0	0	0	0	0	0	6	13	0	12
13	0	0	0	0	29	2	0	0	53	0	0	21	13
14	0	8	0	0	0	0	0	0	0	0	0	47	14
15	0	6	0	0	0	0	0	0	0	2	18	16	15
16	0	0	14	0	0	37	0	0	0	0	41	9	16
17	0	0	0	0	0	2	0	0	0	0	20	7	17
18	0	0	9	0	0	0	0	0	0	2	83	42	18
19	0	17	0	0	0	0	0	0	10	10	3	12	19
20	0	0	0	0	0	0	0	89	16	12	0	44	20
21	9	0	0	0	0	0	0	0	0	36	0	15	21
22	0	16	0	0	0	14	0	56	0	49	0	63	22
23	0	30	4	0	0	1.02	0	0	20	1.08	5	3	23
24	0	10	0	5	0	4	0	3	0	97	0	51	24
25	0	3	1-9	0	0	6	0	0	6	3	0	0	25
26	0	0	17	37	0	18	0	0	0	36	0	42	26
27	0	35	9	0	0	0	0	0	8	48	0	6	27
28	0	38	0	27	0	0	0	0	0	0	24	1	28
29	0		0	0	0	16	39	1	29	54	0	0	29
30	0		0		0	5	0	7	0	27	0	0	30
31	0		0		0		0	0		2		0	31
Total	1.63	1-87	1.84	1.85	87	2.06	39	1.61	1.42	6.06	6.95 6.93	6.85	TOTAL for year 33.38
No. of Rain Days.	9	11	12	9	3	10	1	6	7	19	16	25	33.38 128

W. 8,000, X. '11.

6.93

W DB [illegible] 6.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

30 JAN 1913

Kept at Winchelsea
in the County of Sussex 6
by C W Campion Esq

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Winchelsea
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	21	0	0	40	5	0	7	56	0	32	1
2	0	0	8	0	0	31	7	0	0	0	0	1	2
3	0	0	6	0	0	29	1	25	2	0	0	0	3
4	5	0	66	0	0	90	0	18	0	0	19	0	4
5	18	33	10	0	0	24	0	19	0	0	22	0	5
6	14	8	14	0	1	1	0	99	0	0	0	4	6
7	58	6	1	0	16	24	0	32	0	0	0	13	7
8	0	32	11	1	0	4	1	3	0	0	0	1	8
9	62	1	2	7	0	0	10	13	0	0	0	10	9
10	4	3	0	0	0	0	0	36	2	0	8	19	10
11	·9 0	23	0	0	0	39	0	3	2	0	0	15	11
12	0	24	2	0	0	14	6	73	0	0	1	4	12
13	0	2	6	0	0	0	3	0	1	1	16	9	13
14	0	0	8	0	9	0	0	1	0	2	0	2	14
15	0	5	7	0	8	76	0	2	0	0	0	32 ·23	15
16	14	1	22	0	14	6	0	14	0	6	3	0	16
17	55	0	46	0	1	3	0	6	0	0	0	3	17
18	3	0	32	0	0	0	18	23	0	4	0	44	18
19	0	34	23	0	2	0	0	36	0	0	0	0	19
20	4	2	54	0	0	0	0	7	0	67	2	0	20
21	0	17	20	0	0	0	2	14	0	36	4	0	21
22	2	48	29	0	0	1	0	10	0	0	0	0	22
23	51	32	39	0	0	1	0	3.6	0	39	13	5	23
24	19	4	1	0	0	0	0	19	0	24	0	13	24
25	16	4	0	0	0	32	6	97	0	0	52	56	25
26	0	6	0	0	0	0	0	11	0	31	30	39	26
27	0	1	0	0	0	0	11	0	0	25 ·15	2	42	27
28	0	3	0	0	0	0	21	10	4	67	41	7	28
29	0	2	0	7	0	0	0	16	1·21	21	22 ·22	0	29
30	0	~~22~~	0	0	5	0	0	20	1·68	39	0	0	30
31	0		1		0		0	19		0		0	31
Total	3·26 ✓	2·91 ✓	4·29	15	56	4·15 4·15	91	6·62 6·62	3·07	4·08 4·08	2·33 ✓	3·42	YEAR'S TOTAL 35·77
Rain Days.	14 15	22	23	3	8	16	12	27	8	14	14	20	35·72 182

W. 7,500, XI. ·12

11.II.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
8- JAN 1914

Kept at Mariteau House Winchelsea
in the County of Sussex
by C W Campion Esq

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Winchelsea
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2	49	13	11	0	10	0	0	0	4	20	4	1
2	1	30	0	0	0	0	13	0	0	0	0	5	2
3	0	0	5	55 (55)	21	0	0	0	0	6	0	14	3
4	10	0	12	0	0	0	5	0	21	13	17	1	4
5	16	2	2	0	2	3	4	0	1.22	11	45	6	5
6	0	2	19	0	0	5	21	0	0	49	29	0	6
7	0	27	7	0	0	10	11	0	0	33	5	0	7
8	0	2	3	0	21	0	0	0	0	53	5	0	8
9	0	8	0	0	19	0	0	47	16	1	3	1	9
10	6	0	0	2	0	0	9	0	0	0	53	2	10
11	74	0	0	43	0	0	0	0	0	47	1	2	11
12	20	0	0	0	3	0	0	0	0	0	65	0	12
13	57	0	2	0	0	0	0	6	2	1	20	1	13
14	7	0	17	2	0	0	9	0	3	8	15	0	14
15	22	2	35	23	0	1	18	0	2	0	0	0	15
16	51	0	73	26	0	0	0	0	37	0	0	0	16
17	13	0	4	4	0	0	27	2	2	0	8	0	17
18	0	0	8	34	0	0	3	0	11	0	23	0	18
19	5	0	17	0	4	0	13	2	14	0	0	0	19
20	40	0	2	7	3	19	0	0	0	41	5	0	20
21	2	0	9	0	19	0	0	0	4	48	5.6	0	21
22	31	0	5	0	0	0	7	0	2	0	0	0	22
23	4	0	0	0	0	0	0	0	0	0	6	73	23
24	13	0	9	0	0	0	0	0	0	0	1	0	24
25	0	0	0	33	0	7	0	0	0	0	0	0	25
26	1	3	19	0	0	0	2	5	0	72	0	38	26
27	0	1	4	0	0	0	0	0	0	15	0	0	27
28	12	0	35	3	0	0	0	0	0	49	0	0	28
29	23		2	41	10	0	0	29	0	0	0	9	29
30	68		10	0	11	0	0	60	3	6	0	0	30
31	0		11		10	×	0	94		11		0	31
Total	4.78	1.26	3.29 3.23	2.84	~~1.24~~ 1.23	.55	1.42	2.45	2.39	4.68	3.77	1.56 1.56	YEAR'S TOTAL ~~30.16~~ 30.12
Rain Days.	22	10	24	13	11	7	13	8	13	18	18	12	169

W.7,000, XI. 13

[illegible] 20.11.15 ~~W~~ LMcC

W

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
8 - JAN 1915

Kept at Mariteau Winchelsea

in the County of Sussex 6

by C W Campion Esq

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	3	1	0	0	5	4	0	0	5	10	1
2	2	0	0	0	0	1	6	0	0	0	9	21	2
3	0	0	17	4	23	0	0	0	0	0	0	3	3
4	0	0	1	39	0	0	0	42	0	0	40	60	4
5	14	0	0	30	1	0	9	1	0	0	0	0	5
6	0	4	0	15	2	3	0	0	0	0	0	57	6
7	6	45	43	4	2	9	6	0	0	0	0	45	7
8	12	23	49	1	0	2	7	2	0	0	0	15	8
9	32	1	69	12	0	0	0	0	9	0	0	1·10	9
10	0	3	2	14	13	0	0	0	27	0	0	5	10
11	0	33	74	0	0	1	2	0	0	0	6	43	11
12	0	6	11	7	3	5	0	0	49	3	4	54	12
13	0	51	27	3	0	11	8	0	20	12	11	63	13
14	0	14	31	0	0	0	43	0	2	53	9	36	14
15	0	6	52	0	0	0	8	0	2	0	94	1	15
16	0	41	3	0	0	0	2	0	10	0	0	0	16
17	0	40	14	0	0	0	0	0	20	4	0	14	17
18	0	11	19	0	0	0	23	0	0	4	2	47	18
19	0	11	71	0	0	0	2	0	0	9	27	57	19
20	0	18	32	0	0	0	0	0	0	13	0	62	20
21	0	86	4	0	0	0	54	0	0	3	0	6	21
22	0	3	0	0	3	7	0	4	0	12	0	0	22
23	0	0	97	1	0	82	0	0	0	1	0	3	23
24	0	0	1	2	5	0	0	0	0	0	18	0	24
25	18	0	18	0	0	0	0	5	0	39	2	0	25
26	5	0	7	0	0	0	0	40	0	16	8	~~21~~ 31	26
27	1	0	1	0	0	0	36	0	0	1	16	60	27
28	0	0	0	0	0	0	0	0	0	48	50	31	28
29	8		0	0	0	0	0	0	0	62	18	0	29
30	0	✕	12	0	0	0	0	0	0	11	97	4	30
31	0	✕	0	✕	39	✕	0	0	✕	0	✕	14	31
Total	98	3·96	6·58 6·58	1·23	91	1·21	2·11	98	1·39	2·91 2·91	4·16	8·52	35·04 YEAR'S TOTAL 35·94
Rain Days.	9	17	24	~~12~~ 13	9	9	14	7	8	16	17	25	168

W. 8,000. X. 14.

Cwd fr anth 23.11.16 W

637.

FORM A. BRITISH RAINFALL. 13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Martean Winchelsea
in the County of Sussex 6
by E W Campion Esq

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Winchelsea
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	64	10	12	0	0	0	0	42	1.03	0	0	26	1
2	43	30	18	10	0	0	0	1	11	0	0	18	2
3	29	1	0	24	24	0	0	4	23	0	0	52	3
4	4	0	4	3	0	0	0	17	0	4	0	31	4
5	8	27	0	12	0	0	0	7	0	0	3	48	5
6	60	35	0	52	0	0	13	0	0	6	0	27	6
7	51	34	4	5	0	0	3	0	0	0	0	36	7
8	5	11	9	1	0	0	16	0	0	0	18	1	8
9	1	23	1	4	0	13	2	0	0	0	57	1.10	9
10	40	3	0	0	0	4	0	0	0	0	0	68	10
11	0	0	0	0	0	0	0	0	0	2	1.06	0	11
12	7	9	0	29	19	0	0	0	0	6	70	0	12
13	3	95	0	4	1.59	0	0	0	7	0	0	0	13
14	8	4	0	0	0	0	42	0	0	0	0	61	14
15	19	0	0	0	8	0	30	0	0	0	24	31	15
16	0	52	0	6	24	0	1.15	15	0	0	0	0	16
17	0	64	0	0	1.42	0	0	12	0	0	0	26	17
18	0	12	0	0	13	0	0	21	0	1	2	8	18
19	0	0	2	0	0	0	0	0	0	2	0	0	19
20	39	13	0	0	0	0	0	0	0	0	0	14	20
21	0	0	0	0	0	0	0	3	0	0	0	4	21
22	0	0	4	0	0	0	92	0	0	0	0	25	22
23	5	7	3	0	0	0	2	0	0	3	0	84	23
24	0	0	14	8	0	0	6	0	24	61	0	37	24
25	1	0	0	5	0	0	16	0	0	2	0	33	25
26	0	3	0	0	0	4	0	0	0	0	0	87	26
27	0	1	0	0	0	19	3	0	0	31	0	4	27
28	0	6	0	0	0	8	0	0	1.03	1.06	0	0	28
29	0		0	0	3	5	28	43	2	54	38	2	29
30	34	×	0	0	0	0	1	0	0	2	34	1	30
31	2	×	0	×	0	×	0	0	×	53	×	41	31
Total	4.23	4.40	71	1.63	3.92	53	3.69	1.65	2.78 2.73	3.33	3.52	8.80	YEAR'S TOTAL 39.14 39.14
Rain Days.	19	20	10	13	8	6	14	10	7	14	9	25	~~165~~ 155

W. 8,000, X. 15.

629

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Mariteau House

in the County of Sussex

by C. W. Campion Esq

Lat. Long.

Time of Observation

Nearest Railway Station 1 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	9	3	0	0	22	2	0	0	2	1	83	0	1
2	31	2	90	0	10	0	0	0	0	33	1	0	2
3	2	22	10	0	0	0	22	0	2	18	39	0	3
4	28	4	0	0	1	47	0	0	10	8	42	0	4
5	2	2	0	2	3	6	0	0	1	6	38	2	5
6	1	10	5	39	0	39	23	0	0	9	37	0	6
7	3	0	57	0	40	15	4	0	0	6	30	2	7
8	0	5	0	0	26	0	0	0	0	0	2	31	8
9	1	0	0	0	45	10	0	0	0	1	0	12	9
10	1	28	0	9	0	58	15	0	0	2	0	57	10
11	2	34	0	7	0	10	0	0	0	0	0	6	11
12	5	9	10	8	28	11	11	1	0	2	0	4	12
13	0	33	8	3	11	12	5	5	3	0	0	4	13
14	0	47	6	0	17	0	0	43	0	8	1	27	14
15	0	21	17	0	0	0	0	0	0	2	0	4	15
16	0	2	6	25	0	0	21	0	0	0	0	0	16
17	37	10	0	15	0	0	7	0	34	98	2	1	17
18	11	8	0	0	0	0	0	4	27	54	89	2	18
19	35	4	4	15	0	0	0	0	9	2	1·15	13	19
20	8	0	3	9	0	6	0	0	0	0	43	55	20
21	5	0	33	19	0	0	0	0	0	0	10	69	21
22	0	5	11	5	0	2	0	0	0	2	2	61	22
23	3	44	30	0	0	14	3	4	0	0	3	6	23
24	1	0	3	0	2	0	0	1	0	48	27	38	24
25	0	76	14	0	3	0	0	54	0	10	10	0	25
26	2	30	0	0	0	29	0	2	1	10	11	8	26
27	0	27	61	0	0	0	0	0	4	96	0	0	27
28	0	59	4	0	0	22	0	31	69	44	0	31	28
29	0	12	0	0	0	47	0	65	4	74	0	66	29
30	0	╳	3	0	0	0	0	12	0	31	0	1	30
31	1	╳	0	╳	0	╳	0	0	╳	37	╳	3	31
Total	1·88	4·97 4·97	3·75	1·56	2·08	3·30 3·30	1·11	2·22	1·66	6·02	5·85	5·03	YEAR'S TOTAL 39·43 39·43
Rain Days.	20	24	19	12	12	16	9	11	12	24	19	23	207

W. 8,000, VIII. 16

✓ 599

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

4 JAN 1918

Kept at Winchelsea

in the County of Sussex

by C. W. Campion

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Winchelsea

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	2	Snow 10	0	0	0	1.70	6	0	17	5	1
2	0	0	0	37	–	–	0	40	0	13	1	0	2
3	0	0	0	15	–	–	46	57	0	25	0	–	3
4	0	Snow 10	Snow 24	1	–	–	45	1	0	27	0	–	4
5	23	0	5	3	–	–	0	0	Thunder 31	20	2	–	5
6	0	–	1	27	–	6	0	0	2	2	20	1	6
7	55	–	0	0	–	0	Thunder 21	0	0	65	0	14	7
8	11	–	0	20	–	–	30	Thunder 15	=	2	59	14	8
9	3	–	4	Snow 6	–	–	4	0	–	45	2	1.04	9
10	17	–	9	7	–	Thunder 39	0	10	–	0	0	0	10
11	23	2	20	17	–	0	–	0	1	49	–	2	11
12	8	0	2	4	–	–	–	0	0	39	–	0	12
13	2	–	16	0	Thunder 22 Storm	–	–	1	1	25	2	–	13
14	Snow 1	–	2	20	0	–	1	12	5	5	0	–	14
15	1	–	0	0	0	–	0	15	0	6	–	4	15
16	rain 12.	2	0	Thunder 37 Storm	27	–	0	0	0	14	–	Snow & Rain 70	16
17	0	2	0	10	21	–	30	0	27	2	–	Snow 7	17
18	4	5	0	4	13	–	0	17	11	0	–	0	18
19	0	11	17	0	0	–	–	0	15	–	–	–	19
20	1	13	6	0	Thunder 69 St	3	–	0	0	–	3	–	20
21	0	0	0	1	2	3	–	0	–	2	1	Snow 8.	21
22	–	0	13	0	0	Thunder 65	–	13	–	27	0	2	22
23	–	21	0	–	25	0	–	7	–	2	–	3	23
24	–	2	0	–	0	0	7	8	–	25	–	2	24
25	–	11	3	–	–	0	10	0	–	0	2	0	25
26	–	0	7	–	–	2	0	36	4	0	1.05	0	26
27	–	–	0	–	–	5	0	1.40	0	2	1	Snow 3	27
28	–	–	12	–	–	Thunder (145)	4	75	–	0	0	15	28
29	–		6	–	–	4	Thunder 86	3	–	31	0	9	29
30	Snow 10	X	14	–	–	0	84	43	–	21	1	2	30
31	2	X	27	X	–	X	43	1	X	2	X	Snow 8.	31
Total	1.73	.79	1.90	2.19	1.79	2.72	4.11	6.34	1.03	4.51	2.16	2.73	YEAR'S TOTAL 32.60
Rain Days.	15	10	19	16	7	9	13	19	10	23	13	18.	~~32~~ 172

4.50?

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Winchelsea
in the County of Sussex
by C D Campion

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Winchelsea
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	~~0~~·3	0	·1	0	0	·2	0	0	·11	·5	1
2	0	·4	·40	0	0	0	0	·33	0	0	·54	·26	2
3	0	0	·7	·19	·30	0	0	·7		·2	·54	·3	3
4	·1	·3	·2	·1	·20	0	0	·11	·26	0	·44	·1	4
5	0	·9	0	0	·24	0	0	·11	·1	·2	0	·3	5
6	·10	·15	0	·12	·31	0	0	·22	·12	·5	·10	·6	6
7	·3	·14	0	·4	·4	0	0	·3	·75	·4	·1	·0	7
8	0	·3	0	0	0	0	0	0	·10	·1	·14	·3	8
9	·2	0	0	·17	0	·21	0	0	·47	·26	·1	·15	9
10	0	0	0	·3	0	·3	·19	0	·34	·3	0	·21	10
11	0	0	0	·1	·3	0	·4	0	·7	·52	·5	·8	11
12	0	·13	0	0	·17	0	·1	0	·1	·29	0	·3	12
13	·25	·1	·~~8~~·2	0	·16	0	·7	0	·9	·1	0	·4	13
14	·18	0	~~0~~·3	0	0	·6	·33	0	·31	·19	0	·5	14
15	2·09	0	0	·2	0	·5	·12	0	·1	·6	0	·32	15
16	·23	0	0	·13	0	·2	·4	0	0	0	0	0	16
17	·36	0	0	·9	0	·19	·3	0	0	0	0	·38	17
18	·24	0	0	·1	0	·24	0	0	1·15	·14	0	·6	18
19	·14	0	·8	·1	0	·6	0	0	0	·17	0	·3	19
20	·4	·14	·0	·16	0	·2	·89	0	·31	·84	0	0	20
21	·15	0	0	·13	0	0	·2	0	·26	·8	0	·3	21
22	·12	0	0	·2	·10	0	·56	0	·71	0	0	·24	22
23	·7	0	0	0	·5	0	·43	0	0	0	0	·2	23
24	0	·12	0	0	·9	·3	·2	~~·22~~ 0	·22	0	·4	·1	24
25	0	0	0	·2	·2	·4	·1	·10	0	0	·5	0	25
26	·1	·1	0	0	0	0	·10	·2 ~~·12~~	·12	·2	·6	·15	26
27	·1	·3	·3	·16	0	0	·24	·39 ~~·67~~	·67	·2	·5	·7	27
28	0	·8	·30	·5	·11	·36	0	·2 ~~·4~~	0	0	·25	·2	28
29	0		0	·24	0	0	0	0 ~~1·09~~	1·09	0	·3	·01 ~~·1~~	29
30	0	X	·40	·1	0	0	0	·0	·4	·16	0	·16	30
31	0	X	·2	X	0	X	0	0	X	·3	X	·4	31
Total	4·05	1.00	1.00	1.62	1.83	1·31	3.09	1,42	7·11	2·96	2·42	2·57	YEAR'S TOTAL 30·38
Rain Days.	17	13	10	20	14	12	16	11	21	20	15	27	196

W, 6,500, VII. 18. W W C

539

~~W J L~~ and [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Winchelsea

in the County of Sussex

by C W Campion

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·66	·4 sno	·1	0	·5	0	·10	0	0	·18	·2	·71	1
2	·22	0	·8	0	·6	0	·24	0	0	·2	·3	·33	2
3	·26	0	·56	0	·5	0	0	0	·12	0	·2	·24	3
4	·36	·5	·34	0	0	·1	·6	·3	·7	0	·8	·7	4
5	·2	snow ·41	·75	·1	0	0	0	·12	0	0	·3	·34	5
6	·19	0	·4	0	0	0	0	0	0	0	0	·5	6
7	·6	0	·41	0	0	0	0	0	0	0	·7	0	7
8	·30	0	·7	0	0	0	0	0	0	0	0	0	8
9	·39	0	·4	0	0	0	0	0	0	0	·26	0	9
10	·30	0	·9	·5	0	0	0	0	0	0	·7	·4	10
11	·15	0	·7	·39	·3	0	0	0	0	0	0	·13	11
12	·3	0	0	0	0	0	·28	0	0	·12	·4	0	12
13	0	·6	·1	·32	0	0	·1	0	0	·2	0	·6	13
14	·62	·3	0	·59	0	0	·12	0	·6	0	0	·4	14
15	·16	0	·1	·8	0	0	0	0	0	0	·6	·7	15
16	·11	·70	0	0	0	0	0	0	0	0	·15	·2	16
17	0	·41	0	3	0	0	0	0	0	0	·14	·4	17
18	0	·5	·4	0	0	0	·4	0	·1	0	·6	·7	18
19	0	·20	·48	0	0	·1	·13	·17	·1	0	·21	·1	19
20	·37	·8	·14	0	0	·40	·35	·9	0	0	0	·1	20
21	·1	·54	·4	0	0	0	·6	0	0	0	·2	·5	21
22	0	·6	·1	0	0	0	·21	0	·35	0	·4	·9	22
23	0	0	0	0	0	·2	·8	0	·43	0	·7	·2	23
24	0	·21	0	·23	0	0	·2	·2	·1	0	·57	·2	24
25	·4	·1	0	0	·7	0	0	·21	0	0	0	·5	25
26	·7	·12	·13	·7	0	0	·21	·6	·4	0	·23	·56	26
27	·29	0	·12	·74	0	0	·1	·19	0	0	·14	·2	27
28	·2	0	·17	·15	0	0	0	·34	0	0	·57	·43	28
29	·5		6	·14	0	0	0	·5	0	·28	·40	·26	29
30	0		·1	·30	0	0	0	·48	0	·11	·12	·40	30
31	·10		6		0		·1	·8		·25		·2	31
TOTAL	(snow. 4·78	2·97	3·62	3·10 ~~3·00~~	·26	·44	1·93	1·78	1·10	·98	3·28	4·15	YEAR'S TOTAL ~~28·29~~ 28·39
Days with ·01 in. or more	23	15	22	13	5	4	16	11	9	7	23	27	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W

536

7 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Winchelsea

in the County of Sussex

by C W Campion

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Winchelsea
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	0	0	·4	·2	0	·4	0	0	·37	0	·31	1
2	0	[illegible]	0	0	·3	0	0	·57	·5	·3	0	·16	2
3	0	0	0	·2	0	·2	0	0	·1	·1	0	·10	3
·6 4	0	[illegible]	·1	·9	0	0	·39	·7	0	0	0	·15	4
5	0	0	·2	0	·2	0	·32	·6	·2	0	0	·11	5
6	0	0	·9	0	·13	0	·31	0	0	0	0	0	6
7	·8	0	0	·10	·30	0	·8	[illegible]	0	·3	0	·2	7
8	0	0	0	·15	·2	0	·30	[illegible]	0	0	0	0	8
9	0	·7	0	·1	·5	·2	·2	[illegible]	0	0	0	0	9
10	1·03	·26	·3	·27	0	·2	·3	[illegible]	0	0	·3	0	10
11	·37	0	·10	·16	·3	0	·40	0	0	0	0	·2	11
12	·8	·8	·1	·11	0	·41	0	0	0	0	0	·2	12
13	·26	·7	·18	0	0	0	0	0	·2	0	·4	0	13
14	0	·6	·44	·26	0	·7	0	0	·1	·30	·55	0	14
15	·2	·1	·3	·1	0	0	0	0	·67	·20	0	·4	15
16	·1	0	0	·3	·11	0	0	0	·32	0	0	·23	16
17	·1	0	0	·6	·19	0	·7	0	·56	0	·15	0	17
18	·7	0	0	0	·18	0	0	·91	·76	0	0	·3	18
19	·11	0	0	·26	0	0	0	·2	·7	0	0	·4	19
20	·5	·6	0	·8	0	·53	0	·1	·89	0	0	0	20
21	·0	·1	0	0	0	0	·7	0	·15	0	0	·68	21
22	·1	0	0	·25	0	0	0	0	0	0	0	·48	22
23	0	0	0	0	0	0	·65	0	0	0	0	·53	23
24	·2	0	·5	0		0	0	0	·2	·1	·1	·15	24
25	0	0	·2	·1	0	0	·27	0	·1	0	0	0	25
26	·3	0	·13	·7	0	0	0	0	0	0	0	·1	26
27	·41	·8	·1	·13	0	·4	·2	0	0	0	·8	·34	27
28	·23	·2	0	·13	·38	0	·23	0	0	0	·61	·4	28
29	·62	0	·2	·19	0	0	0	0	0	0	·23	·8	29
30	·4		·2	·2	0	·2	·2	0	·22	0	·24	·24	30
31	·5		·5		0		0	0		·7		·40	31
Total	3·63	·78	~~1·24~~ 1·21	2·45	1·46	1·13	3·22	1·64	3·78	1·10	~~1·96~~ 1·94	4·18	Year's Total ~~26·57~~ 26·52
Days with ·01 in. or more	20	11	17	22	12	8	16	6	15	8	9	22	166
Days with ·04 in. or more	14	8	~~17~~ 7	16	7	4	12	4	9	4	7	17	~~105~~ 109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

82

83

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

WINCHELSEA
{NESBIT. COTT.}
SUSSEX

1911 - 1915

REG

Kept at Winchelsea

in the County of E. Su

by Gertrude Le

in.

round 1 ft. 2 in.

a Level 124 ft.

me

tance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·80							·04	·01	1
2	·07		·04	·03	·39			·06			·28	·33	2
3	·04	·01		·03	·10					—	·14	·42	3
4	·03	·02	·05	·22						·40	·33	·20	4
5	·08			·08							·07	·15	5
6	·26									·18		·33	6
7	·06	·02								·68	1·06	·55	7
8	·07		·12							·03	·87	·18	8
9	·14		·07	·03						·02	·52	·08	9
10	·01	·14	·02	·06						·02	·12	·72	10
11	·71		·02								1·40		11
12	·03		·77							·07	·18	·02	12
13			·03		·32					·10	·01	·27	13
14					·03				·49	·01		·34	14
15		·09	·02			·01				·02	·15	·17	15
16		·04	·20								·34	·10	16
17	·01					·34					·21	·07	17
18		·01	·04			·07				·01	·93	·33	18
19		·14				·06				·13	·05	·20	19
20	·01		·02		—	·01			·10	·12		·49	20
21	·02	·01		—				·86	·16	·33		·20	21
22	·04	·13	·23			·11				·47		·65	22
23	·03	·03	·03			·98		·74	·21	1·05	·08	·14	23
24	·03	·26				·10				1·00		·36	24
25		·13	·25	·08		·07	·08	·03	·06	·03		·01	25
26		·03	·19	·30	·06	·15				·37	·24	·31	26
27		·31	·09	·05					·10	·51		·07	27
28		·36	·01	·22							·02	·01	28
29				·01		·18				·50	·01	·01	29
30				·06		·05	·31		·35	·25		·01	30
31								·09					31
Total	1·74	1·73	2·20	1·97	·90	2·13	·39	1·78	1·47	6·30	7·05	6·73	TOTAL for year 34·39 ✓
No. of Rain Days	18	16	18	13	5	12	2	5	7	22	21	29	168 ✓

9,000, IX. '10.

8L ✓

REG

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

83

Kept at Winchelsea

in the County of E. Sussex

by Gertrude Leigh

6

RAIN GAUGE	Diameter of top 5 in.	
	Height of top above Ground 1 ft. 2 in.	
	" " " Sea Level 124 ft.	

Time of Observation —

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·80							·04	·01	1
2	·07		·04	·03	·39			·06			·28	·33	2
3	·04	·01		·03	·10						·14	·42	3
4	·03	·02	·05	·22						·40	·33	·20	4
5	·08			·08							·07	·15	5
6	·26									·18		·33	6
7	·06	·02								·68	1·06	·55	7
8	·07		·12							·03	·87	·18	8
9	·14		·07	·03						·02	·52	·08	9
10	·01	·14	·02	·06						·02	·12	·72	10
11	·71		·02								1·40		11
12	·03		·77							·07	·18	·02	12
13			·03		·32					·10	·01	·27	13
14					·03				·49	·01		·34	14
15		·09	·02			·01				·02	·15	·17	15
16		·04	·20								·34	·10	16
17	·01					·34					·21	·07	17
18		·01	·04			·07				·01	·93	·33	18
19		·14				·06				·13	·05	·20	19
20	·01		·02			·01			·10	·12		·49	20
21	·02	·01						·86	·16	·33		·20	21
22	·04	·13	·23			·11				·47		·65	22
23	·03	·03	·03			·98		·74	·21	1·05	·08	·14	23
24	·03	·26				·10				1·00		·36	24
25		·13	·25	·08		·07	·08	·03	·06	·03		·01	25
26		·03	·19	·30	·06	·15				·37	·24	·31	26
27		·31	·09	·05					·10	·51		·07	27
28		·36	·01	·22							·02	·01	28
29				·01		·18				·50	·01	·01	29
30				·06		·05	·31		·35	·25		·01	30
31								·09					31
Total	1·74	1·73	2·20	1·97	·90	2·13	·39	1·78	1·47	6·30	7·05	6·73	TOTAL for year 34·39 ✓
No. of Rain Days	18	16	18	13	5	12	2	5	7	22	21	29	168 ✓

81

86

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Winchelsea

in the County of Sussex 6

by Miss G. Leigh

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·22			·40	·07		·09	·55		·33	1
2		·06	·08			·36	·07			·01		·01	2
3	·07	·03	·05			·23	·01	·14	·02		·03	·01	3
4	·18		·59		·01	·85		·19			·19		4
5	·11	·27	·09			·23		·17			·21	·01	5
6	·62	·15	·15					·90			·01	·04	6
7	·01	·01	·01		·16	·25		·29				·12	7
8	·58	·33	·12			·03	·01	·02			·10	·01	8
9	·04	·02	·02	·08			·10	·13				·11	9
10	·01	·03						·41	·03		·07	·23	10
11	·05	·27				·41		·07	·02			·15	11
12	·01	·19	·01			·14	·04	·71				·05	12
13		·03	·05				·03				·17	·07	13
14			·08		·10					·02	·03	·02	14
15		·05	·08		·08	·76		·02				·27	15
16	·11	·02	·21		·13	·06		·13		·06	·02		16
17	·53		·46			·02		·06			·02	·04	17
18	·04	·01	·30				·12	·28		·06		·41	18
19	·04	·30	·22		·02		·03	·31			·02		19
20	·01	·03	·50					·07		·62	·02	·01	20
21	·02	·17	·20					·12		·35	·05		21
22	·03	·46	·28			·01	·04	·11			·01		22
23	·56	·32	·38					·30		·39	·14	·04	23
24	·13	·05	·01				·03	·19		·24		·18	24
25	·17	·04				·32	·02	1·02			·49	·47	25
26	·01	·06						·11		·29	·27	·43	26
27		·01					·10			·16	·02	·37	27
28		·03					·20	·11	·02	·66	·38	·08	28
29	·01	·02		·08			·11	·15	1·12	·19	·21		29
30	·02		·02		·05			·21	1·59	·35			30
31							·11	·18					31
Total	3·37	2·96	4·13	·16	·55	4·07	1·09	6·40	2·89	3·95	2·46	3·46	TOTAL for year 35·49
No. of Rain Days.	24	25	23	2	7	14	16	26	7	14	20	23	201

W. 8,000, X. '11.

82.

89

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Winchelsea, Nesbit Cottage

in the County of Sussex 6

by Miss G. Leigh

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·48	·12	·10		·10				·07	·18	·08	1
2	·02	·25	·01				·15				·15	·02	2
3	·01	·01	·06	·60	·20		·01			·06		·13	3
4	·10		·09	·01	·02		·06		·55	·14	·17		4
5	·17	·02	·03	·02		·02	·06		·89	·11	·38	·06	5
6	·06	·02	·16			·05	·22			·52	·30	·06	6
7		·25	·08	·01	·03	·05	·12			·16	·05	·02	7
8		·04	·03		·21	·05				·49	·06	·02	8
9		·08	·01	·01	·17			·45	·17		·03		9
10	·02		·02	·02			·09				·50		10
11	·68			·43						·45	·02		11
12					·03						·60	·02	12
13	·59		·02					·06	·01		·19		13
14	·12		·13	·05			·10		·03	·09	·12		14
15	·20	·01	·31	·19			·21		·02		·02		15
16	·46		·66	·25					·31				16
17	·12	·04	·05	·04			·25	·02	·03		·06	·04	17
18	·01		·06	·32			·04		·12		·18		18
19	·06		·14		·14		·12	·03	·14		·01		19
20	·36		·02	·06	·01	·24				·37	·03		20
21	·03		·09	·10	·10				·01	·48	·57		21
22	·28		·06				·08		·05				22
23	·05					·01			·01	·05		·70	23
24	·08		·11					·02			·05		24
25				·33		·10	·01				·01	·01	25
26	·02	·03	·19	·01			·02	·03		·87		·34	26
27		·02	·07		·02					·15			27
28	·15		·30	·02						·51			28
29	·20		·03	·35	·08			·31		·01			29
30	·64		·20	·16	·12			·56	·01	·04		·10	30
31	·01		·08					·95		·14			31
Total	4·46	1·25	3·13	3·08	1·13	·62	1·54	2·43	2·35	4·71	3·68	1·60	YEAR'S TOTAL 29·98
Rain Days.	25	12	27	20	12	8	15	9	14	18	21	13	194

W. 7,500, XI. ·12

DL
written 20.II.15

72

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Winchelsea

in the County of Sussex 6

by Miss G. Leigh

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·07				·03	·10	1
2							·07	·02			·11	·21	2
3	·04		·15	·04	·21						·37	·02	3
4			·01	·36				·36				·59	4
5	·16		·11	·28			·09	·03					5
6		·03		·16	·03	·03		·11				·53	6
7	·06	·45	·39	·02	·02	·08	·04					·39	7
8	·11	·21	·41		·02	·01	·08					·15	8
9	·30		·63	·10					·07			1·17	9
10		·03	·03	·11	·09				·27		·01	·04	10
11		·33	·70	·08	·04	·01					·07	·32	11
12		·04	·09			·05	·02		·49		·02	·53	12
13	·06	·51	·27			·10			·20	·14	·10	·57	13
14		·18	·27			·02	·07			·50	·11	·37	14
15		·05	·48				·41	·02			·97	·01	15
16		·40	·03				·08		·10				16
17		·36	·13				·02		·20	·04		·14	17
18		·14	·19							·03	·02	·45	18
19		·09	·65				·23			·10	·25	·51	19
20		·13	·31				·01			·14		·60	20
21		·84	·05							·03		·08	21
22		·03			·04	·07	·45			·10			22
23			·91	·01		·75	·01			·01			23
24			·02		·05					·01	·02		24
25	·14		·18		·02			·07		·39	·17		25
26	·06		·05					·37		·16	·10	·30	26
27					·03						·17	·61	27
28	·05	·03								·50	·63	·30	28
29	·06									·62	·05	·01	29
30	·01		·12	·02						·12	·90	·03	30
31	·01				·36		·01			·01		·16	31
Total	1·06	3·85	6·18	1·18	·91	1·12	1·66	·98	1·33	2·90	4·10	8·19	YEAR'S TOTAL 33·46
Rain Days.	12	17	23	10	11	9	15	7	6	16	18	25	169

W.7,000, XI. 13

escd 98

636

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Nesbit Cottage Winchelsea
in the County of Sussex 6
by Gertrude Leigh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Winchelsea
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·10	·11	–	–	–	–	·46	1·03	–	·07	·27	1
2	·40	·26	·16	·08	·01	–	–	–	·11	·01	–	·19	2
3	·30	–	·02	·24	·25	–	–	·04	·22	–	–	·48	3
4	·04	–	–	·02	–	–	–	·21	–	·03	·08	·38	4
5	·08	·27	–	·13	–	–	–	·06	–	–	–	·43	5
6	·54	·36	–	·48	–	–	·08	–	–	·05	–	·25	6
7	·47	·32	–	·05	–	–	·01	–	–	–	–	·34	7
8	·05	·06	snow ·14	·01	–	–	·15	–	–	–	·18	·01	8
9	–	·21	–	·06	–	·14	–	–	–	–	·57	·99	9
10	·37	·01	·02	–	–	·04	·02	–	–	–	–	·64	10
11	–	·02	–	–	–	–	–	–	–	·02	·95	·06	11
12	·07	·09	–	·30	·15	–	–	–	–	·07	·70	–	12
13	·03	·86	–	·03	1·50	–	–	–	–	–	–	–	13
14	·07	·04	–	–	–	–	·40	·01	·05	–	–	·50	14
15	·17	–	–	–	–	–	·27	·14	·03	–	·25	·27	15
16	–	·46	–	–	·25	–	1·09	·15	–	·01	–	–	16
17	·01	·63	–	·05	1·41	–	–	·15	–	–	–	·26	17
18	–	·08	snow ·02	–	·15	–	–	–	–	·01	–	·08	18
19	–	–	–	–	–	–	–	–	–	·02	–	–	19
20	·36	·12	–	·01	–	–	–	·02	–	–	–	·19	20
21	·09	–	–	–	–	–	–	–	–	–	–	·05	21
22	·01	–	·05	–	–	–	·84	–	–	–	–	·22	22
23	·05	–	·03	–	–	–	·02	–	·01	–	–	·76	23
24	·01	snow ·07	·15	·07	–	–	·05	–	·25	·59	–	·33	24
25	–	–	–	·05	–	–	·15	–	–	·01	–	·28	25
26	–	·03	–	–	–	·05	·01	–	–	–	·01	·85	26
27	–	–		–	–	·19	·02	–	–	·37	–	·02	27
28	trace snow	·09	·03 snow	–	–	·05	–	–	1·00	– x	–	–	28
29	–	–	–	–	·03	·06	·25	·42	–	– x	·50	·01	29
30	·30	✕	–	–	–	–	·01	–	·03	1·58 x	·19	·01	30
31	·02	✕	–	✕	–	✕	–	–	✕	·43	✕	·41	31
Total	4·05	4·08	0·73	1·58	3·75	0·53	3·37	1·66	2·73	3·20	3·50	8·28	YEAR'S TOTAL 37·46
Rain Days.	21	19	10	14	8	6	15	10	9	15	10	26	163

W. 8,000. X. 15.

~~29.~~

REGIS 1912

WORTHING

SUSSEX

1912-20

FORM A2. BRITISH RAINFALL.

1 JAN 1913

Kept at Worth
in the County of Su
by Town C

eteorological Office
f top 8 in.
p above Ground 1 ft. 0 in.
„ Sea Level 36·25 ft.
9 am.
ation { Name Worthing
Distance 3/8 mile Direction N. from O.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·0	0·04	0·04	0·03	0·33	0·10	0·0	0·01	0·70	0·0	0·27	1
2	0·0	0·0	0·38	0·0	0·0	0·02	0·23	0·0	0·0	0·0	0·0	0·0	2
3	0·01	0·0	0·05	0·0	0·0	0·15	0·0	0·42	0·02	0·0	0·0	0·0	3
4	0·18	0·10	0·54	0·0	0·0	0·30	0·0	0·08	0·0	0·0	0·18	0·01	4
5	0·34	0·05	0·07	0·0	0·0	0·04	0·0	0·25	0·0	0·0	0·13	0·0	5
6	0·60	0·11	0·03	0·0	0·07	0·01	0·0	0·81	0·01	0·0	0·0	0·12	6
7	0·0	0·02	0·02	0·0	0·28	0·64	0·0	0·18	0·0	0·0	0·0	0·04	7
8	0·66	0·38	0·19	0·01	0·0	0·06	0·0	0·26	0·0	0·0	0·0	0·01	8
9	0·03	0·06	0·09	0·04	0·0	0·0	0·15	0·25	0·0	0·0	0·0	0·09	9
10	0·0	0·08	0·0	0·0	0·0	0·0	0·0	0·14	0·0	0·0	0·02	0·37	10
11	0·04	0·57	0·0	0·0	0·01	0·0	0·0	0·08	0·0	0·0	0·0	0·15	11
12	0·0	0·07	0·04	0·0	0·12	0·12	0·06	0·39	0·0	0·0	0·02	0·0	12
13	0·01	0·02	0·01	0·0	0·0	0·0	0·31	0·02	0·0	0·0	0·03	0·23	13
14	0·0	0·0	0·0	0·0	0·07	0·0	0·0	0·10	0·0	0·04	0·0	0·02	14
15	0·01	0·08	0·14	0·0	0·16	0·60	0·0	0·01	0·0	0·0	0·01	0·21	15
16	0·12	0·01	0·19	0·0	0·13	0·0	0·0	0·15	0·0	0·07	0·01	0·0	16
17	0·45	0·0	0·26	0·0	0·22	0·08	0·0	0·14	0 0	0·0	0·14	0·54	17
18	0·08	0·0	0·38	0·0	0·0	0·0	0·0	0·14	0·0	0·02	0·0	0·45	18
19	0·09	0·09	0·29	0·0	0·0	0·02	0·03	0·08	0·0	0·0	0·03	0·0	19
20	0·02	0·01	0·58	0·0	0·0	0·0	0·0	0·02	0·0	0·50	0·01	0·0	20
21	0·01	0·16	0·29	0·0	0·14	0·0	0·01	0·20	0·0	0·18	0·10	0·0	21
22	0·12	0·60	0·03	0·0	0·0	0·0	0·0	0·19	0·0	0·0	0·0	0·05	22
23	0·38	0·15	0·30	0·0	0·0	0·0	0·0	0·41	0·0	0·15	0·15	0·04	23
24	0·01	0·07	0·01	0·0	0·0	0·0	0·0	0·34	0·0	0·11	0·0	0·17	24
25	0·11	0·0	0·01	0·0	0·0	0·25	0·0	0 85	0·0	0·07	0·28	0·55	25
26	0·0	0·05	0·0	0·0	0·0	0·02	0·0	0·04	0·0	0·37	0·91	0·27	26
27	0·0	0·02	0·01	0·0	0·0	0·03	0·01	0·0	0·0	0·18	0·0	0·47	27
28	0·0	0·07	0·0	0·0	0·0	0·0	0·18	0·12	0·13	0·79	0·50	0·16	28
29	0·0	0·03	0·0	0·0	0·0	0·0	0·13	1·17	1·43	0·02	0·05	0·0	29
30	0·0	—	0·0	0·0	0·20	0·0	0·0	0·13	1·11	0 45	0·02	0·0	30
31	0·0	—	0·07		0·01		0·12	0 18		0·0		0·0	31
Total	3·28	2·80	4·02	0·09	1·44	2·67	1·33	7·15	2·71	3·65	2·59	4·22	TOTAL for year 35·95
No. of Rain Days.	20	22	24	3	12	15	11	28	6	14	17	20	192.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
1 JAN 1913

Kept at Worthing

in the County of Sussex 3

by Town Council

RAIN GAUGE
Pattern Meteorological Office
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 36·25 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Worthing
Distance 3/8 mile Direction N. from O.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·0	0·04	0·04	0·03	0·33	0·10	0·0	0·01	0·70	0·0	0·27	1
2	0·0	0·0	0·38	0·0	0·0	0·02	0·23	0·0	0·0	0·0	0·0	0·0	2
3	0·01	0·0	0·05	0·0	0·0	0·15	0·0	0·42	0·02	0·0	0·0	0·0	3
4	0·18	0·10	0·54	0·0	0·0	0·30	0·0	0·08	0·0	0·0	0·18	0·01	4
5	0·34	0·05	0·07	0·0	0·0	0·04	0·0	0·25	0·0	0·0	0·13	0·0	5
6	0·60	0·11	0·03	0·0	0·07	0·01	0·0	0·81	0·01	0·0	0·0	0·12	6
7	0·0	0·02	0·02	0·0	0·28	0·64	0·0	0·18	0·0	0·0	0·0	0·04	7
8	0·66	0·38	0·19	0·01	0·0	0·06	0·0	0·26	0·0	0·0	0·0	0·01	8
9	0·03	0·06	0·09	0·04	0·0	0·0	0·15	0·25	0·0	0·0	0·0	0·09	9
10	0·0	0·08	0·0	0·0	0·0	0·0	0·0	0·14	0·0	0·0	0·02	0·37	10
11	0·04	0·57	0·0	0·0	0·01	0·0	0·0	0·08	0·0	0·0	0·0	0·15	11
12	0·0	0·07	0·04	0·0	0·12	0·12	0·06	0·39	0·0	0·0	0·02	0·0	12
13	0·01	0·02	0·01	0·0	0·0	0·0	0·31	0·02	0·0	0·0	0·03	0·23	13
14	0·0	0·0	0·0	0·0	0·07	0·0	0·0	0·10	0·0	0·04	0·0	0·02	14
15	0·01	0·08	0·14	0·0	0·16	0·60	0·0	0·01	0·0	0·0	0·01	0·21	15
16	0·12	0·01	0·19	0·0	0·13	0·0	0·0	0·15	0·0	0·07	0·01	0·0	16
17	0·45	0·0	0·26	0·0	0·22	0·08	0·0	0·14	0 0	0·0	0·14	0·54	17
18	0·08	0·0	0·38	0·0	0·0	0·0	0·0	0·14	0·0	0·02	0·0	0·45	18
19	0·09	0·09	0·29	0·0	0·0	0·02	0·03	0·08	0·0	0·0	0·03	0·0	19
20	0·02	0·01	0·58	0·0	0·0	0·0	0·0	0·02	0·0	0·50	0·01	0·0	20
21	0·01	0·16	0·29	0·0	0·14	0·0	0·01	0·20	0·0	0·18	0·10	0·0	21
22	0·12	0·60	0·03	0·0	0·0	0·0	0·0	0·19	0·0	0·0	0·0	0·05	22
23	0·38	0·15	0·30	0·0	0·0	0·0	0·0	0·41	0·0	0·15	0·15	0·04	23
24	0·01	0·07	0·01	0·0	0·0	0·0	0·0	0·34	0·0	0·71	0·0	0·17	24
25	0·11	0·0	0·01	0·0	0·0	0·25	0·0	0·85	0·0	0·07	0·28	0·55	25
26	0·0	0·05	0·0	0·0	0·0	0·02	0·0	0·04	0·0	0·37	0·91	0·27	26
27	0·0	0·02	0·01	0·0	0·0	0·03	0·01	0·0	0·0	0·18	0·0	0·47	27
28	0·0	0·07	0·0	0·0	0·0	0·0	0·18	0·12	0·13	0·79	0·50	0·16	28
29	0·0	0·03	0·0	0·0	0·0	0·0	0·13	1·17	1·43	0·02	0·05	0·0	29
30	0·0	—	0·0	0·0	0·20	0·0	0·0	0·13	1·11	0·45	0·02	0·0	30
31	0·0	—	0·07		0·01		0·12	0·18		0·0		0·0	31
Total	3·28	2·80	4·02	0·09	1·44	2·67	1·33	7·15	2·71	3·65	2·59	4·22	TOTAL for year 35·95
No. of Rain Days.	20	22	24	3	12	15	11	28	6	14	17	20	192

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Worthing

in the County of Sussex. 3

by R. H. Wilshaw Esq. M.B. B.S. (Lond) D.P.H. M.O.H.
(Worthing Registrar)

RAIN GAUGE	Pattern meteorological
	Diameter of top 8 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 36·25 ft.

Time of Observation 9 am. Lat. 50·49 N. Long. 0·22 W.

Nearest Railway Station Name
Distance 700 yds Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·42	0·13	0·11	—	0·03	—	—	0·10	0·02	0·08	0·09	1
2	0·02	0·14	—	0·02	—	—	0·08	—	—	0·36	0·14	0·04	2
3	—	—	0·05	0·11	0·35	—	—	—	—	—	—	0·12	3
4	0·43	—	0·09	—	0·06	—	0·01	—	1·69	0·12	0·09	0·01	4
5	0·07	0·04	0·02	—	—	0·23	0·06	—	0·04	0·04	0·32	0·02	5
6	—	0·04	0·08	0·01	0·12	0·13	0·24	—	—	0·53	0·11	0·25	6
7	—	0·29	0·13	—	0·11	—	0·05	—	—	0·19	0·13	—	7
8	—	0·18	0·01	—	0·17	0·07	—	0·16	—	0·14	—	0·05	8
9	—	0·04	—	—	0·16	0·02	0·02	—	0·16	—	0·04	0·01	9
10	0·03	—	—	0·02	—	0·02	0·99	—	—	0·10	0·50	—	10
11	0·77	—	—	0·43	—	—	—	—	—	0·44	0·20	—	11
12	—	—	—	—	0·65	—	—	—	—	—	1·07	—	12
13	0·26	—	0·03	—	—	—	—	0·02	0·12	—	0·17	—	13
14	0·28	—	0·13	0·01	—	—	0·80	0·01	0·11	0·03	0·15	—	14
15	0·18	0·10	0·48	0·35	—	—	0·18	—	0·10	—	—	—	15
16	0·21	—	0·41	0·14	—	—	0·01	—	0·03	—	—	—	16
17	0·08	0·02	—	0·11	—	—	0·28	—	—	—	0·01	—	17
18	0·01	—	0·10	0·15	—	—	0·09	—	—	—	0·06	—	18
19	0·30	—	0·04	—	0·01	0·08	0·07	—	0·40	—	—	—	19
20	0·34	—	0·08	0·12	—	0·75	—	—	—	0·48	—	—	20
21	—	—	0·10	0·24	—	—	—	—	—	0·69	0·63	—	21
22	0·35	—	0·47	—	—	—	—	0·05	0·19	0·25	—	0·01	22
23	—	—	0·10	—	—	0·02	—	0·09	—	—	—	0·82	23
24	0·11	—	—	0·04	—	—	—	0·22	—	—	0·04	—	24
25	—	0·02	—	0·23	—	—	—	—	—	—	—	—	25
26	—	—	0·12	—	—	—	—	0·11	—	0·74	0·01	0·22	26
27	—	—	0·19	0·08	—	—	—	—	—	0·05	—	—	27
28	0·12	—	0·18	0·03	—	—	—	—	—	0·10	—	—	28
29	0 12		0·04	0·31	0·77	—	—	0·13	—	0·22	0·01	—	29
30	0·54		—	0·16	—	—	—	0·68	—	0·09	—	—	30
31	0·03		0·12		—			2·47		0·14		—	31
Total	4·28	1·29	3·10	2·67	2·40	1·35	2·88	3·94	2·94	4·73	3·76	1·64	TOTAL for year 34·98
No. of Rain Days.	20	10	22	19	9	9	13	10	10	19	18.	11	179

W. 8,000, X. '11.

FORM A3
BRITISH RAINFALL

5 APR 1915

REGISTER OF RAINFALL IN 1914

3

Kept at Worthing
in the County of Sussex
by Borough. Meteorologist

RAIN GAUGE
Pattern Met. Office. Lat. 50·49' Long. 0·22'
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 36·25 ft.

Time of Observation 9 am

Nearest Railway Station
Name Worthing
Distance 1/4 m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	--	-	-	0.10	-	-	0.01	0.20	-	-	0.13	0.08	1
2	-	-	-	0.01	-	-	0.08	-	-	-	0.06	0.15	2
3	-	-	0.05	-	0.23	-	0.02	-	-	-	-	-	3
4	-	-	-	0·30	-	-	0.05	0.06	-	-	0.33	0.49	4
5	0.13	-	0.13	0.32	0.01	-	0.26	0.11	-	-	-	-	5
6	-	0.10	0.01	0.17	0.05	0.05	-	0.01	-	-	-	0.54	6
7	0.01	0.37	0.22	0.18	0.02	0.01	0.16	-	-	-	-	0.19	7
8	0.03	0.47 m	0.30	0.10	0.02	0.09	0.02	0.07	-	-	-	0.26	8
9	0.06	-	0.52	0.09	-	-	-	0.01	0.04	-	-	1.24	9
10	0.09	0.09	0.02	0.16	0.21	-	-	-	0.14	-	0.01	-	10
11	-	0.58	0.49	0.02	0.09	0.01	-	-	0.15	-	0.03	0.81	11
12	-	0.14	0.16	-	-	-	0.54	-	0.54	0.05	-	0.53	12
13	-	0.38	0.13	-	-	0.03	-	-	0.19	0.01	0.11	0.43	13
14	-	0.20	0.18	-	-	-	-	0.03	-	0.43	0.20	0.44	14
15	-	0.06	0.21	-	-	-	-	0.32	-	0.01	0.94	-	15
16	-	0.09	-	-	-	-	0.22	-	0.18	-	-	-	16
17	-	0.53	0.17	-	-	-	0.01	-	0.05	-	-	0.17	17
18	-	0.06	0.38	-	-	-	-	-	-	-	-	0.23	18
19	-	0.13	0.74	-	-	-	0·20	-	-	-	0.11	0.16	19
20	-	0.16	0.12	-	-	0.14	-	-	-	0.02	-	0.37	20
21	-	0.44	0.08	-	-	0.01	-	-	-	0.08	-	-	21
22	-	0.07	0.13	-	0.07	0.08	0.05	0.04	-	0.26	-	-	22
23	-	-	0.27	-	-	0.61	-	-	-	0.02	-	-	23
24	-	-	0.02	-	-	-	-	-	-	-	0.13	-	24
25	0.02	-	0·30	-	-	-	0.03	0.18	-	0.38	0.02	0.09	25
26	-	-	-	-	-	-	0.01	0.12	-	0.06	0.13	0.63	26
27	0.03	-	-	-	-	-	-	-	-	-	0.10	0.39	27
28	0.01	0.02	-	-	0.03	-	-	-	-	0.67	0.33	0.42	28
29	0.12	-	0.07	-	--	-	-	-	-	0.44	0.15	0.02	29
30	-		0.09	0.45	-	-	-	-	-	0.07	0.90	0·37	30
31	0.02		-		0·12		0.03	-		0.01		—	31
Total	0·52	3·89	4·79	1·90	0·85	1·03	1·69	1·15	1·29	2·51	3·68	8·01	TOTAL for year 31·31
No. of Rain Days	10	17	23	11	10	9	15	11	7	14	16	21	164

7,000. X. '09.

Ex [illegible] 547

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
4.11.1916

Kept at Worthing

in the County of Sussex. 3

by Meteorological Observer, Worthing.

Lat. 50·49 N. Long. 0·22 W.

Time of Observation 9 am

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 36·25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·58	0·21	0·04	—	—	—	—	—	0.09	0·05	0.02	0·48	1
2	0·21	0·16	0·19	0·19	—	—	—	0.08	0·10	0·09	—	0·28	2
3	0·33	—	0·11	0·17	0·24	0·01	—	0·02	—	—	—	0·57	3
4	0·07	—	—	0·01	—	—	—	—	—	—	—	0·39	4
5	0 08	0·32	—	0·03	0·01	—	—	0·15	—	—	—	0·57	5
6	0·87	0·19	0·01	0·44	—	—	0.26	—	—	—	—	0·24	6
7	0·29	0·35	0.03	0·08	—	—	0·14	—	—	—	—	0·16	7
8	0·02	0·47	—	—	—	—	0·35	—	—	—	0·04	0.03	8
9	0·03	0·07	—	0·07	—	0·08	—	0·08	—	—	0·39	0.85	9
10	0·28	—	0·03	—	—	—	—	—	—	—	—	0·61	10
11	0·04	—	0·08	—	—	—	—	—	—	0·08	0 78	0·03	11
12	0·05	0·30	—	0·22	0·44	—	—	—	—	—	0·48	—	12
13	0·10	0·41	—	—	1·68	—	—	—	0·10	—	—	—	13
14	0·05	—	—	—	—	—	0·12	0·03	0·08	—	—	0·61	14
15	0·12	—	—	—	0·07	—	0·09	0·44	—	—	0·07	0·26	15
16	0·01	0·67	—	—	0,14	—	0·82	0·75	—	—	—	0·02	16
17	—	0·38	—	—	1·14	—	0·03	—	—	—	—	—	17
18	—	0·02	—	—	0·05	—	—	—	—	—	0·08	—	18
19	—	0·05	—	—	0·04	—	—	—	—	0·01	—	—	19
20	0·26	—	—	0·02	0·03	—	—	—	—	—	—	0·09	20
21	0·05	—	—	—	—	—	—	—	—	0·57	—	0·13	21
22	0·37	0·02	0·09	—	—	—	0·74	—	—	—	—	0·17	22
23	—	0·03	0·20	—	—	—	—	—	0·01	0·20	—	1·17	23
24	—	—	—	—	—	—	0·01	—	0·23	0·75	—	0·41	24
25	—	—	0·02	0·02	—	—	0·01	—	—	—	—	0·18	25
26	—	0·10	—	—	—	0·07	0·20	—	—	—	—	0·80	26
27	—	0·01	—	—	—	0·03	0·04	—	—	0·38	—	0·02	27
28	—	0·07	—	—	—	0·30	0·06	—	0·92	0·12	0·02	—	28
29	—		—	—	0·01	—	0·02	0·20	—	—	0·77	0·03	29
30	0·29	X	—	—	—	—	—	—	0·01	0·48	0·50	0·02	30
31	0·02	X	—	X	—	X	—	1·05	X	0·77	X	0·30	31
Total	4·12	3·83	0·80	1·25	3·85	0·49	2·89	2·80	1·54	3·50	3·15	8·42	YEAR'S TOTAL 36·64
Rain Days.	21	18	10	10	11	5	14	9	8	11	10	25	152

8,000. X. 15.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Worthing

in the County of Sussex.

by The Corporation

Lat. 50°.49′ N Long. 0·22 W.

Time of Observation 9 am

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 36·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·06	0·01	–	–	0·18	0·02	–	–	0·04	0·08	0·47	–	1
2	0·28	0·07	0·23	–	0·33	–	0·04	–	–	0·68	0·06	–	2
3	0·03	0·34	0·09	–	–	–	0·06	–	0·09	0·52	0·62	–	3
4	0·15	0·06	–	–	0·01	0·49	–	–	0·19	0·04	0·23	–	4
5	0·04	0·02	–	–	0·13	0·03	–	–	–	0·04	0·43	–	5
6	–	0·04	0·02	0·02	0·01	0·03	0·29	–	–	0·03	0·33	–	6
7	0·01	–	0·48	–	0·23	–	–	–	–	0·05	0·44	0·03	7
8	–	–	0·01	–	0·27	–	–	–	–	–	–	0·56	8
9	–	–	–	–	0·18	–	0·02	–	–	–	–	0·09	9
10	–	0·59	0·02	0·04	–	0·69	0·06	–	–	–	0·02	0·27	10
11	0·06	0·12	–	0·10	–	0·26	–	–	0·01	–	–	0·15	11
12	0·04	0·08	0·06	0·03	0·03	0·09	0·08	–	–	0·03	–	–	12
13	–	0·21	0·08	0·02	0·01	0·09	–	0·03	–	–	–	0·05	13
14	–	0·81	0·26	0·02	0·10	–	–	–	–	–	–	0·13	14
15	–	0·31	0·18	–	–	–	–	–	–	–	–	–	15
16	0·06	–	0·21	0·20	–	–	0·12	0·01	–	–	–	–	16
17	0·20	0·20	–	0·13	–	–	–	–	0·29	0·68	–	–	17
18	0·01	0·06	0·02	0·03	–	–	–	0·42	0·16	0·09	0·52	0·34	18
19	0·14	–	0·15	0·14	–	0·08	–	0·01	0·02	–	0·60	0·02	19
20	0·10	0·01	0·19	0·01	–	–	–	–	–	–	0·25	0·64	20
21	0·01	–	0·35	–	–	–	0·04	–	–	–	0·09	0·57	21
22	–	–	–	–	–	0·02	–	–	–	0·02	0·02	0·53	22
23	0·01	0·10	0·02	–	–	0·02	–	0·01	–	0·25	–	–	23
24	–	–	–	–	0·14	0·02	–	0·01	–	0·35	0·04	0·34	24
25	–	0·36	0·19	–	–	–	–	0·95	0·10	0·08	0·03	–	25
26	0·04	0·51	–	–	–	0·15	–	0·03	0·28	0·23	–	0·06	26
27	–	0·35	0·94	–	–	0·04	–	0·01	0·09	0·53	–	–	27
28	–	0 58	0·04	–	–	0·03	–	0·22	0·32	0·41	–	0 31	28
29	–	0·26	–	–	–	0·31	–	0·60	0·13	0·26	–	0·44	29
30	–	X	–	–	0·04	–	–	0·01	–	0·35	–	0·01	30
31	–	X	–	X	–	X	–	0·05	X	0·04	X	0·01	31 ✓
Total	1·24	5·09	3·54	0·74	1·66	2·37	0·71	2·36	1·72	4·76	4·15	4·55	YEAR'S TOTAL 32·89
Rain Days.	16	21	19	11	13	16	8	13	12	20	15	18	182 ✓

W. 8,000, VIII. 16

572

FORM A. BRITISH RAINFALL.

3. JAN 1918

Exe 8f

REGISTER OF RAINFALL IN 1917.

Kept at Worthing

in the County of Sussex.

by The Corporation

Lat. 50°49′N Long. 0°22′W.

Time of Observation 9 am

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 36·25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·03	0·07	–	0·01	–	1·23	0·02	–	0·10	0·02	1
2	–	–	–	0·32	–	–	–	0·02	0·01	–	0·10	–	2
3	0·01	–	–	0·03	–	–	0·72	0·13	–	–	0·14	–	3
4	–	0·13	0·23	–	–	–	0·02	0·13	–	0·16	–	–	4
5	0·32	–	0·02	0·09	–	0·10	–	–	0·17	0·25	0·05	–	5
6	–	–	0·12	0·02	–	0·14	–	–	0·12	–	0·15	–	6
7	0·37	–	–	–	–	–	0·12	–	–	0·20	–	0·05	7
8	0·13	–	–	0·09	–	–	0·22	0·10	–	0·27	0·25	0·32	8
9	–	–	0·16	–	0·01	–	0·03	–	–	0·03	–	0·22	9
10	0·17	–	0·16	0·10	–	0·19	–	0·12	–	–	–	–	10
11	0·09	–	0·13	0·35	–	–	–	0·04	–	0·44	–	–	11
12	0·01	–	0·01	0·01	–	–	–	0·10	–	0·26	–	–	12
13	0·01	–	0·17	–	0·04	–	–	0·04	–	0·18	–	–	13
14	–	–	–	0·16	–	–	–	0·09	–	–	–	–	14
15	–	–	–	–	–	–	–	–	–	0·41	–	0·04	15
16	0·01	0·37	–	0·06	0·11	–	–	–	–	0·32	–	0·74	16
17	–	0·02	–	0·14	0·10	–	0·42	0·07	0·44	0·05	–	0·01	17
18	–	0·03	–	0·04	0·20	–	0·14	0·06	0·25	–	–	–	18
19	0·01	0·42	0·07	–	–	0·03	–	–	0·12	–	–	–	19
20	–	0·08	–	–	0·36	0·03	–	–	–	–	–	–	20
21	0·01	–	0·02	–	–	–	–	–	–	–	–	–	21
22	0·01	–	–	–	–	0·13	–	0·15	–	0·26	–	–	22
23	–	0·33	–	–	0·14	–	–	0·06	–	0·06	–	0·04	23
24	–	0·09	–	–	–	0·11	0·32	–	–	0·21	–	–	24
25	–	0·10	0·05	–	–	–	0·02	–	–	0·01	–	–	25
26	–	–	–	–	–	0·01	–	0·53	0·08	–	0·64	–	26
27	–	–	–	–	0·02	–	–	0·95	–	–	–	–	27
28	–	–	0·05	–	–	2·63	–	0·45	–	–	–	0·03	28
29	–	X	0·09	–	–	–	0·04	0·02	–	0 55	–	0·07	29
30	–	X	0·39	–	–	0·01	0·22	0·48	–	0·04	–	0·01	30
31	0·01	X	0·04	X	–	X	0·10	0·03	X	0·06	X	0·05	31
Total	1·16	1·57	1·74	1·48	0·98	3·39	2·37	4·80	1·21	3·76	1·43	1·60	YEAR'S TOTAL 25·49
Rain Days.	13	9	16	13	8	11	12	20	8	18	7	12	147

1·64

* W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL

2 · 1 · 19

REGISTER OF RAINFALL IN 1918.

Kept at Worthing
in the County of Sussex.
by J. W. King for Corporation

Lat. 50° 49′ N Long. 0·22 W.
Time of Observation 9 am
Nearest Railway Station Worthing
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 35·25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	0·01	trace	–	–	0·12	–	–	0·14	0·08	1
2	–	0·02	–	0·04	–	–	–	0·72	–	–	0·28	0·20	2
3	–	–	0·06	0·01	0·45	–	–	0·04	–	–	0·22	0·01	3
4	–	0·05	–	–	–	–	–	0·05	0·08	–	0·57	0·04	4
5	trace	0·02	0·02	–	0·04	–	–	0·15	–	0·01	–	trace	5
6	0·22	0·17	–	0·13	0·22	–	–	0·56	0·04	–	–	0·01	6
7	–	0·05	–	0·16	0·11	0·01	–	0·02	0·23	0·02	0·12	trace	7
8	–	trace	–	–	0·01	–	–	–	0·12	0·05	0·03	0·02	8
9	0·01	–	–	0·08	–	0·09	0·03	–	0·39	0·09	–	0·33	9
10	–	–	–	0·04	–	0·03	0·27	–	0·13	0·11	trace	0·26	10
11	0·03	–	–	trace	–	–	0·07	–	0·10	0·12	0·06	0·05	11
12	–	0·06	–	–	0·23	–	–	–	0·03	–	–	0·05	12
13	0·21	–	trace	–	0·05	–	0·15	–	0·25	–	–	0·03	13
14	0·19	–	0·14	–	trace	0·06	0·08	–	0·35	0·23	–	0·02	14
15	1·40	–	–	0·11	–	–	0·39	–	–	–	–	0·11	15
16	0·39	–	0·02	0·01	–	–	0·03	–	0·23	0·03	–	–	16
17	0·15	–	–	0·15	–	0·24	0·38	0·01	–	–	–	0·03	17
18	0·31	–	–	–	–	0·36	0·03	–	0·34	–	–	0·05	18
19	0·05	–	0·31	0·03	–	0·07	0·02	trace	–	0·03	–	0·01	19
20	0·05	0·15	–	0·52	–	0·02	0·34	trace	0·22	0·04	–	–	20
21	0·18	–	–	0·50	–	–	–	–	0·31	0·38	–	0·05	21
22	0·13	–	–	–	0·02	–	0·50	–	0·66	–	–	0·18	22
23	0·05	–	–	0·01	–	–	0·25	0·05	trace	–	–	0·06	23
24	–	0·19	–	–	–	0·01	0·10	–	0·20	–	0·07	–	24
25	trace		–	0·29	–	–	–	0·20	–	0·03	–	–	25
26	–		–	–	–	–	0·28	–	0·03	–	0·08	0·13	26
27	–	0·03	0·01	0·02	–	–	0·04	0·13	0·40	trace	0·07	0·02	27
28	–	–	0·14	0·02	–	0·02	–	–	–	0·06	0·13	0·02	28
29	–	X	0·02	–	–	–	–	–	0·97	–	–	0·01	29
30	trace	X	0·36	–	–	–	–	–	0·04	0·08	0·04	0·01	30
31	–	X	trace	X	–	X	–	–	X	0·05	X	–	31
Total	3·37	0·74	1·08	2·13	1·13	0·91	2·96	2·05	5·12	1·33	1·81	1·78	YEAR'S TOTAL 24·41
Rain Days.	14	9	9	17	8	10	16	11	20	15	12	24	165

W. 6,500. VII. 18. W W C

484

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Worthing

in the County of Sussex.

by The Worthing Corporation

Lat. 50° 49' N Long. 0·22 W.

Time of Observation 9 am

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level 35·25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·44	0·01	–	–	0·03	–	0·20	–	–	0·05	0·01	0·63	1
2	0·06	–	0·03	–	trace	–	0·08	–	0·05	0·01	0·01	0·09	2
3	0·24	–	0·65	–	0·03	–	–	–	0·04	–	–	0·35	3
4	0·21	0·07	0·46	–	trace	0·02	0·15	0·12	–	–	0·09	0·05	4
5	–	0·35	0·90	–	–	–	–	–	0·02	–	0·19	0·35	5
6	0·30	–	0·10	–	–	–	–	–	–	–	–	0·08	6
7	0·06	–	0·34	–	–	–	–	–	–	–	–	–	7
8	0·22	–	0·15	–	–	–	–	–	–	–	–	–	8
9	0·42	–	0·07	0·02	0·01	–	–	–	–	–	0·20	–	9
10	0·72	–	0·03	0·02	–	–	–	–	–	–	–	0·12	10
11	0·27	–	0·13	0·43	0·08	–	0·03	–	–	–	–	0·03	11
12	0·01	–	trace	–	trace	–	0·04	–	–	0·07	0·03	–	12
13	0·03	0·01	0·02	0·38	–	–	–	–	–	–	–	trace	13
14	0·36	–	–	0·30	–	–	0·26	–	0·28	0·01	–	0·21	14
15	0·17	0·04	0·09	0·10	–	–	–	–	–	–	–	0·88	15
16	0·10	0·54	–	–	–	–	–	–	–	–	0·05	trace	16
17	–	0·23	–	–	–	–	–	–	–	–	0·10	–	17
18	–	0·01	0·18	–	–	–	–	0·03	–	–	0·14	0·01	18
19	0·14	0·44	0·82	–	–	0·07	0·55	0·32	0·01	–	0·13	trace	19
20	0·46	0·01	0·01	–	–	0·50	trace	0·15	–	–	–	0·01	20
21	0·03	0·39	–	–	–	0·02	0·01	–	–	–	0·02	0·02	21
22	–	–	–	–	–	–	0·20	–	0·51	–	trace	0·19	22
23	–	–	–	–	–	0·02	–	–	0·11	–	0·02	0·02	23
24	–	0·04	–	0·16	–	trace	0·03	0·07	–	0·14	0·14	0·10	24
25	0·04	–	–	–	–	trace	–	0·27	–	–	–	0·06	25
26	0·01	0·13	0·08	0·08	–	–	0·01	0·02	0·04	–	0·48	0·42	26
27	0·62	–	0·01	0·44	–	–	–	0·63	–	–	0·06	0·01	27
28	–	–	0·53	–	–	–	–	0·46	–	–	0·56	0·49	28
29	trace		–	0·01	–	–	–	0·60	–	0·14	0·04	0·14	29
30	–	×	–	0·28	–	0·01	–	0·47	–	trace	0·27	0·59	30
31	0·03	×	0·04	×	–	×	–	–	×	0·01	×	0·10	31
Total	4·94	2·27	4·64	2·22	0·15	0·64	1·56	3·14	1·06	0·43	2·54	4·95	Year's Total 28·54
Days with ·01 in. or more	22	13	19	11	4	6	11	11	8	7	18	23	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Worthing [M.O.]

in the County of Sussex.

by The Medical Officer of Health

Lat. 50° 49′ Long. 0° 22′ W.

Time of Observation 9h + 18h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·2	0·3	-	-	0·8	-	5·1	-	-	1·3	0·3	16·0	1
2	1·5	-	0·8	-	-	-	2·0	-	1·3	0·3	0·3	2·3	2
3	6·1	-	16·5	-	0·8	-	-	-	1·0	-	-	8·8	3
4	5·4	1·8	11·7	-	-	0·5	3·8	3·0	-	-	2·3	1·3	4
5	-	8·9	22·9	-	-	-	-	-	0·5	-	4·8	8·9	5
6	7·6	-	2·5	-	-	-	-	-	-	-	-	2·1	6
7	1·5	-	8·6	-	-	-	-	-	-	-	-	-	7
8	5·6	-	3·8	-	-	-	-	-	-	-	-	-	8
9	10·7	-	1·8	0·5	0·3	-	-	-	-	-	6·1	-	9
10	18·1	-	0·8	0·5	-	-	-	-	-	-	-	3·0	10
11	6·9	-	3·3	10·9	2·0	-	0·8	-	-	-	-	0·8	11
12	0·3	-	-	-	-	-	1·0	-	-	1·8	0·8	-	12
13	0·8	0·3	0·6	9·7	-	-	-	-	-	-	-	-	13
14	9·1	-	-	7·6	-	-	6·6	-	7·1	0·3	-	5·3	14
15	4·3	1·0	2·3	2·5	-	-	-	-	-	-	-	22·3	15
16	2·5	13·7	-	-	-	-	-	-	-	-	1·3	-	16
17	-	5·9	-	-	-	-	-	-	-	-	2·5	-	17
18	-	0·3	4·6	-	-	-	-	0·8	-	-	3·6	0·3	18
19	3·5	11·2	20·8	-	-	1·8	14·0	8·1	0·3	-	3·3	-	19
20	11·7	0·3	0·3	-	-	12·7	-	3·8	-	-	-	0·3	20
21	0·8	9·9	-	-	-	0·5	0·3	-	-	-	0·5	0·5	21
22	-	-	-	-	-	-	5·1	-	12·9	-	-	4·8	22
23	-	-	-	-	-	0·5	-	-	2·8	-	0·5	0·5	23
24	-	1·0	-	4·1	-	-	0·5	1·8	-	3·6	3·6	2·6	24
25	1·0	-	-	-	-	-	-	6·9	-	-	-	1·5	25
26	0·3	3·3	2·0	2·0	-	-	0·3	0·5	1·0	-	12·2	10·7	26
27	15·8	-	0·3	11·2	-	-	-	16·0	-	-	1·5	0·3	27
28	-	-	13·5	-	-	-	-	11·7	-	-	14·3	12·5	28
29	-		-	0·3	-	-	-	15·2	-	3·6	1·0	3·6	29
30	-		-	7·1	-	0·3	-	11·9	-	-	6·9	15·0	30
31	0·8		1·0		-		-	-		0·3		2·5	31
TOTAL	125·5	57·9	118·1	56·4	3·9	16·3	39·5	79·7	26·9	11·2	64·8	125·9	YEAR'S TOTAL 726·1
Days with 0·2 mm. or more	22	13	19	11	4	6	11	11	8	7	18	23	153

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Forms 3202 & 3203.

458

10 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Worthing

in the County of Sussex.

by J. W. King for Corporation

Lat. 50.49 N. Long. 0.22 W.

Time of Observation 9 am.

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 35.25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	–	0.01	0.01	0.08	–	0.36	–	0.17	0.50	–	0.25	1
2	0.02	–	0.02	0.02	0.03	–	–	0.18	–	0.06	–	0.05	2
3	0.02	–	–	–	–	–	–	–	trace	0.07	–	0.02	3
4	–	0.15	–	0.02	–	–	1.20	0.15	–	0.28	–	trace	4
5	–	–	0.11	0.04	–	–	0.61	0.02	–	trace	–	–	5
6	–	–	0.09	–	0.41	–	0.22	–	–	–	–	–	6
7	0.03	–	–	0.18	0.07	–	0.02	–	–	–	–	–	7
8	trace	–	–	0.05	0.03	–	0.28	–	–	–	–	–	8
9	0.27	0.02	–	0.02	trace	0.09	–	–	–	–	–	–	9
10	0.92	0.26	0.14	0.03	–	0.15	0.28	–	–	–	trace	–	10
11	0.26	–	0.09	0.23	trace	–	0.18	–	–	–	–	0.13	11
12	0.27	0.03	–	0.19	–	0.49	–	–	–	–	–	–	12
13	0.22	–	0.27	–	–	–	–	–	–	–	0.09	–	13
14	–	trace	0.49	0.36	–	–	–	–	0.08	0.32	0.40	–	14
15	0.16	–	trace	0.07	–	–	–	–	0.68	0.34	0.08	–	15
16	–	–	0.01	–	–	–	–	–	0.37	trace	0–02	–	16
17	0.03	–	–	0.03	0.13	–	–	–	0.98	–	–	0.01	17
18	0.04	–	trace	–	0.17	0.01	–	0.53	0.38	–	–	0.05	18
19	0.05	–	–	0.21	–	trace	–	–	0.08	–	–	0.02	19
20	0–11	0.08	–	0.06	–	0.79	–	–	0.01	–	–	0.01	20
21	–	–	–	0.03	–	–	0.74	–	0.14	–	–	0.20	21
22	–	–	–	0.29	–	–	–	–	–	–	–	0.35	22
23	–	–	–	–	–	–	0.46	0.19	–	–	–	0.53	23
24	–	–	0.07	–	–	–	–	–	–	–	trace	0.11	24
25	trace	–	0.01	–	0.01	–	0.12	–	trace	–	0.01	–	25
26	0.02	–	0.16	0.04	–	–	trace	–	–	–	0.02	0.08	26
27	0.41	–	–	0.11	–	0.12	0.01	–	–	–	0.42	0.25	27
28	0.38	0.01	0.05	trace	0.24	–	0.13	–	–	–	0.01	0.07	28
29	0.62	–	0.02	0.10	–	–	–	–	–	–	0.17	0.13	29
30	0.03		–	–	–	–	0.03	–	0.23	–	0.42	0.22	30
31	–		0.09		–		–	–		0.62		0.20	31
Total	3.97	0.55	1.63	2.09	1.17	1.65	4.64	1.07	3:12	2.19	1.64	2.68	Year's Total 26.40
Days with ·01 in. or more	19	6	15	20	9	6	14	5	10	7	10	18	139 ✓
Days with ·04 in. or more	13	3	10	13	6	5	11	4	9	7	6	14	101 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Worthing (HO)
in the County of Sussex
by Medical Officer of Health

Lat. 50° 49' N Long. 0° 22' W
Time of Observation 9h & 18h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft - in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.8	-	0.3	0.3	2.0	-	9.1	-	-	12.7	-	6.3	1
2	0.5	-	0.6	0.6	0.8	-	-	5.4	4.3	1.6	-	1.3	2
3	0.5	-	-	-	-	-	-	-	-	1.8	-	0.5	3
4	-	3.8	-	0.5	-	-	30.5	3.8	-	7.1	-	-	4
5	-	-	2.8	1.0	-	-	15.5	0.5	-	-	-	-	5
6	-	-	2.3	-	10.4	-	5.6	-	-	-	-	-	6
7	0.8	-	-	4.6	1.8	-	0.6	-	-	-	-	-	7
8	-	-	-	1.3	0.8	-	7.1	-	-	-	-	-	8
9	6.9	0.5	-	0.5	-	2.3	-	-	-	-	-	-	9
10	23.3	6.6	3.6	0.8	-	3.8	7.1	-	-	-	-	-	10
11	6.6	-	2.3	5.9	-	-	4.6	-	-	-	-	3.3	11
12	6.9	0.8	-	4.9	-	12.4	-	-	-	-	-	-	12
13	5.6	0.3	6.8	-	-	-	-	-	-	-	2.3	-	13
14	-	-	12.4	9.1	-	-	-	-	2.0	8.1	10.2	-	14
15	4.0	-	-	1.8	-	-	-	-	17.3	8.6	2.1	-	15
16	-	-	0.3	-	-	-	-	-	9.4	-	0.5	-	16
17	0.8	-	-	0.8	3.3	-	-	-	24.9	-	-	0.3	17
18	1.1	-	-	-	4.3	0.3	-	13.5	9.7	-	-	1.3	18
19	1.3	-	-	5.3	-	-	-	-	2.0	-	-	0.5	19
20	2.8	2.0	-	1.5	-	20.1	-	-	0.3	-	-	0.3	20
21	-	-	-	0.8	-	-	18.8	-	3.6	-	-	5.0	21
22	-	-	-	7.4	-	-	-	-	-	-	-	8.9	22
23	-	-	-	-	-	-	11.7	4.8	-	-	-	13.5	23
24	-	-	1.8	-	-	-	-	-	-	-	-	2.8	24
25	-	-	0.3	-	0.3	-	3.0	-	-	-	0.3	-	25
26	0.5	-	4.1	1.0	-	0.5	-	-	-	-	0.5	2.0	26
27	10.4	-	-	2.8	-	3.0	0.3	-	-	-	10.7	6.4	27
28	9.6	0.3	1.3	-	6.1	-	3.3	-	-	-	0.3	1.8	28
29	15.7	-	0.5	2.5	-	-	-	-	-	-	4.3	3.3	29
30	0.8		-	-	-	-	0.8	-	5.8	-	10.7	5.6	30
31			2.3		-		-	-		15.7		5.1	31
TOTAL	100.9 ✓	14.3 ✓	41.7 ✓	53.4 ✓	29.8 ✓	42.4 ✓	118.0 ✓	28.0 ✓	79.3 ✓	55.6 ✓	41.9 ✓	68.2 ✓	~~65~~ YEAR'S TOTAL ~~5[illegible]3.5~~ 673.5
Days with 0.2 mm. or more	19 ✓	7 ✓	15 ✓	20 ✓	9 ✓	7 ✓	14 ✓	5 ✓	10 ✓	7 ✓	10 ✓	18 ✓	149
	18	3	10	13	6	5	11	4	9	7	6	14	101

(44,284). W1.24,958—2/3. 500. 10/19. Gp.132. A.&E.W.

Copied from TR 202

read the [illegible]

S

REGIST … 11

WYCH CROSS

SUSSEY

1911-20

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Wych Cross

in the County of Su…

by G. B. Field

5 in.

…ve Ground 1 ft. – in.

Sea Level 600 ft.

a.m

Name Forest Row

Distance 3m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11			·39				·04			·12		1
2	·03		·04	·11	·34						·16		2
3	·02				·35					·42	·19	·26	3
4	·09	·05	·04	·19		·39				·46	·39	·45	4
5				·13							·02	·51	5
6	·37		·07							·7		1·15	6
7	·1										·78		7
8	·17		·24								·72	·25	8
9	·17		·03	·06							·15		9
10	·47	·13	·12	·06							·01	·34	10
11			·1		·39							·64	11
12			·4							·13	1·38	·02	12
13					·21				·68	·01	·15	·14	13
14		·11	·07		·15					·02		·2	14
15		·05	·33								·1	·73	15
16						·46					·71	·05	16
17			·07			·1					1·36	·23	17
18		·2	·07			·09					1·36	·24	18
19		·01		·01		·08			·28	·31	·21	·77	19
20	·05		·04			·07		·40	·19	·15	·01	·91	20
21	·04	·29						·19	·03	·79		·19	21
22	·07	·37	·51			·12		·97		·56	·05	·6	22
23						1·11			·44	·34		·29	23
24	·03	·2				·14	·07	·10		·34		·47	24
25		·08	·14	·11		·12		·15	·11	·2	·08	·01	25
26			·5	·31	·05	·15		·02		·58	·1	·29	26
27		·57	·2	·14	·06				·17			·15	27
28		·34		·15				·06		·61	·08	·02	28
29				·14		·16	·48		·29				29
30				·04		·05		·06	·07	·39	·02		30
31												·05	31
Total	1·42	2·40	3·24	1·84	1·55	3·04	·85	1·99	2·26	6·01	8·15 8.15	8·96	Total for year 42·04
No. of Rain Days.	13	12	14	13	4	13	2	9	9	16	22	25	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wych Cross Place

in the County of Sussex

by G. B. Field

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 600 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Forest Row
Distance 3 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11			·39				·04			·12		1
2	·03		·04	·11	·34						·16		2
3	·02				·35					·42	·19	·26	3
4	·09	·05	·04	·19		·39				·46	·39	·45	4
5				·13							·02	·51	5
6	·34		·07							·4		1·15	6
7	·1										·48		7
8	·17		·24								·42	·25	8
9	·14		·03	·06							·15		9
10	·44	·13	·12	·06							·01	·34	10
11			·1		·39							·64	11
12			·4							·13	1·38	·02	12
13					·21				·68	·01	·15	·14	13
14		·11	·07		·15					·02		·2	14
15		·05	·33								·1	·43	15
16						·46					·41	·05	16
17			·07			·1					1·36	·23	17
18		·2	·07			·09					1·36	·24	18
19		·01		·01		·08			·28	·31	·21	·44	19
20	·05		·04			·07		·40	·19	·15	·01	·91	20
21	·04	·29						·19	·03	·49		·19	21
22	·07	·37	·51			·12		·94		·56	·05	·6	22
23						1·11			·44	·34		·29	23
24	·03	·2				·14	·07	·10		·34		·47	24
25		·08	·14	·11		·12		·15	·11	·2	·08	·01	25
26			·5	·31	·05	·15		·02		·58	·1	·29	26
27		·57	·2	·14	·06				·17			·15	27
28		·34		·15				·06		·61	·08	·02	28
29				·14		·16	·48		·29				29
30				·04		·05		·06	·07	·39	·02		30
31												·05	31
Total	1·42	2·40	3·27	1·84	1·55	3·04	·85	1·99	2·26	6·01	8·15 8.15	8·96	TOTAL for year 42·04
No. of Rain Days.	13	12	14	13	4	13	2	9	9	16	22	25	158

W. 8,000, X. '11.

W 7 Feb

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

Kept at The Gardens, Wych Cross Place

in the County of Sussex 7

by J. B. Field

Rain Gauge { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m

Nearest Railway Station { Name Forest Row
Distance 3 Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11			·15	·09		·02	·95			1
2	·02		·63		·04		·27					·28	2
3			·11			·29		·33	·05			·02	3
4	·23	·01	·49		·05	·19		·02			·2	·04	4
5	·24	·05	·24					·27			·13	·06	5
6	·46	·19						·58				·11	6
7					·26	·44		·38				·17	7
8	·45	·42	·32	·03		·22		·35					8
9	·02	·13	·08	·04		·35	·16				·06	·09	9
10		·12						·45				·48	10
11		·51	·04		·02				·05			·27	11
12		·18	·07		·09	·03		·22			·03		12
13		·03	·05			·03					·21	·18	13
14					·06			·09		·1		·15	14
15	·03	·06	·14		·21	·72		·04				·28	15
16	·31	·02	·21		·31			·2		·12			16
17	·35		·62			·10		·11			·35	·18	17
18	·22		·56				·04	·05				·15	18
19	·09	·17	·31			·08	·07	·32					19
20	·11	·09	·77					·22		·48	·12		20
21		·11	·38					·12		·37	·06		21
22	·06	·61	·16				·03	·22					22
23	·27	·45	·44		·19 ·19	·03		·65		·13		·13	23
24	·18	·06				·01		·37			·21	·18	24
25			·01			·39	·03	·94			·02	·64	25
26		·04				·05		·64		·47	·5	·3	26
27		·02								·3	·42	·45	27
28		·08				·05	·48	·27	·41	·83	·01		28
29		·06					·20	·61	1·44	·36	·98		29
30					·47	·25	·42	·18	2·02	·18	·03		30
31			·05				·21	·15		·01			31
Total	3·04	3·44	6·04	·07	1·40	3·38	2·00	4·48	4·32	4·30	3·33	4·16	TOTAL for year 43·61
No. of Rain Days.	15	21	21	2	10	14	11	25	6	12	15	19	174

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

18 FEB 1914

Kept at The Gardens Wych Cross Place
in the County of Sussex
by J. B. Field

7

Lat. — Long.
Time of Observation 9 a.m.
Nearest Railway Station Forest Row
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·43	·14	·26	·12				·03	·05	·13	·16	1
2	·04	·21					·09		·06	·14	·11		2
3	·11		·13	·51	·46				·05	·51		·23	3
4				·03	·02					·24	·15	·03	4
5	·31					·14	·14		·4	·04	·1		5
6	·45	·15	·22			·14	·09		·49	·45	·15		6
7		·29			·12	·11	·13		·14	·34	·15	·02	7
8		·04			·23	·09		·06		·48	·5	·06	8
9	·01	·16	·06		·14		·2		·13				9
10	·02			·09	·11		·31				·8		10
11	·45			·5						·42	·1		11
12					·15						1·29	·03	12
13	·32		·08			·09			·05	·13	·29		13
14	·33		·12	·13		·12	1·91		·16		·23		14
15	·18		·29				·34		·1				15
16	·24		·52	·52					·18				16
17		·1	·08	·13			·38				·02		17
18	·1		·23	·30			·02				·15		18
19	·39		·05				·13		·61				19
20	·51		·1			·05				·69	·03		20
21	·03		·33	·26		·04	·05			·6	·64		21
22	·58		·25						·13				22
23			·31					·2			·06	·9	23
24	·09							·03					24
25				·05						·01		·02	25
26				·2			·05	·18		·89		·33	26
27	·02									·13			27
28	·12		·58							·25			28
29	·11		·06	·65				·14		·19	·03		29
30	·65							·32					30
31			·14	·19				·96		·23			31
Total	5·40	1·38	3·69	3·82	1·35	·87	3·90	1·92	2·53	6·15	4·96	1·48	YEAR'S TOTAL 34·69
Rain Days.	22	4	18	14	8	8	13	4	13	18	18	9	155

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 JAN 1915

Kept at Wych Cross Place
in the County of Sussex
by J. B. Field

7 & R

Lat. ____ Long. ____
Time of Observation 9 a.m.
Nearest Railway Station Forest Row
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·09		·08	·02	·26				·1	1
2	·05		·03	·01			·3	·03			·29	·22	2
3			·12	·04	·35								3
4			·	·26	·1						·45	·39	4
5	·25		·1	·55	·2	·04	·22						5
6		·16	·	·19	·06	·13	·07	·21				·58	6
7	·02	·67	·47	·2	·04	·05	·27	·08				·38	7
8	·13	·65	·48	·02		·1	·09	·19				·02	8
9	·36		1·17	·24					·38			1·32	9
10	·05	·18		·13	·13							·16	10
11		·55	·67	·07					·28			·38	11
12		·05	·08				·38		·55			·96	12
13		·67	·27		·01	·09	·3		·02		·31	·66	13
14		·39	·26				·28			·46	·26	·58	14
15		·04	·39				·23	·07			·84	·07	15
16		·06	·06				·01						16
17		·45	·24						·3			·3	17
18		·22	·21									·67	18
19		·17	1·05				·26	·11				·05	19
20		·25	·18			·05			·05	·05		·17	20
21		·84						·07					21
22		·08			·19	·15	·13	·09		·51			22
23			·36		·17	·07				·02		·07	23
24			·04	·02				·01			·45		24
25	·16		·34							·42	·04		25
26			·04				·04	·48		·16	·33	·71	26
27											·09	·7	27
28					·02					·25	·29	·64	28
29	·21		·08							·31		·04	29
30	·08	X	·18							·51	1·68	·31	30
31	·08	X		X	·18	X			X		X	·08	31
Total	1·39	5·43	6·84	1·82	1·45	·76	2·60	1·60	1·58	2·69	5·03	9·56	YEAR'S TOTAL 40·75
Rain Days.	10	16	23	12	11	9	14	11	6	9	11	24	156

W. 8,000. X. 14.

Cnd 26.11.16

+54

FORM A.
BRITISH RAINFALL.

6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wych Cross Place
in the County of Sussex (East) 7
by J. B. Field for D. W. Freshfield Esq

Lat. Long. —
Time of Observation 9 a m
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·4	·04	·05						·45		·29	·48	1
2	·25	·52	·29	·16				·21		·1			2
3	·38	·02		·29	·26			·21	·12			·56	3
4	·04							·12				·4	4
5	·04							·18			·02	·49	5
6	·69	·6	·12	·41			·54	·06				·22	6
7	·26	·22	·06				·05					·54	7
8	·04	·52		·1			·14	·01			·12		8
9		·66		·14		·35		·1			·54	·46	9
10	·38	·22										·49	10
11	·01										·44	·2	11
12				·22	·16			·02					12
13		·95		·02	2·49								13
14	·06						·18	·15	·12			·56	14
15	·2 (·20)	·02			·09		·31	·13			·19	·34	15
16		·8		·02			·01	·15				·1	16
17		·4			1·42			·06				·03	17
18		·16	·04		·25						·12		18
19		·08		·09						·08			19
20	·3									·04			20
21	·21			·03			·02					·29	21
22			·09				1·29					·54	22
23	·34	·14	·19				·13		·18			·46	23
24							·15		·23			·43	24
25				·03			·29			·05		·2	25
26												·8	26
27		·23				·02	·16			·28			27
28		·09				·1	·08		1·49	·4		·04	28
29					·02	·05	·29	·36			·21	·03	29
30	·19	X				·04				·14	·45	·03	30
31		X		X		X		·5	X	·91	X	·05	31
Total	4·12 ✓	5·64	·84	1·84	4·69	·59	4·54	2·26	2·59	2·33	2·41	~~8·19~~ 8·70	YEAR'S TOTAL 40·91 ✓
Rain Days.	16	14	4	11	4	5	14	14	6	8	9	23	134

W. 8,000. X. 15.

644

FORM A.
BRITISH RAINFALL.
21 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Wych Cross Place

in the County of Sussex

by T. B. Field

Lat. ______ Long. ______
Time of Observation 9 a.m
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·02		·24	·05			·24		·24		1
2	·61	·15	·26		·42		·01		·14	·1	·1		2
3	·03	·65	·2				·04		·08	·31	·44		3
4	·24	·05		·05		·51			·2		·69		4
5	·05	·04		·04	·25	·31				·28	·83		5
6		·14	·04	·33		·26	·39			·19	·42		6
7	·05	·03	·84		·38	·48				·06	·48	·05	7
8					·2							·65	8
9					·46							·13	9
10		·38	·04	·09		·14	·23					·18	10
11	·05	·13	·03	·22		·09							11
12		·14	·15	·04	·15	·18	·19						12
13		·31	·2	·1			·03	·04		·08			13
14		·54	·05							·19			14
15		·15	·12					·03				·04	15
16	·36			·26			·18	·06					16
17		·2		·1				·15	·21	1·28			17
18				·06				·42	·35	·44	·35		18
19	·3	·04	·14	·42		·12			·14		1·2	·3	19
20	·03		·14	·24							·14	·65	20
21			·42				·35					·35	21
22		·29	·02									·04	22
23	·02		·04			·15		·1					23
24	·02				·1	·03				·46	·24	·3	24
25		·54	·2					1·28		·18		·09	25
26	·01	·3	·06			·14				·32			26
27	·03	·04	·84			·2		·18	·16	·45			27
28		·98	·16			·08				·28		·26	28
29		·23	·01			·35		·98		·34		·34	29
30		✗			·2	·05		·13		·19			30
31		✗		✗		✗		·11	✗	·22	✗		31
Total	2·01	5·48	4·46	2·01	2·43	3·20	1·42	3·48	1·55	5·37	5·46	3·44	YEAR'S TOTAL 40·64
Rain Days.	14	20	21	12	9	16	8	11	8	17	11	13	160

W. 8,000, VIII. 16

615

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 26. JAN 1918

Kept at The Gardens Wych Cross Place

in the County of Sussex

by L. B. Field

Lat. Long.

Time of Observation 9. a m

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·14				1·41	·41		·1		1
2				·21				·3			·15		2
3				·1			·43	·65		·12	·06		3
4			·25				·49	·32		·55			4
5		·28		·1				·04	·24	·3	·06		5
6				·22							·1		6
7	·64									·29			7
8	·08			·12			·24	·61		·48	·39		8
9			·19				·78					·33	9
10			·14	·12				·63					10
11	·42		·14	·4				·25		·65			11
12	·05							·33		·2			12
13								·23					13
14				·14	·15			·02					14
15								·18		·11			15
16				·3	·11		·05			·98		·96	16
17		·3		·15	·29				·28	·3			17
18		·02		·11	·08			·21	·51				18
19		·04			·02	·14		·31	·24				19
20		·16	·44		·62						·1		20
21		·13	·07					·15		·06	·62		21
22		·01	·03			·45		·16		·16			22
23		·21			·21								23
24		·04									·16	·13	24
25		·18	·23			·28			·04				25
26								·53				·01	26
27			·03		·03			1·39					27
28						1·1	·11	·54		·83			28
29					·23	·03	·21	·05				·29	29
30	·03		·45			·02	·81	·39					30
31	·07		·11				·32	·05		·05		·16	31
Total	1·32	1·34	2·14	2·14	1·44	2·05	3·44	8·48 8.48	1·48	5·08	1·44	1·88	YEAR'S TOTAL 32·46 32.56
Rain Days.	6	10	11	12	9	6	9	22	6	14	9	6	120

4·00

W. 8,000, IX. 17.

Cor. for arith. 20.3.19.

133

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 6·3·19

Kept at Wych Cross Place Gardens

in the County of Sussex

by J. B. Field

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·19									·25		1
2					·8			·22			·12	·42	2
3			·18		·11			·05		·24	·48	·35	3
4			·05	·31				·03	·27		·9	·01	4
5					·12			·1				·08	5
6		·27		·24	·19			·19	·11	·09			6
7	·2	·04		·07					·08	·06			7
8									·36		·25	·09	8
9				·1					·64	·36		·41	9
10	·04					·08	·31		·56	·14		·26	10
11							·12		·14	·27	·08	·16	11
12		·17		·06			·34			·1		·06	12
13							·12		·14			·12	13
14	·11		·04			·27	·22		·2	·32		·21	14
15	·32			·31			·62		·24	·19			15
16	1·4			·11		·25	·97		·16				16
17	·12			·09		·21	·03					·37	17
18	·43		·06			·12	·1		·6			·11	18
19	·49			·05		·13	·15			·07		·02	19
20	·11	·2		·91			·45			·41			20
21				1·57			·14	·08	·11	·09			21
22	·32				·46		·51		·49			·26	22
23	·11				·06		·56		·6				23
24	·09	·27		·03		·14	·04						24
25				·04			·05	·31	·45	·04	·09		25
26	·02						1·3				·16	·23	26
27		·32		·08			·08	·2	·16	·04		·05	27
28			·31	·03				·06					28
29									·83			·02	29
30			·58							·17		·11	30
31										·1			31
Total	3·49	1·49	1·22	4·00	1·44	1·2	6·14	1·24	6·14	~~2·68~~ 2·69	~~2·31~~ 2·33	3·64	YEAR'S TOTAL ~~35·59~~
Rain Days.	13	4	6	15	6	7	18	9	18	16	8	19	142

35·62

W. 6,500, VII. 18. W W O

572

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

MAR 20

Kept at Wych Cross Place Gardens
in the County of Sussex
by G. B. Field

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·5	·12	·06		·28					·31	·02	·88	1
2	·2	·16	·09				·25				·05	·26	2
3	·35		·15						·38	·11	·06	·14	3
4	·4		·91				·1	·03	·1		·05	·49	4
5		·42	1·08				·05		·04		·14		5
6	·15		·04										6
7	·04		·58								·06		7
8	·4		·04								·01		8
9	·62		·11	·02							·26		9
10	·38		·13	·08		·1							10
11	·22		·44	·39	·1		·25					·48	11
12	·3						·34			·11			12
13				·34			·01						13
14	·41	·05		·55			·1			·1		·25	14
15	·29									·1		·54	15
16	·14	·45	·05									·09	16
17		·36	·09								·34	·11	17
18		·11	·1								·14	·05	18
19		·09	·68			·08	·29	·12			·1	·04	19
20		·24	·06			·76	·19	·38			·05		20
21		·52	·11						·22			·06	21
22		·09	·08				·22					·29	22
23							·03		·61		·04	·01	23
24				·2			·04	·05	·31	·04		·09	24
25								·39				·02	25
26	·25	·23		·09				·05			·05	·53	26
27	·8		·16	·84				·32			·09		27
28				·04			·03	·84			·59	·42	28
29						·05		·53		·28		·12	29
30				·13				·94		·04	·45	·86	30
31			·04							·05		·1	31
TOTAL	5·81	2·84	5·04	2·41	·38	·99	1·9	3·68	1·66	1·14	2·56	5·83	YEAR'S TOTAL 34 60
Days with ·01 in. or more	16	12	20	10	2	4	13	10	6	9	14	21	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

538

MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wych Cross Place Gdns

in the County of Sussex

by G. B. Field

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·13						·54		·28	1
2	·02		·16	·01	·1		·04	·33	·09	·35			2
3					·01					·13		·25	3
4		·12		·13			·68	·12		·05			4
5			·05	·01	·04		·65	·15		·02		·04	5
6			·15		·15		·42					·02	6
7	·08			·12	·14		·29					·02	7
8				·05	·23		·54						8
9	·31	·06		·05			·05	·02					9
10	·88	·19		·03		·05	·39						10
11	·44			·31		·16	·32					·11	11
12	·06			·3		·24							12
13	·29	·08	·26	·01					·06		·08		13
14		·04	·52	·48					·93				14
15	·04			·29					·44		·89		15
16				·02	·03				·9				16
17				·05	·3							·09	17
18	·1		·04	·01	·1				·95			·18	18
19				·24				1·14				·13	19
20				·14		·62			·08			·09	20
21				·11			·66		·44			·19	21
22				·04									22
23				·02			·44		·01				23
24	·04		·05									·16	24
25			·03				·29						25
26	·04		·18	·04									26
27	·46			·13		·06	·11				·62	·28	27
28	·49		·15	·04	·15	·05	·16				·04	·05	28
29			·1	·13							·18	·3	29
30	·05	×					·14		·14		·44	·33	30
31	·04	×	·22	×		×			×	·54	×	·35	31
TOTAL	3·49	·49	1·91	3·04	1·28	1·18	5·24	1·49	4·04	1·63	2·15	2·84	YEAR'S TOTAL 29.14
Days with ·01 in. or more	16	5	12	25	10	6	15	5	10	6	6	14	~~133~~
Days with ·04 in. or more	15	5	11	19	8	6	15	4	9	5	6	15	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

slip made 7/3/15

WYKEHURST PARK

SUSSEX

1914 - 1920

REG

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Wykehurst

in the County of Sus

by T. Tyson

9 a.m.

Haywards Heath

5 in.

ove Ground 1 ft. 6 in.

Sea Level 360 ft.

IMPORTANT NOT… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			2	2				15			2	7	1
2								2			17	14	2
3			11	4	29		8	7				4	3
4			9	53				3				39	4
5				47	20		18	25			44	1	5
6	12	16		32	5	16	11	2		4	3	51	6
7	1	46	17	21	2	4	17					37	7
8	13	79	29	2		19	19	16				17	8
9	24		89	23					13			114	9
10	4	4	1		14							8	10
11		64	36	26					30			39	11
12		11	11				61		40			66	12
13	1	56	28						10		7	73	13
14	1	31	14								35	74	14
15		3	38				6	2			80		15
16	2		2				7						16
17		36	16				1		27			29	17
18	3	8	14									42	18
19		13	74				24				19	3	19
20		19	22							4		7	20
21		71	16			7		34		34		31	21
22		3	3		22	1	6	6		31	23		22
23			24	1	17	24		1		6			23
24			4							2			24
25			28							32		4	25
26			9				2	33		16	4	61	26
27											7	54	27
28		2					11			24	33	42	28
29			4							49	12	1	29
30	2	✕	15							8	118	36	30
31	11	✕		✕		✕			✕		✕	1	31
Total	74	462	5.16 516	211	1.09 ~~98~~	71	191	146	120	210	404	855	YEAR'S TOTAL 3369 33.69
Rain Days.	11	16	25	10	7	6	13	12	5	11	14	26	156

W. 8,000. X. 14.

slip made 7/3/15

REG

FORM A. BRITISH RAINFALL 2 - JAN 1915

Kept at Wykehurst Park Gardens
in the County of Sussex
by T. Tyson (Gardener)

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Haywards Heath
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			2	2				15			2	7	1
2								2			17	14	2
3			11	4	29		8	7				4	3
4			9	53				3				39	4
5				47	20		18	25			44	1	5
6	12	16		32	5	16	11	2		4	3	51	6
7	1	46	17	21	2	4	17					37	7
8	13	79	29	2		19	19	16				17	8
9	24		89	23					13			174	9
10	4	4	1		14							8	10
11		64	36	26					30			39	11
12		11	11				61		40			60	12
13	1	56	28						10		7	73	13
14	1	31	14								35	74	14
15		3	38				6	2			80		15
16	2		2				7						16
17		36	16				1		27			29	17
18	3	8	14									42	18
19		13	74				24				19	3	19
20		19	22							4		7	20
21		71	16			7		34		34		31	21
22		3	3		22	1	6	6		31	23		22
23			24	1	17	24		1		6			23
24			4							2			24
25			28							32		4	25
26			9				2	33		10	4	61	26
27											7	54	27
28		2					11			24	33	42	28
29			4							49	12	1	29
30	2	X	15							8	118	36	30
31	11	X		X		X			X		X	1	31
Total	74	462	5.16 516	211	1:09 ~~98~~	71	191	146	120	210	404	855	YEAR'S TOTAL 3369 33.69
Rain Days.	11	16	25	10	7	6	13	12	5	11	14	26	156

W. 8,000. X. 14.

W. D.L. corr for author – by own data } 23-11-16

575

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
JAN 1916

Kept at Wykehurst Park Gardens

in the County of Sussex 3

by Jno Tyson Gardener

Lat. 51. Long. 10 west of Greenwich

Time of Observation ~~at~~ 9 a. m.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	59	43	8				3		4,		12	19	1
2	24	5	24	8				10		23		21	2
3	29		5	30	7			6	5			64	3
4	14	12						7				31	4
5	5	54						10				(27)	5
6	61	13	12	77			96	8				20	6
7	23	41	6				5	1				34	7
8	2	48		2			7	3			4	18	8
9	1			26		8		3				52	9
10	26											54	10
11	2		4							3	22	4	11
12	4	10		20							13	2	12
13	3	76			2·03				12			4	13
14		2					14	4				36	14
15	15	5			6		49	24				14	15
16		1·17					98	4			9	10	16
17		2			1·42							7	17
18		3			11							3	18
19	2	7			3					1			19
20	37				1							17	20
21	2											3	21
22	65	(·02) 2	8				1·05					14	22
23		6	6				26		29	36		44	23
24			4	3			30			38		62	24
25							19					26	25
26						(·11) 11						69	26
27		(·14)					14			05		6	27
28						10	1	33	1·37	28			28
29						28	37				53	3	29
30	16	×				22	3			17	58	2	30
31		×		×		×			×	89	×	24	31
Total	3·90	4·60	·77	1·66	3·73	·79	5·07	1·13	2·30	2·98	2·60	6·90	YEAR'S TOTAL 36·4~~5~~3 36·43
Rain Days.	19	20	9	7	7	5	15	12	5	9	7	29	144

564

FORM A.
BRITISH RAINFALL.

20. JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Wykehurst Park
in the County of Sussex
by Fred Tyson (Gardener)

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	18	1	5		11	2	1		42	2	42		1
2	~~44~~ 40	4	19		29	2			2	94	3		2
3		49	38			1	7		15	56	84		3
4	34					68			46	4	44		4
5	6	7	2		21	19				7	72		5
6	2	29		11	3	40	28			5	77		6
7			9		35	11	3			4	67		7
8			48		5		5					67	8
9					47	3				1		6	9
10		49	8			32	6				2	37	10
11	2	15		37		24				2		9	11
12	3	7		5	14	19	11			5			12
13		22	59		6	2				11			13
14	2	48	14	6	14			2		3		8	14
15		8	10					10					15
16	3	14	28	17			10	7					16
17	27			17			2	24	44	108	73		17
18		12		2				12	46	17	64	19	18
19	28		11	48				7	16		16	64	19
20	2		18	4		4						33	20
21	12		21									72	21
22						2	5			6	6		22
23		18	5			6				13	4		23
24					13					43	7	30	24
25		97	17					122			5		25
26	4	74				11		3	29	36			26
27			91			5		7	16	41		2	27
28	2	49	14			10		5	9	18		21	28
29		18				29		49	11	41		33	29
30		X			91			2		22			30
31		X		X		X			X	10	X		31
Total	185	521	417	147	289	290	78	250	276	549	566	401	YEAR'S TOTAL 3969
Rain Days.	15	18	18	9	12	19	10	12	11	23	15	13	~~179~~ 175

W. 8,000, VIII. 16

536

FORM A.
BRITISH RAINFALL
2. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Wykehurst Park Gardens
in the County of Sussex
by Thos Tyson Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				4		2		151	9		4		1
2				10				3					2
3				48			91	35					3
4		29	18				3	54		53			4
5	27		4	21				11	24	34	7		5
6			2			33			19		10		6
7	29						15			63			7
8			12	9			26	17		26	(28)		8
9	3		10	8			7	3	6	2	3	96	9
10	39		14			8		10					10
11			18	40				6		48			11
12			8	4				16		18			12
13			24						4	26			13
14	3		2	17				6		1			14
15								3		17		6	15
16	2	11		15	4		1			21		131	16
17		2		14	18		33	2	31	63			17
18	3			8	5		15	13	32				18
19	4	28	18		5	4		22	11				19
20		12			34			14	5		3		20
21				1	4								21
22			5			32		26					22
23		18			14			11		18	16		23
24		11				13		4		15			24
25		10								3			25
26						28		46	6		89		26
27					3			129				2	27
28	1	2	7			76		54					28
29					7		6	3		74		16	29
30		X	37			3	57	30		4		3	30
31	5	X	4	X		X	17	1	X		X		31
Total	116	123	183	199	94	199	271	670	147	486	161	254	YEAR'S TOTAL 2903
Rain Days.	10	9	15	13	9	9	11	25.	10	17	8	6	142

2.69

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 8.1.19

Kept at Wykehurst Park Gardens
in the County of Sussex
by Fred Tyson Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7				2						30	14	1
2		5		3	25			33			10	20	2
3			10	10				25		3	49		3
4		18		1				6	18		79	2	4
5			(·07)					17		7		5	5
6	17	17		15	22			7	(·01)	4		4	6
7		13		20				3	16			3	7
8		2		7					18	5	17	5	8
9	5					14			54	29		44	9
10				8		4	32		54	26		21	10
11							55		18	17	11	15	11
12					8		18		4	3		(·03)	12
13	22	10			14	6	6						13
14	24		6			12	17		22	38		11	14
15	157			32		31	147		2			19	15
16	2			8		6	3		23			4	16
17	}			11		28	69	1				31	17
18	94					9			44				18
19	9		7	3		3	5		4			3	19
20	4	17		51			35		15	22			20
21	23			85			27		48	39		4	21
22	11			3	(16) ~~22~~		21	3	81			27	22
23	(·13)					6	70		5				23
24		31		2			3		21		6		24
25				19			16	18		5			25
26							71		3	3	20	17	26
27		17		4		3	20	17	10		6		27
28			22	3	2					2	24		28
29									71	10	2	11	29
30		X	47						7	3		10	30
31		X		X		X			X		X	3	31
Total	388	130	99	285	89	122	615	130	539	217	254	276	YEAR'S TOTAL 3144
Rain Days.	13	9	6	18	7	11	17	10	22	16	11	22	162

W. 8,000, IX. 17.

cord by new stats
H. R.

502

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wykehurst Park Gardens

in the County of Sussex

by Thos Tyson

Lat. Long. —6½ miles

Time of Observation 9 a.m.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26		4		21		21					102	1
2			3		17				7	11			2
3	34		46		4		44		4	10	11	30	3
4	20		41			3	23	5	3		5	13	4
5		62	86				3				18	41	5
6	20	38	7									8	6
7	25		·3 9							7	2		7
8	35		13		5						2		8
9	44		4	11									9
10	29		24	5								12	10
11	27		2	37	9		16					22	11
12				(·01)			55						12
13	11	10		46			2				15	4	13
14	58			39			9		38			11	14
15	31		17	6								81	15
16	19	47									17		16
17		37									13	7	17
18		6	8								17	3	18
19	2	36	42				39	3	6				19
20	51	9	13			82	11	31				2	20
21	11	52	4			4	2		41		2		21
22							18		22			25	22
23											15	7	23
24		4		17		2	9			18		5	24
25								33				4	25
26	9	12					2		8		47	42	26
27	86		10	62				18			27	5	27
28			42	4				109			46	44	28
29	3			2		2		45		20		10	29
30		X		5				79			21	93	30
31		X		X		X	3		X	1	X	14	31
Total	544	313	412	235	56	93	257	323	129	67	258	585	Year's Total 3272
Days with ·01 in. or more	19	11	19	12	5	5	15	8	8	6	15	23	146

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

9770 cnd/p auth 476

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wykehurst Park

in the County of Sussex

by T. Tyson (Gardener)

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ „ „ „ Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			31	9		42			67		5	1
2			24					27	12	8		26	2
3	5									16			3
4		11		7			84	21		29			4
5			7	2			52						5
6					21		26	4					6
7	6			4			21						7
8			17	7	6		47						8
9				4	14	4	14						9
10	9	14		6			9						10
11	33	2	10	14		13	25					28	11
12	4			30		94							12
13	21	7									13		13
14	3		54	31		4				14	49		14
15				18		10			3	21	16		15
16			3						81			12	16
17					16				94			5	17
18			3		13			86	71			7	18
19	17			41					4			4	19
20	12	27		9		71			6			24	20
21				36			87	2	17			37	21
22				2					3			48	22
23							37					11	23
24			9	4									24
25				5			31						25
26		3	8	10								6	26
27	68	2		2							84	36	27
28	45	3	11	12	17		26				20	8	28
29	72		4		2						17	16	29
30	2	×					6		36		37	24	30
31	8	×		×		×			×	99	×	31	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Year's Total
Total	3·13 ~~3·23~~	·69	1·50	2·75	·98	1·96	5·07	1·40	3.27 ~~3·37~~	2·54	2·36 ~~2·52~~	3·28	28·92 ~~29·09~~
Days with ·01 in. or more	15 ~~2~~	6 ~~4~~	11 ~~2~~	20 ~~3~~	8 ~~1~~	6	14	5 ~~1~~	10 ~~2~~	7	7	17	~~128~~ 115
Days with ·04 in. or more	13	4	9	17	7	6	14	4	8	7	7	17	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.